

2011 Edition

International Drug Price Indicator Guide

Guía Internacional
de Indicadores de
Precios de Medicamentos

Indicateur de Prix
Internationaux
des Médicaments



INTERNATIONAL DRUG PRICE
INDICATOR GUIDE



GUIA INTERNACIONAL DE INDICADORES DE
PRECIOS DE MEDICAMENTOS



INDICATEUR DE PRIX INTERNATIONAUX
DES MEDICAMENTS

2011

Edited by
Julie E. Frye



MANAGEMENT SCIENCES *for* HEALTH

Copyright © 2012 Management Sciences for Health, Inc.

Management Sciences for Health
784 Memorial Drive
Cambridge, MA 02139-4613 USA

Phone: 617.250.9500
Fax: 617.250.9090
URL: www.msh.org
Orders: bookstore@msh.org

Center for Pharmaceutical Management
Management Sciences for Health
4301 N. Fairfax Drive, Suite 400
Arlington, VA 22203 USA

Phone: 703.524.6575
Fax: 703.524.7898
E-mail: cpm@msh.org

Cover design by Joe Meiring

This publication was developed by Management Sciences for Health's Center for Pharmaceutical Management, Arlington, Virginia. The *Guide* is updated annually. The explanatory notes are in English, French, and Spanish and the products and prices are in English. Comments and questions should be e-mailed to cpm@msh.org.

Note: All rights reserved. Published by Management Sciences for Health (MSH) on its own behalf and for the World Health Organization (WHO). MSH and WHO have made every effort to ensure the accuracy of price, supplier, procurement agency and other information presented in this publication. However, the reader's attention is drawn to the introduction, which describes the specific sources and limitations of information provided in this publication.

The reader's attention is also drawn to the importance of quality assurance for pharmaceutical products. Licensing authorities in the respective countries of manufacture are responsible for the review and approval of the detailed composition and formulation when authorizing a pharmaceutical product to be marketed, including the specifications of its ingredients, as submitted by the manufacturer of the dosage form, and to oversee compliance with Good Manufacturing Practice requirements as recommended by WHO.

MSH and WHO do not warrant that the products mentioned are in accordance with the national laws and regulations of any country, including but not limited to patent laws. It is recommended that readers intending to use this publication familiarize themselves with issues such as quality, safety and efficacy as well as quantification, patents, financial stability and standing of the supplier, ability to supply the required quantities, delivery time, and other related aspects.

This publication does not constitute an endorsement or warranty of the fitness of any product for a particular purpose. This publication is not based on an active assessment of, and does not therefore constitute an acceptance or recommendation in regard to, any product's quality, safety, or efficacy.

This list may not be used by manufacturers and suppliers for commercial or promotional purposes. The mention of specific companies and certain of their products does not imply that they are recommended by MSH and WHO in preference to others of a similar nature that are not mentioned. Errors or omissions excepted, the names of proprietary products are distinguished by initial capital letters.

Bearing in mind that the data and information provided for a product depend largely on the supplier or procurement agency, these data and information are being provided as is, and MSH and WHO make no representations or warranties, either express or implied, as to their accuracy, completeness, or fitness for a particular purpose. MSH and WHO accept no responsibility or liability for the reliance on, or use of, such data and information.

Nota: Todos los derechos reservados. Publicado por Management Sciences for Health (MSH) por cuenta propia y para la Organización Mundial de la Salud (OMS). MSH y la OMS han realizado todos los esfuerzos necesarios para asegurar la exactitud de los precios, proveedores, agencias de adquisiciones y otra información presentada en esta publicación. Sin embargo, se llama la atención del lector a la introducción que describe las fuentes específicas y las limitaciones de la información proporcionada en esta publicación.

También se llama la atención del lector a la importancia del aseguramiento de la calidad para los productos farmacéuticos. Las autoridades responsables de otorgar licencias en los respectivos países de fabricación son responsables de la revisión y aprobación de la composición y formulación detallada al autorizar un producto farmacéutico para su comercialización, incluyendo las especificaciones de los ingredientes, de acuerdo con la información suministrada por el fabricante, así como de supervisar el cumplimiento con los requisitos de las Buenas Prácticas de Fabricación recomendadas por la OMS.

MSH y la OMS no garantizan que los productos mencionados están de acuerdo con las leyes y regulaciones nacionales de ningún país, incluyendo pero no limitándose a las leyes de patentes. Se recomienda que los lectores que tengan la intención de utilizar esta publicación se familiaricen con los aspectos relativos a la calidad, seguridad y eficacia así como la cuantificación, los patentes, la estabilidad financiera y la situación del proveedor, su habilidad para suministrar las cantidades requeridas, el tiempo de entrega y otros aspectos relacionados.

Esta publicación no constituye un respaldo o garantía con respecto a la idoneidad de cualquier producto para un fin en particular. Esta publicación no está basada en una evaluación activa y por lo tanto no constituye una aceptación o recomendación con respecto a la calidad, seguridad o eficacia de cualquier producto.

Esta lista no puede ser utilizada por los fabricantes y proveedores para fines comerciales o promocionales. La mención de empresas específicas así como ciertos de sus productos no implica que estos están recomendados por MSH y la OMS con preferencia sobre otros productos de naturaleza similar que no hubieran sido mencionados. Salvo por errores u omisiones, los nombres de los productos comerciales se distinguen con una letra mayúscula inicial.

Teniendo en mente que los datos y la información dados para un producto dependen en gran medida del proveedor o de la agencia de adquisiciones, estos datos e información se suministran tal cuál están, y MSH y la OMS no realizan ninguna declaración o garantía, ya sea expresa o implícita con respecto a la exactitud, integridad o idoneidad para un propósito en particular. MSH y la OMS no aceptan responsabilidad alguna por la confianza depositada o el uso de dichos datos e información.

Note: Tous droits réservés. Publié par Management Sciences for Health (MSH) pour son propre compte et pour l'Organisation mondiale de la Santé (OMS). MSH et l'OMS ont cherché dans la mesure du possible à vérifier l'exactitude des données sur les prix, les fournisseurs, les organismes d'achat et des autres informations présentées dans cette publication. Le lecteur n'en est pas moins prié de se rapporter à l'introduction qui décrit les sources spécifiques et les limitations de l'information donnée dans cette publication.

Le lecteur doit également prêter attention à l'importance de l'assurance de qualité pour les produits pharmaceutiques. Les organismes chargés de la délivrance des autorisations dans les pays respectifs des fabricants sont responsables de l'examen et de l'approbation de la composition et formulation détaillées avant d'autoriser la mise sur le marché d'un produit donné, notamment des spécifications des composants, tel qu'indiqué par le fabricant dans la présentation et doivent par ailleurs s'assurer que sont observées les Bonnes pratiques de fabrication recommandées par l'OMS.

MSH et l'OMS ne garantissent pas que les produits mentionnés soient conformes aux lois et réglementations nationales d'un pays donné, notamment les lois relatives aux brevets. On recommande au lecteur qui souhaite utiliser cette publication de se mettre au courant des divers aspects tels que la qualité, l'innocuité et l'efficacité ainsi que la quantifications, brevets, situation financière et réputation du fournisseur ainsi que sa capacité à fournir les quantités demandées dans les bons délais.

La présente publication ne constitue pas une approbation ou recommandation de l'efficacité d'un produit dans un but précis. Cette publication ne se fonde pas sur une évaluation active et ne constitue donc pas une acceptation ou recommandation de la qualité, innocuité ou efficacité d'un produit.

Cette liste ne peut pas être utilisée par des fabricants ou fournisseurs à des fins commerciales ou promotionnelles. Si certaines sociétés ou certains produits sont mentionnés, cela ne veut nullement dire qu'ils sont recommandés par MSH et l'OMS de préférence à d'autres de nature analogue qui ne sont pas recommandés. Sauf erreur ou omission, les marques déposées sont indiquées par des initiales en majuscule.

Sachant que les données et informations fournies sur un produit dépendent largement du fournisseur ou de l'organisme chargé des achats, lesdites informations sont donc données telles quelles, sans que MSH et l'OMS ne fassent aucune recommandation ou garantie, explicite ou implicite, quant à leur exactitude, intégralité ou adéquation dans tel but donné. MSH et l'OMS n'acceptent aucune responsabilité concernant la fiabilité ou l'utilisation des dites données et informations.

Editor

Julie E. Frye, Management Sciences for Health

Consulting Editor

Keith Johnson, Management Sciences for Health

Contributors

We thank MSH and WHO staff for their assistance with the *International Drug Price Indicator Guide*. We also very much appreciate the information and cooperation we receive from the suppliers included in the *Guide*. Finally, the tender data provided by government agencies around the world greatly enhances the usefulness of the *International Drug Price Indicator Guide*, and we thank the staff of the following organizations for their time and effort.

- Barbados Drug Service
- Botswana Public Procurement and Asset Disposal Board
- Bureau des Formations Médicales Agrées du Rwanda (BUFMAR) ("Office of Church-affiliated Health Facilities in Rwanda")
- Centrale d'achat des Médicaments Essentiels, Consommables et Equipements Médicaux du Rwanda (CAMERWA) ("Central Purchasing of Essential Drugs, Medical Consumables and Equipment in Rwanda")
- La División Médica, la Gerencia de Operaciones y el Departamento de Farmacoterapia de la Caja Costarricense de Seguro Social ("Costa Rica Social Security")
- Dominican Republic PROMESE/CAL ("Central Support Unit for the Essential Medicines Program")
- Ghana MOH Procurement Unit
- Mission for Essential Medical Supplies (MEMS), Tanzania
- Namibia Ministry of Health and Social Services
- Organisation of Eastern Caribbean States Pharmaceutical Procurement Service, St. Lucia
- Ministerio de Salud del Perú ("Ministry of Health, Peru")
- El Sistema de Integración Centroamericana (SICA) ("System of Central American Integration")
- South Africa Department of Health
- Sudan National Health Insurance Fund

Contents

| | | |
|--|--|--|
| <p>PLEASE NOTE: Explanatory notes are presented in three languages, each displayed with its own pagination:</p> <p>English - E-1</p> <p>Spanish - S-1</p> <p>French - F-1</p> | <p>FAVOR DE NOTAR: Notas explicativas están presentadas en tres idiomas, cada uno con su propia paginación:</p> <p>Inglés - E-1</p> <p>Español - S-1</p> <p>Francés - F-1</p> | <p>NOTE: Le texte explicatif est disponible en trois langues, chacune avec une numérotation différente :</p> <p>Anglais - E-1</p> <p>Espagnol - S-1</p> <p>Français - F-1</p> |
|--|--|--|

| | |
|--|------|
| ACRONYMS/ABREVIATURAS/SIGLES | ix |
| PREFACE | E-3 |
| Prólogo | S-3 |
| Préface | F-3 |
| HOW TO USE THE GUIDE | E-5 |
| Cómo Usar la Guía | S-5 |
| Comment Utiliser le Guide | F-5 |
| INFORMATION YOU SHOULD KNOW | E-6 |
| Información que Usted Debe Saber | S-6 |
| Information que Vous Devriez Connaître | F-6 |
| LIST OF PRICE SOURCES | E-9 |
| Fuentes de las Listas de Precios | S-9 |
| Liste des Sources des Prix | F-9 |
| CONTACT INFORMATION | E-14 |
| Información del Contacto | S-16 |
| Information de Contact | F-15 |
| FORMAT OF THE PRICE LISTS | E-21 |
| Formato de las Listas de Precios | S-23 |
| Format des Listes de Prix | F-22 |
| HOW TO ANALYZE AND COMPARE YOUR PRICES | E-31 |
| Cómo Analizar y Comparar sus Precios | S-35 |
| Comment Analyser et Comparer vos Prix | F-34 |

LIST I: PRODUCTS SORTED ALPHABETICALLY A-I

Lista I: Productos Clasificados por Orden Alfabético

Liste I : Produits Pharmaceutiques Classés par Ordre Alphabétique

LIST II: PRODUCTS SORTED BY THERAPEUTIC CATEGORY T-I

Lista II: Productos Clasificados por Categoría Terapéutica

Liste II : Produits Pharmaceutiques Classés par Classe Thérapeutique

LIST III: PRICE COMPARISON FORM (SUPPLIER PRICES ONLY) SP-I

Lista III: Formulario para la Comparación de Precios (Precios de Proveedores Solamente)

Liste III : Formulaire pour la Comparaison des Prix (Prix des Fournisseurs Seulement)

LIST III: PRICE COMPARISON FORM (BUYER PRICES ONLY) BP-I

Lista III: Formulario para la Comparación de Precios (Precios de Compradores Solamente)

Liste III : Formulaire pour la Comparaison des Prix (Prix des Acheteurs Seulement)

ANNEXES

List of Synonyms

WHO Essential Medicines List Therapeutic Categories

OMS Lista Modelo de Medicamentos Esenciales Categorías Terapéuticas

OMS Liste Modèle des Médicaments Essentiels Catégories Thérapeutiques

ABOUT MANAGEMENT SCIENCES FOR HEALTH**ABOUT THE MSH CENTER FOR PHARMACEUTICAL MANAGEMENT**

Acronyms/Abreviaturas/Sigles

| | |
|------|--|
| AIDS | acquired immunodeficiency syndrome |
| ARV | antiretroviral |
| ATC | anatomical therapeutic chemical anatómica terapéutica química anatomique thérapeutique chimique |
| BP | British Pharmacopoeia Farmacopea Británica Pharmacopée britannique |
| BPF | Bonnes Pratiques de Fabrication |
| CIF | cost, insurance, and freight [Incoterm] costo, seguro y flete coût, assurance et fret |
| CIP | carriage and insurance paid [Incoterm] transporte y seguro pagados port payé assurance comprise |
| CPM | Center for Pharmaceutical Management Centro de Gestión Farmacéutica Centre pour la Gestion des Médicaments |
| DAP | delivered at place [Incoterm] entregado en el lugar est délivrée à |
| DDD | defined daily dose dosis diaria definida dose journalière définie |
| DDP | delivered duty paid [Incoterm] entregada derechos pagados délivré dédouané |
| DMP | Drug Management Program [part of Management Sciences for Health] |
| DOTS | directly observed treatment, short-course tratamiento directamente observado, a corto plazo stratégie de traitement sous surveillance directe |
| DURG | Drug Utilization Research Group Grupo de Investigación sobre la Utilización de Medicamentos Groupe de Recherche de l'Utilisation des Médicaments |
| ECDS | Eastern Caribbean Drug Service Servicio de Medicamentos del Caribe Oriental Service pharmaceutique de Etats de la Caraïbe de l'Est |
| EEUU | estadounidense |
| EML | Essential Medicines List [WHO] |
| EP | European Pharmacopoeia Farmacopea Europea Pharmacopée européenne |

| | |
|---------|--|
| EXW | ex-works [Incoterm] franco en almacén sin transporte départ usine |
| FCA | free carrier [Incoterm] franco transportista [Incoterm] franco transporteur [Incoterm] |
| FNUAP | Fonds des Nations Unies pour la Population |
| FOB | free on board [Incoterm] franco a bordo franco à bord |
| GDF | Global TB Drug Facility |
| GLC | Green Light Committee Comité de Luz Verde |
| GMP | good manufacturing practices buenas prácticas de manufactura |
| HIV | human immunodeficiency virus |
| IC | international (narcotics) control control internacional de narcóticos contrôle international (narcotiques) |
| IDA | International Dispensary Association |
| INN | international nonproprietary name denominación común internacional dénomination internationale |
| LME | Lista de Medicamentos Esenciales [OMS] Liste de Médicaments essentiels [OMS] |
| MDR-TB | multidrug-resistant tuberculosis tuberculosis con farmacorresistencia multiple la tuberculose polychimiorésistante |
| MOH | Ministry of Health |
| MS | ministère de la santé |
| MSF | Doctors without Borders Médicos sin Fronteras Médecins sans Frontières |
| MSH | Management Sciences for Health |
| MSP | ministerios de salud pública |
| N/D | no disponible |
| NGO | nongovernmental organization |
| OECS | Organisation of Eastern Caribbean States Organización de Estados del Caribe Oriental Organisation des Etats de la Caraïbe de l'Est |
| OMS | Organización Mundial de la Salud Organisation mondiale de la Santé |
| ONG | organizaciones no gubernamentales organisations nongouvernementales |
| ONUSIDA | Programa Conjunto de las Naciones Unidas sobre el VIH/SIDA Programme Commun des Nations Unies sur le VIH/SIDA |

| | |
|--------|---|
| OPB | organisations bénévoles privées |
| OVP | organizaciones voluntarias privadas |
| P/D | pas disponible |
| PPS | Pharmaceutical Procurement Service Servicio de Abastecimiento Farmacéutico Service d'Approvisionnement pharmaceutique |
| PSI | Population Services International |
| PVO | private voluntary organization |
| RBM | Roll Back Malaria |
| SIDA | síndrome de inmunodeficiencia adquirida syndrome d'immunodéficience acquise |
| TB | tuberculosis tuberculosis tuberculose |
| TU | thousand units miles de unidades mille unités |
| UNAIDS | Joint United Nations Programme on HIV / AIDS |
| UNFPA | United Nations Population Fund Fonds des Nations Unies pour la Population |
| UNICEF | United Nations Children's Fund Fondo de las Naciones Unidas para la Infancia Fonds des Nations Unies pour l'Enfance |
| USAID | United States Agency for International Development |
| USP | United States Pharmacopeia Farmacopea de los Estados Unidos Pharmacopée des Etats Unis |
| VIH | virus de la inmunodeficiencia humana virus d'immunodéficience humaine |
| WHO | World Health Organization |



GUIA INTERNACIONAL DE INDICADORES DE PRECIOS DE MEDICAMENTOS



Prólogo

La *Guía Internacional de Indicadores de Precios de Medicamentos* provee exactamente lo que el nombre implica—una indicación de precios de medicamentos en el mercado internacional. Management Sciences for Health publica esta *Guía* desde 1986, y en colaboración con la Organización Mundial de la Salud (OMS) desde el 2000. La *Guía* proporciona una gama de precios ofrecidos por proveedores de medicamentos sin fines de lucro y agencias de adquisición comerciales, basándose en sus catálogos o listas de precios actuales. También contiene precios obtenidos de agencias internacionales para el desarrollo y de agencias gubernamentales.

MSH, en colaboración con la OMS, está trabajando con sus asociados para que la información sobre precios de medicamentos se divulgue más ampliamente con objeto de mejorar la adquisición de medicamentos de calidad garantizada, al precio más bajo posible. Esto contribuirá a un acceso equitativo a los servicios y productos de salud, incluyendo los medicamentos esenciales necesarios para la prevención y el tratamiento de las enfermedades prevalentes.

Debido a que el costo potencial de ofrecer una gama completa de tratamientos para enfermedades comunes es alto, los precios y el financiamiento son factores ineludibles en la determinación del acceso a medicinas esenciales. Pueden obtenerse precios más bajos mediante compras de volumen, la competencia, negociaciones hábiles y una administración inteligente de las existencias. La información comparativa de precios es importante para obtener el precio más bajo. Esta información ayuda a negociar precios, a localizar nuevas fuentes de suministro y a evaluar la eficiencia de los sistemas de adquisición locales.

La *Guía Internacional de Indicadores de Precios de Medicamentos* ayuda a los funcionarios encargados del suministro de medicamentos a determinar el costo probable de los productos farmacéuticos para sus programas. Se puede usar como una lista de referencia para comparar los precios actuales con los disponibles en el mercado internacional; también se puede utilizar para evaluar el posible impacto financiero de los cambios en las listas de medicamentos.

La base de datos sobre precios es mantenida por el Centro de Gestión Farmacéutica de Management Sciences for Health, organización sin fines de lucro, como una contribución para poner los medicamentos esenciales al alcance de todos los ciudadanos del mundo. Se puede copiar la *Guía* libremente para fines educacionales en el servicio u otro uso caritativo.

Se puede obtener información adicional sobre los precios internacionales de los medicamentos en la Web en:

- “Medicines Price Information” (<http://www.who.int/medicines/areas/access/ecofin/en/index.html>), página mantenida por la OMS. Incluye precios de servicios internacionales para información sobre precios de materiales para comenzar, materias primas y ciertos medicamentos relacionados con el VIH. Además, presenta información de precios de medicamentos para enfermedades específicas y servicios informativos sobre precios individuales por países.

Favor de tomar nota que se puede encontrar una versión electrónica de la *Guía Internacional de Indicadores de Precios de Medicamentos* en el Centro de Recursos Electrónicos de MSH en <http://erc.msh.org>.

Para obtener más información o para hacer comentarios o sugerencias sobre el formato del contenido de esta publicación, póngase en contacto con nosotros en:

Center for Pharmaceutical Management
Management Sciences for Health
4301 North Fairfax Drive, Suite 400
Arlington, VA 22203-1627 EE.UU.
Teléfono: 1.703.524.6575
Fax: 1.703.524.7898
Correo electrónico: cpm@msh.org

Department of Medicines Policy & Standards
World Health Organization
Avenue Appia 20
CH-1211 Geneva 27
Suiza
Fax: 41.22.791.4167
Correo electrónico: psminfo@who.int

Cómo Usar la Guía

La *Guía* comienza con una sección titulada “Información Que Usted Debe Saber”, que le ayudará a entender mejor los datos presentados en ella. A esta le sigue una lista de los proveedores y compradores mencionados en esta edición y incluye detalles sobre condiciones de embarque y restricciones. También se dan las direcciones. Después, la *Guía* pasa a explicar el formato de los informes sobre comparación de precios, como también los términos usados en las listas de precios y los códigos y abreviaturas empleados.

En esta *Guía* se presentan datos sobre precios en tres formatos. Cada formato incluye los precios del proveedor y del comprador. Los precios del comprador son generalmente los precios de una agencia gubernamental a través de una licitación competitiva internacional.

- Lista I: Los medicamentos se clasifican en orden alfabético y por nombre genérico. Esta lista incluye los detalles sobre precios por cada proveedor y comprador. Este formato sirve para fines de referencia durante el proceso de adquisición, y permite hacer una búsqueda rápida de cualquier medicamento.
- Lista II: Los medicamentos se clasifican en orden alfabético siguiendo el sistema de clasificación de la Lista de Medicamentos Esenciales (LME) de la Organización Mundial de la Salud. Este formato ayuda a crear formularios y permite hacer una comparación conveniente de los medicamentos dentro de las distintas clases. Los productos en un mismo grupo no implica que son directamente sustituibles entre ellos.
- Lista III: Los medicamentos se clasifican por orden alfabético, mostrándose solamente el precio mediano por producto. El formato tiene por objeto facilitar la comparación de los precios del usuario con los precios de la *Guía*. Los precios del proveedor y del comprador están en listas separadas.

Si necesita información sobre cómo usar estos precios para fines comparativos, por favor vea la sección de esta *Guía* titulada “Cómo Analizar y Comparar sus Precios.” Además, a modo de referencia, en los Anexos se incluyen una lista de sinónimos y las categorías terapéuticas de la OMS.

El propósito de esta *Guía* es servir únicamente como una referencia para fines comparativos; no es apropiada para colocar pedidos de productos. Para hacer pedidos, es preciso ponerse en contacto directamente con el proveedor. No hay garantías implícitas en la lista en cuanto a la disponibilidad de los precios cotizados, la calidad de los productos o condiciones específicas de ventas. La lista de proveedores no es una lista completa de todos los proveedores potenciales. Los precios cotizados por los compradores se muestran para fines comparativos solamente.

Información que Usted Debe Saber

Conversión de precios

Los precios que figuran en la *Guía Internacional de Indicadores de Precios de Medicamentos* están en orden ascendente conforme al precio unitario. Todos los precios obtenidos por las organizaciones señaladas a continuación han sido convertidos a dólares estadounidenses. Los tipos de cambio utilizados son los que regían el 1 de julio de 2011 (<http://www.oanda.com>). Los demás precios del catálogo ya estaban originalmente en dólares estadounidenses, por lo que no se convirtieron.

| Moneda (Código de agencia) | Tipo de cambio (a \$EE.UU.) |
|---|-----------------------------|
| Cedi Nuevo de Ghana (GHANA) | 0.6536 |
| Chelín de Kenia (MEDS) | 0.0111 |
| Chelín de Tanzania (MEDEOR/TZ, MEMS) | 0.0006 |
| Chelín de Uganda (JMS) | 0.0004 |
| Dólar de Barbados (BDS) | 0.4917 |
| Dólar de Namibia (NAMIBIA) | 0.1441 |
| Euro (IDA, MEDEOR/EU) | 1.4487 |
| Franc de Rwanda (BUFMAR, CAMERWA) | 0.0016 |
| Libra esterlina (DURBIN) | 1.6057 |
| Libra sudanesa (SUDANNHIF) | 1.0235 |
| Nuevo Sol de Perú (PERU) | 0.3601 |
| Pesos de la República Dominicana (DOMREP) | 0.0261 |
| Pula de Botswana (BOTSWANA) | 0.1506 |
| Rand sudafricano (SAFRICA) | 0.1473 |

Las fluctuaciones en los tipos de cambio pueden hacer variar considerablemente los costos. Siempre deberá usar el tipo de cambio más reciente cuando haga su análisis para calcular los costos de los medicamentos. Además, tome nota de que la comparación directa de los precios entre proveedores de un producto determinado tal vez no sea realista debido a las distintas condiciones y servicios ofrecidos por los diversos proveedores.

Terminos de precios

Los precios de proveedores y los precios de compradores que aparecen en esta *Guía* están basados en condiciones de precio diferentes, y por consiguiente no deben compararse en forma directa. Los Incoterms que siguen a continuación se usan para definir los tipos de precios:

- CFR (costo y flete): incluye cargos y flete hasta el puerto de destino (el transporte por agua solamente)
- CIF (costo, seguro y flete): incluye cargos por concepto de seguro y flete hasta el puerto de destino (el transporte por agua solamente)

- DAP (entregado en el lugar): El vendedor se hace cargo de todos los costes, incluidos el transporte principal y el seguro (que no es obligatorio) pero no de los costes asociados a la importación, hasta que la mercancía se ponga a disposición del comprador en un vehículo listo para ser descargado. También asume los riesgos hasta ese momento.
- DDP (entregado derechos pagados): incluye la entrega, los derechos de introducción y los costos de desembarque
- EXW (en fábrica): no incluye costos de carga, seguro o flete
- FCA (franco transportista): el vendedor realiza todas las transacciones y paga el transporte anticipadamente en el país de exportación
- FOB (franco a bordo): el precio de las mercancías en el punto de embarque, sin incluir los costos de seguro y flete (transporte)

Algunos proveedores y agencias imponen un cargo estándar por manejo, además del costo EXW o CIF. Los cargos por manejo indicados en las Fuentes de las Listas de Precios ya han sido añadidos a los precios cotizados en esta *Guía*.

Cómo calcular los precios

Al calcular y proyectar los costos reales, es importante tener en cuenta factores tales como el financiamiento, el tiempo de entrega, los tipos de transporte (aire/mar/tierra), y los cargos por manejo. El análisis de estos factores queda fuera del alcance y la intención de esta *Guía*. No obstante, para obtener un estimado, es razonable agregar del 10% por costos de embarque al precio cotizado por los proveedores en esta *Guía*. Los precios del compradores (obtenidos en licitaciones por las agencias de gobiernos) generalmente no requieren hacer ajustes por cargos de embarque.

Garantía de calidad

Nosotros requerimos que todos los proveedores que figuran en la *Guía Internacional de Indicadores de Precios de Medicamentos* llenen un cuestionario sobre garantía de calidad. El propósito de llenar este cuestionario obligatorio es ayudar a asegurar que los precios cotizados en esta *Guía* provengan de proveedores de reputación con procesos de garantía de calidad debidamente instalados. Las 28 preguntas trata de asuntos como inspección, prueba, garantía de calidad, concesión de licencias, retirada de productos del mercado, procedimientos de control de calidad, estándares y documentación. Aunque este requisito brinda cierta garantía en cuanto a los procesos de control de calidad, no necesariamente garantiza la calidad de los productos ofrecidos. Se pueden obtener copias del cuestionario solicitándolas de Management Sciences for Health.

Las fuentes de los precios incluidas en la *Guía* han sido revisadas únicamente desde el punto de vista de la integridad de los documentos proporcionados. Esta revisión de ningún modo constituye un estudio a fondo de la calidad de los productos. Su inclusión en la *Guía* no necesariamente constituye una calificación previa o aprobación de ningún tipo por MSH y la OMS.

Calidad de los productos

Los proveedores y agencias seleccionados para esta *Guía* no son fabricantes, pero sí ofrecen productos en relación con los cuales han indicado que cumplen con las normas internacionales de calidad especificadas por organizaciones como la Farmacopea de los Estados Unidos (USP), la Farmacopea Británica (BP) y la Farmacopea Europea (EP). Todos los proveedores declaran que las fábricas con quienes se trabajan mantienen normas de alta calidad mediante la incorporación en el sitio de sistemas de garantía de calidad con objeto de asegurar que todos los productos cumplan con las Buenas Prácticas de Manufactura (GMP por sus siglas del inglés) de la OMS y los reglamentos gubernamentales. Los certificados de calidad conforme al Plan de Certificación de la OMS sobre la Calidad de los Productos Farmacéuticos que se Mueven en el Comercio Internacional, se deben poder obtener solicitándolos de todos estos proveedores. Los proveedores y las agencias que figuran en esta *Guía* mantienen sus propios programas independientes de garantía de calidad. Comuníquese con ellos directamente para obtener detalles al respecto.

Sistema ATC/DDD¹

Los datos sobre la utilización de medicamentos desempeñan un papel muy importante en la calidad del ciclo de atención y son esenciales para administrar la política relacionada con el suministro, fijación de precios, costo y uso de los medicamentos. El sistema de clasificación anatómica-terapéutica-química (ATC) y la unidad de medida técnica llamada la dosis diaria definida (DDD) pueden proveer metodologías útiles para el seguimiento y la comparación de las tendencias en el costo, pero se deben usar con cautela. Basar el reembolso detallado, la fijación de precios de referencia de grupos terapéuticos y otras decisiones específicas sobre precios en las clasificaciones asignadas por el sistema ATC/DDD, es una utilización errónea del mismo.

El sistema ATC/DDD tiene por objeto servir de herramienta para investigar la utilización de medicamentos a fin de mejorar la calidad del uso de esos medicamentos. Uno de sus componentes es la presentación y comparación de las estadísticas sobre consumo de medicamentos al nivel internacional y a otros niveles.

Una de las principales aspiraciones del Collaborating Centre for Drug Statistics Methodology y Working Group de la OMS es mantener códigos de ATC y DDD estables con el transcurso del tiempo a fin de poder estudiar las tendencias en el consumo de los medicamentos sin la complicación de cambios frecuentes al sistema. Existe una renuencia muy grande a hacer cambios a las clasificaciones o dosis diarias definidas cuando esos cambios son solicitados por razones no relacionadas directamente con estudios del consumo de medicamentos. Por esta razón, el sistema ATC/DDD por sí solo no es apto para basar decisiones sobre reembolso, fijación de precios y sustituciones terapéuticas.

La clasificación de una sustancia en el sistema ATC/DDD no representa una recomendación para su uso, ni tampoco ninguna determinación sobre la eficacia o eficacia relativa de los medicamentos o grupos de medicamentos.

¹El texto de esta sección fue tomado del sitio del Collaborating Centre for Drug Statistics Methodology de la OMS en la Web en <http://www.whocc.no/atcddd/>.

Fuentes de las Listas de Precios

En la Guía se incluyen tres tipos primarios de proveedores y compradores.

- Proveedores** que mantienen un almacén y suministran productos directamente a los clientes. Todos estos proveedores ofrecen una mayor variedad de productos que los mostrados en esta Guía. Para ver una lista completa de los productos, comuníquese con el proveedor directamente. En la Guía se incluyen los proveedores siguientes:

| Proveedor | Código | Fecha da la lista | Cargo por manejo | Tipo de precio | Detalles |
|--|-----------|-------------------|------------------|-----------------------|--|
| Action Medeor | MEDEOR/EU | enero 2011 | 1% | EXW Tönisvorst | Los precios son válidos hasta que se publique una nueva lista de precios. Los costos de transporte se cargan individualmente de acuerdo con los gastos. Embalaje especial: Euro 26 por caja. Action Medeor cobra una comisión por manejo mínimo de Euro 50. Abastece solamente al mercado sin fines de lucro. |
| Action Medeor International Healthcare | MEDEOR/TZ | septiembre 2011 | 0% | EXW | Action Medeor International Healthcare es una agencia de compras sin fines de lucro, fundada en 2004, que pertenece a Action Medeor. Abastece al mercado sin fines de lucro (principalmente Tanzania) y no abastece a individuos o a farmacias comerciales. Se aplica un 3,5% de recargo por servicios a todos los clientes que no son de Tanzania para cubrir cobros bancarios y pérdidas por cambio de moneda. No se requieren cantidades mínimas. |
| Durbin PLC | DURBIN | 2011-2012 | 0% | EXW United Kingdom | Durbin provee productos farmacéuticos e insumos médicos a médicos, farmacias, hospitales, mayoristas y comerciantes farmacéuticos, agencias militares y gubernamentales, organismos caritativos, y otras organizaciones de socorro y beneficencia a nivel mundial. Se requiere un pedido mínimo de RU £500. |
| IDA Foundation | IDA | septiembre 2011 | 1,5% | EXW Amsterdam | La Fundación IDA es una organización sin fines de lucro que apoya la atención médica en los países de ingresos bajos e intermedios, mejorando el acceso y suministrando medicamentos esenciales e insumos médicos de alta calidad. IDA es una fundación independiente y autosuficiente que distribuye más de 3.000 productos a más de 100 países alrededor del mundo. A los pedidos inferiores a los 5.000 euros se les cobra un cargo de manejo de 3% y los pedidos de más a los 5.000 euros se les cobra un cargo de manipuleo de 1,5%. Se requiere un pedido mínimo de 5000 \$EEEU. Los precios son indicativos y pueden cambiar. |

| Proveedor | Código | Fecha da la lista | Cargo por manejo | Tipo de precio | Detalles |
|--|---------|-------------------|------------------|---|--|
| IMRES | IMRES | septiembre 2011 | 0% | FCA Leijstad, The Netherlands | La cantidad mínima de un pedido es de 1.250 \$EEUU. |
| Joint Medical Stores | JMS | agosto 2011 | 0% | EXW Kampala | JMS suministra productos farmacéuticos y médicos a unidades de salud de misiones y otras ONG en Uganda, y no exporta productos. JMS es una organización sin fines de lucro y sus condiciones de pago son de efectivo contra entrega solamente. Los clientes inscritos en la Oficina Médica Católica de Uganda o la Oficina Médica Protestante de Uganda reciben un descuento del 5%. |
| Medical Export Group | MEG | octubre 2011 | 0% | FCA Gorinchem, The Netherlands | Los precios solo sirven como una indicación. No existen requisitos mínimos para los pedidos ni cargos por concepto de servicios. |
| Mission for Essential Drugs and Supplies | MEDS | junio 2011 | 0% | FOB Nairobi | La Misión de Medicinas esenciales e insumos médicos (MEDS) provee productos farmacéuticos e insumos médicos a los trabajadores de salud asociados con las agencias sin fines de lucro. Se añade costos del transporte a las entregas fuera del Kenia. |
| Missionpharma | MISSION | octubre 2011 | 0% | EXW Lyngé | Los precios solo sirven como una indicación. No existen requisitos mínimos para los pedidos ni cargos por concepto de servicios. |

2. Organizaciones para el desarrollo internacional que proporcionan productos básicos a los programas de países apoyados por ellas y por otras organizaciones. Las organizaciones listadas en la Guía son:

| Organización para el desarrollo internacional | Código | Fecha da la lista | Cargo por manejo | Tipo de precio | Detalles |
|--|--------|-------------------|------------------|---|---|
| El Servicio Mundial de Medicamentos Contra la Tuberculosis (Global TB Drug Facility) | GDF | diciembre 2011 | 0% | EXW | <p>Los medicamentos se adquieren como donativos gratuitos, pero también se ofrecen para la venta a gobiernos y organizaciones que desean valerse de la calidad, los precios y asistencia técnica/apoyo para la gestión de medicamentos que se ofrece a través del Servicio Directo de Adquisiciones GDF. El Servicio Mundial de Medicamentos Contrala Tuberculosis (GDF por sus siglas en Inglés) efectúa pruebas independientes obligatorias de cada lote de medicamentos que suministra, e inspecciones pre-embargo de cada orden que despacha para asegurar la más alta calidad. Además del costo de los medicamentos, los costos del control de calidad son pagados por el cliente (o por el GDF, en el caso de una donación).</p> <p>El GDF utiliza agentes de compra para asegurar la entrega eficiente de los productos. Un cargo por los servicios de compra es agregado al costo de la orden, que incluye el costo de los medicamentos, el de control de calidad y el de transporte. GDF envía al país un equipo de expertos en tuberculosis y en gestión de medicamentos 4 meses después del arribo de los medicamentos, para evaluar su uso y proporcionar la asistencia técnica que fuera requerida. Esta asistencia técnica del GDF a los países no tiene ningún costo. La GDF es un mecanismo para ampliar el acceso a, y la disponibilidad de, medicamentos de alta calidad contra la TB para facilitar la ampliación mundial del tratamiento directamente observado, a corto plazo (DOTS), la estrategia internacionalmente recomendada para el control de la tuberculosis.</p> |
| Supply Chain Management System | SCMS | octubre 2011 | 5% | EXW (Centro regional de distribución de SCMS o distribución directa por el proveedor) | <p>El proyecto "Sistema de Gestión de la Cadena de Suministro" (SCMS por sus siglas en inglés) distribuye medicamentos esenciales a programas de VIH/SIDA en todo el mundo. El proyecto ayuda a fortalecer las cadenas de suministro existentes, o establece nuevas para asegurar que un sistema de gestión del suministro seguro, confiable y sustentable, adquiera medicamentos y otros productos para personas con VIH/SIDA e infecciones relacionadas. SCMS ha sido fundado por el gobierno de los Estados Unidos como parte del Plan de Emergencia Presidencial para la Mitigación del SIDA (PEPFAR por sus siglas en inglés). SCMS puede trabajar en cualquier lugar del mundo, pero inicialmente se ha enfocado en los 15 países de PEPFAR. Además de servir a cualquier proyecto o socio apoyado por PEPFAR, SCMS puede proveer a proyectos apoyados por gobiernos nacionales y otros donantes, de acuerdo a arreglos individuales.</p> |

| Organización para el desarrollo internacional | Código | Fecha da la lista | Cargo por manejo | Tipo de precio | Detalles |
|--|--------|-------------------|------------------|----------------|--|
| Fondo de Población de las Naciones Unidas (UN Population Fund) | UNFPA | 2011 | 0% | FOB | El FNUAP celebra licitaciones anuales para la compra de productos para sus oficinas en los países y en nombre de clientes externos en más de 168 países, principalmente los que están en vías de desarrollo. El FNUAP solo abastece a gobiernos y organizaciones sin fines de lucro. Los precios de la lista son los precios que paga el FNUAP. El FNUAP cobra una comisión de administración del 5% a los compradores que no pertenecen al FNUAP. |
| Agencia de los EE.UU. para el Desarrollo Internacional (U.S. Agency for International Development) | USAID | 2011 | 5,5% | ExW | La USAID brinda servicios solamente a sus misiones, oficinas y contratistas. |

3. **Los compradores** (generalmente agencias del sector público) que adquieren productos básicos en licitaciones internacionales libres. Estos son los precios reales obtenidos por las organizaciones listadas y se incluyen con fines de comparación solamente. No se pueden colocar pedidos con ninguna de estas organizaciones.

| Comprador | Código | Fecha de la lista | Tipo de precio | Valor aprox. de la licitación (USD) | Detalles |
|---|---------------|--------------------------|-----------------------|--|--|
| Barbados Drug Service | BDS | diciembre 2011 | CIF | N/D | El Servicio de Medicamentos de Barbados celebra anualmente una licitación nacional y cerrada para productos farmacéuticos e insumos médicos. |
| Botswana Public Procurement and Asset Disposal Board | BOTS-WANA | 2011 | N/D | N/D | The Public Procurement and Asset Disposal Board of Botswana regularmente realiza licitaciones internacionales y nacionales y abiertas y cerradas. |
| BUFMAR (Bureau des Formations Médicales Agrées du Rwanda) | BUFMAR | noviembre 2011 | CIF | N/D | BUFMAR (la Oficina de Centros de Salud-affiliados a Iglesias en Ruanda) celebra anualmente una licitación internacional. |
| CAMERWA (Centrale d'achat des Médicaments Essentiels, Consommables et Equipements Médicaux du Rwanda) | CAME-RWA | diciembre 2011 | CFR | N/D | CAMERWA (Central de Compras de Medicamentos Esenciales, Insumos y Equipos Médicos en Ruanda) celebra anualmente una licitación internacional y abierta para productos farmacéuticos e insumos médicos y dos veces al año para los antirretrovíricos. |
| Caja Costarricense de Seguro Social | CRSS | agosto 2011 | DDP | 49 millón | La Caja Costarricense de Seguro Social celebra anualmente una licitación internacional abierta y negocia contratos de abastecimiento de medicamentos e insumos médicos para sus propias instalaciones. |
| República Dominicana Central de Apoyo Logístico Programa de Medicamentos Esenciales (PROMESE/CAL) | DOM-REPUB | 2011 | N/D | N/D | La República Dominicana Central de Apoyo Logístico Programa de Medicamentos Esenciales celebra las licitaciones para medicamentos e insumos médicos. |

| Comprador | Código | Fecha de la lista | Tipo de precio | Valor aprox. de la licitación (USD) | Detalles |
|---|----------|--|--|-------------------------------------|--|
| Ghana Ministry of Health Procurement Unit | GHANA | ARV: feb 2011. Nets: abril 2011. CIP Psycho-therapeutic: | CIP Psycho-therapeutic: marzo 2011 | 33.6 millón | La Unidad de Adquisiciones del Ministerio de Salud de Ghana celebra anualmente una licitación internacional abierta (cerrada para los medicamentos para trastornos mentales) para productos farmacéuticos e insumos médicos. |
| Mission for Essential Medical Supplies (MEMS), Tanzania | MEMS | 2011 | N/D | N/D | Después de celebrar un proceso abierto de precalificación seguido por una licitación cerrada, MEMS ha concedido a un vendedor primario un contrato de cinco años para la provisión de medicinas e insumos médicos. El vendedor primario debe entregar el pedido a un punto local convenido de colección dentro de 10 días de haberlo recibido. |
| Namibia Central Medical Stores | NAMIBIA | febrero 2010 | DDP | N/D | El Almacén Médico Central de Namibia celebra una licitación internacional y abierta cada dos años para productos farmacéuticos e insumos médicos y cada año para los antirretrovíricos. |
| Organisation of Eastern Caribbean States Pharmaceutical Procurement Service (OECS/PPS), St. Lucia | OECS/PPS | 2010-2011 | CIF | 12 millón | El Servicio de Abastecimiento Farmacéutico de la Organización de Estados del Caribe Oriental ofrece sus servicios únicamente a países miembros de la Organización de Estados del Caribe Oriental. Para estos nueve países, OECS/PPS negocia contratos y compras a través de una licitación internacional cerrada cada 18 meses. |
| Perú Ministerio de Salud | PERU | febrero 2011 | DDP | 76,8 millón | El Ministerio de Salud del Perú celebra anualmente una licitación nacional y abierto para productos farmacéuticos e insumos médicos. |

| Comprador | Código | Fecha de la lista | Tipo de precio | Valor aprox. de la licitación (USD) | Detalles |
|--|---------------|--------------------------|-----------------------|--|--|
| El Sistema de Integración Centroamericana (SICA) | SICA | agosto 2010 | CIF | 60 millón | El Sistema de Integración Centroamericana (SICA) celebra una licitación internacional abierta cada dos años para un grupo de 37 medicamentos. |
| South Africa Department of Health | SAFRICA | 2011 | DDP | N/D | El Departamento de Salud de Sudáfrica celebra las licitaciones para productos farmacéuticos e insumos médicos cada dos años. |
| Sudan National Health Insurance Fund | SUDAN-NHIF | enero 2012 | DAP | 24.9 millón | El Fondo de Seguro Nacional de Salud de Sudán celebra anualmente una licitación nacional y abierto para productos farmacéuticos e insumos médicos. |

Información del Contacto

Action Medeor

Deutsches Medikamenten-Hilfswerk
St. Töniser Strasse 21
D-47918 Tönisvorst
GERMANY

Teléfono: 49.21.56.97.88.0
Fax: 49.21.56.97.88.88
Correo electrónico: info@medeor.org
URL: <http://www.medeor.org>

Action Medeor International Healthcare

Deutsches Medikamenten-Hilfswerk
St. Töniser Strasse 21
D-47918 Tönisvorst
GERMANY

y
P.O. Box 72305
Dar es Salaam
TANZANIA

Teléfono: 49.21.56.97.88.0
Fax: 49.21.56.97.88.88
Correo electrónico: medeortz@bol.co.tz
URL: <http://www.medeor.org>

Barbados Drug Service

Ministry of Health
Jemmott's Lane
St. Michael
BARBADOS

Teléfono: 246.427.8309
Fax: 246.429.6980
Correo electrónico: bdsdic@caribsurf.com
URL: http://www.gov.bb/portal/page/portal/BIG_Barbados_Drug_Service

Botswana Public Procurement and Asset Disposal Board

Plot 8913 Maakgadigau Way, Gaborone West Industrial
Gaborone
Private Bag 0058
BOTSWANA

Teléfono: 267 360 2000
Fax: 267 390 6822
Correo electrónico: sbpac@ppadb.co.bw
URL: <http://www.ppadb.co.bw>

BUFMAR (Bureau des Formations Médicales Agrées du Rwanda)

B.P. 716
Kigali
RWANDA

Teléfono: 250.58.61.76
Fax: 250.58.61.77
Correo electrónico: bufmarasbl@yahoo.fr

CAMERWA (Centrale d'achat des Médicaments Essentiels, Consommables et Equipements Médicaux du Rwanda)

B.P. 640
Kigali
RWANDA

Teléfono: 250.51.75.21
Fax: 250.51.75.23
Correo electrónico: camerwa@terracom.rw
URL: <http://www.camerwa.rw/>

Caja Costarricense de Seguro Social–CCSS

Departamento de Farmacoterapia
Apartado 10105
San José 1000
COSTA RICA

Teléfono: 506.222.1878
Fax: 506.257.7004
Correo electrónico: farmaco@ccss.sa.cr
URL: <http://www.info.ccss.sa.cr/>

Dominican Republic PROMESE/CAL

Calle "H" No. 15
Zona Industrial de Herrera
Santo Domingo
DOMINICAN REPUBLIC

Teléfono: 809.518.1313
Correo electrónico: promesecal@promesecal.gov.do
URL: <http://www.promesecal.gov.do/>

Durbin PLC

180 Northolt Road
South Harrow
Middlesex
HA2 0LT
UNITED KINGDOM

Teléfono: 44.20.8660.2220
Fax: 44.20.8668.0751
Correo electrónico: cataloguesales@durbin.co.uk
URL: <http://www.durbin.co.uk>

Global TB Drug Facility (GDF)

Stop TB Partnership Secretariat
c/o World Health Organization
20, avenue Appia
1211 Geneva, 27
SWITZERLAND

Teléfono: 41.22.791.3647
Fax: 41.22.791.4886
Correo electrónico: gdf@who.int
URL: <http://www.globaldrugfacility.org> o <http://www.stoptb.org/GDF>

Ghana MOH Procurement Unit

MOH Ghana
P.O. Box MB44
Accra
GHANA

Teléfono: 233.21.66.8782
Fax: 233.21.66.4032
Correo electrónico: mohpu@ghana.com

IDA Foundation

P.O. Box 37098
1030 AB Amsterdam
THE NETHERLANDS

Teléfono: 31.20.40.33.051
Fax: 31.20.40.31.854
Correo electrónico: info@idafoundation.org
URL: <http://www.idafoundation.org>

IMRES

P.O. Box 214
8200 AE Lelystad
THE NETHERLANDS

Teléfono: 31.320.296969
Fax: 31.320.296929
Correo electrónico: info@imres.nl
URL: <http://www.imres.nl>

Joint Medical Store

P.O. Box 4501
Kampala
UGANDA

Teléfono: 256.41.510096
Fax: 256.41.510098
Correo electrónico: store@jms.co.ug
URL: <http://www.jms.co.ug/>

Medical Export Group, BV

Papland 16
P.O. Box 598
4200 AN Gorinchem
THE NETHERLANDS

Teléfono: 31.183.356.100
Fax: 31.183.356.122
Correo electrónico: info@meg.nl
URL: <http://www.meg.nl>

Mission for Essential Medical Supplies (MEMS)

P.O. Box 10810
Arusha
TANZANIA

Teléfono: 255.27.250.9366
Fax: 255.27.254.4908
Correo electrónico: info@mems.or.tz

Mission for Essential Drugs and Supplies (MEDS)

P.O. Box 78040
Viwandani Nairobi, 00507
KENYA

Teléfono: 254.020.551633
Fax: 254.020.556632
Correo electrónico: sahibu@africaonline.co.ke

Missionpharma A/S

Vassingeroedvej 9
DK-3540 Lyngé
DENMARK

Teléfono: 45.48.16.32.00
Fax: 45.48.16.32.48
Correo electrónico: info@missionpharma.com
URL: <http://www.missionpharma.com>

Namibia Central Medical Stores

P.O. Box 5552
Windhoek
NAMIBIA

Teléfono: 264.61.233151
Fax: 264.61.238746

Organisation of Eastern Caribbean States Pharmaceutical Procurement Service

OECS
The Morne, P.O. Box 3093
Castries
ST. LUCIA, WEST INDIES

Teléfono: 758.452.5895
Fax: 758.453.0227
Correo electrónico: pps@oecls.org
URL: <http://www.oecls.org/pps/>

Perú Ministerio de Salud (MINSA) (“Peru Ministry of Health”)

Av. Salaverry 801

Jesús María

Lima

PERU

Teléfono: 51.14.315.6600

Correo electrónico: webmaster@minsa.gob.pe

URL: <http://www.minsa.gob.pe/portada/>

South Africa Department of Health

Private Bag X828

Pretoria, 0001

SOUTH AFRICA

Teléfono: 27.12.312.0000

Fax: 27.12.326.4395

URL: <http://www.doh.gov.za>

Sudan National Health Insurance Fund

Pharmaceutical Services Department

Baladya Street

P.O. Box: 13267

Khartoum

SUDAN

Teléfono: 249 1 837 47618

Fax: 249 1 837 47619

Correo electrónico: info@nhif.gov.sd

URL: <http://www.nhif.gov.sd>

Supply Chain Management System (SCMS)

1616 Fort Myer Drive

12th Floor

Arlington, VA 22209-3100

USA

Teléfono: 1.571.227.8600

Fax: 1.571.227.8601

URL: <http://www.pfscm.org>

System of Central American Integration (SICA)

Boulevard Orden de Malta No. 470
Urbanización Santa Elena
Antiguo Cuscatlán
Department of La Libertad
EL SALVADOR

Teléfono: 503 2248-8800
Fax: 503 2248-8899
Correo electrónico: info.sgsica@sica.int
URL: <http://www.sica.int/>

United Nations Population Fund (UNFPA)

Midtermolen 3
P.O. Box 2530
Copenhagen
DENMARK

Teléfono: 45.3546.7000
Fax: 45.3546.7018
Correo electrónico: bright@unfpa.org
URL: <http://www.unfpa.org/public/supplies>

United States Agency for International Development (USAID)

G/PHN/POP/CLM
1300 Pennsylvania Ave, NW
Third Floor, Ronald Reagan Building
Washington, DC 20523-3601
USA

Teléfono: 202.712.4549
Fax: 202.216.3404
URL: http://www.usaid.gov/our_work/global_health/pop/

Formato de las Listas de Precios

Los productos farmacéuticos se presentan en tres listas separadas con formatos y características diferentes, aunque con ciertos elementos comunes a todas ellas.

- Lista I: Productos Clasificados por Orden Alfabético
- Lista II: Productos Clasificados por Categoría Terapéutica
- Lista III: Formularios para la Comparación de Precios

A continuación se presenta una descripción detallada de la información contenida en cada lista.

Lista I – Productos Clasificados por Orden Alfabético

La Lista I tiene por objeto servir de referencia para la adquisición de medicamentos y los incluye en orden alfabético de sus nombres genéricos para poder localizar rápidamente cualquier medicamento. Esta lista muestra los tamaños de los paquetes disponibles de cada fuente y su precio en dólares estadounidenses, incluyendo los cargos regulares por servicio cuando corresponda.

Descripción del producto

La descripción del producto incluye el nombre genérico, su potencia, la forma de la dosificación y la vía de administración. Si el producto emplea dos nombres comunes (por ejemplo, vitamina C y ácido ascórbico), uno de ellos aparecerá entre paréntesis. Véase la Lista de Sinónimos en el Anexo.

IC

Los productos regulados por el control internacional de narcóticos se identifican con las siglas (IC) después de la descripción.

Nomenclatura

Se han utilizado la denominación común internacional (INN) como la lista de los medicamentos incluidos en esta *Guía*. Si no se asigna un INN, entonces se emplea el nombre genérico más común. Las formas de dosificación de medicamentos indicadas suelen ser las que figuran en la 17^o Lista Modelo de Medicamentos Esenciales de la Organización Mundial de la Salud (OMS) (revisada en marzo de 2011), y que se puede ver en <http://www.who.int/medicines>.

Vía de administración

Las vías de administración se codifican en la forma siguiente:

| Tipo de producto | Código |
|--|---------------|
| Condones | COND |
| Dispositivo intrauterino (DIU) | IUD |
| Medicinas de uso local (líquidos, polvos, cremas, ungüentos) | TOP |
| Medicinas inyectables | INJ |
| Medicinas para inhalación | INH |
| Medicinas por uso nasal y de la garganta | N/T |
| Medicinas subcutáneas | S/C |
| No aplicable | N/A |
| Preparaciones vaginales | VAG |
| Preparaciones para los ojos | OPHT |
| Preparaciones para los oídos | OTIC |
| Soluciones intravenosas | IV |
| Supositorios/enemas/ungüentos rectales | RECT |

| | |
|--|------|
| Tabletas/cápsulas/líquidos de vía oral | PO |
| Tabletas sublinguales | SL |
| Tiras diagnósticas | DIAG |

Fuente

La lista de fuentes de precios puede verse en la página S-9.

Paquetes

Los proveedores y compradores proporcionan los tamaños de los paquetes.

Precio de los paquetes (\$EE.UU.)

Los precios de los paquetes los proporcionan los proveedores y compradores y han sido convertidos a dólares estadounidenses a los tipos de cambio señalados en la página S-6, con objeto de facilitar las comparaciones. Si un proveedor cobra un porcentaje como cargo estándar por manejo, ese porcentaje ha sido añadido al precio de lista del paquete.

Precio unitario (\$EE.UU.)

El precio unitario se calcula dividiendo el precio del paquete entre el número de unidades que contiene. De esta forma se facilita comparar los precios de los paquetes de diferentes vendedores. La unidad usada para comparar precios varía con el tipo de preparación farmacéutica, tal como sigue:

| Forma de dosificación farmacéutica | Unidad de comparación (Código) |
|--|--------------------------------|
| Ampolla o frasco (mililitros) | Mililitro (ML) |
| Cartucho | Mililitro (ML) |
| Condón, DIU (dispositivo intrauterino), prueba, red | Cada (EACH) |
| Enema | Mililitro (ML) |
| Frasco (potencia única) | Frasco (VIAL) |
| Gas | Metro cúbico (CUBMETER) |
| Granules | Gramme (G) |
| Inhalador | Dosis (DOSE) |
| Jeringa | Jeringa (SYRINGE) |
| Líquido de uso local | Mililitro (ML) |
| Paquete | Paquete (PACK) |
| Pesario | Pesario (PESS) |
| Preparaciones para los oídos, la nariz y la garganta | Mililitro (ML) |
| Sólido de uso local | Gramme (G) |
| Suppositorio | Suppositorio (SUPP) |
| Suspensión o líquido oral | Mililitro (ML) |
| Tableta/cápsula | Tableta/cápsula (TAB-CAP) |
| Tratamiento | Tratamiento (TREATMEN) |
| Vacuna | Dosis (DOSE) |

Dosis diaria definida

La dosis diaria definida (DDD) es la dosis de mantenimiento promedio supuesta por día para un medicamento utilizado para su indicación principal en adultos. Cabe señalar que la dosis diaria definida es una unidad de medida y no necesariamente refleja la dosis diaria recomendada o recetada. Las dosis para pacientes individuales y grupos de pacientes con frecuencia diferirán de la DDD y necesariamente basarse en características individuales (por ejemplo, edad y peso) y consideraciones farmacocinéticas.

Los datos sobre el consumo de medicamentos presentados en las DDD ofrecen solamente una estimación aproximada del consumo y no dan una idea exacta del uso real. Las DDD proporcionan una unidad fija de medida independiente del precio y la formulación, que le permite al investigador determinar las tendencias en el consumo de medicamentos y hacer comparaciones entre los distintos grupos de población.

Las dosis diarias definidas fueron tomadas del Collaborating Centre for Drug Statistics Methodology de la OMS. Ellas ilustran las DDD recomendadas por el Grupo de Investigación sobre la Utilización de Medicamentos (DURG) de la Organización Mundial de la Salud. No todos los medicamentos listados en esta guía de comparación de precios tienen dosis diarias definidas asignadas por este método. La DDD solo se asigna a los medicamentos que ya tienen un código de clasificación anatómica-terapéutica-química (ATC).

La DDD se usa principalmente para hacer un cálculo estimado del consumo de los medicamentos, basado en datos de inventario y distribución. Esta estimación se puede combinar con la información sobre precios para fines de presupuestación.

Nota: La dosis diaria definida no se debe usar para determinar dosificación o terapias. Véase la información sobre recetas para los esquemas de dosificación para indicaciones específicas.

WHO LME

La columna “WHO EML” indica si el producto está incluido en la Lista Modelo OMS de Medicamentos Esenciales de 2011. Identificamos cinco categorías en la *Guía Internacional de Indicadores de Precios de Medicamentos*:

- E = En la lista básica de la OMS, en la misma forma y potencia de dosificación
- C = En la lista complementaria de la OMS, en la misma forma y potencia de dosificación
- P = En la lista de la OMS, pero en una presentación diferente (forma y/o potencia de dosificación diferente)
- T = No está en la lista de la OMS, pero puede ser una alternativa para un producto listado como un ejemplo de grupo terapéutico
- N = No está en la lista modelo de la OMS

Código ATC

El código ATC es el código de clasificación anatómica-terapéutica-química asignado por el Collaborating Centre for Drug Statistics Methodology de la OMS. El sistema ATC/DDD es una

herramienta usada para investigar la utilización de los medicamentos con objeto de mejorar la calidad en el uso de los mismos. Un componente de esto es la presentación y comparación de estadísticas sobre consumo de medicamentos al nivel internacional y a otros niveles.

En el sistema de clasificación ATC, los medicamentos se dividen en grupos diferentes conforme al órgano o sistema sobre el cual actúan, y a sus propiedades químicas, farmacológicas, y terapéuticas. Los medicamentos se clasifican en grupos a cinco niveles diferentes. También se dividen en 14 grupos principales (1r. nivel), con un subgrupo farmacológico/terapéutico (2do. nivel). Los niveles 3ro. y 4to. son subgrupos químicos/farmacológicos/terapéuticos, y el 5to. nivel es la sustancia química.²

Precio mediano

Cuando se use la *Guía* para hacer comparaciones con precios locales, o para calcular el valor total de una lista de adquisición, un precio promedio puede ser útil. Básicamente hay dos clases de precios promedio que podrían usarse—el precio medio y el precio mediano. El precio medio es el promedio simple de todos los precios mostrados para un medicamento; los valores se suman y luego se dividen entre la cantidad de valores.

Sin embargo, surge un problema cuando uno o dos precios son mucho más altos o más bajos que los demás en un medicamento determinado. Estos “valores extremos” producen una desviación en el valor medio y lo hacen menos representativo. Por ejemplo, en una serie de siete valores, tales como \$1, \$2, \$2, \$3, \$5, \$16 y \$20, todos los valores suman \$49, y dividiendo este número entre siete se obtiene un valor medio de \$7. Para fines de comparación o de estimados, es probable que este promedio sea demasiado alto debido a los dos precios mucho más altos que los demás de la serie. Para evitar este riesgo, usamos el precio mediano.

El precio mediano es un tipo de promedio; es el valor que divide una serie de valores a la mitad cuando la serie se pone en orden ascendente. Esto probablemente sea un método más útil para estimar los precios futuros reales (o para hacer comparaciones con precios locales) cuando exista una distribución sesgada.

Si hay un número impar de valores en la serie, como el ejemplo anterior, el valor mediano es el valor del medio en la serie (\$3 en el ejemplo anterior). Cuando una serie contiene un número par de valores, como en la serie \$1, \$3, \$4, \$6, \$14 y \$20, el precio mediano se calcula promediando los dos valores del medio. En este ejemplo, el precio mediano es el promedio de \$4 y \$6, o sea, \$5. Nuevamente, es probable que esto se aproxime más a la realidad para la comparación o estimación, que la media aritmética de \$8 (\$48 dividido entre 6).³

Proporción máxima/mínima

La proporción máxima/mínima (high/low) compara el precio unitario más alto con el precio unitario más bajo. Por ejemplo, una proporción máxima/mínima de tres significa que el precio unitario más alto es tres veces mayor que el precio unitario más bajo.

² Tomado del sitio del Collaborating Centre for Drug Statistics Methodology de la OMS en la Web en <http://www.whocc.no/atcddd/>.

³ Para ver más discusiones sobre el tema, ver *Statistics without Tears—A Primer for Non-Mathematicians*, por Derek Rowntree (Nueva York: Charles Scribner's Sons, 1981), pp. 41–45.

Lista II – Productos Clasificados por Categoría Terapéutica

En Lista II, los medicamentos se muestran en orden alfabético dentro de cada clase terapéutica partiendo del sistema de clasificación de la Lista de Medicamentos Esenciales de la Organización Mundial de la Salud. Para los productos no incluidos en la LME más reciente de la OMS (es decir, los identificados con una “N” en la columna “LME de la OMS” en esta *Guía*), hemos asignado una clase terapéutica basada en el sistema de clasificación utilizada por la LME de la OMS. Esta clase se utiliza cuando, de acuerdo con una determinación hecha por el personal de MSH, un producto no incluido en la LME corresponde claramente a una categoría terapéutica de la LME.

Esta asignación no refleja una decisión del Departamento de Medicinas Esenciales y Política Farmacéutica de la OMS, ni del personal de MSH, de que el producto no incluido en la LME pueda incluirse en la Lista de Medicinas Esenciales de la OMS. Si no es posible hacer una asignación inequívoca de una categoría terapéutica de la LME, clasificamos el producto en la categoría “UA– Agentes No Clasificados en la LME de la OMS”.

Los productos en un mismo grupo no implica que son directamente sustituibles entre ellos. Todos los precios que figuran en esta lista son unitarios. Por cada producto de la lista se muestran los datos siguientes:

Descripción del producto

La descripción del producto incluye el nombre genérico, su potencia, forma de dosificación y la vía de administración. Si el producto emplea dos nombres comunes (por ejemplo, vitamina C y ácido ascórbico), uno de ellos aparecerá entre paréntesis. Véase la Lista de Sinónimos en el Anexo.

IC

Los productos regulados por el control internacional de narcóticos se identifican con las siglas (IC) después de la descripción.

Nomenclatura

Se han utilizado las denominaciones comunes internacionales (INN) como la lista de los medicamentos incluidos en esta *Guía*. Si no se asigna un INN, entonces se emplea el nombre genérico más común. Las formas de dosificación de los medicamentos indicadas generalmente son las que figuran en la 17º Lista Modelo OMS de Medicamentos Esenciales (revisada en marzo de 2011), y que se puede ver en <http://www.who.int/medicines>.

Vía de administración

Las vías de administración se codifican en la forma siguiente:

| Tipo de producto | Código |
|--------------------------------|---------------|
| Condones | COND |
| Dispositivo intrauterino (DIU) | IUD |

| | |
|--|------|
| Medicinas de uso local (líquidos, polvos, cremas, ungüentos) | TOP |
| Medicinas inyectables | INJ |
| Medicinas para inhalación | INH |
| Medicinas por uso nasal y de la garganta | N/T |
| Medicinas subcutáneas | S/C |
| No aplicable | N/A |
| Preparaciones vaginales | VAG |
| Preparaciones para los ojos | OPHT |
| Preparaciones para los oídos | OTIC |
| Soluciones intravenosas | IV |
| Supositorios/enemas/ungüentos rectales | RECT |
| Tabletas/cápsulas/líquidos de vía oral | PO |
| Tabletas sublinguales | SL |
| Tiras y pruebas diagnósticas | DIAG |

WHO LME

La columna “WHO EML” indica si el producto está incluido en la Lista Modelo OMS de Medicamentos Esenciales de 2011. Identificamos cinco categorías en la *Guía Internacional de Indicadores de Precios de Medicamentos*:

- E = En la lista básica de la OMS, en la misma forma y potencia de dosificación
- C = En la lista complementaria de la OMS, en la misma forma y potencia de dosificación
- P = En la lista de la OMS, pero en una presentación diferente (forma y/o potencia de dosificación diferente)
- T = No está en la lista de la OMS, pero puede ser una alternativa para un producto listado como un ejemplo de grupo terapéutico
- N = No está en la lista modelo de la OMS

Número de proveedores/compradores

El número de proveedores o compradores que ofrecen este producto.

Precio mediano

Cuando se use la Guía para hacer comparaciones con precios locales, o para calcular el valor total de una lista de adquisición, un precio promedio puede ser útil. Básicamente hay dos clases de precios promedio que podrían usarse—el precio medio y el precio mediano. El precio medio es el promedio simple de todos los precios mostrados para un medicamento; los valores se suman y luego se dividen entre el número de valores.

Sin embargo, surge un problema cuando uno o dos precios son mucho más altos o más bajos que los demás en un medicamento determinado. Estos “valores extremos” producen una desviación en el valor medio y lo hacen menos representativo. Por ejemplo, en una serie de siete

valores, tales como \$1, \$2, \$2, \$3, \$5, \$16 y \$20, todos los valores suman \$49, y dividiendo este número entre siete se obtiene un valor medio de \$7. Para fines de comparación o de estimados, es probable que este promedio sea demasiado alto debido a los dos precios que son mucho más altos que los demás en la serie. Para evitar este riesgo, usamos el precio mediano.

El precio mediano es un tipo de promedio; es cualquier valor que divide una serie de valores a la mitad cuando la serie se pone en orden ascendente. Esto probablemente sea un método más útil para estimar los precios futuros reales (o para hacer comparaciones con precios locales) cuando exista una distribución sesgada.

Si hay un número impar de valores en la serie, como el ejemplo anterior, el valor mediano es el valor del medio en la serie (\$3 en el ejemplo anterior). Cuando una serie contiene un número par de valores, como en la serie \$1, \$3, \$4, \$6, \$14 y \$20, el precio mediano se calcula promediando los dos valores del medio. En este ejemplo, el precio mediano es el promedio de \$4 y \$6, o sea, \$5. Nuevamente, es probable que esto se aproxime más a la realidad para la comparación o estimación, que la media aritmética de \$8 (\$48 dividido entre 6).⁴

Precio más alto

El precio más alto de los proveedores y compradores de la lista.

Precio más bajo

El precio más bajo de los proveedores y compradores de la lista.

Proporción máxima/mínima

La proporción máxima/mínima (high/low) compara el precio unitario más alto con el precio unitario más bajo. Por ejemplo, una proporción máxima/mínima de tres significa que el precio unitario más alto es tres veces mayor que el precio unitario más bajo.

Dosis diaria definida (DDD)

La dosis diaria definida es la dosis de mantenimiento promedio supuesta por día para un medicamento utilizado para su indicación principal en adultos.

Cabe señalar que la dosis diaria definida es una unidad de medida y no necesariamente refleja la dosis diaria recomendada o recetada. Las dosis para pacientes individuales y grupos de pacientes con frecuencia diferirán de la DDD y necesariamente basarse en características individuales (por ejemplo, edad y peso) y consideraciones farmacocinéticas.

Los datos sobre el consumo de medicamentos presentados en las DDD ofrecen solamente una estimación aproximada del consumo y no dan una idea exacta del uso real. Las DDD proporcionan una unidad fija de medida independiente del precio y la formulación, que le

⁴Para ver más discusiones sobre el tema, ver *Statistics without Tears—A Primer for Non-Mathematicians*, por Derek Rowntree (Nueva York: Charles Scribner's Sons, 1981), pp. 41–45.

permite al investigador determinar las tendencias en el consumo de medicamentos y hacer comparaciones entre los distintos grupos de población.

Las dosis diarias definidas fueron tomadas del Collaborating Centre for Drug Statistics Methodology de la OMS. Ellas ilustran las DDD recomendadas por el Grupo de Investigación sobre la Utilización de Medicamentos (DURG) de la Organización Mundial de la Salud. No todos los medicamentos listados en esta guía de comparación de precios tienen dosis diarias definidas asignadas por este método. La DDD solo se asignará a los medicamentos que ya tienen un código de ATC.

El uso principal de la DDD es para hacer un cálculo estimado del consumo de los medicamentos, basado en datos de inventario y distribución. Esta estimación se puede combinar con la información sobre precios para fines de presupuestación.

Nota: La dosis diaria definida no se debe usar para determinar dosificaciones o terapias. Véase la información sobre recetas para los esquemas de dosificación para indicaciones específicas.

Lista III – Formulario para la Comparación de Precios

El propósito de esta lista es ayudar al usuario a comparar sus precios con los de la *Guía*. En ella solo se muestra el precio mediano, y se emplea una descripción abreviada del producto.

Descripción del producto

La descripción del producto incluye el nombre genérico, su potencia, forma de dosificación y la vía de administración. Si el producto emplea dos nombres comunes (por ejemplo, vitamina C y ácido ascórbico), uno de ellos aparecerá entre paréntesis. Véase la Lista de Sinónimos en el Anexo.

IC

Los productos regulados por el Control Internacional de Narcóticos se identifican con las siglas (IC) después de la descripción.

Nomenclatura

Se han utilizado las denominaciones comunes internacionales (INN) como la lista de los medicamentos incluidos en esta *Guía*. Si no se asigna un INN, entonces se emplea el nombre genérico más común. Las formas de dosificación de medicamentos indicadas suelen ser las que figuran en la 17º Lista Modelo de Medicinas Esenciales de la Organización Mundial de la Salud (revisada en marzo de 2011), y que se puede ver en <http://www.who.int/medicines>.

WHO LME

La columna “WHO EML” indica si el producto está incluido en la Lista Modelo OMS de Medicamentos Esenciales de 2011. Identificamos cinco categorías en la *Guía Internacional de Indicadores de Precios de Medicamentos*:

- E = En la lista básica de la OMS, en la misma forma y potencia de dosificación
- C = En la lista complementaria de la OMS, en la misma forma y potencia de dosificación
- P = En la lista de la OMS, pero en una presentación diferente (forma y/o potencia de dosificación diferente)
- T = No está en la lista de la OMS, pero puede ser una alternativa para un producto listado como un ejemplo de grupo terapéutico
- N = No está en la lista modelo de la OMS

Tamaño del paquete

Este espacio en blanco es para que el usuario apunte el tamaño del paquete que está comprando.

Precio del paquete

Este espacio en blanco es para que el usuario apunte el precio del paquete comprado que anotó en el espacio en blanco anterior.

Precio unitario

El usuario debe calcular su precio unitario dividiendo el precio del paquete entre el número de unidades que contiene el paquete. Se indican las unidades de comparación empleadas en la Guía para cada producto con objeto de asegurar que los precios se comparan sobre una base equivalente.

Precio unitario mediano de un proveedor o comprador (\$EE.UU.)

El precio unitario se calcula dividiendo el precio del paquete entre el número de unidades que contiene el paquete. La unidad utilizada para comparar los precios varía según el tipo de preparación farmacéutica, como sigue:

| Forma de dosificación farmacéutica | Unidad de comparación (Código) |
|---|---------------------------------------|
| Ampolla o frasco (mililitros) | Mililitro (ML) |
| Cartucho | Mililitro (ML) |
| Condón, DIU (dispositivo intrauterino), prueba, o red | Cada (EACH) |
| Enema | Mililitro (ML) |
| Frasco (potencia única) | Frasco (VIAL) |
| Gas | Metro cúbico (CUBMETER) |
| Granules | Gramme (G) |
| Inhalador | Dosis (DOSE) |
| Jeringa | Jeringa (SYRINGE) |
| Líquido de uso local | Mililitro (ML) |
| Paquete | Paquete (PACK) |
| Pesario | Pesario (PESS) |
| Preparaciones para los oídos, la nariz y la garganta | Mililitro (ML) |
| Sólido de uso local | Gramme (G) |
| Suppositorio | Suppositorio (SUPP) |
| Suspensión o líquido oral | Mililitro (ML) |
| Tableta/cápsula | Tableta/cápsula (TAB-CAP) |
| Tratamiento | Tratamiento (TREATMEN) |
| Vacuna | Dosis (DOSE) |

El precio mediano es un tipo de promedio; es el valor que divide una serie de valores a la mitad cuando la serie se pone en orden ascendente. Es probable que esto sea más valioso para calcular los precios futuros (o comparar con precios locales), cuando existe una distribución sesgada.

Si hay un número impar de valores en la serie, como \$1, \$2, \$2, \$3, \$5, \$16 y \$20, el valor mediano es el valor del medio en la serie (\$3 en el ejemplo). Cuando una serie contiene un número par de valores, como en la serie \$1, \$3, \$4, \$6, \$14 y \$20, el precio mediano se calcula promediando los dos valores del medio. En este ejemplo, el precio mediano es el promedio de \$4 y \$6, o sea, \$5. Nuevamente, es probable que esto se aproxime más a la realidad para la comparación o estimación, que la media aritmética de \$8 (\$48 dividido entre 6).⁵

⁵ Para ver más discusiones sobre el tema, ver *Statistics without Tears—A Primer for Non-Mathematicians*, por Derek Rowntree (Nueva York: Charles Scribner's Sons, 1981), pp. 41–45.

Cómo Analizar y Comparar sus Precios

La comparación de los precios que usted ha pagado con los precios internacionales es uno de los indicadores más fundamentales para evaluar la eficiencia de la adquisición. Otros indicadores clave de la eficiencia de la adquisición son la precisión del estimado de necesidades, la puntualidad de las entregas y la calidad de los productos adquiridos.

Con la ayuda de esta *Guía*, los funcionarios de las oficinas de adquisiciones pueden comparar los precios que pagan con los precios internacionales de referencia (vea el Formulario de Comparación de Precios, SP-1 y BP-1). La metodología que se describe a continuación presenta una manera de hacer esas comparaciones. Usted tal vez desee visitar la versión electrónica de la *Guía Internacional de Indicadores de Precios de Medicamentos* en el Centro de Recursos Electrónicos en <http://erc.msh.org/priceguide>. Éste contiene sugerencias que le ayudarán a comparar sus precios con los de la *Guía* y a planificar un presupuesto o licitación.

1. Haga una lista de los productos que compra rutinariamente en grandes cantidades, o que representan un gran porcentaje del presupuesto.
2. Por cada producto, anote el tamaño del paquete de venta utilizado y el precio más reciente de este tamaño de paquete. Asegúrese de ver si el precio es CIF (costo, seguro y flete); FOB (franco a bordo, transporte hasta el puerto de salida); EXW (franco en almacén, sin transporte), u otro tipo de precio. Los precios pueden requerir ajustes para que se puedan comparar con exactitud.
3. Dependiendo del tipo de precios que usted esté comparando, seleccione uno de los dos formularios de comparación de precios incluidos en la *Guía*. Los precios de compradores incluyen costos de transporte y posiblemente sean más apropiados si representan una región del mundo y valor de licitación similar a la suya. Los precios del proveedor son FOB y EXW, y se deben ajustar para que reflejen los cargos acostumbrados por embarque, manejo, y seguro apropiados a su situación.
4. En uno de los formularios para la comparación de precios, seleccione el producto en esta *Guía* que corresponda más estrechamente a su producto. Si los precios que está usando localmente son CIF y ha seleccionado el formulario de comparación de comprador, no será necesario hacer ajustes en ninguno de los dos grupos de precios.

Si los precios que está usando localmente son CIF y ha seleccionado la lista de comparación de proveedores, sugerimos ajustar hacia arriba los precios proporcionados en la lista de proveedores a fin de reflejar la diferencia entre los precios CIF y EXW/FOB. Cuando los precios de esta lista sean FOB o EXW, es razonable agregar del 10% al precio de lista en concepto de flete y seguro, dependiendo de la distancia y el modo de transporte. A los precios de esta lista ya se han agregado los porcentajes usuales cobrados por manejo.

Cuando ocurran fluctuaciones considerables en los tipos cambiarios, se deben ajustar los precios para que reflejen esos cambios.

5. Una vez que se hayan ajustado los precios de los paquetes para reflejar los costos de flete, seguro y otros costos adicionales, divida el precio del paquete entre el número de unidades

de comparación contenidas en el paquete de venta (por ejemplo, divida el precio del paquete entre 1000 si el paquete es una botella de 1000 tabletas, o entre 100 si es un frasco de 100 ml). Asegúrese que la unidad de comparación utilizada sea la misma que viene en la lista de la *Guía*. Para su conveniencia, el precio unitario mediano internacional aparece en los dos formularios de comparación de precios.

Debido a que el empaque puede aumentar considerablemente los costos de un producto, es preciso tener cuidado al comparar los precios unitarios entre paquetes diferentes. Por ejemplo, el precio unitario de empaques en tiras suele ser más alto que el precio unitario de tabletas empacadas en una botella de 1000. Los precios de la *Guía* no cubren empaques especiales, excepto cuando se indique.

Un análisis de este tipo incluye muchas hipótesis que afectan a su resultado. Las comparaciones de precios internacionales identifican diferencias extremas en los precios, tanto altas como bajas. Una proporción extremadamente alta entre los precios disponibles localmente y los mostrados en esta *Guía*, puede indicar que hay disponible una fuente menos costosa. Si los precios disponibles localmente son mucho más bajos que los de esta *Guía*, ello podría reflejar una adquisición eficaz, pero también pudiera ser el resultado de un comprometimiento entre el control de calidad, las diferencias en empaques u otros factores que pudieran reducir la calidad del producto. Estas comparaciones solamente son indicadores y debieran considerarse como sugerencias para investigar más exhaustivas.

List I: Products Sorted Alphabetically



Lista I: Productos Clasificados por Orden Alfabético



Liste I : Produits Pharmaceutiques Classés par Ordre Alphabétique

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-----------------|---|----------------------|------------------------------------|------------------------|------------|-------------|
| ABACAVIR (ABC) 20 mg/ml solution (PO) | | | Price/ml | | 0.6 g | E | J05AF06 |
| Supplier SCMS | 1 BOTT (240 ml) | 13.13 | 0.0547 | AS SULFATE, WITH SYRINGE | | | |
| Supplier IDA | 1 BOTT (240 ml) | 17.79 | 0.0741 | | | | |
| | | Supplier Median Price/ml=0.0644 | | High/Low Ratio=1.35 | | | |
| Buyer GHANA | 1 BOTT (240 ml) | 7.50 | 0.0313 | | | | |
| Buyer BDS | 1 BOTT (240 ml) | 46.05 | 0.1919 | | | | |
| | | Buyer Median Price/ml=0.1116 | | High/Low Ratio=6.13 | | | |
| ABACAVIR (ABC) 300 mg tab-cap (PO) | | | Price/tab-cap | | 0.6 g | E | J05AF06 |
| Supplier SCMS | 60 TAB-CAP | 15.36 | 0.2560 | AS SULFATE, TABLETS | | | |
| Supplier MEG | 60 TAB-CAP | 28.50 | 0.4750 | TABLETS | | | |
| Supplier IDA | 60 TAB-CAP | 29.89 | 0.4981 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.4750 | | High/Low Ratio=1.95 | | | |
| Buyer PERU | 100 TAB-CAP | 29.89 | 0.2989 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 60 TAB-CAP | 20.31 | 0.3385 | TABLETS | | | |
| Buyer CAMERWA | 60 TAB-CAP | 20.39 | 0.3399 | TABLETS | | | |
| Buyer CRSS | 100 TAB-CAP | 69.00 | 0.6900 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.3392 | | High/Low Ratio=2.31 | | | |
| ABACAVIR SULFATE 60 mg tab-cap (PO) | | | Price/tab-cap | | 0.6 g | P | J05AF06 |
| Supplier SCMS | 60 TAB-CAP | 6.51 | 0.1085 | SCORED TABLETS FOR ORAL SUSPENSION | | | |
| Supplier IDA | 60 TAB-CAP | 8.76 | 0.1460 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.1273 | | High/Low Ratio=1.35 | | | |
| ABACAVIR+LAMIVUDINE 60+30 mg tab-cap (PO) | | | Price/tab-cap | | | P | J05AR |
| Supplier SCMS | 60 TAB-CAP | 7.88 | 0.1313 | TABLETS | | | |
| Supplier IDA | 60 TAB-CAP | 10.36 | 0.1727 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.1520 | | High/Low Ratio=1.32 | | | |
| ABACAVIR+LAMIVUDINE (ABC/3TC) 600 mg+300mg tab-cap (PO) | | | Price/tab-cap | | 1 tab | P | J05AR02 |
| Supplier SCMS | 30 TAB-CAP | 23.63 | 0.7875 | SCORED TABLETS | | | |
| Supplier IDA | 30 TAB-CAP | 36.65 | 1.2217 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=1.0046 | | High/Low Ratio=1.55 | | | |
| ACETAZOLAMIDE 250 mg tab-cap (PO) | | | Price/tab-cap | | 0.75 g | E | S01EC01 |
| Supplier IMRES | 1000 TAB-CAP | 21.00 | 0.0210 | TABLETS | | | |
| Supplier JMS | 1000 TAB-CAP | 23.37 | 0.0234 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 24.95 | 0.0249 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 25.28 | 0.0254 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 33.64 | 0.0337 | TABLETS | | | |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 4.69 | 0.0469 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0252 | | High/Low Ratio=2.23 | | | |
| Buyer BDS | 1000 TAB-CAP | 19.19 | 0.0192 | TABLETS | | | |
| Buyer OECS/PPS | 500 TAB-CAP | 10.00 | 0.0200 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 3.60 | 0.0360 | TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 4.49 | 0.0449 | TABLETS | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 5.81 | 0.0581 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0360 | | High/Low Ratio=3.03 | | | |
| ACETAZOLAMIDE (POWDER) 500 mg vial (INJ) | | | Price/vial | | 0.75 g | P | S01EC01 |
| Buyer BDS | 1 VIAL | 59.64 | 59.6383 | | | | |
| ACETYLSALICYLIC ACID 100 mg tab-cap (PO) | | | Price/tab-cap | | 3 g | E | B01AC06 |
| Supplier MEG | 1000 TAB-CAP | 1.80 | 0.0018 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 1.85 | 0.0019 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 1.99 | 0.0020 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 2.64 | 0.0026 | TABLETS | | | |
| Supplier MEDEOR/EU | 3500 TAB-CAP | 18.73 | 0.0054 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0020 | | High/Low Ratio=3.00 | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 1.76 | 0.0018 | TABLETS | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 2.03 | 0.0020 | TABLETS | | | |
| Buyer CRSS | 100 TAB-CAP | 0.43 | 0.0043 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 0.80 | 0.0080 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 1.14 | 0.0114 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0043 | | High/Low Ratio=6.33 | | | |
| ACETYLSALICYLIC ACID 300 mg tab-cap (PO) | | | Price/tab-cap | | 3 g | E | N02BA01 |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 1.98 | 0.0020 | TABLETS | | | |
| Supplier MEDS | 1000 TAB-CAP | 2.04 | 0.0020 | TABLETS | | | |
| Supplier JMS | 1000 TAB-CAP | 2.27 | 0.0023 | TABLETS | | | |
| Supplier UNFPA | 1000 TAB-CAP | 2.60 | 0.0026 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 2.61 | 0.0026 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 2.75 | 0.0028 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 2.90 | 0.0029 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|------------------|---|----------------------|------------------------------------|------------------------|------------|-------------|
| ACETYLSALICYLIC ACID 300 mg tab-cap (PO) | | | | Price/tab-cap | 3 g | E | N02BA01 |
| Supplier MISSION | 1000 TAB-CAP | 3.84 | 0.0039 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 5.06 | 0.0051 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0026 | | High/Low Ratio=2.55 | | | |
| Buyer MEMS | 1000 TAB-CAP | 1.85 | 0.0018 | TABLETS | | | |
| Buyer NAMIBIA | 1000 TAB-CAP | 4.14 | 0.0041 | TABLETS | | | |
| Buyer BOTSWANA | 1000 TAB-CAP | 4.49 | 0.0045 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 1.25 | 0.0125 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 1.75 | 0.0175 | 325 MG, E.C. TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0045 | | High/Low Ratio=9.72 | | | |
| ACETYLSALICYLIC ACID 500 mg tab-cap (PO) | | | | Price/tab-cap | 3 g | E | N02BA01 |
| Supplier UNFPA | 1000 TAB-CAP | 3.50 | 0.0035 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 3.62 | 0.0036 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 3.85 | 0.0039 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 4.10 | 0.0041 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 4.74 | 0.0048 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 5.68 | 0.0056 | TABLETS | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 10.90 | 0.0109 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0041 | | High/Low Ratio=3.11 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 3.08 | 0.0031 | TABLETS | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 5.29 | 0.0053 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0042 | | High/Low Ratio=1.71 | | | |
| ACETYLSALICYLIC ACID 75 mg tab-cap (PO) | | | | Price/tab-cap | 3 g | P | B01AC06 |
| Supplier DURBIN | 1000 TAB-CAP | 4.82 | 0.0048 | DISPERISIBLE TABLETS | | | |
| Supplier MEDS | 28 TAB-CAP | 0.40 | 0.0143 | ENTERIC-COATED TABLETS | | | |
| Supplier JMS | 140 TAB-CAP | 2.86 | 0.0204 | ENTERIC-COATED TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0143 | | High/Low Ratio=4.25 | | | |
| Buyer OECS/PPS | 120 TAB-CAP | 1.48 | 0.0123 | 81 MG, E.C. TABLETS | | | |
| ACICLOVIR 200 mg tab-cap (PO) | | | | Price/tab-cap | 4 g | E | J05AB01 |
| Supplier JMS | 100 TAB-CAP | 1.77 | 0.0177 | TABLETS | | | |
| Supplier MEDS | 30 TAB-CAP | 0.87 | 0.0289 | TABLETS | | | |
| Supplier UNFPA | 100 TAB-CAP | 3.00 | 0.0300 | TABLETS | | | |
| Supplier IDA | 500 TAB-CAP | 17.09 | 0.0342 | DISPERISIBLE TABLETS, BLISTER PACK | | | |
| Supplier IMRES | 100 TAB-CAP | 3.50 | 0.0350 | BLISTER-PACK TABLETS | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 49.02 | 0.0490 | BLISTER PACK TABLETS, 40 X 25 | | | |
| Supplier MEDEOR/TZ | 30 TAB-CAP | 1.82 | 0.0607 | TABLETS | | | |
| Supplier MISSION | 100 TAB-CAP | 6.90 | 0.0690 | TABLETS | | | |
| Supplier DURBIN | 30 TAB-CAP | 2.17 | 0.0723 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0350 | | High/Low Ratio=4.08 | | | |
| Buyer CAMERWA | 100 TAB-CAP | 1.89 | 0.0189 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 2.11 | 0.0211 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer MEMS | 100 TAB-CAP | 5.54 | 0.0554 | TABLETS | | | |
| Buyer BDS | 25 TAB-CAP | 1.43 | 0.0572 | TABLETS | | | |
| Buyer BOTSWANA | 25 TAB-CAP | 1.90 | 0.0759 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 15.16 | 0.1516 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0563 | | High/Low Ratio=8.02 | | | |
| ACICLOVIR 200 mg/5 ml suspen (PO) | | | | Price/ml | 4 g | P | J05AB01 |
| Buyer OECS/PPS | 1 BOTT (100 ml) | 17.22 | 0.1722 | | | | |
| Buyer BDS | 1 BOTT (125 ml) | 27.79 | 0.2223 | | | | |
| | | Buyer Median Price/ml=0.1973 | | High/Low Ratio=1.29 | | | |
| ACICLOVIR 3% opht oint (OPHT) | | | | Price/g | | N | S01AD03 |
| Supplier MEDS | 1 TUBE (4.50 g) | 0.72 | 0.1603 | | | | |
| Supplier MEDEOR/TZ | 1 TUBE (4.50 g) | 0.88 | 0.1960 | | | | |
| Supplier IDA | 10 TUBE (4.50 g) | 9.49 | 0.2109 | | | | |
| Supplier MISSION | 1 TUBE (4.50 g) | 3.04 | 0.6761 | | | | |
| Supplier DURBIN | 1 TUBE (4.50 g) | 20.79 | 4.6209 | | | | |
| | | Supplier Median Price/g=0.2109 | | High/Low Ratio=28.83 | | | |
| Buyer CAMERWA | 1 TUBE (5 g) | 2.46 | 0.4928 | | | | |
| Buyer BDS | 1 TUBE (5 g) | 3.07 | 0.6136 | | | | |
| Buyer NAMIBIA | 1 TUBE (4.50 g) | 6.61 | 1.4695 | | | | |
| Buyer BOTSWANA | 1 TUBE (4.50 g) | 8.00 | 1.7787 | | | | |
| | | Buyer Median Price/g=1.0416 | | High/Low Ratio=3.61 | | | |
| ACICLOVIR 400 mg tab-cap (PO) | | | | Price/tab-cap | 4 g | P | J05AB01 |
| Supplier IDA | 70 TAB-CAP | 3.91 | 0.0559 | TABLETS | | | |
| Supplier MISSION | 100 TAB-CAP | 6.19 | 0.0619 | TABLETS | | | |
| Supplier IMRES | 100 TAB-CAP | 6.75 | 0.0675 | BLISTER PACK TABLETS | | | |
| Supplier MEDS | 10 TAB-CAP | 0.91 | 0.0910 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-----------------|-------------------------|--|---------------------------------|-----------------------------|------------|----------------|
| ACICLOVIR 400 mg tab-cap (PO) | | | Price/tab-cap | | 4 g | P | J05AB01 |
| Supplier MEDEOR/TZ | 25 TAB-CAP | 2.96 | 0.1183 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.03 | 0.0321 | BLISTER PACK TABLETS | High/Low Ratio=2.12 | | |
| Buyer OECS/PPS | 100 TAB-CAP | 6.50 | 0.0650 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 10.43 | 0.1043 | TABLETS | | | |
| Buyer BDS | 56 TAB-CAP | 5.90 | 0.1054 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 51.93 | 0.5193 | TABLETS, ILLUSTRATIVE PACK SIZE | High/Low Ratio=16.18 | | |
| | | | Buyer Median Price/tab-cap=0.1043 | | | | |
| ACICLOVIR 5% cream (TOP) | | | Price/g | | | N | D06BB03 |
| Supplier MEDEOR/TZ | 1 TUBE (5 g) | 0.60 | 0.1200 | | | | |
| Supplier UNFPA | 1 TUBE (2 g) | 0.35 | 0.1750 | | | | |
| Supplier DURBIN | 2 TUBE (5 g) | 1.77 | 0.1766 | | | | |
| Supplier IDA | 1 TUBE (2 g) | 2.10 | 0.1053 | | | | |
| Buyer DOMREPUB | 1 TUBE (5 g) | 0.16 | 0.0315 | High/Low Ratio=8.75 | | | |
| Buyer BDS | 1 TUBE (5 g) | 0.77 | 0.1534 | | | | |
| Buyer BOTSWANA | 1 TUBE (10 g) | 2.70 | 0.2701 | High/Low Ratio=8.57 | | | |
| | | | Buyer Median Price/g=0.1534 | | | | |
| ACICLOVIR 500 mg ampoule (INJ) | | | Price/ml | | 4 g | P | J05AB01 |
| Buyer BDS | 1 VIAL (10 ml) | 25.70 | 2.5696 | | | | |
| ACICLOVIR 800 mg tab-cap (PO) | | | Price/tab-cap | | 4 g | P | J05AB01 |
| Supplier JMS | 25 TAB-CAP | 6.47 | 0.2587 | TABLETS | | | |
| Buyer CAMERWA | 10 TAB-CAP | 0.98 | 0.0979 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 11.25 | 0.1125 | TABLETS | | | |
| Buyer NAMIBIA | 35 TAB-CAP | 18.96 | 0.5418 | TABLETS | High/Low Ratio=5.53 | | |
| | | | Buyer Median Price/tab-cap=0.1125 | | | | |
| ACICLOVIR (POWDER) 250 mg vial (INJ) | | | Price/vial | | 4 g | E | J05AB01 |
| Buyer CRSS | 1 VIAL | 4.65 | 4.6500 | | | | |
| ADENOSINE 3 mg/ml ampoule (INJ) | | | Price/ml | | 15 mg | N | C01EB10 |
| Buyer BDS | 6 AMP (2 ml) | 14.61 | 1.2174 | | | | |
| Buyer PERU | 1 AMP (2 ml) | 3.22 | 1.6078 | | | | |
| Buyer OECS/PPS | 6 AMP (2 ml) | 20.25 | 1.6875 | High/Low Ratio=1.39 | | | |
| | | | Buyer Median Price/ml=1.6078 | | | | |
| ALBENDAZOLE 100 mg/5 ml suspen (PO) | | | Price/ml | | 0.4 g | P | P02CA03 |
| Buyer MEMS | 1 BOTT (20 ml) | 0.21 | 0.0106 | | | | |
| Buyer PERU | 1 BOTT (20 ml) | 0.26 | 0.0132 | | | | |
| Buyer OECS/PPS | 1 BOTT (20 ml) | 0.36 | 0.0180 | | | | |
| Buyer BDS | 1 BOTT (20 ml) | 0.37 | 0.0184 | | | | |
| Buyer NAMIBIA | 1 BOTT (20 ml) | 1.10 | 0.0548 | | | | |
| Buyer CAMERWA | 1 BOTT (20 ml) | 1.44 | 0.0720 | High/Low Ratio=6.79 | | | |
| | | | Buyer Median Price/ml=0.0182 | | | | |
| ALBENDAZOLE 200 mg tab-cap (PO) | | | Price/tab-cap | | 0.4 g | P | P02CA03 |
| Supplier IDA | 1000 TAB-CAP | 11.08 | 0.0112 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 23.28 | 0.0233 | TABLETS | | | |
| Supplier MEDEOR/TZ | 1500 TAB-CAP | 44.47 | 0.0296 | TABLETS | | | |
| Supplier MEDS | 100 TAB-CAP | 3.55 | 0.0355 | TABLETS | High/Low Ratio=3.17 | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 12.91 | 0.0129 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 1.71 | 0.0171 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer CAMERWA | 100 TAB-CAP | 3.36 | 0.0336 | TABLETS | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 4.66 | 0.0466 | TABLETS | | | |
| Buyer MEMS | 2 TAB-CAP | 0.17 | 0.0825 | TABLET | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 15.16 | 0.1516 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 30 TAB-CAP | 9.86 | 0.3286 | TABLETS | | | |
| Buyer BOTSWANA | 2 TAB-CAP | 1.39 | 0.6954 | TABLETS | High/Low Ratio=53.91 | | |
| | | | Buyer Median Price/tab-cap=0.0646 | | | | |
| ALBENDAZOLE 200 mg/5 ml suspen (PO) | | | Price/ml | | 0.4 g | P | P02CA03 |
| Supplier IMRES | 1 BOTT (10 ml) | 0.25 | 0.0250 | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (10 ml) | 0.28 | 0.0285 | | | | |
| Supplier MISSION | 1 BOTT (10 ml) | 0.35 | 0.0348 | SYRUP | | | |
| Supplier IDA | 30 BOTT (10 ml) | 10.50 | 0.351 | | High/Low Ratio=1.40 | | |
| Buyer DOMREPUB | 1 BOTT (10 ml) | 0.10 | 0.0099 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|--|--|---|---|------------------------|------------|-------------|
| ALBENDAZOLE 200 mg/5 ml suspen (PO) Buyer BDS | 1 BOTT (10 ml) | 0.32 Buyer Median Price/ml=0.0210 | Price/ml 0.0320 | 0.4 g High/Low Ratio=3.23 | P | P | P02CA03 |
| ALBENDAZOLE 400 mg tab-cap (PO) Supplier JMS Supplier DURBIN | 500 TAB-CAP 500 TAB-CAP | 10.27 23.28 Supplier Median Price/tab-cap=0.0336 | Price/tab-cap 0.0205 0.0466 | 0.4 g TABLETS TABLETS High/Low Ratio=2.27 | P | P | P02CA03 |
| Buyer CAMERWA Buyer DOMREPUB Buyer BDS | 1000 TAB-CAP 1 TAB-CAP 10 TAB-CAP | 13.95 0.02 1.65 Buyer Median Price/tab-cap=0.0188 | 0.0139 0.0188 0.1652 | TABLETS BLISTER PACK TABLETS TABLETS High/Low Ratio=11.88 | | | |
| ALBENDAZOLE (CHEWABLE) 200 mg tab-cap (PO) Supplier IMRES Supplier MISSION Supplier MEDEOR/EU | 1000 TAB-CAP 1000 TAB-CAP 1500 TAB-CAP | 9.50 16.66 35.26 Supplier Median Price/tab-cap=0.0167 | Price/tab-cap 0.0095 0.0167 0.0235 | 0.4 g FLAVORED TABLETS TABLETS High/Low Ratio=2.47 | P | P | P02CA03 |
| ALBENDAZOLE (CHEWABLE) 400 mg tab-cap (PO) Supplier UNFPA Supplier MEG Supplier IMRES Supplier IDA Supplier MISSION Supplier MEDS | 1000 TAB-CAP 1000 TAB-CAP 500 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 100 TAB-CAP | 11.80 12.80 8.50 23.40 24.44 3.33 Supplier Median Price/tab-cap=0.0203 | Price/tab-cap 0.0118 0.0128 0.0170 0.0235 0.0245 0.0333 | 0.4 g TABLETS TABLETS TABLETS TABLETS TABLETS TABLETS High/Low Ratio=2.82 | E | P | P02CA03 |
| Buyer CAMERWA | 500 TAB-CAP | 8.26 | 0.0165 | TABLETS | | | |
| ALBUMIN, HUMAN NORMAL 20-25% vial (INJ) Supplier UNFPA | 1 VIAL (50 ml) | 37.50 | 0.7500 | 20% | N | B05AA01 | |
| Buyer CRSS Buyer BDS | 1 VIAL (50 ml) 1 VIAL (50 ml) | 25.00 46.30 Buyer Median Price/ml=0.7131 | 0.5000 0.9261 | 25% High/Low Ratio=1.85 | | | |
| ALCOHOL (ETHANOL) 95-96% solution (TOP) Buyer MEMS | 1 BOTT (2500 ml) | 21.45 | 0.0086 | ETHANOL, 96% | N | V07AV | |
| ALCOHOL, DENATURED 70% bott (TOP) Supplier UNFPA Supplier IDA Supplier MISSION | 1 BOTT (1000 ml) 1 BOTT (1000 ml) 1 BOTT (1000 ml) | 3.95 7.39 20.08 Supplier Median Price/ml=0.0074 | Price/ml 0.0040 0.0074 0.0201 | ETHYL ALCOHOL ETHANOL, METHYLATED High/Low Ratio=5.02 | N | | |
| Buyer CAMERWA | 1 BOTT (5000 ml) | 11.44 | 0.0023 | | | | |
| ALCOHOL, DENATURED 95-96% bott (TOP) Supplier IDA Supplier MISSION | 1 BOTT (1000 ml) 1 BOTT (1000 ml) | 7.87 20.43 Supplier Median Price/ml=0.0142 | Price/ml 0.0079 0.0204 | 96% ETHANOL 96%, METHYLATED High/Low Ratio=2.58 | N | | |
| Buyer CAMERWA | 1 BOTT (5000 ml) | 16.53 | 0.0033 | 96% | | | |
| ALCOHOL, ISOPROPYL 70% solution (TOP) Buyer DOMREPUB Buyer CAMERWA | 1 BOTT (1000 ml) 1 BOTT (1000 ml) | 2.40 3.09 Buyer Median Price/ml=0.0028 | Price/ml 0.0024 0.0031 | High/Low Ratio=1.29 | N | V07AV | |
| ALENDRONATE 10 mg tab-cap (PO) Buyer BDS | 100 TAB-CAP | 27.78 | 0.2778 | Price/tab-cap TABLETS | N | M05BA04 | |
| ALLOPURINOL 100 mg tab-cap (PO) Supplier MISSION Supplier IDA Supplier DURBIN Supplier MEDEOR/TZ | 100 TAB-CAP 28 TAB-CAP 28 TAB-CAP 50 TAB-CAP | 2.39 0.81 1.53 3.01 Supplier Median Price/tab-cap=0.0417 | Price/tab-cap 0.0239 0.0289 0.0544 0.0602 | 0.4 g TABLETS BLISTER PACK TABLETS, 7 X 4 TABLETS TABLETS High/Low Ratio=2.52 | E | M04AA01 | |
| Buyer PERU Buyer BDS Buyer OECS/PPS Buyer BOTSWANA Buyer SUDANNHIF | 100 TAB-CAP 1000 TAB-CAP 28 TAB-CAP 100 TAB-CAP 100 TAB-CAP | 1.01 16.67 0.50 2.42 4.74 | 0.0101 0.0167 0.0179 0.0242 0.0474 | TABLETS, ILLUSTRATIVE PACK SIZE TABLETS TABLETS TABLETS TABLETS, ILLUSTRATIVE PACK SIZE | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|----------------|-------------------------|----------------------|--|------------------------|------------|-------------|
| ALLOPURINOL 100 mg tab-cap (PO) <i>Buyer MEMS</i> | 50 TAB-CAP | 2.90 | 0.0581 | Price/tab-cap TABLETS Buyer Median Price/tab-cap=0.0211 High/Low Ratio=5.75 | 0.4 g | E | M04AA01 |
| ALLOPURINOL 300 mg tab-cap (PO) <i>Supplier JMS</i> | 28 TAB-CAP | 4.02 | 0.1436 | Price/tab-cap TABLETS | 0.4 g | C | M04AA01 |
| <i>Buyer SUDANNHIF</i> | 100 TAB-CAP | 2.01 | 0.0201 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| <i>Buyer OECS/PPS</i> | 28 TAB-CAP | 0.90 | 0.0321 | TABLETS | | | |
| <i>Buyer NAMIBIA</i> | 100 TAB-CAP | 8.12 | 0.0812 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.0321 High/Low Ratio=4.04 | | | |
| ALPRAZOLAM 0.25 mg tab-cap (PO) <i>Buyer BDS</i> | 100 TAB-CAP | 2.38 | 0.0238 | Price/tab-cap TABLETS | 1 mg | N | N05BA12 |
| <i>Buyer OECS/PPS</i> | 100 TAB-CAP | 3.70 | 0.0370 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.0304 High/Low Ratio=1.55 | | | |
| ALPRAZOLAM 0.5 mg tab-cap (PO) <i>Supplier MEDEOR/TZ</i> | 30 TAB-CAP | 2.75 | 0.0918 | Price/tab-cap TABLETS | 1 mg | T | N05BA12 |
| <i>Buyer PERU</i> | 100 TAB-CAP | 0.53 | 0.0053 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| <i>Buyer BDS</i> | 1000 TAB-CAP | 13.10 | 0.0131 | TABLETS | | | |
| <i>Buyer DOMREPUB</i> | 1 TAB-CAP | 0.14 | 0.1389 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.0131 High/Low Ratio=26.21 | | | |
| ALUMINIUM HYDR.+ MAGNESIUM HYDR. 250+120 mg tab-cap (PO) <i>Buyer BUFMAR</i> | 1000 TAB-CAP | 3.28 | 0.0033 | Price/tab-cap TABLETS | | P | A02AB10 |
| ALUMINIUM HYDROXIDE 500 mg tab-cap (PO) <i>Supplier UNFPA</i> | 1000 TAB-CAP | 4.00 | 0.0040 | Price/tab-cap MINT-FLAVORED TABLETS | 3 g | N | A02AB01 |
| <i>Supplier IMRES</i> | 1000 TAB-CAP | 4.75 | 0.0048 | MINT-FLAVORED TABLETS | | | |
| <i>Supplier MEG</i> | 1000 TAB-CAP | 4.80 | 0.0048 | TABLETS | | | |
| <i>Supplier IDA</i> | 1000 TAB-CAP | 5.81 | 0.0058 | TABLETS | | | |
| <i>Supplier DURBIN</i> | 1000 TAB-CAP | 6.02 | 0.0061 | TABLETS | | | |
| <i>Supplier MISSION</i> | 1000 TAB-CAP | 6.23 | 0.0062 | CHEWABLE TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.0053 High/Low Ratio=1.55 | | | |
| <i>Buyer BUFMAR</i> | 1000 TAB-CAP | 3.31 | 0.0033 | TABLETS | | | |
| ALUMINIUM HYDROXIDE (CHEWABLE) 500 mg tab-cap (PO) <i>Supplier MEDEOR/EU</i> | 1000 TAB-CAP | 13.83 | 0.0138 | Price/tab-cap TABLETS | 3 g | N | A02AB01 |
| <i>Buyer CAMERWA</i> | 1000 TAB-CAP | 8.39 | 0.0084 | TABLETS | | | |
| AMIDOTRIZOATE 76% ampoule (INJ) <i>Supplier IDA</i> | 1 AMP (20 ml) | 5.81 | 0.2904 | Price/ml | | P | V08AA01 |
| AMIKACIN SULFATE 250 mg/ml vial (INJ) <i>Supplier GDF</i> | 10 VIAL (2 ml) | 11.05 | 0.5525 | Price/ml | 1 g | P | J01GB06 |
| <i>Buyer DOMREPUB</i> | 1 VIAL (2 ml) | 0.20 | 0.0993 | | | | |
| <i>Buyer PERU</i> | 1 AMP (2 ml) | 0.21 | 0.1056 | | | | |
| <i>Buyer SAFRICA</i> | 1 VIAL (2 ml) | 0.69 | 0.3465 | | | | |
| <i>Buyer OECS/PPS</i> | 1 AMP (2 ml) | 0.76 | 0.3800 | | | | |
| | | | | Buyer Median Price/ml=0.2261 High/Low Ratio=3.83 | | | |
| AMIKACIN SULFATE 50 mg/ml ampoule (INJ) <i>Buyer PERU</i> | 1 AMP (2 ml) | 0.14 | 0.0687 | Price/ml | 1 g | P | J01GB06 |
| <i>Buyer SAFRICA</i> | 1 VIAL (2 ml) | 0.85 | 0.4241 | | | | |
| | | | | Buyer Median Price/ml=0.2464 High/Low Ratio=6.17 | | | |
| AMINOPHYLLINE 100 mg tab-cap (PO) <i>Supplier MEDS</i> | 1000 TAB-CAP | 2.77 | 0.0028 | Price/tab-cap TABLETS | 0.6 g | N | R03DA05 |
| <i>Supplier MEG</i> | 1000 TAB-CAP | 3.50 | 0.0035 | TABLETS | | | |
| <i>Supplier MEDEOR/TZ</i> | 1000 TAB-CAP | 4.02 | 0.0040 | TABLETS | | | |
| <i>Supplier IDA</i> | 1000 TAB-CAP | 5.44 | 0.0054 | TABLETS | | | |
| <i>Supplier DURBIN</i> | 1000 TAB-CAP | 6.18 | 0.0063 | TABLETS | | | |
| <i>Supplier IMRES</i> | 1000 TAB-CAP | 6.25 | 0.0063 | TABLETS | | | |
| <i>Supplier MISSION</i> | 1000 TAB-CAP | 8.47 | 0.0084 | TABLETS | | | |
| <i>Supplier JMS</i> | 500 TAB-CAP | 4.70 | 0.0094 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-----------------|-------------------------|----------------------|---|------------------------|------------|----------------|
| AMINOPHYLLINE 100 mg tab-cap (PO) | | | | Price/tab-cap | 0.6 g | N | R03DA05 |
| Supplier MEDEOR/EU | 1900 TAB-CAP | 18.73 | 0.0099 | TABLETS | | | |
| Buyer MEMS | 1000 TAB-CAP | 4.36 | 0.0044 | TABLETS | High/Low Ratio=3.54 | | |
| Buyer BUFMAR | 1000 TAB-CAP | 4.80 | 0.0048 | TABLETS | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 6.99 | 0.0070 | TABLETS | High/Low Ratio=1.59 | | |
| | | | | Buyer Median Price/tab-cap=0.0048 | | | |
| AMINOPHYLLINE 25 mg/ml ampoule (INJ) | | | | Price/ml | 0.6 g | N | R03DA05 |
| Supplier JMS | 50 AMP (10 ml) | 5.59 | 0.0112 | | | | |
| Supplier UNFPA | 100 AMP (10 ml) | 12.75 | 0.0128 | | | | |
| Supplier DURBIN | 100 AMP (10 ml) | 12.85 | 0.0128 | | | | |
| Supplier MISSION | 100 AMP (10 ml) | 20.57 | 0.0206 | | | | |
| Supplier IMRES | 100 AMP (10 ml) | 26.00 | 0.0260 | | | | |
| Supplier MEG | 100 AMP (10 ml) | 35.00 | 0.0350 | | | | |
| Supplier MEDEOR/TZ | 10 AMP (10 ml) | 3.60 | 0.0360 | | | | |
| Supplier MEDS | 1 AMP (10 ml) | 0.44 | 0.0444 | | | | |
| Supplier IDA | 100 AMP (10 ml) | 48.45 | 0.0485 | | | | |
| | | | | Supplier Median Price/ml=0.0260 | | | |
| Buyer DOMREPUB | 1 AMP (10 ml) | 0.08 | 0.0078 | | High/Low Ratio=4.33 | | |
| Buyer NAMIBIA | 10 AMP (10 ml) | 2.59 | 0.0259 | | | | |
| Buyer MEMS | 1 AMP (10 ml) | 0.43 | 0.0429 | | | | |
| Buyer BDS | 10 AMP (10 ml) | 8.73 | 0.0873 | | | | |
| | | | | Buyer Median Price/ml=0.0344 | | | |
| | | | | | High/Low Ratio=11.19 | | |
| AMIODARONE 200 mg tab-cap (PO) | | | | Price/tab-cap | 0.2 g | C | C01BD01 |
| Buyer PERU | 100 TAB-CAP | 6.02 | 0.0602 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.08 | 0.0833 | BLISTER PACK TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 10.43 | 0.1043 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 14.78 | 0.1478 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BOTSWANA | 30 TAB-CAP | 44.36 | 1.4786 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.1043 | | | |
| | | | | | High/Low Ratio=24.56 | | |
| AMIODARONE 50 mg/ml vial (INJ) | | | | Price/ml | 0.2 g | C | C01BD01 |
| Supplier UNFPA | 10 AMP (3 ml) | 30.00 | 1.0000 | | | | |
| Buyer BDS | 10 VIAL (3 ml) | 10.59 | 0.3529 | | | | |
| AMITRIPTYLINE 10 mg tab-cap (PO) | | | | Price/tab-cap | 75 mg | P | N06AA09 |
| Buyer BDS | 1000 TAB-CAP | 11.91 | 0.0119 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 3.22 | 0.0322 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | | | Buyer Median Price/tab-cap=0.0221 | | | |
| | | | | | High/Low Ratio=2.71 | | |
| AMITRIPTYLINE 25 mg tab-cap (PO) | | | | Price/tab-cap | 75 mg | E | N06AA09 |
| Supplier MEDS | 1000 TAB-CAP | 3.17 | 0.0032 | TABLETS | | | |
| Supplier JMS | 1000 TAB-CAP | 4.37 | 0.0044 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 4.60 | 0.0046 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 5.88 | 0.0059 | COATED TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 6.00 | 0.0060 | HCL, COATED TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 7.33 | 0.0074 | TABLETS, HCL | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 10.01 | 0.0100 | TABLETS | | | |
| Supplier DURBIN | 500 TAB-CAP | 8.83 | 0.0177 | TABLETS | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 27.36 | 0.0274 | TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.0060 | | | |
| | | | | | High/Low Ratio=8.56 | | |
| Buyer GHANA | 500 TAB-CAP | 1.81 | 0.0036 | 10 X 50 BLISTER PACK TABLETS | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 4.40 | 0.0044 | TABLETS | | | |
| Buyer NAMIBIA | 500 TAB-CAP | 4.41 | 0.0088 | TABLETS | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 9.00 | 0.0090 | TABLETS | | | |
| Buyer MEMS | 500 TAB-CAP | 5.73 | 0.0115 | TABLET | | | |
| Buyer BDS | 1000 TAB-CAP | 15.48 | 0.0155 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 2.40 | 0.0240 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 2.78 | 0.0278 | FILM-COATED TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 5.66 | 0.0566 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.06 | 0.0639 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.0135 | | | |
| | | | | | High/Low Ratio=17.75 | | |
| AMITRIPTYLINE 50 mg tab-cap (PO) | | | | Price/tab-cap | 75 mg | P | N06AA09 |
| Buyer GHANA | 500 TAB-CAP | 2.92 | 0.0058 | 10 X 50 BLISTER PACK TABLETS | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 12.00 | 0.0120 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 5.30 | 0.0530 | FILM-COATED TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.0120 | | | |
| | | | | | High/Low Ratio=9.14 | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|------------------|-------------------------|----------------------|---|------------------------|-----------------------------|-------------|
| AMLODIPINE 10 mg tab-cap (PO) | | | | Price/tab-cap | | | |
| Supplier IMRES | 1000 TAB-CAP | 17.50 | 0.0175 | TABLETS | 5 mg | N | C08CA01 |
| Buyer DOMREPUB | 1 TAB-CAP | 0.00 | 0.0039 | BLISTER PACK TABLETS | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 1.00 | 0.0100 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 1.03 | 0.0103 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 8.10 | 0.0810 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | | | Buyer Median Price/tab-cap=0.0102 | | High/Low Ratio=20.77 | |
| AMLODIPINE 5 mg tab-cap (PO) | | | | Price/tab-cap | | | |
| Supplier IMRES | 1000 TAB-CAP | 11.00 | 0.0110 | BESYLATE, BASE TABLETS | 5 mg | T | C08CA01 |
| Supplier IDA | 100 TAB-CAP | 3.16 | 0.0316 | TABLETS | | | |
| Supplier MEDS | 30 TAB-CAP | 1.21 | 0.0403 | TABLETS | | | |
| Supplier JMS | 28 TAB-CAP | 2.38 | 0.0850 | TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.0360 | | High/Low Ratio=7.73 | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.00 | 0.0044 | BLISTER PACK TABLETS | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 0.90 | 0.0090 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 0.91 | 0.0091 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 1.17 | 0.0117 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 9.86 | 0.0986 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | | | Buyer Median Price/tab-cap=0.0091 | | High/Low Ratio=22.41 | |
| AMODIAQUINE 150-200 mg tab-cap (PO) | | | | Price/tab-cap | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 11.00 | 0.0110 | 200 MG TABLETS | 0.5 g | E | P01BA06 |
| Supplier DURBIN | 1000 TAB-CAP | 15.82 | 0.0157 | 200 MG TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.0134 | | High/Low Ratio=1.43 | |
| Buyer MEMS | 75 TAB-CAP | 1.37 | 0.0183 | TABLETS | | | |
| AMODIAQUINE 50 mg/5 ml suspen (PO) | | | | Price/ml | | | |
| Buyer MEMS | 1 BOTT (60 ml) | 0.39 | 0.0065 | | 0.5 g | P | P01BA06 |
| AMOXICILLIN 125 mg/5 ml suspen (PO) | | | | Price/ml | | | |
| Supplier MEDS | 1 BOTT (100 ml) | 0.28 | 0.0028 | POWDER FOR SYRUP | 1 g | E | J01CA04 |
| Supplier MEDS | 1 BOTT (60 ml) | 0.20 | 0.0033 | POWDER | | | |
| Supplier JMS | 1 BOTT (100 ml) | 0.39 | 0.0039 | POWDER | | | |
| Supplier MEDEOR/TZ | 1 BOTT (100 ml) | 0.41 | 0.0041 | POWDER | | | |
| Supplier UNFPA | 10 BOTT (100 ml) | 4.24 | 0.0042 | POWDER | | | |
| Supplier MEG | 10 BOTT (100 ml) | 4.50 | 0.0045 | POWDER | | | |
| Supplier IMRES | 10 BOTT (100 ml) | 4.50 | 0.0045 | POWDER | | | |
| Supplier IDA | 40 BOTT (100 ml) | 19.19 | 0.0048 | POWDER | | | |
| Supplier DURBIN | 1 BOTT (100 ml) | 0.61 | 0.0061 | POWDER FOR SYRUP | | | |
| Supplier MISSION | 1 BOTT (100 ml) | 0.65 | 0.0065 | | | | |
| Supplier MEDEOR/EU | 25 BOTT (100 ml) | 27.65 | 0.1111 | | | | |
| | | | | Supplier Median Price/ml=0.0045 | | High/Low Ratio=3.96 | |
| Buyer CAMERWA | 1 BOTT (100 ml) | 0.37 | 0.0037 | | | | |
| Buyer MEMS | 1 BOTT (100 ml) | 0.39 | 0.0039 | | | | |
| Buyer SAFRICA | 1 BOTT (100 ml) | 0.44 | 0.0044 | GRANULES | | | |
| Buyer BUFMAR | 1 BOTT (100 ml) | 0.56 | 0.0056 | SYRUP | | | |
| Buyer NAMIBIA | 1 BOTT (100 ml) | 0.56 | 0.0056 | | | | |
| Buyer OECS/PPS | 40 BOTT (100 ml) | 33.41 | 0.0084 | | | | |
| Buyer BOTSWANA | 1 BOTT (100 ml) | 0.92 | 0.0092 | POWDER | | | |
| Buyer BDS | 1 BOTT (100 ml) | 1.19 | 0.0119 | | | | |
| | | | | Buyer Median Price/ml=0.0056 | | High/Low Ratio=3.22 | |
| AMOXICILLIN 250 mg tab-cap (PO) | | | | Price/tab-cap | | | |
| Supplier MEDS | 1000 TAB-CAP | 12.65 | 0.0127 | CAPSULES | 1 g | E | J01CA04 |
| Supplier JMS | 1000 TAB-CAP | 13.20 | 0.0132 | CAPSULES | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 14.76 | 0.0148 | CAPSULES | | | |
| Supplier IDA | 1000 TAB-CAP | 15.37 | 0.0154 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 16.00 | 0.0160 | TABLETS | | | |
| Supplier UNFPA | 1000 TAB-CAP | 16.10 | 0.0161 | | | | |
| Supplier IMRES | 1000 TAB-CAP | 17.50 | 0.0175 | CAPSULES | | | |
| Supplier IDA | 1000 TAB-CAP | 17.87 | 0.0179 | CAPSULES | | | |
| Supplier DURBIN | 1000 TAB-CAP | 19.27 | 0.0193 | CAPSULES, ANHYDROUS | | | |
| Supplier MISSION | 1000 TAB-CAP | 24.41 | 0.0245 | TABLETS | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 26.70 | 0.0267 | TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.0161 | | High/Low Ratio=2.10 | |
| Buyer CAMERWA | 1000 TAB-CAP | 13.59 | 0.0136 | CAPSULES | | | |
| Buyer MEMS | 1000 TAB-CAP | 15.18 | 0.0152 | CAPSULE | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 19.70 | 0.0197 | CAPSULES | | | |
| Buyer SAFRICA | 500 TAB-CAP | 10.57 | 0.0211 | CAPSULES | | | |
| Buyer PERU | 100 TAB-CAP | 2.17 | 0.0217 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 1000 TAB-CAP | 21.89 | 0.0219 | CAPSULES | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|------------------|-------------------------|----------------------|-----------------------------------|------------------------|------------|-------------|
| AMOXICILLIN 250 mg tab-cap (PO) | | | | Price/tab-cap | | | |
| Buyer NAMIBIA | 500 TAB-CAP | 11.35 | 0.0227 | CAPSULES | 1 g | E | J01CA04 |
| Buyer OECS/PPS | 1000 TAB-CAP | 28.74 | 0.0287 | CAPSULES | | | |
| Buyer BOTSWANA | 1000 TAB-CAP | 29.37 | 0.0294 | | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 3.18 | 0.0318 | CAPSULES, ILLUSTRATIVE PACK SIZE | | | |
| Buyer Median Price/tab-cap=0.0218 | | | | High/Low Ratio=2.34 | | | |
| AMOXICILLIN 250 mg/5 ml suspen (PO) | | | | Price/ml | | | |
| Supplier UNFPA | 10 BOTT (100 ml) | 5.61 | 0.0056 | POWDER | 1 g | P | J01CA04 |
| Supplier MEG | 10 BOTT (100 ml) | 6.00 | 0.0060 | POWDER | | | |
| Supplier IMRES | 10 BOTT (100 ml) | 6.50 | 0.0065 | POWDER | | | |
| Supplier IDA | 40 BOTT (100 ml) | 26.10 | 0.0065 | POWDER | | | |
| Supplier MISSION | 1 BOTT (100 ml) | 0.81 | 0.0081 | | | | |
| Supplier MEDS | 1 BOTT (100 ml) | 1.18 | 0.0118 | POWDER | | | |
| Supplier Median Price/ml=0.0065 | | | | High/Low Ratio=2.11 | | | |
| Buyer DOMREPUB | 1 BOTT (120 ml) | 0.52 | 0.0044 | | | | |
| Buyer SAFRICA | 1 BOTT (100 ml) | 0.60 | 0.0060 | GRANULES | | | |
| Buyer PERU | 1 BOTT (60 ml) | 0.41 | 0.0068 | POWDER | | | |
| Buyer OECS/PPS | 40 BOTT (100 ml) | 34.00 | 0.0085 | POWDER | | | |
| Buyer BDS | 1 BOTT (100 ml) | 1.60 | 0.0160 | | | | |
| Buyer Median Price/ml=0.0068 | | | | High/Low Ratio=3.64 | | | |
| AMOXICILLIN 500 mg tab-cap (PO) | | | | Price/tab-cap | | | |
| Supplier MEDS | 500 TAB-CAP | 12.65 | 0.0253 | CAPSULES | 1 g | E | J01CA04 |
| Supplier UNFPA | 500 TAB-CAP | 14.33 | 0.0287 | CAPSULES | | | |
| Supplier MEG | 500 TAB-CAP | 15.50 | 0.0310 | CAPSULES | | | |
| Supplier IDA | 1000 TAB-CAP | 31.76 | 0.0318 | CAPSULES | | | |
| Supplier IMRES | 1000 TAB-CAP | 32.00 | 0.0320 | CAPSULES | | | |
| Supplier MISSION | 1000 TAB-CAP | 37.58 | 0.0375 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 38.46 | 0.0385 | CAPSULES, ANHYDROUS | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 51.28 | 0.0513 | TABLETS | | | |
| Supplier Median Price/tab-cap=0.0319 | | | | High/Low Ratio=2.03 | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.03 | 0.0282 | BLISTER PACK CAPSULES | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 28.48 | 0.0285 | CAPSULES | | | |
| Buyer PERU | 100 TAB-CAP | 3.08 | 0.0308 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer SAFRICA | 100 TAB-CAP | 3.74 | 0.0374 | CAPSULES | | | |
| Buyer BDS | 1000 TAB-CAP | 39.02 | 0.0390 | CAPSULES | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 45.43 | 0.0454 | CAPSULES | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 4.74 | 0.0474 | CAPSULES, ILLUSTRATIVE PACK SIZE | | | |
| Buyer Median Price/tab-cap=0.0374 | | | | High/Low Ratio=1.68 | | | |
| AMOXICILLIN+CLAVULANIC ACID 1000+200 mg vial (INJ) | | | | Price/vial | | | |
| Supplier IMRES | 1 VIAL | 2.25 | 2.2500 | + SOLVENT | 1 g | P | J01CR02 |
| Supplier IDA | 10 VIAL | 22.57 | 2.2571 | POWDER | | | |
| Supplier Median Price/vial=2.2536 | | | | High/Low Ratio=1.00 | | | |
| Buyer BDS | 1 VIAL | 1.78 | 1.7849 | | | | |
| Buyer SAFRICA | 10 VIAL | 19.57 | 1.9575 | POWDER | | | |
| Buyer Median Price/vial=1.8712 | | | | High/Low Ratio=1.10 | | | |
| AMOXICILLIN+CLAVULANIC ACID 250mg+125mg tab-cap (PO) | | | | Price/tab-cap | | | |
| Supplier MEDS | 20 TAB-CAP | 2.11 | 0.1055 | TABLETS | 1 g | P | J01CR02 |
| Supplier JMS | 100 TAB-CAP | 12.51 | 0.1251 | TABLETS | | | |
| Supplier IMRES | 50 TAB-CAP | 8.00 | 0.1600 | FILM-COATED, BLISTER PACK TABLETS | | | |
| Supplier DURBIN | 20 TAB-CAP | 5.62 | 0.2810 | TABLETS | | | |
| Supplier Median Price/tab-cap=0.1426 | | | | High/Low Ratio=2.66 | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 2.24 | 0.0224 | TABLETS | | | |
| Buyer SAFRICA | 100 TAB-CAP | 13.35 | 0.1335 | TABLETS | | | |
| Buyer BDS | 6 TAB-CAP | 1.30 | 0.2163 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 29.55 | 0.2955 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer Median Price/tab-cap=0.1749 | | | | High/Low Ratio=13.19 | | | |
| AMOXICILLIN+CLAVULANIC ACID 500mg+100mg vial (INJ) | | | | Price/vial | | | |
| Supplier IDA | 10 VIAL | 21.51 | 2.1513 | | 1 g | P | J01CR02 |
| Buyer BDS | 1 VIAL | 0.78 | 0.7818 | | | | |
| Buyer OECS/PPS | 50 VIAL | 42.85 | 0.8570 | | | | |
| Buyer SAFRICA | 10 VIAL | 14.85 | 1.4851 | POWDER | | | |
| Buyer Median Price/vial=0.8570 | | | | High/Low Ratio=1.90 | | | |
| AMOXICILLIN+CLAVULANIC ACID 500mg+125mg tab-cap (PO) | | | | Price/tab-cap | | | |
| Supplier MEDS | 20 TAB-CAP | 2.24 | 0.1121 | TABLETS | 1 g | P | J01CR02 |
| Supplier MEG | 50 TAB-CAP | 8.67 | 0.1734 | 10 X 5 TABLETS | | | |
| Supplier IMRES | 50 TAB-CAP | 8.80 | 0.1760 | FILM-COATED TABLETS, BLISTER PACK | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-------------------|-------------------------|----------------------|--|------------------------|--------------|--------------|
| AMOXICILLIN+CLAVULANIC ACID 500mg+125mg tab-cap (PO) | | | | | Price/tab-cap | 1 g | E |
| Supplier IDA | 50 TAB-CAP | 9.63 | 0.1926 | TABLETS, BLISTER-PACK 10X5 | | | J01CR02 |
| Supplier MEDEOR/EU | 60 TAB-CAP | 13.46 | 0.2244 | BLISTER PACK TABLETS | | | |
| Supplier MISSION | 50 TAB-CAP | 12.31 | 0.2463 | TABLETS, 5 X 10 ALUMINUM STRIP | | | |
| Supplier JMS | 14 TAB-CAP | 4.49 | 0.3206 | | | | |
| Supplier DURBIN | 20 TAB-CAP | 8.03 | 0.4014 | TABLETS | | | |
| Supplier MEDEOR/TZ | 20 TAB-CAP | 9.30 | 0.4650 | TABLETS | | | |
| Supplier Median Price/tab-cap=0.2244 | | | | High/Low Ratio=4.15 | | | |
| Buyer CAMERWA | 100 TAB-CAP | 13.16 | 0.1316 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 14.01 | 0.1401 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.15 | 0.1462 | BLISTER PACK | | | |
| Buyer SAFRICA | 15 TAB-CAP | 2.48 | 0.1656 | TABLETS | | | |
| Buyer BDS | 21 TAB-CAP | 3.80 | 0.1807 | TABLETS | | | |
| Buyer OECS/PPS | 20 TAB-CAP | 4.00 | 0.2000 | CAPSULES | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 24.64 | 0.2464 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer Median Price/tab-cap=0.1656 | | | | High/Low Ratio=1.87 | | | |
| AMOXICILLIN+CLAVULANIC ACID 875mg+125mg tab-cap (PO) | | | | | Price/tab-cap | 1 g | P |
| Supplier GDF | 14 TAB-CAP | 5.04 | 0.3600 | FILM-COATED, BLISTER PACK TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 42.19 | 0.4219 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| AMOXICILLIN+CLAVULANIC ACID (125+31.25 MG/5ML) 125+31mg/5ml suspen (PO) | | | | | Price/ml | 1 g | P |
| Supplier MEDS | 1 BOTT (100 ml) | 1.40 | 0.0140 | POWDER FOR SYRUP | | | J01CR02 |
| Supplier MEG | 1 BOTT (100 ml) | 2.00 | 0.0200 | | | | |
| Supplier IMRES | 1 BOTT (100 ml) | 2.30 | 0.0230 | | | | |
| Supplier IDA | 1 BOTT (100 ml) | 2.43 | 0.0243 | POWDER | | | |
| Supplier Median Price/ml=0.0215 | | | | High/Low Ratio=1.74 | | | |
| Buyer SAFRICA | 1 BOTT (100 ml) | 1.50 | 0.0150 | GRANULES | | | |
| Buyer BOTSWANA | 1 BOTT (100 ml) | 4.20 | 0.0420 | | | | |
| Buyer Median Price/ml=0.0285 | | | | High/Low Ratio=2.80 | | | |
| AMOXICILLIN+CLAVULANIC ACID (250+62.5 MG/5ML) suspen (PO) | | | | | Price/ml | 1 g | P |
| Supplier MEG | 1 BOTT (100 ml) | 2.45 | 0.0245 | | | | J01CR02 |
| Supplier IDA | 1 BOTT (100 ml) | 3.97 | 0.0397 | POWDER | | | |
| Supplier JMS | 1 BOTT (100 ml) | 4.05 | 0.0405 | POWDER | | | |
| Supplier Median Price/ml=0.0397 | | | | High/Low Ratio=1.65 | | | |
| Buyer SAFRICA | 1 BOTT (100 ml) | 2.20 | 0.0220 | GRANULES | | | |
| Buyer OECS/PPS | 1 BOTT (100 ml) | 2.50 | 0.0250 | | | | |
| Buyer PERU | 1 BOTT (60 ml) | 1.74 | 0.0291 | | | | |
| Buyer DOMREPUB | 1 BOTT (60 ml) | 1.76 | 0.0293 | | | | |
| Buyer Median Price/ml=0.0271 | | | | High/Low Ratio=1.33 | | | |
| AMOXYCILLIN 10 mcg disc (DIAG) | | | | | Price/each | N | V07AR |
| Supplier JMS | 100 DISC (1 EACH) | 5.40 | 0.0540 | | | | |
| AMPHOTERICIN B 50 mg vial (INJ) | | | | | Price/vial | 35 mg | E |
| Supplier MEDS | 1 VIAL | 3.33 | 3.3300 | IV USE ONLY | | | J02AA01 |
| Supplier JMS | 1 VIAL | 5.93 | 5.9296 | | | | |
| Supplier IDA | 1 VIAL | 7.28 | 7.2786 | POWDER, 10 ML | | | |
| Supplier MISSION | 1 VIAL | 11.33 | 11.3288 | | | | |
| Supplier Median Price/vial=6.6041 | | | | High/Low Ratio=3.40 | | | |
| Buyer SAFRICA | 1 VIAL | 4.23 | 4.2308 | | | | |
| Buyer CAMERWA | 1 VIAL | 5.17 | 5.1696 | | | | |
| Buyer NAMIBIA | 1 VIAL | 7.66 | 7.6560 | | | | |
| Buyer BOTSWANA | 1 VIAL | 7.93 | 7.9300 | POWDER | | | |
| Buyer BDS | 1 VIAL | 18.80 | 18.8026 | | | | |
| Buyer Median Price/vial=7.6560 | | | | High/Low Ratio=4.44 | | | |
| AMPICILLIN 1 g vial (INJ) | | | | | Price/vial | 2 g | E |
| Supplier UNFPA | 50 VIAL | 7.53 | 0.1506 | | | | J01CA01 |
| Supplier MEG | 50 VIAL | 8.05 | 0.1610 | | | | |
| Supplier DURBIN | 50 VIAL | 8.83 | 0.1766 | POWDER, SODIUM SALT | | | |
| Supplier IMRES | 50 VIAL | 10.50 | 0.2100 | | | | |
| Supplier MISSION | 50 VIAL | 12.08 | 0.2416 | AS SODIUM | | | |
| Supplier IDA | 50 VIAL | 13.16 | 0.2632 | POWDER | | | |
| Supplier Median Price/vial=0.1933 | | | | High/Low Ratio=1.75 | | | |
| Buyer DOMREPUB | 1 VIAL | 0.14 | 0.1375 | | | | |
| Buyer BUFMAR | 50 VIAL | 9.20 | 0.1840 | | | | |
| Buyer PERU | 100 VIAL | 23.11 | 0.2311 | ILLUSTRATIVE NUMBER OF VIALS, WITH DILUENT | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|--|---|--|--|------------------------|------------|-------------|
| AMPICILLIN 1 g vial (INJ) Buyer MEMS | 1 VIAL | 0.43 Buyer Median Price/vial=0.2076 | Price/vial 0.4290 | | 2 g | E | J01CA01 |
| AMPICILLIN 10 mcg disc (N/A) Supplier UNFPA Supplier JMS | 250 DISC (1 EACH) 100 DISC (1 EACH) | 12.50 5.46 Supplier Median Price/each=0.0523 | Price/each 0.0500 0.0546 | 5 X 50 DISCS | | N | V07AR |
| AMPICILLIN 125 mg/5 ml suspen (PO) Supplier DURBIN | 1 BOTT (100 ml) | 0.72 | Price/ml 0.0072 | POWDER FOR SYRUP | 2 g | P | J01CA01 |
| AMPICILLIN 250 mg tab-cap (PO) Supplier UNFPA Supplier MEG Supplier DURBIN Supplier MEDEOR/TZ | 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP | 16.58 18.85 18.87 21.06 Supplier Median Price/tab-cap=0.0189 | Price/tab-cap 0.0166 0.0189 0.0189 0.0211 | CAPSULES CAPSULES CAPSULES CAPSULES | 2 g | P | J01CA01 |
| AMPICILLIN 250 mg vial (INJ) Buyer SAFRICA Buyer NAMIBIA Buyer BOTSWANA Buyer BDS | 1 VIAL 50 VIAL 1 VIAL 10 VIAL | 0.16 12.69 0.75 19.29 Buyer Median Price/vial=0.4997 | Price/vial 0.1592 0.2538 0.7455 1.9294 | POWDER SODIUM POWDER | 2 g | P | J01CA01 |
| AMPICILLIN 500 mg tab-cap (PO) Supplier UNFPA Supplier MISSION Supplier MEDEOR/EU Buyer DOMREPUB | 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 1 TAB-CAP | 34.00 42.95 59.84 0.03 Supplier Median Price/tab-cap=0.0430 | Price/tab-cap 0.0340 0.0430 0.0598 0.0279 | CAPSULES CAPSULES TABLETS/CAPSULES BLISTER PACK CAPSULES | 2 g | P | J01CA01 |
| AMPICILLIN 500 mg vial (INJ) Supplier UNFPA Supplier MEG Supplier DURBIN Supplier JMS Supplier IMRES Supplier MISSION Supplier IDA Supplier MEDEOR/TZ Supplier MEDEOR/EU Buyer BDS Buyer BUFMAR Buyer OECSS/PPS Buyer SAFRICA Buyer NAMIBIA Buyer MEMS | 50 VIAL 50 VIAL 50 VIAL 100 VIAL 50 VIAL 50 VIAL 50 VIAL 1 VIAL 50 VIAL 50 VIAL 50 VIAL 100 AMP (1 VIAL) 1 VIAL 50 VIAL 1 VIAL | 4.74 5.25 5.30 12.75 7.35 7.68 10.22 0.38 21.14 5.95 6.97 17.16 0.19 14.97 0.40 Buyer Median Price/vial=0.1830 | Price/vial 0.0948 0.1050 0.1060 0.1275 0.1470 0.1536 0.2044 0.3840 0.4229 0.1191 0.1394 0.1716 0.1944 0.2993 0.3960 | POWDER, SODIUM SALT POWDER POWDER POWDER SODIUM Buyer Median Price/vial=0.1470 High/Low Ratio=4.46 | 2 g | E | J01CA01 |
| ANASTROZOLE 1 mg tab-cap (PO) Buyer PERU Buyer BDS | 100 TAB-CAP 30 TAB-CAP | 9.71 6.35 Buyer Median Price/tab-cap=0.1545 | Price/tab-cap 0.0971 0.2118 | 1 mg TABLETS, ILLUSTRATIVE PACK SIZE TABLETS | | N | L02BG03 |
| ANTI-D IMMUNOGLOBULIN (ANTI-RHO) 300 mcg vial (INJ) Buyer BDS | 1 VIAL (1.50 ml) | 66.15 | Price/ml 44.0990 | | | P | J06BB01 |
| ANTIHAEMORRHOIDAL ointment (RECT) Supplier IMRES Supplier MEDEOR/EU Supplier DURBIN Supplier JMS Supplier MISSION Supplier MEDEOR/TZ Supplier MEDS Buyer CAMERWA Buyer MEMS Buyer BOTSWANA | 1 TUBE (30 g) 25 TUBE (50 g) 50 TUBE (30 g) 1 TUBE (20 g) 1 TUBE (30 g) 1 TUBE (30 g) 1 TUBE (15 g) 1 TUBE (30 g) 1 TUBE (30 g) 1 TUBE (25 g) | 0.76 41.07 54.59 0.92 1.62 1.96 1.29 1.28 2.28 4.05 Supplier Median Price/g=0.0462 | Price/g 0.0253 0.0329 0.0364 0.0462 0.0540 0.0652 0.0858 0.0426 0.0759 0.1620 | POLIDOCANOL 3%, ZINC OXIDE 7% BENZOCAINE 2%+BUTAMBEN 2%+TANNIC ACID 10% CREAM/OINTMENT Buyer Median Price/g=0.0462 High/Low Ratio=3.39 | | E | C05A |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|---|---|--|--|-------------------------------|---|-------------|
| ANTIHAEMORRHOIDAL ointment (RECT) Buyer BDS | 1 TUBE (25 g) | 4.71 Buyer Median Price/g=0.1190 | 0.1884 | CREAM | E High/Low Ratio=4.42 | C05A | |
| ANTIHAEMORRHOIDAL suppos (RECT) Supplier MEG Supplier IMRES Supplier DURBIN Supplier IDA Supplier MISSION Supplier JMS Supplier MEDS | 100 SUPP 100 SUPP 100 SUPP 100 SUPP 100 SUPP 5 SUPP 10 SUPP | 11.14 13.50 15.17 16.44 18.11 1.04 5.00 | 0.1114 0.1350 0.1517 0.1644 0.1811 0.2077 0.4995 | | | E High/Low Ratio=4.48 | C05A |
| Buyer OECS/PPS Buyer NAMIBIA Buyer BOTSWANA Buyer MEMS Buyer BDS | 12 SUPP 10 SUPP 10 SUPP 10 SUPP 24 SUPP | 1.85 3.95 4.05 4.09 10.52 | 0.1542 0.3953 0.4051 0.4092 0.4384 | | | HYDROCORTISONE WITH STEROID AND LOCAL ANESTHETIC | |
| | | | Buyer Median Price/supp=0.4051 | | | High/Low Ratio=2.84 | |
| ANTIHEMOPHILIC FACTOR (FACTOR VIII, HUMAN) 250 IU vial (INJ) Buyer CRSS Buyer BDS | 1 VIAL 1 VIAL | 73.75 86.05 | 73.7500 86.0524 | 250-300 IU 10 ML | 500 U High/Low Ratio=1.17 | C | B02BD02 |
| Buyer BDS | 1 VIAL | 172.10 | 172.1048 | 20 ML | | | |
| ANTIVENOM SERUM vial (INJ) Supplier MEDS Supplier JMS Supplier IDA Supplier IDA Buyer CAMERWA Buyer NAMIBIA Buyer NAMIBIA Buyer NAMIBIA | 1 VIAL 1 VIAL 10 AMP (1 VIAL) 10 AMP (1 VIAL) 10 VIAL 1 VIAL 1 VIAL 1 VIAL | 42.90 152.35 1526.93 2041.22 247.80 182.10 182.10 182.10 | 42.9015 152.3464 152.6930 204.1218 24.7798 182.1049 182.1049 182.1049 | 10 ML 10 ML, INCL. COBRA 10 ML, NORTH AFRICA & MIDDLE EAST, SNAKES 10 ML, SUB-SAHARAN AFRICA, SNAKES 10 ML SCORPION, 5 ML SNAKE, POLYVALENT, 10 ML SPIDER, 5 ML | | E High/Low Ratio=4.76 | J06AA03 |
| | | Supplier Median Price/vial=152.5197 | | | High/Low Ratio=7.35 | | |
| ARTEMETHER 15 mg/5 ml suspen (PO) Supplier IMRES | 1 BOTT (100 ml) | 4.00 | 0.0400 | POWDER | 0.28 g | CP | P01BE02 |
| ARTEMETHER 20 mg/ml ampoule (INJ) Supplier IDA Supplier IMRES Supplier JMS Supplier MEDEOR/EU Supplier MISSION | 30 AMP (1 ml) 10 AMP (1 ml) 10 AMP (1 ml) 100 AMP (1 ml) 10 AMP (1 ml) | 9.27 3.25 5.58 92.91 9.37 | 0.3090 0.3250 0.5580 0.9291 0.9373 | | 120 mg High/Low Ratio=3.03 | P | P01BE02 |
| ARTEMETHER 80 mg/ml ampoule (INJ) Supplier IDA Supplier IMRES Supplier JMS Supplier MEDEOR/TZ Supplier MISSION Supplier MEDEOR/EU Supplier MEDEOR/TZ | 50 AMP (1 ml) 6 AMP (1 ml) 5 AMP (1 ml) 6 AMP (1 ml) 5 AMP (1 ml) 50 AMP (1 ml) 6 AMP (0.50 ml) | 17.50 2.25 4.50 7.14 6.53 74.99 4.69 | 0.3500 0.3750 0.9005 1.1900 1.3067 1.4998 1.5630 | | 120 mg High/Low Ratio=4.47 | C | P01BE02 |
| ARTEMETHER+LUMEFANTRINE 15+90mg/5ml suspen (PO) Supplier IMRES | 1 BOTT (60 ml) | 4.50 | 0.0750 | | | P | P01BE52 |
| ARTEMETHER+LUMEFANTRINE 20 mg+120 mg tab-cap (PO) Supplier JMS Supplier MEDS Supplier IMRES Supplier MEDEOR/TZ | 24 TAB-CAP 24 TAB-CAP 24 TAB-CAP 24 TAB-CAP | 0.22 1.38 3.10 6.48 | 0.0092 0.0574 0.1292 0.2700 | TABLETS TABLETS 3 X 8 TABLETS, BLISTER PACK TABLETS | | E High/Low Ratio=4.47 | P01BE52 |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE | |
|---|---------------------|---|----------------------|--|---|--|----------------------------|---------|
| ARTEMETHER+LUMEFANTRINE 20 mg+120 mg tab-cap (PO) <i>Supplier DURBIN</i> | 16 TAB-CAP | 6.42 | 0.4014 | TABLETS | | E | P01BE52 | |
| <i>Buyer NAMIBIA</i> | 24 TAB-CAP | Supplier Median Price/tab-cap=0.1292 | | 2.32 | 0.0968 | High/Low Ratio=43.63 BLISTER PACK TABLETS, TEARING LINE AFTER EACH 6 TABLETS | | |
| ARTEMETHER+LUMEFANTRINE 40 mg+240 mg tab-cap (PO) <i>Supplier MEDEOR/TZ</i> | 12 TAB-CAP | 3.56 | 0.2963 | TABLETS | | P | | |
| ARTEMETHER+LUMEFANTRINE 80 mg+480 mg tab-cap (PO) <i>Supplier MEDEOR/TZ</i> | 6 TAB-CAP | 4.27 | 0.7110 | TABLETS | | P | | |
| ARTEMETHER+LUMEFANTRINE (6 X 1 TABLETS CO-PACK) 20 mg+120 mg tab-cap (PO) <i>Supplier MEDEOR/EU</i> | 30 PACK | 14.63 | 0.4877 | BLISTER PACK DISPERSIBLE TABLETS | | E | P01BE52 | |
| <i>Supplier MISSION</i> | 30 PACK | 19.09 | 0.6364 | Supplier Median Price/pack=0.5621 | | High/Low Ratio=1.30 | | |
| <i>Buyer CAMERWA</i> | 6 TAB-CAP (1 pack) | 0.68 | 0.1136 | | | | | |
| ARTEMETHER+LUMEFANTRINE (6 X 2 TABLETS CO-PACK) 20 mg+120 mg tab-cap (PO) <i>Supplier MEDEOR/EU</i> | 30 PACK | 29.34 | 0.9779 | BLISTER PACK DISPERSIBLE TABLETS | | E | P01BE52 | |
| <i>Supplier MISSION</i> | 30 PACK | 42.45 | 1.4149 | Supplier Median Price/pack=1.1964 | | High/Low Ratio=1.45 | | |
| ARTEMETHER+LUMEFANTRINE (6 X 3 TABLETS CO-PACK) 20 mg+120 mg tab-cap (PO) <i>Supplier IDA</i> | 30 PACK | 38.82 | 1.2940 | | | E | P01BE52 | |
| <i>Supplier MEDEOR/EU</i> | 30 PACK | 43.60 | 1.4534 | BLISTER PACK TABLETS | | | | |
| <i>Supplier MISSION</i> | 30 PACK | 57.12 | 1.9040 | Supplier Median Price/pack=1.4534 | | High/Low Ratio=1.47 | | |
| ARTEMETHER+LUMEFANTRINE (6 X 4 TABLETS CO-PACK) 20 mg+120 mg tab-cap (PO) <i>Supplier MEDEOR/TZ</i> | 1 PACK | 0.45 | 0.4530 | TABLETS | | E | P01BE52 | |
| <i>Supplier IDA</i> | 30 PACK | 46.69 | 1.5562 | | | | | |
| <i>Supplier MEDEOR/EU</i> | 30 PACK | 52.46 | 1.7485 | BLISTER PACK TABLETS | | | | |
| <i>Supplier MISSION</i> | 30 PACK | 61.03 | 2.0344 | Supplier Median Price/pack=1.6524 | | High/Low Ratio=4.49 | | |
| <i>Buyer CAMERWA</i> | 24 TAB-CAP (1 pack) | 2.13 | 0.0887 | | | | | |
| ARTEMETHER+LUMEFANTRINE (DISPERSIBLE) 20 mg+120 mg tab-cap (PO) <i>Supplier IDA</i> | 360 TAB-CAP | 25.81 | 0.0717 | 30 X 12 BLISTER PACK TABLETS | | E | P01BE52 | |
| <i>Supplier IDA</i> | 180 TAB-CAP | 12.94 | 0.0719 | 30 X 6 BLISTER PACK TABLETS | | | | |
| <i>Supplier MEDEOR/TZ</i> | 216 TAB-CAP | 36.87 | 0.1707 | 36 X 6 TABLETS | | Supplier Median Price/tab-cap=0.0719 | | |
| | | | | | | High/Low Ratio=2.38 | | |
| ARTESUNATE 100 mg tab-cap (PO) <i>Supplier MEDEOR/TZ</i> | 120 TAB-CAP | 16.32 | 0.1360 | TABLETS | | 0.28 g | P | P01BE03 |
| <i>Supplier UNFPA</i> | 6 TAB-CAP | 2.00 | 0.3333 | TABLETS | Supplier Median Price/tab-cap=0.2347 | | High/Low Ratio=2.45 | |
| ARTESUNATE 200 mg suppos (RECT) <i>Supplier MISSION</i> | 6 SUPP | 6.04 | 1.0068 | RECTOCAPS | | P | P01BE03 | |
| ARTESUNATE 50 mg suppos (RECT) <i>Supplier MISSION</i> | 6 SUPP | 3.25 | 0.5408 | RECTOCAPS | | P | P01BE03 | |
| ARTESUNATE 50 mg tab-cap (PO) <i>Supplier UNFPA</i> | 12 TAB-CAP | 2.00 | 0.1667 | TABLETS | | 0.28 g | C | P01BE03 |
| ARTESUNATE 60 mg vial (INJ) <i>Supplier IDA</i> | 1 VIAL | 1.99 | 1.9851 | POWDER+SOLVENT | | E | P01BE03 | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE | |
|---|---------------|---------------------------------------|----------------------|----------------------------------|------------------------|------------|-------------|---------|
| ARTESUNATE+AMODIAQUINE (12 X 12 TABLETS CO-PACK) 50 mg+153 mg tab-cap (PO) | | | | Price/pack | | E | P01B | |
| Supplier MEG | 10 PACK | 9.21 | 0.9210 | BLISTER | | | | |
| Supplier IDA | 1 PACK | 1.03 | 1.0293 | | | | | |
| Supplier IMRES | 25 PACK | 28.00 | 1.1200 | AMODIAQUINE 150 MG, BLISTER PACK | | | | |
| Supplier MEDEOR/EU | 25 PACK | 63.58 | 2.5430 | COMBI-BLISTER TABLETS | | | | |
| | | Supplier Median Price/pack=1.0747 | | High/Low Ratio=2.76 | | | | |
| ARTESUNATE+AMODIAQUINE (3 FIXED DOSE COMBO TABS) 100mg+270mg tab-cap (PO) | | | | Price/treatmen | | P | P01B | |
| Supplier IDA | 25 TREATMENT | 11.37 | 0.4549 | 25X3 BLISTER PACK TABLETS | | | | |
| Supplier MISSION | 25 TREATMENT | 25.34 | 1.0135 | TABLETS, STRIPS | | | | |
| | | Supplier Median Price/treatmen=0.7342 | | High/Low Ratio=2.23 | | | | |
| ARTESUNATE+AMODIAQUINE (3 FIXED DOSE COMBO TABS) 25mg+67.5mg tab-cap (PO) | | | | Price/treatmen | | P | P01B | |
| Supplier IDA | 25 TREATMENT | 6.45 | 0.2579 | 25X3 BLISTER PACK TABLETS | | | | |
| Supplier MISSION | 25 TREATMENT | 12.34 | 0.4937 | TABLETS, STRIP | | | | |
| | | Supplier Median Price/treatmen=0.3758 | | High/Low Ratio=1.91 | | | | |
| ARTESUNATE+AMODIAQUINE (3 FIXED DOSE COMBO TABS) 50 mg+135 mg tab-cap (PO) | | | | Price/treatmen | | P | P01B | |
| Supplier IDA | 25 TREATMENT | 8.26 | 0.3303 | 25X3 BLISTER PACK TABLETS | | | | |
| Supplier MISSION | 25 TREATMENT | 17.36 | 0.6942 | TABLETS, STRIP | | | | |
| | | Supplier Median Price/treatmen=0.5123 | | High/Low Ratio=2.10 | | | | |
| ARTESUNATE+AMODIAQUINE (3 X 3 TABLETS CO-PACK) 50 mg+153 mg tab-cap (PO) | | | | Price/pack | | E | P01B | |
| Supplier MEG | 10 PACK | 3.05 | 0.3050 | BLISTER | | | | |
| Supplier IMRES | 25 PACK | 9.40 | 0.3760 | AMODIAQUINE 150 MG, BLISTER PACK | | | | |
| Supplier IDA | 1 PACK | 0.51 | 0.5147 | | | | | |
| | | Supplier Median Price/pack=0.3760 | | High/Low Ratio=1.69 | | | | |
| ARTESUNATE+AMODIAQUINE (6 FIXED-DOSE COMBO TABS) 100mg+270mg tab-cap (PO) | | | | Price/treatmen | | P | P01B | |
| Supplier IDA | 25 TREATMENT | 19.48 | 0.7794 | 25X6 BLISTER PACK TABLETS | | | | |
| Supplier MISSION | 25 TREATMENT | 41.03 | 1.6411 | TABLETS, STRIPS | | | | |
| | | Supplier Median Price/treatmen=1.2103 | | High/Low Ratio=2.11 | | | | |
| ARTESUNATE+AMODIAQUINE (6 X 6 TABLETS CO-PACK) 50 mg+153 mg tab-cap (PO) | | | | Price/pack | | E | P01B | |
| Supplier MEG | 10 PACK | 4.81 | 0.4810 | BLISTER | | | | |
| Supplier IMRES | 25 PACK | 18.00 | 0.7200 | AMODIAQUINE 150 MG, BLISTER PACK | | | | |
| Supplier IDA | 1 PACK | 0.74 | 0.7352 | | | | | |
| | | Supplier Median Price/pack=0.7200 | | High/Low Ratio=1.53 | | | | |
| ARTESUNATE+AMODIAQUINE (FDC) 50 mg+153 mg tab-cap (PO) | | | | Price/tab-cap | | P | P01B | |
| Supplier JMS | 24 TAB-CAP | 0.99 | 0.0411 | | | | | |
| Supplier MEDS | 12 TAB-CAP | 1.04 | 0.0870 | TABLETS | | | | |
| Supplier MEDS | 6 TAB-CAP | 0.56 | 0.0925 | TABLETS | | | | |
| Supplier MEDS | 3 TAB-CAP | 0.34 | 0.1147 | TABLETS | | | | |
| | | Supplier Median Price/tab-cap=0.0898 | | High/Low Ratio=2.79 | | | | |
| ARTESUNATE+SULFADOXINE/PYRIMETHAMINE (6 TAB ARTES.+2 TAB SP CO-PACK) 50+500/25mg tab-cap (PO) | | | | Price/pack | | E | P01BD51 | |
| Supplier IDA | 1 PACK | 0.51 | 0.5147 | CO-BLISTER TABLETS | | | | |
| ARTESUNATE+SULFADOXINE/PYRIMETHAMINE (6 TAB ARTES.+3 TAB SP CO-PACK) 100+500/25mg tab-cap (PO) | | | | Price/pack | | E | P01BD51 | |
| Supplier IDA | 1 PACK | 1.18 | 1.1763 | CO-BLISTER TABLETS | | | | |
| ASPARAGINASE 10,000 IU/ml vial (INJ) | | | | Price/ml | | C | L01XX02 | |
| Buyer NAMIBIA | 1 VIAL (1 ml) | 47.43 | 47.4291 | | | | | |
| ATAZANAVIR 100 mg tab-cap (PO) | | | | Price/tab-cap | | 0.3 g | E | J05AE08 |
| Supplier SCMS | 60 TAB-CAP | 18.64 | 0.3106 | CAPSULES | | | | |
| ATAZANAVIR 150 mg tab-cap (PO) | | | | Price/tab-cap | | 0.3 g | E | J05AE08 |
| Supplier SCMS | 60 TAB-CAP | 27.39 | 0.4566 | CAPSULES | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-----------------|--------------------------------------|----------------------|---------------------------------|------------------------|------------|-------------|
| ATAZANAVIR 150 mg tab-cap (PO) | | Price/tab-cap | | 0.3 g | | E | J05AE08 |
| ATAZANAVIR 200 mg tab-cap (PO) | | Supplier SCMS 60 TAB-CAP 35.40 | | Price/tab-cap 0.5899 CAPSULES | 0.3 g | | P J05AE08 |
| ATAZANAVIR 300 mg tab-cap (PO) | | Supplier SCMS 30 TAB-CAP 22.00 | | Price/tab-cap 0.7333 CAPSULES | 0.3 g | | E J05AE08 |
| Buyer BDS | 30 TAB-CAP | 28.39 | 0.9462 | TABLETS | | | |
| ATENOLOL 100 mg tab-cap (PO) | | Supplier IMRES 1000 TAB-CAP 8.75 | | Price/tab-cap 0.0088 TABLETS | 75 mg | | C07AB03 |
| Supplier IDA | 1000 TAB-CAP | 10.72 | 0.0107 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 11.00 | 0.0110 | TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 2.27 | 0.0227 | TABLETS | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 25.92 | 0.0259 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 26.86 | 0.0268 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0169 | | High/Low Ratio=3.05 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 3.98 | 0.0040 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0060 | BLISTER PACK TABLETS | | | |
| Buyer BDS | 140 TAB-CAP | 2.01 | 0.0144 | TABLETS, 10 X 14 | | | |
| Buyer MEMS | 100 TAB-CAP | 3.63 | 0.0363 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 4.40 | 0.0440 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0144 | | High/Low Ratio=11.00 | | | |
| ATENOLOL 50 mg tab-cap (PO) | | Supplier MEG 1000 TAB-CAP 4.25 | | Price/tab-cap 0.0043 TABLETS | 75 mg | | C07AB03 |
| Supplier IMRES | 1000 TAB-CAP | 6.15 | 0.0062 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 8.55 | 0.0085 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 8.83 | 0.0088 | TABLETS | | | |
| Supplier MEDS | 28 TAB-CAP | 0.32 | 0.0115 | TABLETS | | | |
| Supplier MEDEOR/EU | 3000 TAB-CAP | 38.10 | 0.0127 | TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 1.34 | 0.0134 | TABLETS | | | |
| Supplier MISSION | 28 TAB-CAP | 0.51 | 0.0181 | BLISTER 2 X 14 TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0102 | | High/Low Ratio=4.21 | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.00 | 0.0044 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 0.82 | 0.0082 | TABLETS | | | |
| Buyer OECS/PPS | 140 TAB-CAP | 1.26 | 0.0090 | TABLETS, 10 X 14 | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 1.39 | 0.0139 | TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 2.05 | 0.0205 | TABLETS | | | |
| Buyer CAMERWA | 30 TAB-CAP | 0.67 | 0.0223 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 2.54 | 0.0254 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0139 | | High/Low Ratio=5.77 | | | |
| ATORVASTATIN 10 mg tab-cap (PO) | | Supplier MEDS 28 TAB-CAP 1.00 | | Price/tab-cap 0.0357 TABLETS | 20 mg | | N C10AA05 |
| Buyer BDS | 90 TAB-CAP | 2.14 | 0.0238 | TABLETS | | | |
| Buyer OECS/PPS | 30 TAB-CAP | 1.55 | 0.0517 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 8.72 | 0.0872 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0517 | | High/Low Ratio=3.66 | | | |
| ATORVASTATIN 20 mg tab-cap (PO) | | Supplier MEDS 28 TAB-CAP 1.64 | | Price/tab-cap 0.0587 TABLETS | 20 mg | | T C10AA05 |
| Supplier JMS | 100 TAB-CAP | 26.33 | 0.2633 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.1610 | | High/Low Ratio=4.49 | | | |
| Buyer PERU | 1 TAB-CAP | 0.02 | 0.0235 | TABLET | | | |
| Buyer BDS | 90 TAB-CAP | 3.19 | 0.0355 | TABLETS | | | |
| Buyer OECS/PPS | 30 TAB-CAP | 2.00 | 0.0667 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 10.84 | 0.1084 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0511 | | High/Low Ratio=4.61 | | | |
| ATOVAQUONE+PROGUANIL 250mg+100mg tab-cap (PO) | | Supplier MEDEOR/TZ 12 TAB-CAP 18.30 | | Price/tab-cap 1.5250 TABLETS | 4 tab | | P01BB51 |
| Supplier DURBIN | 12 TAB-CAP | 51.38 | 4.2819 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=2.9035 | | High/Low Ratio=2.81 | | | |
| ATRACURIUM 10 mg/ml ampoule (INJ) | | Supplier JMS 5 AMP (2.50 ml) 27.75 | | Price/ml 2.2202 | N | | M03AC04 |
| Buyer BOTSWANA | 1 AMP (2.50 ml) | 1.95 | 0.7783 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|------------------|--|----------------------|-----------------------------|-----------------------------|------------|-------------|
| ATRACURIUM 10 mg/ml ampoule (INJ) | | | Price/ml | | | N | M03AC04 |
| Buyer DOMREPUB | 1 AMP (2.50 ml) | 2.33 | 0.9339 | | | | |
| Buyer NAMIBIA | 5 VIAL (2.50 ml) | 19.14 | 1.5313 | BESYLATE | | | |
| Buyer BDS | 10 AMP (10 ml) | 174.98 | 1.7498 | | | | |
| | | Buyer Median Price/ml=1.2326 | | | High/Low Ratio=2.25 | | |
| ATROPINE SULFATE 0.5 mg/ml ampoule (INJ) | | | Price/ml | | 1.5 mg | P | A03BA01 |
| Supplier MISSION | 100 AMP (1 ml) | 26.37 | 0.2637 | | | | |
| Buyer OECS/PPS | 100 AMP (1 ml) | 23.40 | 0.2340 | IM/IV/SC | | | |
| Buyer NAMIBIA | 10 AMP (1 ml) | 3.30 | 0.3297 | | | | |
| Buyer BDS | 100 AMP (1 ml) | 37.05 | 0.3705 | | | | |
| | | Buyer Median Price/ml=0.3297 | | | High/Low Ratio=1.58 | | |
| ATROPINE SULFATE 0.6 mg/ml ampoule (INJ) | | | Price/ml | | 1.5 mg | P | A03BA01 |
| Buyer BDS | 10 AMP (1 ml) | 2.98 | 0.2980 | | | | |
| Buyer GHANA | 10 AMP (1 ml) | 4.38 | 0.4380 | | | | |
| | | Buyer Median Price/ml=0.3680 | | | High/Low Ratio=1.47 | | |
| ATROPINE SULFATE 1 mg/ml ampoule (INJ) | | | Price/ml | | 1.5 mg | E | A03BA01 |
| Supplier DURBIN | 1000 AMP (1 ml) | 13.89 | 0.0140 | | | | |
| Supplier JMS | 10 AMP (1 ml) | 0.36 | 0.0360 | | | | |
| Supplier MISSION | 100 AMP (1 ml) | 9.05 | 0.0905 | | | | |
| Supplier IDA | 100 AMP (1 ml) | 9.63 | 0.0963 | | | | |
| Supplier UNFPA | 100 AMP (1 ml) | 10.00 | 0.1000 | | | | |
| Supplier IMRES | 100 AMP (1 ml) | 10.50 | 0.1050 | | | | |
| Supplier MEDEOR/TZ | 100 AMP (1 ml) | 14.29 | 0.1429 | | | | |
| Supplier MEG | 100 AMP (1 ml) | 18.50 | 0.1850 | | | | |
| Supplier MEDEOR/EU | 50 AMP (1 ml) | 11.01 | 0.2202 | | | | |
| | | Supplier Median Price/ml=0.1000 | | | High/Low Ratio=15.73 | | |
| Buyer DOMREPUB | 1 AMP (1 ml) | 0.07 | 0.0658 | | | | |
| Buyer PERU | 100 AMP (1 ml) | 7.70 | 0.0770 | ILLUSTRATIVE NUMBER OF AMPS | | | |
| | | Buyer Median Price/ml=0.0714 | | | High/Low Ratio=1.17 | | |
| ATROPINE SULFATE 1% opht drop (OPHT) | | | Price/ml | | | E | S01FA01 |
| Supplier DURBIN | 1 BOTT (10 ml) | 1.77 | 0.1766 | | | | |
| Supplier JMS | 1 BOTT (10 ml) | 2.20 | 0.2200 | | | | |
| Supplier MISSION | 1 BOTT (5 ml) | 1.33 | 0.2666 | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (10 ml) | 3.12 | 0.3120 | | | | |
| Supplier MEDS | 1 BOTT (5 ml) | 2.66 | 0.5328 | | | | |
| | | Supplier Median Price/ml=0.2666 | | | High/Low Ratio=3.02 | | |
| Buyer MEMS | 1 BOTT (10 ml) | 2.38 | 0.2376 | | | | |
| Buyer BDS | 1 BOTT (10 ml) | 2.75 | 0.2754 | | | | |
| Buyer OECS/PPS | 1 BOTT (10 ml) | 2.80 | 0.2800 | | | | |
| Buyer NAMIBIA | 1 BOTT (5 ml) | 2.96 | 0.5917 | | | | |
| | | Buyer Median Price/ml=0.2777 | | | High/Low Ratio=2.49 | | |
| AZATHIOPRINE 50 mg tab-cap (PO) | | | Price/tab-cap | | 0.15 g | C | L04AX01 |
| Supplier DURBIN | 100 TAB-CAP | 21.68 | 0.2168 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 12.57 | 0.1257 | TABLETS, 10 X 10 | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 27.74 | 0.2774 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 127.88 | 1.2788 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.2774 | | | High/Low Ratio=10.17 | | |
| AZITHROMYCIN 200 mg/5 ml suspen (PO) | | | Price/ml | | 0.3 g | E | J01FA10 |
| Supplier UNFPA | 1 BOTT (15 ml) | 0.80 | 0.0533 | | | | |
| Supplier MEDS | 1 BOTT (15 ml) | 0.81 | 0.0540 | | | | |
| Supplier IMRES | 1 BOTT (15 ml) | 0.85 | 0.0567 | DIHYDRATE | | | |
| Supplier IDA | 120 BOTT (15 ml) | 102.50 | 0.0569 | POWDER | | | |
| Supplier MISSION | 1 BOTT (15 ml) | 0.94 | 0.0627 | SYRUP AS DIHYDRATE | | | |
| | | Supplier Median Price/ml=0.0567 | | | High/Low Ratio=1.18 | | |
| Buyer DOMREPUB | 1 BOTT (30 ml) | 0.71 | 0.0236 | | | | |
| Buyer PERU | 1 BOTT (60 ml) | 1.84 | 0.0307 | | | | |
| Buyer BDS | 1 BOTT (15 ml) | 0.92 | 0.0616 | | | | |
| Buyer OECS/PPS | 1 BOTT (15 ml) | 1.40 | 0.0933 | | | | |
| Buyer SAFRICA | 1 BOTT (15 ml) | 3.42 | 0.2281 | GRANULES | | | |
| | | Buyer Median Price/ml=0.0616 | | | High/Low Ratio=9.67 | | |
| AZITHROMYCIN 250 mg tab-cap (PO) | | | Price/tab-cap | | 0.3 g | E | J01FA10 |
| Supplier IDA | 6 TAB-CAP | 1.01 | 0.1691 | BLISTER PACK CAPSULES | | | |
| Supplier MEG | 100 TAB-CAP | 17.50 | 0.1750 | TABLETS | | | |
| Supplier IMRES | 4 TAB-CAP | 0.70 | 0.1750 | FILM-COATED TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE | |
|---|----------------------|--------------------------------------|----------------------|--|------------------------|------------|-------------|---------|
| AZITHROMYCIN 250 mg tab-cap (PO) | | | | Price/tab-cap | 0.3 g | E | J01FA10 | |
| Supplier MEDS | 6 TAB-CAP | 1.06 | 0.1767 | TABLETS | | | | |
| Supplier UNFPA | 4 TAB-CAP | 0.75 | 0.1875 | FILM-COATED, BLISTER-PACK TABLETS | | | | |
| Supplier MISSION | 6 TAB-CAP | 1.29 | 0.2148 | BLISTER PACK TABLETS | | | | |
| Supplier MEDEOR/TZ | 60 TAB-CAP | 20.09 | 0.3348 | TABLETS | | | | |
| | | Supplier Median Price/tab-cap=0.1767 | | | High/Low Ratio=1.98 | | | |
| Buyer CAMERWA | 180 TAB-CAP | 14.81 | 0.0823 | TABLETS | | | | |
| Buyer MEMS | 6 TAB-CAP | 1.26 | 0.2101 | TABLETS | | | | |
| Buyer BDS | 60 TAB-CAP | 23.61 | 0.3935 | TABLETS | | | | |
| | | Buyer Median Price/tab-cap=0.2101 | | | High/Low Ratio=4.78 | | | |
| AZITHROMYCIN 500 mg tab-cap (PO) | | | | Price/tab-cap | 0.3 g | E | J01FA10 | |
| Supplier IMRES | 3 TAB-CAP | 0.75 | 0.2500 | DIHYDRATE, FILM-COATED, BLISTER PACK TABLETS | | | | |
| Supplier MEDS | 3 TAB-CAP | 0.89 | 0.2960 | TABLETS | | | | |
| Supplier JMS | 30 TAB-CAP | 10.37 | 0.3455 | TABLETS | | | | |
| Supplier IDA | 3 TAB-CAP | 1.09 | 0.3622 | BLISTER PACK TABLETS | | | | |
| | | Supplier Median Price/tab-cap=0.3208 | | | High/Low Ratio=1.45 | | | |
| Buyer PERU | 100 TAB-CAP | 15.97 | 0.1597 | TABLETS, ILLUSTRATIVE PACK SIZE | | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.19 | 0.1853 | CAPSULES | | | | |
| Buyer OECS/PPS | 30 TAB-CAP | 12.08 | 0.4027 | TABLETS | | | | |
| Buyer BDS | 500 TAB-CAP | 207.62 | 0.4152 | TABLETS | | | | |
| Buyer SAFRICA | 3 TAB-CAP | 4.42 | 1.4747 | CAPSULES, PATIENT-READY PACK | | | | |
| Buyer CRSS | 100 TAB-CAP | 195.77 | 1.9577 | | | | | |
| | | Buyer Median Price/tab-cap=0.4090 | | | High/Low Ratio=12.26 | | | |
| BACLOFEN 10 mg tab-cap (PO) | | | | Price/tab-cap | 50 mg | N | M03BX01 | |
| Buyer BDS | 100 TAB-CAP | 2.98 | 0.0298 | TABLETS | | | | |
| Buyer BOTSWANA | 30 TAB-CAP | 2.71 | 0.0904 | TABLETS | | | | |
| Buyer NAMIBIA | 30 TAB-CAP | 3.31 | 0.1102 | TABLETS | | | | |
| | | Buyer Median Price/tab-cap=0.0904 | | | High/Low Ratio=3.70 | | | |
| BALANCED SALT SOLUTION opht (OPHT) | | | | Price/ml | | N | S01XA | |
| Buyer OECS/PPS | 1 BOTT (18 ml) | 4.15 | 0.2306 | | | | | |
| Buyer BOTSWANA | 1 BOTT (15 ml) | 12.03 | 0.8017 | | | | | |
| | | Buyer Median Price/ml=0.5162 | | | High/Low Ratio=3.48 | | | |
| BALANCED SALT SOLUTION solution (TOP) | | | | Price/ml | | N | B05CB10 | |
| Buyer OECS/PPS | 6 BOTT (250 ml) | 122.18 | 0.0815 | | | | | |
| BARIUM SULFATE powder (PO) | | | | Price/kg | | P | V08BA02 | |
| Supplier IDA | 1 DRUM (25 kg) | 62.00 | 2.4802 | | | | | |
| Supplier MISSION | 1 DRUM (25 kg) | 185.43 | 7.4173 | | | | | |
| Supplier MEDEOR/TZ | 1 BAG (3.50 kg) | 132.30 | 3.7800 | | | | | |
| | | Supplier Median Price/kg=7.4173 | | | High/Low Ratio=2.99 | | | |
| Buyer CAMERWA | 1 DRUM (25 kg) | 86.48 | 3.4593 | | | | | |
| Buyer OECS/PPS | 24 CUP (0.34 kg) | 171.48 | 21.0147 | 12 OZ. CUP, 340 GM | | | | |
| | | Buyer Median Price/kg=12.2370 | | | High/Low Ratio=6.07 | | | |
| BECLOMETASONE 100 mcg/dose inhaler (INH) | | | | Price/dose | | 0.8 mg | P | R03BA01 |
| Supplier MEDS | 1 INHALER (200 DOSE) | 2.25 | 0.0113 | | | | | |
| Supplier DURBIN | 1 INHALER (200 DOSE) | 14.69 | 0.0735 | | | | | |
| | | Supplier Median Price/dose=0.0424 | | | High/Low Ratio=6.50 | | | |
| Buyer CRSS | 1 INHALER (200 DOSE) | 3.77 | 0.0189 | | | | | |
| Buyer BOTSWANA | 1 INHALER (200 DOSE) | 14.28 | 0.0714 | | | | | |
| | | Buyer Median Price/dose=0.0452 | | | High/Low Ratio=3.78 | | | |
| BECLOMETASONE 250 mcg/dose inhaler (INH) | | | | Price/dose | | 0.8 mg | E | R03BA01 |
| Buyer OECS/PPS | 1 INHALER (200 DOSE) | 3.40 | 0.0170 | | | | | |
| BECLOMETASONE 50 mcg nasal (N/T) | | | | Price/dose | | 0.4 mg | E | R01AD01 |
| Buyer OECS/PPS | 1 BOTT (200 DOSE) | 2.40 | 0.0120 | | | | | |
| Buyer NAMIBIA | 1 BOTT (150 DOSE) | 7.27 | 0.0485 | AQUEOUS | | | | |
| | | Buyer Median Price/dose=0.0303 | | | High/Low Ratio=4.04 | | | |
| BECLOMETASONE 50 mcg/dose inhaler (INH) | | | | Price/dose | | 0.8 mg | E | R03BA01 |
| Supplier DURBIN | 1 INHALER (200 DOSE) | 2.65 | 0.0133 | | | | | |
| Supplier MEG | 1 INHALER (200 DOSE) | 2.81 | 0.0141 | | | | | |
| Supplier IDA | 1 INHALER (200 DOSE) | 2.90 | 0.0145 | | | | | |
| Supplier IMRES | 1 INHALER (200 DOSE) | 2.90 | 0.0145 | | | | | |
| Supplier MEDEOR/TZ | 1 INHALER (200 DOSE) | 3.24 | 0.0162 | | | | | |
| Supplier MISSION | 1 INHALER (200 DOSE) | 3.32 | 0.0167 | CFC-FREE | | | | |
| Supplier MEDEOR/EU | 1 INHALER (200 DOSE) | 4.35 | 0.0217 | | | | | |
| | | Supplier Median Price/dose=0.0145 | | | High/Low Ratio=1.63 | | | |
| Buyer OECS/PPS | 1 INHALER (200 DOSE) | 2.15 | 0.0108 | CFC-FREE | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|----------------------|--|----------------------|-----------------------------------|------------------------|------------|-------------|
| BECLOMETASONE 50 mcg/dose inhaler (INH) Buyer NAMIBIA | 1 INHALER (200 DOSE) | 4.47 Buyer Median Price/dose=0.0166 | 0.0224 | Price/dose High/Low Ratio=2.07 | 0.8 mg | E | R03BA01 |
| BENDROFLUMETHIAZIDE 2.5 mg tab-cap (PO) Buyer OECS/PPS | 500 TAB-CAP | 3.18 | 0.0064 | Price/tab-cap TABLETS | 2.5 mg | T | C03AA01 |
| Buyer BDS | 500 TAB-CAP | 5.48 | 0.0110 | TABLETS | High/Low Ratio=1.72 | | |
| | | | | Buyer Median Price/tab-cap=0.0087 | | | |
| BENDROFLUMETHIAZIDE 5 mg tab-cap (PO) Supplier MEDEOR/TZ | 1000 TAB-CAP | 4.68 | 0.0047 | Price/tab-cap TABLETS | 2.5 mg | T | C03AA01 |
| Supplier DURBIN | 1000 TAB-CAP | 7.39 | 0.0074 | TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 1.46 | 0.0146 | TABLETS | High/Low Ratio=3.11 | | |
| Buyer MEMS | 1000 TAB-CAP | 1.09 | 0.0011 | TABLETS | | | |
| Buyer BDS | 2000 TAB-CAP | 34.78 | 0.0174 | TABLETS | High/Low Ratio=15.82 | | |
| | | | | Buyer Median Price/tab-cap=0.0093 | | | |
| BENZATROPINE MESILATE 1 mg/ml ampoule (INJ) Buyer OECS/PPS | 5 AMP (2 ml) | 22.00 | 2.2000 | Price/ml | 2 mg | N | N04AC01 |
| Buyer GHANA | 10 AMP (2 ml) | 51.01 | 2.5505 | | | | |
| Buyer BDS | 5 AMP (2 ml) | 26.46 | 2.6463 | | | | |
| | | | | Buyer Median Price/ml=2.5505 | High/Low Ratio=1.20 | | |
| BENZATROPINE MESILATE 2 mg tab-cap (PO) Buyer OECS/PPS | 1000 TAB-CAP | 9.75 | 0.0098 | Price/tab-cap TABLETS | 2 mg | N | N04AC01 |
| Buyer BDS | 1000 TAB-CAP | 15.48 | 0.0155 | TABLETS | | | |
| Buyer GHANA | 1000 TAB-CAP | 20.82 | 0.0208 | 10 X 100 BLISTER PACK TABLETS | High/Low Ratio=2.12 | | |
| | | | | Buyer Median Price/tab-cap=0.0155 | | | |
| BENZOIC & SALICYLIC ACID (WHITFIELD'S) 6% + 3% ointment (TOP) Supplier MEDS | 1 JAR (400 g) | 1.13 | 0.0028 | Price/g | | N | D01AE20 |
| Supplier MEDEOR/TZ | 1 TUBE (25 g) | 0.15 | 0.0060 | | | | |
| Supplier JMS | 1 JAR (200 g) | 1.52 | 0.0076 | | | | |
| Supplier IDA | 1 JAR (800 g) | 7.24 | 0.0091 | | | | |
| Supplier MEG | 1 TUBE (40 g) | 0.46 | 0.0115 | | | | |
| Supplier MEG | 1 JAR (500 g) | 5.77 | 0.0115 | | | | |
| Supplier DURBIN | 1 JAR (500 g) | 6.02 | 0.0120 | | | | |
| Supplier IMRES | 1 TUBE (40 g) | 0.52 | 0.0130 | | | | |
| | | | | Supplier Median Price/g=0.0103 | High/Low Ratio=4.64 | | |
| Buyer MEMS | 1 TUBE (40 g) | 0.26 | 0.0066 | | | | |
| BENZOYL PEROXIDE 5% gel (TOP) Buyer NAMIBIA | 1 TUBE (40 g) | 0.69 | 0.0172 | Price/g | | P | D10AE01 |
| Buyer BDS | 1 TUBE (60 g) | 5.49 | 0.0916 | | | | |
| | | | | Buyer Median Price/g=0.0544 | High/Low Ratio=5.33 | | |
| BENZYL BENZOATE 25% lotion (TOP) Supplier MEDS | 1 BOTT (5000 ml) | 7.55 | 0.0015 | Price/ml | | E | P03AX01 |
| Supplier MEG | 1 BOTT (1000 ml) | 3.45 | 0.0035 | EMULSION | | | |
| Supplier IMRES | 1 BOTT (1000 ml) | 4.25 | 0.0043 | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (100 ml) | 0.43 | 0.0043 | EMULSION | | | |
| Supplier IDA | 1 BOTT (1000 ml) | 4.49 | 0.0045 | | | | |
| Supplier JMS | 1 BOTT (100 ml) | 0.46 | 0.0046 | | | | |
| Supplier DURBIN | 1 BOTT (1000 ml) | 4.74 | 0.0048 | | | | |
| Supplier MISSION | 1 BOTT (1000 ml) | 5.36 | 0.0054 | | | | |
| Supplier MEDEOR/EU | 1 BOTT (1000 ml) | 6.37 | 0.0064 | | | | |
| | | | | Supplier Median Price/ml=0.0045 | High/Low Ratio=4.27 | | |
| Buyer CAMERWA | 1 BOTT (1000 ml) | 3.70 | 0.0037 | | | | |
| Buyer BDS | 1 BOTT (500 ml) | 4.01 | 0.0080 | EMULSION | High/Low Ratio=2.16 | | |
| | | | | Buyer Median Price/ml=0.0059 | | | |
| BENZYL BENZOATE (CONCENTRATED) 90% solution (TOP) Supplier MEG | 1 BOTT (1000 ml) | 8.99 | 0.0090 | Price/ml | | P | P03AX01 |
| Supplier MEDEOR/EU | 12 BOTT (550 ml) | 90.54 | 0.0138 | SAPONATED | | | |
| Supplier MISSION | 1 BOTT (1000 ml) | 16.46 | 0.0165 | SAPONATED | | | |
| | | | | Supplier Median Price/ml=0.0138 | High/Low Ratio=1.83 | | |
| BETAMETHASONE (OPHT/OTIC) 0.1% opht drop (OPHT) Buyer OECS/PPS | 1 BOTT (10 ml) | 1.70 | 0.1700 | Price/ml | | P | S03BA03 |
| Buyer BDS | 1 BOTT (10 ml) | 1.88 | 0.1878 | | | | |
| | | | | Buyer Median Price/ml=0.1789 | High/Low Ratio=1.10 | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE | |
|---|----------------|---|----------------------|---------------------------------|-----------------------------|------------|-------------|---------|
| BETAMETHASONE VALERATE 0.1% cream (TOP) | | | Price/g | | | E | D07AC01 | |
| Supplier MEDS | 1 TUBE (15 g) | 0.17 | 0.0111 | | | | | |
| Supplier UNFPA | 1 TUBE (15 g) | 0.25 | 0.0167 | | | | | |
| Supplier MEDEOR/TZ | 1 TUBE (15 g) | 0.28 | 0.0184 | | | | | |
| Supplier MEG | 10 TUBE (15 g) | 3.02 | 0.0201 | | | | | |
| Supplier IMRES | 1 TUBE (15 g) | 0.35 | 0.0233 | | | | | |
| Supplier IDA | 10 TUBE (15 g) | 3.77 | 0.0251 | | | | | |
| Supplier JMS | 1 TUBE (15 g) | 0.39 | 0.0262 | | | | | |
| Supplier MISSION | 1 TUBE (15 g) | 0.65 | 0.0435 | | | | | |
| Supplier DURBIN | 10 TUBE (15 g) | 6.98 | 0.0466 | | | | | |
| Supplier MEDEOR/EU | 50 TUBE (15 g) | 41.87 | 0.0558 | | | | | |
| | | Supplier Median Price/g=0.0242 | | | High/Low Ratio=5.03 | | | |
| Buyer CAMERWA | 1 TUBE (15 g) | 0.25 | 0.0170 | | | | | |
| Buyer MEMS | 1 TUBE (15 g) | 0.43 | 0.0286 | | | | | |
| Buyer BDS | 1 TUBE (15 g) | 0.45 | 0.0301 | | | | | |
| Buyer NAMIBIA | 1 TUBE (15 g) | 0.55 | 0.0366 | | | | | |
| Buyer BOTSWANA | 1 TUBE (15 g) | 0.65 | 0.0433 | | | | | |
| Buyer OECS/PPS | 1 TUBE (15 g) | 0.84 | 0.0560 | | | | | |
| Buyer DOMREPUB | 1 TUBE (15 g) | 2.30 | 0.1531 | | | | | |
| | | Buyer Median Price/g=0.0366 | | | High/Low Ratio=9.01 | | | |
| BETAMETHASONE VALERATE 0.1% ointment (TOP) | | | Price/g | | | E | D07AC01 | |
| Supplier MEDS | 1 TUBE (15 g) | 0.18 | 0.0122 | | | | | |
| Supplier JMS | 1 TUBE (15 g) | 0.39 | 0.0261 | | | | | |
| | | Supplier Median Price/g=0.0192 | | | High/Low Ratio=2.14 | | | |
| Buyer BDS | 1 TUBE (20 g) | 0.71 | 0.0356 | | | | | |
| Buyer NAMIBIA | 1 TUBE (15 g) | 0.60 | 0.0402 | | | | | |
| Buyer BOTSWANA | 1 TUBE (15 g) | 0.77 | 0.0513 | | | | | |
| | | Buyer Median Price/g=0.0402 | | | High/Low Ratio=1.44 | | | |
| BICALUTAMIDE 50 mg tab-cap (PO) | | | Price/tab-cap | | | 50 mg | N | L02BB03 |
| Buyer BDS | 30 TAB-CAP | 6.43 | 0.2144 | TABLETS | | | | |
| Buyer JMS | 28 TAB-CAP | 203.99 | 7.2852 | TABLETS | | | | |
| | | Buyer Median Price/tab-cap=3.7498 | | | High/Low Ratio=33.98 | | | |
| BIPERIDEN 2 mg tab-cap (PO) | | | Price/tab-cap | | | 10 mg | E | N04AA02 |
| Supplier MEDEOR/TZ | 50 TAB-CAP | 3.77 | 0.0754 | TABLETS | | | | |
| Supplier IDA | 50 TAB-CAP | 4.56 | 0.0913 | TABLETS | | | | |
| | | Supplier Median Price/tab-cap=0.0834 | | | High/Low Ratio=1.21 | | | |
| Buyer PERU | 100 TAB-CAP | 1.20 | 0.0120 | TABLETS, ILLUSTRATIVE PACK SIZE | | | | |
| Buyer NAMIBIA | 500 TAB-CAP | 39.51 | 0.0790 | TABLETS | | | | |
| Buyer CAMERWA | 100 TAB-CAP | 8.92 | 0.0892 | TABLETS | | | | |
| | | Buyer Median Price/tab-cap=0.0790 | | | High/Low Ratio=7.43 | | | |
| BISACODYL 10 mg suppos (RECT) | | | Price/supp | | | 10 mg | N | A06AB02 |
| Supplier IMRES | 12 SUPP | 2.75 | 0.2292 | | | | | |
| Buyer OECS/PPS | 12 SUPP | 1.07 | 0.0892 | | | | | |
| Buyer CRSS | 100 SUPP | 11.90 | 0.1190 | | | | | |
| Buyer NAMIBIA | 10 SUPP | 4.23 | 0.4226 | | | | | |
| | | Buyer Median Price/supp=0.1190 | | | High/Low Ratio=4.74 | | | |
| BISACODYL 5 mg tab-cap (PO) | | | Price/tab-cap | | | 10 mg | N | A06AB02 |
| Supplier MEDS | 100 TAB-CAP | 0.32 | 0.0032 | ENTERIC-COATED TABLETS | | | | |
| Supplier IDA | 1000 TAB-CAP | 5.07 | 0.0051 | ENTERIC COATED TABLETS | | | | |
| Supplier MISSION | 1000 TAB-CAP | 6.53 | 0.0065 | ENTERIC-COATED TABLETS | | | | |
| Supplier DURBIN | 1000 TAB-CAP | 7.23 | 0.0072 | TABLETS | | | | |
| Supplier JMS | 100 TAB-CAP | 0.79 | 0.0079 | TABLETS | | | | |
| Supplier IMRES | 100 TAB-CAP | 1.00 | 0.0100 | ENTERIC-COATED TABLETS | | | | |
| Supplier MEDEOR/EU | 3500 TAB-CAP | 40.56 | 0.0116 | DRAGEES | | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 12.80 | 0.0128 | TABLETS | | | | |
| Supplier MEG | 1000 TAB-CAP | 19.13 | 0.0191 | TABLETS | | | | |
| | | Supplier Median Price/tab-cap=0.0079 | | | High/Low Ratio=5.97 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 2.68 | 0.0027 | TABLETS | | | | |
| Buyer OECS/PPS | 500 TAB-CAP | 4.12 | 0.0082 | TABLETS | | | | |
| Buyer MEMS | 1000 TAB-CAP | 12.77 | 0.0128 | TABLETS | | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 2.09 | 0.0209 | TABLETS, ILLUSTRATIVE PACK SIZE | | | | |
| | | Buyer Median Price/tab-cap=0.0105 | | | High/Low Ratio=7.74 | | | |
| BISMUTH SUBGALLATE suppos (RECT) | | | Price/supp | | | N | C05AX02 | |
| Buyer NAMIBIA | 10 SUPP | 4.47 | 0.4474 | | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|------------------|---|----------------------|-------------------|----------------------------|------------|-------------|
| BLEOMYCIN 15 mg vial (INJ) | | | Price/vial | | | C | L01DC01 |
| Supplier MEDS | 1 VIAL | 12.65 | 12.6540 | | | | |
| Supplier JMS | 1 VIAL | 17.92 | 17.9228 | | | | |
| Supplier MISSION | 1 VIAL | 25.03 | 25.0335 | WITH SOLVENT | | | |
| Supplier IDA | 1 VIAL | 25.28 | 25.2798 | POWDER | | | |
| | | Supplier Median Price/vial=21.4782 | | | High/Low Ratio=2.00 | | |
| Buyer CAMERWA | 1 VIAL | 14.75 | 14.7456 | | | | |
| Buyer NAMIBIA | 1 VIAL | 16.90 | 16.9029 | | | | |
| Buyer CRSS | 1 VIAL | 25.00 | 25.0000 | | | | |
| Buyer BDS | 1 VIAL | 29.46 | 29.4577 | | | | |
| | | Buyer Median Price/vial=20.9515 | | | High/Low Ratio=2.00 | | |
| BROMOCRIPTINE MESILATE 2.5 mg tab-cap (PO) | | | Price/tab-cap | | 40 mg | N | G02CB01 |
| Supplier MEDS | 30 TAB-CAP | 7.88 | 0.2627 | TABLETS | | | |
| Supplier UNFPA | 30 TAB-CAP | 18.00 | 0.6000 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.4314 | | | High/Low Ratio=2.28 | | |
| Buyer BDS | 100 TAB-CAP | 7.14 | 0.0714 | TABLETS | | | |
| Buyer MEMS | 30 TAB-CAP | 5.74 | 0.1914 | TABLETS | | | |
| Buyer SUDANNHIF | 1 TAB-CAP | 0.20 | 0.2047 | TABLET | | | |
| Buyer NAMIBIA | 30 TAB-CAP | 6.65 | 0.2215 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 27.35 | 0.2735 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.2047 | | | High/Low Ratio=3.83 | | |
| BUPIVACAIN HCL 0.25% ampoule (INJ) | | | Price/ml | | | E | N01BB01 |
| Buyer BDS | 1 VIAL (20 ml) | 1.84 | 0.0919 | | | | |
| Buyer OECS/PPS | 1 AMP (20 ml) | 2.20 | 0.1100 | PRESERVATIVE-FREE | | | |
| | | Buyer Median Price/ml=0.1010 | | | High/Low Ratio=1.20 | | |
| BUPIVACAIN HCL 0.5% ampoule (INJ) | | | Price/ml | | | E | N01BB01 |
| Supplier UNFPA | 10 VIAL (20 ml) | 15.50 | 0.0775 | | | | |
| Supplier MEG | 10 VIAL (20 ml) | 15.52 | 0.0776 | | | | |
| Supplier IDA | 10 VIAL (20 ml) | 17.31 | 0.0866 | | | | |
| Supplier IMRES | 10 VIAL (20 ml) | 17.50 | 0.0875 | | | | |
| Supplier MISSION | 10 VIAL (20 ml) | 22.95 | 0.1147 | | | | |
| Supplier MEDEOR/TZ | 1 VIAL (20 ml) | 3.35 | 0.1674 | | | | |
| Supplier IDA | 20 AMP (4 ml) | 20.50 | 0.2563 | SPINAL HEAVY | | | |
| Supplier MEDS | 1 AMP (4 ml) | 2.32 | 0.5800 | HEAVY, SPINAL | | | |
| | | Supplier Median Price/ml=0.1011 | | | High/Low Ratio=7.48 | | |
| Buyer CAMERWA | 10 VIAL (20 ml) | 3.42 | 0.0171 | | | | |
| Buyer BOTSWANA | 1 AMP (10 ml) | 0.51 | 0.0507 | | | | |
| Buyer NAMIBIA | 10 AMP (10 ml) | 6.04 | 0.0604 | | | | |
| Buyer BDS | 1 VIAL (20 ml) | 2.01 | 0.1006 | | | | |
| | | Buyer Median Price/ml=0.0556 | | | High/Low Ratio=5.88 | | |
| BUPIVACAIN HCL + DEXTROSE 0.5% + 8% ampoule (INJ) | | | Price/ml | | | E | N01BB51 |
| Supplier UNFPA | 20 AMP (4 ml) | 18.50 | 0.2313 | | | | |
| Supplier IMRES | 20 AMP (4 ml) | 20.10 | 0.2513 | | | | |
| Supplier MISSION | 20 AMP (4 ml) | 69.54 | 0.8692 | HEAVY | | | |
| Supplier JMS | 25 AMP (4 ml) | 121.00 | 1.2100 | | | | |
| | | Supplier Median Price/ml=0.5603 | | | High/Low Ratio=5.23 | | |
| Buyer DOMREPUB | 1 VIAL (4 ml) | 0.54 | 0.1339 | | | | |
| BUPIVACAIN HCL + EPINEPHRINE (0.5% + 1:200,000) vial (INJ) | | | Price/ml | | | N | N01BB51 |
| Supplier UNFPA | 10 VIAL (20 ml) | 21.00 | 0.1050 | | | | |
| BUSULFAN 2 mg tab-cap (PO) | | | Price/tab-cap | | | N | L01AB01 |
| Buyer BOTSWANA | 100 TAB-CAP | 57.44 | 0.5744 | TABLETS | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 81.72 | 0.8172 | TABLETS | | | |
| Buyer BDS | 30 TAB-CAP | 30.54 | 1.0180 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.8172 | | | High/Low Ratio=1.77 | | |
| CALAMINE lotion (TOP) | | | Price/ml | | | E | D02AB |
| Supplier MEDS | 1 BOTT (1000 ml) | 2.38 | 0.0024 | 15% | | | |
| Supplier IDA | 1 BOTT (500 ml) | 2.46 | 0.0049 | | | | |
| Supplier DURBIN | 1 BOTT (200 ml) | 1.04 | 0.0053 | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (100 ml) | 0.53 | 0.0053 | | | | |
| Supplier JMS | 1 BOTT (100 ml) | 0.62 | 0.0062 | | | | |
| Supplier UNFPA | 1 BOTT (100 ml) | 0.65 | 0.0065 | ANTISEPTIC | | | |
| Supplier IMRES | 1 BOTT (100 ml) | 0.75 | 0.0075 | 15% | | | |
| Supplier MEG | 1 BOTT (100 ml) | 1.20 | 0.0120 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-----------------|---|----------------------|--------------------------------|-----------------------------|------------|-------------|
| CALAMINE lotion (TOP) | | | Price/ml | | | E | D02AB |
| Supplier MISSION | 1 BOTT (100 ml) | 1.32 | 0.0132 | 15% | | | |
| | | Supplier Median Price/ml=0.0062 | | | High/Low Ratio=5.50 | | |
| Buyer NAMIBIA | 1 BOTT (100 ml) | 0.37 | 0.0037 | | | | |
| Buyer MEMS | 1 BOTT (100 ml) | 0.56 | 0.0056 | | | | |
| Buyer BOTSWANA | 1 BOTT (100 ml) | 0.76 | 0.0076 | 15% | | | |
| | | Buyer Median Price/ml=0.0056 | | | High/Low Ratio=2.05 | | |
| CALCITONIN (SEMI-SYNTHETIC SALMON) 100 IU/ml ampoule (INJ) | | | Price/ml | | 100 | U | N |
| Supplier UNFPA | 10 AMP (1 ml) | 17.00 | 1.7000 | | | | H05BA01 |
| Buyer BDS | 10 AMP (1 ml) | 54.19 | 5.4190 | | | | |
| CALCIUM 600 mg tab-cap (PO) | | | Price/tab-cap | | 2 | g | P |
| Buyer BDS | 15 TAB-CAP | 0.32 | 0.0213 | CARBONATE, TABLETS | | | A12AA05 |
| CALCIUM CHLORIDE 10% vial (INJ) | | | Price/ml | | 0.2 | g | N |
| Buyer NAMIBIA | 10 VIAL (10 ml) | 3.31 | 0.0331 | | | | A12AA07 |
| CALCIUM FOLINATE 15 mg tab-cap (PO) | | | Price/tab-cap | | 60 | mg | C |
| Buyer NAMIBIA | 100 TAB-CAP | 23.44 | 0.2344 | TABLETS | | | V03AF03 |
| Buyer OECS/PPS | 10 TAB-CAP | 9.00 | 0.9000 | CAPSULES | | | |
| Buyer BDS | 20 TAB-CAP | 18.50 | 0.9249 | CAPSULES | | | |
| | | Buyer Median Price/tab-cap=0.9000 | | | High/Low Ratio=3.95 | | |
| CALCIUM FOLINATE 50 mg vial (INJ) | | | Price/vial | | 60 | mg | P |
| Buyer BDS | 5 VIAL | 10.18 | 2.0356 | | | | V03AF03 |
| CALCIUM GLUCONATE 100 mg/ml ampoule (INJ) | | | Price/ml | | 3 | g | E |
| Supplier IMRES | 100 AMP (10 ml) | 10.50 | 0.0105 | | | | A12AA03 |
| Supplier UNFPA | 20 AMP (10 ml) | 3.56 | 0.0178 | | | | |
| Supplier JMS | 10 AMP (10 ml) | 2.08 | 0.0208 | | | | |
| Supplier MEG | 20 AMP (10 ml) | 4.35 | 0.0218 | | | | |
| Supplier DURBIN | 100 AMP (10 ml) | 22.40 | 0.0225 | | | | |
| Supplier IDA | 20 AMP (10 ml) | 4.49 | 0.0225 | 2.23 MMOL CALCIUM | | | |
| Supplier MISSION | 100 AMP (10 ml) | 35.20 | 0.0352 | | | | |
| Supplier MEDS | 1 AMP (10 ml) | 0.94 | 0.0944 | 10% | | | |
| | | Supplier Median Price/ml=0.0222 | | | High/Low Ratio=8.99 | | |
| Buyer CAMERWA | 50 AMP (10 ml) | 2.83 | 0.0057 | | | | |
| Buyer OECS/PPS | 20 VIAL (20 ml) | 5.00 | 0.0125 | | | | |
| Buyer BDS | 20 AMP (10 ml) | 3.86 | 0.0193 | | | | |
| Buyer BUFMAR | 50 AMP (10 ml) | 20.91 | 0.0418 | | | | |
| Buyer NAMIBIA | 10 AMP (10 ml) | 7.74 | 0.0774 | | | | |
| | | Buyer Median Price/ml=0.0193 | | | High/Low Ratio=13.58 | | |
| CALCIUM LACTATE 250-300 mg tab-cap (PO) | | | Price/tab-cap | | 2 | g | P |
| Supplier MEG | 1000 TAB-CAP | 2.61 | 0.0026 | 300 MG TABLETS | | | A12AA05 |
| Supplier JMS | 1000 TAB-CAP | 3.79 | 0.0038 | 300 MG TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 5.14 | 0.0052 | 300 MG TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 7.71 | 0.0077 | 300 MG TABLETS | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 9.85 | 0.0099 | 300 MG TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 17.50 | 0.0175 | 300 MG TABLETS | | | |
| Supplier UNFPA | 1000 TAB-CAP | 20.00 | 0.0200 | 300 MG TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 20.79 | 0.0209 | 300 MG TABLETS | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 21.43 | 0.0214 | 300 MG TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0099 | | | High/Low Ratio=8.23 | | |
| Buyer NAMIBIA | 500 TAB-CAP | 2.79 | 0.0056 | 300 MG GLUCONATE TABLETS | | | |
| Buyer MEMS | 1000 TAB-CAP | 11.88 | 0.0119 | 300 MG TABLET | | | |
| | | Buyer Median Price/tab-cap=0.0088 | | | High/Low Ratio=2.13 | | |
| CALCIUM LACTATE 650 mg tab-cap (PO) | | | Price/tab-cap | | 2 | g | P |
| Buyer OECS/PPS | 500 TAB-CAP | 9.96 | 0.0199 | 600 MG TABLETS | | | A12AA05 |
| CAMPHOR 10% ointment (TOP) | | | Price/g | | | N | M02AB |
| Supplier MEDEOR/EU | 15 TUBE (100 g) | 30.71 | 0.0204 | | | | |
| Supplier MEDEOR/TZ | 1 TUBE (100 g) | 3.46 | 0.0346 | | | | |
| | | Supplier Median Price/g=0.0275 | | | High/Low Ratio=1.70 | | |
| Buyer BUFMAR | 1 JAR (1000 g) | 8.96 | 0.0090 | | | | |
| CAPECITABINE 500 mg tab-cap (PO) | | | Price/tab-cap | | | N | L01BC06 |
| Buyer PERU | 100 TAB-CAP | 107.18 | 1.0718 | TABLET, ILLUSTRATIVE PACK SIZE | | | |
| Buyer NAMIBIA | 120 TAB-CAP | 427.29 | 3.5607 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-----------------|-------------------------|----------------------|---|--------------------------------------|------------|-------------|
| CAPECITABINE 500 mg tab-cap (PO) <i>Buyer</i> BDS | 120 TAB-CAP | 688.10 | 5.7342 | TABLETS Buyer Median Price/tab-cap=3.5607 | Price/tab-cap High/Low Ratio=5.35 | N | L01BC06 |
| CAPREOMYCIN 1 g vial (INJ) <i>Supplier</i> GDF | 1 VIAL | 8.00 | 8.0000 | POWDER FOR INJECTION | Price/vial 1 g | C | J04AB30 |
| <i>Buyer</i> SAFRICA | 1 VIAL | 14.86 | 14.8626 | 10 ML | | | |
| CAPTOPRIL 12.5 mg tab-cap (PO) <i>Buyer</i> OECS/PPS | 100 TAB-CAP | 1.70 | 0.0170 | TABLETS Buyer Median Price/tab-cap=0.0173 | Price/tab-cap High/Low Ratio=1.04 | 50 mg | T |
| <i>Buyer</i> BDS | 100 TAB-CAP | 1.76 | 0.0176 | TABLETS | | | C09AA01 |
| CAPTOPRIL 25 mg tab-cap (PO) <i>Supplier</i> MEDEOR/EU | 4000 TAB-CAP | 40.20 | 0.0100 | SCORED TABLETS Supplier Median Price/tab-cap=0.0145 | Price/tab-cap High/Low Ratio=3.73 | 50 mg | T |
| <i>Supplier</i> MEG | 1000 TAB-CAP | 10.93 | 0.0109 | TABLETS | | | C09AA01 |
| <i>Supplier</i> IMRES | 1000 TAB-CAP | 11.00 | 0.0110 | TABLETS | | | |
| <i>Supplier</i> IDA | 100 TAB-CAP | 1.16 | 0.0116 | BLISTER PACK TABLETS 10X10 | | | |
| <i>Supplier</i> MISSION | 100 TAB-CAP | 1.74 | 0.0174 | BLISTER PACK TABLETS, 10 X 10 | | | |
| <i>Supplier</i> JMS | 100 TAB-CAP | 1.87 | 0.0187 | TABLETS | | | |
| <i>Supplier</i> MEDEOR/TZ | 100 TAB-CAP | 3.56 | 0.0356 | TABLETS | | | |
| <i>Supplier</i> DURBIN | 56 TAB-CAP | 2.09 | 0.0373 | TABLETS | | | |
| <i>Buyer</i> PERU | 100 TAB-CAP | 0.53 | 0.0053 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| <i>Buyer</i> OECS/PPS | 1000 TAB-CAP | 9.10 | 0.0091 | TABLETS | | | |
| <i>Buyer</i> CAMERWA | 100 TAB-CAP | 1.48 | 0.0148 | TABLETS | | | |
| <i>Buyer</i> BDS | 100 TAB-CAP | 1.85 | 0.0185 | TABLETS, 10 X 10 | | | |
| <i>Buyer</i> MEMS | 100 TAB-CAP | 3.56 | 0.0356 | TABLET | | | |
| <i>Buyer</i> SUDANNHIF | 100 TAB-CAP | 10.84 | 0.1084 | CAPSULES, ILLUSTRATIVE PACK SIZE Buyer Median Price/tab-cap=0.0167 | | | |
| | | | | High/Low Ratio=20.45 | | | |
| CAPTOPRIL 50 mg tab-cap (PO) <i>Supplier</i> IMRES | 1000 TAB-CAP | 20.00 | 0.0200 | TABLETS Supplier Median Price/tab-cap=0.0209 | Price/tab-cap High/Low Ratio=1.09 | 50 mg | T |
| <i>Supplier</i> IDA | 100 TAB-CAP | 2.17 | 0.0217 | BLISTER PACK TABLETS Buyer Median Price/tab-cap=0.0258 | | | C09AA01 |
| <i>Buyer</i> DOMREPUB | 1 TAB-CAP | 0.01 | 0.0073 | BLISTER PACK TABLETS Buyer Median Price/tab-cap=0.0258 | | | |
| <i>Buyer</i> BDS | 100 TAB-CAP | 2.58 | 0.0258 | TABLETS, 10 X 10 Buyer Median Price/ml=0.0356 | | | |
| <i>Buyer</i> SUDANNHIF | 100 TAB-CAP | 37.94 | 0.3794 | TABLETS, ILLUSTRATIVE PACK SIZE High/Low Ratio=51.97 | | | |
| CARBAMAZEPINE 100 mg tab-cap (PO) <i>Buyer</i> BDS | 100 TAB-CAP | 3.94 | 0.0394 | TABLETS Buyer Median Price/ml=0.0356 | Price/tab-cap High/Low Ratio=3.87 | 1 g | E |
| CARBAMAZEPINE 100 mg/5 ml suspen (PO) <i>Buyer</i> OECS/PPS | 1 BOTT (450 ml) | 6.71 | 0.0149 | | | 1 g | E |
| <i>Buyer</i> BDS | 1 BOTT (100 ml) | 3.56 | 0.0356 | | | | N03AF01 |
| <i>Buyer</i> NAMIBIA | 1 BOTT (250 ml) | 14.40 | 0.0576 | | | | |
| CARBAMAZEPINE 200 mg tab-cap (PO) <i>Supplier</i> MEG | 1000 TAB-CAP | 11.64 | 0.0116 | TABLETS Supplier Median Price/tab-cap=0.0192 | Price/tab-cap High/Low Ratio=3.08 | 1 g | E |
| <i>Supplier</i> MEDS | 1000 TAB-CAP | 14.26 | 0.0143 | TABLETS | | | N03AF01 |
| <i>Supplier</i> IDA | 1000 TAB-CAP | 15.14 | 0.0152 | TABLETS | | | |
| <i>Supplier</i> IMRES | 1000 TAB-CAP | 17.50 | 0.0175 | TABLETS | | | |
| <i>Supplier</i> JMS | 100 TAB-CAP | 1.92 | 0.0192 | TABLETS | | | |
| <i>Supplier</i> MISSION | 1000 TAB-CAP | 20.47 | 0.0204 | TABLETS | | | |
| <i>Supplier</i> MEDEOR/EU | 2500 TAB-CAP | 51.86 | 0.0207 | SCORED TABLETS | | | |
| <i>Supplier</i> DURBIN | 1000 TAB-CAP | 22.48 | 0.0225 | TABLETS | | | |
| <i>Supplier</i> MEDEOR/TZ | 1000 TAB-CAP | 35.71 | 0.0357 | TABLETS | | | |
| <i>Buyer</i> GHANA | 1000 TAB-CAP | 12.21 | 0.0122 | 10 X 100 BLISTER PACK TABLETS Buyer Median Price/tab-cap=0.0265 | | | |
| <i>Buyer</i> PERU | 100 TAB-CAP | 1.55 | 0.0155 | TABLET, ILLUSTRATIVE PACK SIZE Buyer Median Price/tab-cap=0.0265 | | | |
| <i>Buyer</i> DOMREPUB | 1 TAB-CAP | 0.02 | 0.0159 | BLISTER PACK TABLETS Buyer Median Price/tab-cap=0.0265 | | | |
| <i>Buyer</i> CAMERWA | 1000 TAB-CAP | 21.59 | 0.0216 | TABLETS Buyer Median Price/tab-cap=0.0265 | | | |
| <i>Buyer</i> SUDANNHIF | 100 TAB-CAP | 2.65 | 0.0265 | TABLETS, ILLUSTRATIVE PACK SIZE Buyer Median Price/tab-cap=0.0265 | | | |
| <i>Buyer</i> BOTSWANA | 100 TAB-CAP | 2.67 | 0.0267 | TABLETS | | | |
| <i>Buyer</i> NAMIBIA | 500 TAB-CAP | 20.50 | 0.0410 | TABLETS | | | |
| <i>Buyer</i> MEMS | 100 TAB-CAP | 4.82 | 0.0482 | TABLETS | | | |
| <i>Buyer</i> BDS | 100 TAB-CAP | 15.41 | 0.1541 | TABLETS Buyer Median Price/tab-cap=0.0265 | | | |
| | | | | High/Low Ratio=12.63 | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|----------------|--------------------------------------|----------------------|---------------------------------|------------------------|------------|-------------|
| CARBAMAZEPINE (SUSTAINED-RELEASE) 200 mg tab-cap (PO) | | | Price/tab-cap | | 1 g | E | N03AF01 |
| Buyer BDS | 50 TAB-CAP | 8.23 | 0.1646 | TABLETS | | | |
| Buyer OECS/PPS | 50 TAB-CAP | 8.30 | 0.1660 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.1653 | | High/Low Ratio=1.01 | | | |
| CARBAMAZEPINE (SUSTAINED-RELEASE) 400 mg tab-cap (PO) | | | Price/tab-cap | | 1 g | P | N03AF01 |
| Buyer SUDANNHIF | 100 TAB-CAP | 12.51 | 0.1251 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 30 TAB-CAP | 10.47 | 0.3490 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.2371 | | High/Low Ratio=2.79 | | | |
| CARBIMAZOLE 5 mg tab-cap (PO) | | | Price/tab-cap | | 15 mg | N | H03BB01 |
| Supplier IMRES | 100 TAB-CAP | 1.60 | 0.0160 | TABLETS | | | |
| Supplier MEDS | 1000 TAB-CAP | 22.75 | 0.0228 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 24.19 | 0.0242 | TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 7.11 | 0.0711 | TABLETS | | | |
| Supplier DURBIN | 100 TAB-CAP | 9.47 | 0.0947 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0242 | | High/Low Ratio=5.92 | | | |
| Buyer BDS | 100 TAB-CAP | 3.24 | 0.0324 | TABLETS, 10 X 10 | | | |
| Buyer MEMS | 100 TAB-CAP | 4.95 | 0.0495 | TABLETS | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 6.11 | 0.0611 | TABLETS | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 8.87 | 0.0887 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 10.43 | 0.1043 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 26.11 | 0.2611 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0749 | | High/Low Ratio=8.06 | | | |
| CARBOPLATIN 150 mg vial (INJ) | | | Price/vial | | | C | L01XA02 |
| Buyer BDS | 1 VIAL | 13.04 | 13.0350 | | | | |
| Buyer PERU | 1 VIAL | 16.98 | 16.9829 | | | | |
| Buyer BOTSWANA | 1 VIAL | 19.50 | 19.5027 | 15 ML | | | |
| Buyer NAMIBIA | 1 VIAL | 19.83 | 19.8325 | | | | |
| | | Buyer Median Price/vial=18.2428 | | High/Low Ratio=1.52 | | | |
| CARBOPLATIN 450 mg vial (INJ) | | | Price/vial | | | C | L01XA02 |
| Buyer PERU | 1 VIAL | 32.32 | 32.3229 | | | | |
| Buyer BOTSWANA | 1 VIAL | 36.02 | 36.0160 | | | | |
| Buyer BDS | 1 VIAL | 39.34 | 39.3409 | | | | |
| Buyer NAMIBIA | 1 VIAL | 47.89 | 47.8916 | | | | |
| | | Buyer Median Price/vial=37.6785 | | High/Low Ratio=1.48 | | | |
| CARVEDILOL 12.5 mg tab-cap (PO) | | | Price/tab-cap | | 37.5 mg | T | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.07 | 0.0715 | TABLET | | | |
| Buyer BOTSWANA | 30 TAB-CAP | 5.01 | 0.1669 | TABLETS | | | |
| Buyer BDS | 28 TAB-CAP | 7.94 | 0.2836 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.1669 | | High/Low Ratio=3.97 | | | |
| CARVEDILOL 25 mg tab-cap (PO) | | | Price/tab-cap | | 37.5 mg | T | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.08 | 0.0773 | TABLET | | | |
| Buyer BDS | 28 TAB-CAP | 9.26 | 0.3308 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.2041 | | High/Low Ratio=4.28 | | | |
| CARVEDILOL 6.25 mg tab-cap (PO) | | | Price/tab-cap | | 37.5 mg | N | C07AG02 |
| Supplier MEDS | 30 TAB-CAP | 1.24 | 0.0414 | TABLETS | | | |
| Buyer CRSS | 100 TAB-CAP | 17.85 | 0.1785 | COATED TABLETS | | | |
| Buyer BDS | 28 TAB-CAP | 5.95 | 0.2127 | TABLETS | | | |
| Buyer BOTSWANA | 30 TAB-CAP | 16.02 | 0.5339 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.2127 | | High/Low Ratio=2.99 | | | |
| CEFADROXIL 250 mg/5 ml suspen (PO) | | | Price/ml | | 2 g | N | J01DA09 |
| Buyer BDS | 1 BOTT (60 ml) | 1.31 | 0.0218 | | | | |
| CEFADROXIL MONOHYDRATE 125 mg/5 ml suspen (PO) | | | Price/ml | | 2 g | N | J01DA09 |
| Buyer BDS | 1 BOTT (60 ml) | 0.71 | 0.0119 | | | | |
| Buyer OECS/PPS | 1 BOTT (60 ml) | 0.84 | 0.0140 | | | | |
| | | Buyer Median Price/ml=0.0130 | | High/Low Ratio=1.18 | | | |
| CEFADROXIL MONOHYDRATE 500 mg tab-cap (PO) | | | Price/tab-cap | | 2 g | N | J01DA09 |
| Buyer DOMREPUB | 1 TAB-CAP | 0.07 | 0.0715 | BLISTER PACK CAPSULES | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 10.30 | 0.1030 | CAPSULES | | | |
| Buyer BDS | 100 TAB-CAP | 11.47 | 0.1147 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.1030 | | High/Low Ratio=1.60 | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-----------------|---|----------------------|--|------------------------|------------|----------------|
| CEFALEXIN 125 mg/5 ml suspen (PO) | | | Price/ml | | 2 g | E | J01DA01 |
| Supplier UNFPA | 1 BOTT (100 ml) | 2.15 | 0.0215 | POWDER | | | |
| Supplier DURBIN | 1 BOTT (100 ml) | 3.61 | 0.0361 | SYRUP | | | |
| | | Supplier Median Price/ml=0.0288 | | High/Low Ratio=1.68 | | | |
| Buyer SAFRICA | 1 BOTT (100 ml) | 0.92 | 0.0092 | GRANULES | | | |
| Buyer MEMS | 1 BOTT (100 ml) | 0.97 | 0.0097 | | | | |
| | | Buyer Median Price/ml=0.0095 | | High/Low Ratio=1.05 | | | |
| CEFALEXIN 125 mg/ml suspen (PO) | | | Price/ml | | 2 g | P | J01DA01 |
| Supplier MEDS | 1 BOTT (100 ml) | 0.50 | 0.0050 | | | | |
| CEFALEXIN 250 mg tab-cap (PO) | | | Price/tab-cap | | 2 g | E | J01DA01 |
| Supplier MEDS | 100 TAB-CAP | 2.64 | 0.0264 | CAPSULES | | | |
| Supplier JMS | 100 TAB-CAP | 3.52 | 0.0352 | CAPSULES | | | |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 3.96 | 0.0396 | CAPSULES | | | |
| Supplier UNFPA | 1000 TAB-CAP | 40.00 | 0.0400 | CAPSULES | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 52.81 | 0.0529 | CAPSULES | | | |
| Supplier DURBIN | 100 TAB-CAP | 5.78 | 0.0578 | CAPSULES | | | |
| | | Supplier Median Price/tab-cap=0.0398 | | High/Low Ratio=2.19 | | | |
| Buyer MEMS | 100 TAB-CAP | 3.43 | 0.0343 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 4.81 | 0.0481 | CAPSULES, ILLUSTRATIVE PACK SIZE | | | |
| Buyer SAFRICA | 20 TAB-CAP | 1.06 | 0.0532 | | | | |
| | | Buyer Median Price/tab-cap=0.0481 | | High/Low Ratio=1.55 | | | |
| CEFALEXIN 250 mg/5 ml suspen (PO) | | | Price/ml | | 2 g | E | J01DA01 |
| Buyer DOMREPUB | 1 BOTT (120 ml) | 0.85 | 0.0071 | | | | |
| Buyer SAFRICA | 1 BOTT (100 ml) | 1.17 | 0.0117 | GRANULES | | | |
| | | Buyer Median Price/ml=0.0094 | | High/Low Ratio=1.65 | | | |
| CEFALEXIN 500 mg tab-cap (PO) | | | Price/tab-cap | | 2 g | P | J01DA01 |
| Supplier MEDS | 100 TAB-CAP | 5.52 | 0.0552 | CAPSULES | | | |
| Supplier IMRES | 500 TAB-CAP | 36.75 | 0.0735 | CAPSULES | | | |
| Supplier UNFPA | 500 TAB-CAP | 40.00 | 0.0800 | CAPSULES | | | |
| Supplier MISSION | 100 TAB-CAP | 8.71 | 0.0871 | CAPSULES | | | |
| Supplier IDA | 100 TAB-CAP | 10.29 | 0.1029 | BLISTER PACK CAPSULES 10 X 10 | | | |
| Supplier DURBIN | 100 TAB-CAP | 10.60 | 0.1060 | CAPSULES | | | |
| | | Supplier Median Price/tab-cap=0.0836 | | High/Low Ratio=1.92 | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.04 | 0.0352 | BLISTER PACK CAPSULES | | | |
| Buyer PERU | 100 TAB-CAP | 5.02 | 0.0502 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 8.15 | 0.0815 | CAPSULES, ILLUSTRATIVE PACK SIZE | | | |
| Buyer SAFRICA | 100 TAB-CAP | 8.43 | 0.0843 | | | | |
| | | Buyer Median Price/tab-cap=0.0659 | | High/Low Ratio=2.39 | | | |
| CEFAZOLIN 1 g vial (INJ) | | | Price/vial | | 3 g | E | J01DA04 |
| Supplier UNFPA | 1 VIAL | 1.60 | 1.6000 | | | | |
| Buyer PERU | 100 VIAL | 37.17 | 0.3717 | ILLUSTRATIVE NUMBER OF VIALS, WITH DILUENT | | | |
| Buyer SAFRICA | 1 VIAL | 0.64 | 0.6381 | POWDER | | | |
| Buyer BDS | 1 VIAL | 1.35 | 1.3522 | | | | |
| | | Buyer Median Price/vial=0.6381 | | High/Low Ratio=3.64 | | | |
| CEFAZOLIN 500 mg ampoule (INJ) | | | Price/vial | | 3 g | P | J01DA04 |
| Buyer SAFRICA | 1 VIAL | 0.39 | 0.3902 | POWDER | | | |
| Buyer OECS/PPS | 1 VIAL | 0.59 | 0.5900 | | | | |
| | | Buyer Median Price/vial=0.4901 | | High/Low Ratio=1.51 | | | |
| CEFEPIME 1 g vial (INJ) | | | Price/vial | | 2 g | T | J01DA24 |
| Buyer DOMREPUB | 1 VIAL | 1.84 | 1.8374 | | | | |
| Buyer SAFRICA | 1 VIAL | 2.93 | 2.9258 | 20 ML | | | |
| Buyer BDS | 1 VIAL | 4.55 | 4.5531 | | | | |
| | | Buyer Median Price/vial=2.9258 | | High/Low Ratio=2.48 | | | |
| CEFIXIME 100 mg/5 ml suspen (PO) | | | Price/ml | | 0.4 g | P | J01DA23 |
| Supplier IMRES | 1 BOTT (30 ml) | 1.00 | 0.0333 | POWDER | | | |
| CEFIXIME 200 mg tab-cap (PO) | | | Price/tab-cap | | 0.4 g | P | J01DA23 |
| Supplier MEG | 100 TAB-CAP | 14.90 | 0.1490 | 25 X 4 BLISTER PACK TABLETS | | | |
| Supplier IMRES | 10 TAB-CAP | 1.75 | 0.1750 | FILM-COATED TABLETS, BLISTER PACK | | | |
| Supplier IDA | 100 TAB-CAP | 18.69 | 0.1869 | BLISTER PACK TABLETS 10 X 10 | | | |
| Supplier MISSION | 10 TAB-CAP | 3.33 | 0.3332 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---------------------------------------|-------------------|-------------------------|----------------------|--|-----------------------------|------------|----------------|
| CEFIXIME 200 mg tab-cap (PO) | | | | Price/tab-cap | 0.4 g | P | J01DA23 |
| Supplier JMS | 10 TAB-CAP | 7.48 | 0.7480 | CAPSULES | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 31.39 | 0.3139 | CAPSULES, ILLUSTRATIVE PACK SIZE | High/Low Ratio=5.02 | | |
| CEFIXIME 400 mg tab-cap (PO) | | | | Price/tab-cap | 0.4 g | E | J01DA23 |
| Supplier IDA | 100 TAB-CAP | 24.12 | 0.2412 | BLISTER PACK TABLETS, 10 X 10 | | | |
| Supplier IMRES | 10 TAB-CAP | 2.95 | 0.2950 | FILM-COATED TABLETS, BLISTER PACK | | | |
| Supplier UNFPA | 10 TAB-CAP | 4.00 | 0.4000 | FILM-COATED, BLISTER-PACK TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 68.62 | 0.6862 | CAPSULES, ILLUSTRATIVE PACK SIZE | High/Low Ratio=1.66 | | |
| Buyer SAFRICA | 1 TAB-CAP | 2.99 | 2.9924 | TABLET, PATIENT-READY PACK | | | |
| | | | | Buyer Median Price/tab-cap=1.8393 | High/Low Ratio=4.36 | | |
| CEFOTAXIME 1 g vial (INJ) | | | | Price/vial | 4 g | CP | J01DA10 |
| Supplier IDA | 1 VIAL | 5.07 | 5.0705 | POWDER | | | |
| Buyer DOMREPUB | 1 VIAL | 0.32 | 0.3187 | | | | |
| Buyer CAMERWA | 50 VIAL | 16.48 | 0.3295 | | | | |
| Buyer SAFRICA | 1 VIAL | 0.59 | 0.5899 | POWDER | | | |
| Buyer OECS/PPS | 50 VIAL | 39.00 | 0.7800 | | | | |
| Buyer BDS | 1 VIAL | 0.98 | 0.9785 | | | | |
| Buyer MEMS | 1 VIAL | 1.06 | 1.0560 | | | | |
| Buyer BOTSWANA | 1 VIAL | 1.07 | 1.0700 | POWDER | | | |
| | | | | Buyer Median Price/vial=0.7800 | High/Low Ratio=3.36 | | |
| CEFOTAXIME 500 mg vial (INJ) | | | | Price/vial | 4 g | CP | J01DA10 |
| Buyer PERU | 100 VIAL | 48.53 | 0.4853 | ILLUSTRATIVE NUMBER OF VIALS | | | |
| Buyer SAFRICA | 1 VIAL | 0.55 | 0.5546 | POWDER | | | |
| Buyer BOTSWANA | 1 VIAL | 0.96 | 0.9600 | POWDER | | | |
| Buyer BDS | 1 VIAL | 0.98 | 0.9785 | | | | |
| | | | | Buyer Median Price/vial=0.7573 | High/Low Ratio=2.02 | | |
| CEFOXITIN 1 g vial (INJ) | | | | Price/vial | 6 g | N | J01DC01 |
| Buyer SAFRICA | 1 VIAL | 3.05 | 3.0498 | POWDER | | | |
| CEFTAZIDIME 1 g vial (INJ) | | | | Price/vial | 4 g | P | J01DA11 |
| Supplier MEDS | 1 VIAL | 3.82 | 3.8196 | | | | |
| Buyer PERU | 100 VIAL | 60.28 | 0.6028 | ILLUSTRATIVE NUMBER OF VIALS, WITH DILUENT | | | |
| Buyer BDS | 1 VIAL | 1.35 | 1.3522 | | | | |
| Buyer OECS/PPS | 1 VIAL | 1.68 | 1.6800 | | | | |
| Buyer SUDANNHIF | 1 VIAL | 5.12 | 5.1175 | | | | |
| Buyer SAFRICA | 1 VIAL | 6.45 | 6.4545 | POWDER | | | |
| | | | | Buyer Median Price/vial=1.6800 | High/Low Ratio=10.71 | | |
| CEFTAZIDIME 30 mcg disc (DIAG) | | | | Price/each | | N | V07AR |
| Supplier UNFPA | 250 DISC (1 EACH) | 12.50 | 0.0500 | 5 X 50 DISCS | | | |
| CEFTRIAXONE 1 g vial (INJ) | | | | Price/vial | 2 g | E | J01DA13 |
| Supplier UNFPA | 1 VIAL | 0.38 | 0.3800 | | | | |
| Supplier MEG | 50 VIAL | 20.20 | 0.4040 | POWDER | | | |
| Supplier MEDS | 1 VIAL | 0.52 | 0.5217 | IV/IM | | | |
| Supplier MEDEOR/TZ | 1 VIAL | 0.60 | 0.6000 | POWDER | | | |
| Supplier IMRES | 50 VIAL | 30.00 | 0.6000 | | | | |
| Supplier IDA | 10 VIAL | 7.17 | 0.7171 | POWDER | | | |
| Supplier JMS | 1 VIAL | 0.96 | 0.9600 | | | | |
| Supplier MISSION | 1 VIAL | 1.00 | 0.9996 | WITH SOLVENT | | | |
| Supplier DURBIN | 10 VIAL | 14.37 | 1.4371 | POWDER, SODIUM SALT | | | |
| Supplier MEDEOR/EU | 10 VIAL | 20.72 | 2.0716 | POWDER | | | |
| | | | | Supplier Median Price/vial=0.6586 | High/Low Ratio=5.45 | | |
| Buyer PERU | 100 VIAL | 36.83 | 0.3683 | ILLUSTRATIVE NUMBER OF VIALS, WITH DILUENT | | | |
| Buyer DOMREPUB | 1 VIAL | 0.42 | 0.4163 | | | | |
| Buyer CAMERWA | 1 VIAL | 0.49 | 0.4864 | | | | |
| Buyer MEMS | 1 VIAL | 0.53 | 0.5346 | | | | |
| Buyer SAFRICA | 1 VIAL | 0.63 | 0.6316 | POWDER | | | |
| Buyer NAMIBIA | 1 VIAL | 0.80 | 0.8041 | | | | |
| Buyer BDS | 1 VIAL | 0.99 | 0.9932 | | | | |
| Buyer OECS/PPS | 50 VIAL | 50.00 | 1.0000 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE | |
|--|--|--|--|---|---|------------|-------------|---------|
| CEFTRIAZONE 1 g vial (INJ) <i>Buyer</i> SUDANNHIF | 1 VIAL | 2.38 | 2.3848 | Price/vial Buyer Median Price/vial=0.6316 | 2 g | E | J01DA13 | |
| | | | | | High/Low Ratio=6.48 | | | |
| CEFTRIAZONE 250 mg vial (INJ) <i>Supplier</i> UNFPA <i>Supplier</i> MEG <i>Supplier</i> IMRES <i>Supplier</i> MEDS <i>Supplier</i> IDA <i>Supplier</i> MISSION <i>Supplier</i> MEDEOR/TZ | 1 VIAL 50 VIAL 50 VIAL 1 VIAL 10 VIAL 1 VIAL 1 VIAL | 0.17 10.40 20.00 0.42 4.56 0.54 0.68 | 0.1700 0.2080 0.4000 0.4218 0.4563 0.5360 0.6810 | Price/vial Supplier Median Price/vial=0.4218 | 2 g | E | J01DA13 | |
| | | | | | High/Low Ratio=4.01 | | | |
| <i>Buyer</i> SAFRICA <i>Buyer</i> BDS <i>Buyer</i> OECS/PPS <i>Buyer</i> NAMIBIA <i>Buyer</i> MEMS | 1 VIAL 1 VIAL 1 AMP (1 VIAL) 1 VIAL 1 VIAL | 0.35 0.37 0.39 0.48 0.81 | 0.3510 0.3688 0.3900 0.4784 0.8131 | Price/vial Buyer Median Price/vial=0.3900 | High/Low Ratio=2.32 | | | |
| CEFTRIAZONE 30 mcg disc (DIAG) <i>Supplier</i> UNFPA | 250 DISC (1 EACH) | 12.50 | 0.0500 | Price/each 5 X 50 DISCS | | N | V07AR | |
| CEFTRIAZONE 500 mg vial (INJ) <i>Supplier</i> IMRES <i>Supplier</i> IDA <i>Supplier</i> MISSION <i>Supplier</i> DURBIN <i>Supplier</i> MEDS | 50 VIAL 10 VIAL 1 VIAL 10 VIAL 1 VIAL | 25.00 5.14 0.77 14.37 1.88 | 0.5000 0.5143 0.7678 1.4371 1.8759 | Price/vial Supplier Median Price/vial=0.7678 | 2 g | P | J01DA13 | |
| | | | | | High/Low Ratio=3.75 | | | |
| <i>Buyer</i> SAFRICA <i>Buyer</i> BDS <i>Buyer</i> SUDANNHIF | 1 VIAL 1 VIAL 100 VIAL | 0.53 1.53 685.82 | 0.5337 1.5341 6.8582 | Price/vial Buyer Median Price/vial=1.5341 | ILLUSTRATIVE NUMBER OF VIALS High/Low Ratio=12.85 | | | |
| CEFUROXIME 1.5 g vial (INJ) <i>Buyer</i> OECS/PPS <i>Buyer</i> BDS | 50 VIAL 1 VIAL | 104.79 2.70 | 2.0958 2.6994 | Price/vial Buyer Median Price/vial=2.3976 | High/Low Ratio=1.29 | 3 g | N | J01DA06 |
| CEFUROXIME 125 mg/5 ml suspen (PO) <i>Supplier</i> MEDS | 1 BOTT (50 ml) | 1.45 | 0.0291 | Price/ml | | 0.5 g | N | J01DA06 |
| <i>Buyer</i> OECS/PPS <i>Buyer</i> SAFRICA <i>Buyer</i> BDS <i>Buyer</i> NAMIBIA | 1 BOTT (70 ml) 1 BOTT (100 ml) 1 BOTT (70 ml) 1 BOTT (100 ml) | 5.00 7.83 6.67 11.16 | 0.0714 0.0783 0.0952 0.1116 | Price/ml Buyer Median Price/ml=0.0868 | GRANULES High/Low Ratio=1.56 | | | |
| CEFUROXIME 250 mg tab-cap (PO) <i>Supplier</i> MEDS | 10 TAB-CAP | 1.60 | 0.1598 | Price/tab-cap TABLETS | | 0.5 g | N | J01DA06 |
| <i>Buyer</i> OECS/PPS <i>Buyer</i> SAFRICA <i>Buyer</i> NAMIBIA <i>Buyer</i> BDS <i>Buyer</i> CAMERWA | 100 TAB-CAP 10 TAB-CAP 10 TAB-CAP 100 TAB-CAP 10 TAB-CAP | 20.00 2.14 2.19 26.34 6.16 | 0.2000 0.2138 0.2187 0.2634 0.6160 | Price/tab-cap Buyer Median Price/tab-cap=0.2187 | TABLETS TABLETS TABLETS TABLETS TABLETS High/Low Ratio=3.08 | | | |
| CEFUROXIME 250 mg vial (INJ) <i>Buyer</i> SAFRICA | 1 VIAL | 0.72 | 0.7164 | Price/vial POWDER | | 3 g | N | J01DA06 |
| CEFUROXIME 500 mg tab-cap (PO) <i>Supplier</i> MEDS <i>Supplier</i> UNFPA | 10 TAB-CAP 10 TAB-CAP | 3.24 4.50 | 0.3241 0.4500 | Price/tab-cap Supplier Median Price/tab-cap=0.3871 | | 0.5 g | N | J01DC02 |
| <i>Buyer</i> SAFRICA <i>Buyer</i> BDS | 10 TAB-CAP 100 TAB-CAP | 3.81 55.66 | 0.3812 0.5566 | Price/tab-cap Buyer Median Price/tab-cap=0.4689 | AXETIL, TABLETS TABLETS TABLETS High/Low Ratio=1.39 High/Low Ratio=1.46 | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-------------------|---|----------------------|---------------------------------|------------------------|----------------|----------------|
| CEFUROXIME 750 mg vial (INJ) | | | Price/vial | | 3 g | N | J01DA06 |
| Supplier MEDS | 1 VIAL | 0.93 | 0.9324 | | | | |
| Supplier DURBIN | 10 VIAL | 16.46 | 1.6458 | POWDER | | | |
| | | Supplier Median Price/vial=1.2891 | | High/Low Ratio=1.77 | | | |
| Buyer NAMIBIA | 10 VIAL | 7.51 | 0.7508 | | | | |
| Buyer OECS/PPS | 50 VIAL | 60.95 | 1.2190 | | | | |
| Buyer SAFRICA | 1 VIAL | 1.28 | 1.2789 | POWDER | | | |
| Buyer SUDANNHIF | 100 VIAL | 132.68 | 1.3268 | ILLUSTRATIVE NUMBER OF VIALS | | | |
| Buyer BDS | 1 VIAL | 1.38 | 1.3768 | | | | |
| | | Buyer Median Price/vial=1.2789 | | High/Low Ratio=1.83 | | | |
| CETIRIZINE 10 mg tab-cap (PO) | | | Price/tab-cap | | 10 mg | N | |
| Supplier MEDS | 100 TAB-CAP | 0.87 | 0.0087 | TABLETS | | | |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 1.19 | 0.0119 | TABLETS | | | |
| Supplier JMS | 40 TAB-CAP | 0.74 | 0.0185 | TABLETS | | | |
| Supplier IDA | 30 TAB-CAP | 0.74 | 0.0245 | BLISTER PACK TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0152 | | High/Low Ratio=2.82 | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0131 | TABLET | | | |
| Buyer BDS | 500 TAB-CAP | 10.92 | 0.0218 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 2.27 | 0.0227 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0218 | | High/Low Ratio=1.73 | | | |
| CETIRIZINE 5 mg/5 ml syrup (PO) | | | Price/ml | | 10 mg | N | |
| Supplier MEDEOR/TZ | 1 BOTT (100 ml) | 0.53 | 0.0052 | | | | |
| Supplier MEDS | 1 BOTT (60 ml) | 0.38 | 0.0063 | | | | |
| | | Supplier Median Price/ml=0.0058 | | High/Low Ratio=1.21 | | | |
| Buyer BDS | 1 BOTT (60 ml) | 0.59 | 0.0099 | | | | |
| CETRIMIDE+CHLORHEXIDINE GLUCONATE 15%+1.5% solution (TOP) | | | Price/ml | | | P | D08AC52 |
| Supplier MEDS | 1 BOTT (5000 ml) | 10.10 | 0.0020 | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (5000 ml) | 15.12 | 0.0030 | 1 JERRYCAN | | | |
| Supplier IDA | 10 BOTT (1000 ml) | 41.00 | 0.0041 | | | | |
| Supplier IMRES | 1 BOTT (1000 ml) | 4.10 | 0.0041 | | | | |
| Supplier MEG | 1 BOTT (1000 ml) | 4.25 | 0.0043 | DI-GLUCONATE | | | |
| Supplier MISSION | 1 BOTT (5000 ml) | 22.21 | 0.0045 | | | | |
| Supplier JMS | 1 BOTT (1000 ml) | 4.84 | 0.0048 | | | | |
| Supplier DURBIN | 1 BOTT (1000 ml) | 5.06 | 0.0051 | CONCENTRATE | | | |
| Supplier MISSION | 1 BOTT (1000 ml) | 6.56 | 0.0065 | | | | |
| Supplier MEDEOR/EU | 1 BOTT (1000 ml) | 7.39 | 0.0074 | | | | |
| | | Supplier Median Price/ml=0.0044 | | High/Low Ratio=3.70 | | | |
| Buyer CAMERWA | 1 BOTT (1000 ml) | 4.12 | 0.0041 | | | | |
| Buyer BOTSWANA | 1 BOTT (1000 ml) | 4.20 | 0.0042 | | | | |
| Buyer OECS/PPS | 1 BOTT (5000 ml) | 33.15 | 0.0066 | | | | |
| | | Buyer Median Price/ml=0.0042 | | High/Low Ratio=1.61 | | | |
| CHARCOAL, ACTIVATED 125 mg tab-cap (PO) | | | Price/tab-cap | | 5 g | P | A07BA01 |
| Supplier MISSION | 1000 TAB-CAP | 9.71 | 0.0097 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 13.00 | 0.0130 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 13.76 | 0.0138 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 14.81 | 0.0148 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0134 | | High/Low Ratio=1.53 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 6.68 | 0.0067 | TABLETS | | | |
| CHARCOAL, ACTIVATED 250 mg tab-cap (PO) | | | Price/tab-cap | | 5 g | P | A07BA01 |
| Supplier JMS | 100 TAB-CAP | 2.24 | 0.0224 | TABLETS | | | |
| CHLORAMBUCIL 2 mg tab-cap (PO) | | | Price/tab-cap | | C | L01AA02 | |
| Buyer CRSS | 100 TAB-CAP | 58.00 | 0.5800 | COATED TABLETS | | | |
| Buyer NAMIBIA | 25 TAB-CAP | 25.10 | 1.0039 | TABLETS | | | |
| Buyer BDS | 25 TAB-CAP | 51.61 | 2.0644 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=1.0039 | | High/Low Ratio=3.56 | | | |
| CHLORAMINE 500 mg tab-cap (TOP) | | | Price/tab-cap | | N | | |
| Supplier IMRES | 1000 TAB-CAP | 16.40 | 0.0164 | TOSYLCHLORAMIDE | | | |
| Supplier IDA | 1000 TAB-CAP | 16.66 | 0.0167 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 24.63 | 0.0246 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0167 | | High/Low Ratio=1.50 | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 12.56 | 0.0126 | TABLETS | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 16.97 | 0.0170 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0148 | | High/Low Ratio=1.35 | | | |

WHO EML = <E>sential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE | |
|--|-------------------|---|----------------------|----------------------|-----------------------------|-----------------------------|-------------|---------|
| CHLORAMPHENICOL 0.5% opht drop (OPHT) | | | | Price/ml | | P | S01AA01 | |
| Supplier JMS | 1 BOTT (10 ml) | 0.14 | 0.0136 | | | | | |
| Supplier MEDS | 1 BOTT (10 ml) | 0.17 | 0.0167 | | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (5 ml) | 0.16 | 0.0312 | | | | | |
| Supplier IMRES | 1 BOTT (10 ml) | 0.60 | 0.0600 | | | | | |
| Supplier MEG | 1 BOTT (10 ml) | 0.82 | 0.0820 | | | | | |
| Supplier DURBIN | 1 BOTT (10 ml) | 0.88 | 0.0883 | | | | | |
| Supplier IDA | 1 BOTT (10 ml) | 4.85 | 0.4853 | | | | | |
| | | Supplier Median Price/ml=0.0600 | | | High/Low Ratio=35.68 | | | |
| Buyer CAMERWA | 1 BOTT (10 ml) | 0.11 | 0.0110 | | | | | |
| Buyer MEMS | 1 BOTT (10 ml) | 0.17 | 0.0172 | | | | | |
| Buyer OECS/PPS | 1 BOTT (10 ml) | 0.75 | 0.0750 | | | | | |
| Buyer BDS | 1 BOTT (10 ml) | 0.78 | 0.0782 | | | | | |
| Buyer BOTSWANA | 1 BOTT (10 ml) | 0.80 | 0.0800 | | | | | |
| Buyer NAMIBIA | 1 BOTT (10 ml) | 2.12 | 0.2118 | | | | | |
| Buyer SAFRICA | 1 BOTT (10 ml) | 2.83 | 0.2834 | | | High/Low Ratio=25.76 | | |
| | | Buyer Median Price/ml=0.0782 | | | | | | |
| CHLORAMPHENICOL 1% opht oint (OPHT) | | | | Price/g | | P | S01AA01 | |
| Supplier MEG | 50 TUBE (5 g) | 10.09 | 0.0404 | | | | | |
| Supplier IMRES | 25 TUBE (5 g) | 5.75 | 0.0460 | | | | | |
| Supplier DURBIN | 50 TUBE (5 g) | 11.64 | 0.0466 | | | | | |
| Supplier MEDEOR/TZ | 1 TUBE (3.50 g) | 0.18 | 0.0506 | | | | | |
| Supplier JMS | 1 TUBE (3.50 g) | 0.20 | 0.0568 | | | | | |
| Supplier IDA | 10 TUBE (5 g) | 3.48 | 0.0695 | | | | | |
| Supplier MISSION | 50 TUBE (5 g) | 17.51 | 0.0701 | | | | | |
| Supplier MEDEOR/EU | 50 TUBE (5 g) | 56.93 | 0.2277 | | | | | |
| | | Supplier Median Price/g=0.0537 | | | High/Low Ratio=5.64 | | | |
| Buyer MEMS | 1 TUBE (3.50 g) | 0.14 | 0.0396 | | | | | |
| Buyer BOTSWANA | 1 TUBE (5 g) | 0.25 | 0.0500 | | | | | |
| Buyer BDS | 1 TUBE (5 g) | 0.46 | 0.0924 | | | | | |
| Buyer OECS/PPS | 1 TUBE (4 g) | 1.17 | 0.2925 | | | | | |
| Buyer NAMIBIA | 1 TUBE (3.50 g) | 1.43 | 0.4097 | | | | | |
| | | Buyer Median Price/g=0.0924 | | | High/Low Ratio=10.35 | | | |
| CHLORAMPHENICOL 10 mcg disc (DIAG) | | | | Price/each | | N | V07AR | |
| Supplier JMS | 100 DISC (1 EACH) | 4.21 | 0.0421 | | | | | |
| CHLORAMPHENICOL 125 mg/5 ml suspen (PO) | | | | Price/ml | | 3 g | P | J01BA01 |
| Supplier UNFPA | 25 BOTT (100 ml) | 7.00 | 0.0028 | POWDER | | | | |
| Supplier MEDS | 1 BOTT (100 ml) | 0.38 | 0.0038 | | | | | |
| Supplier JMS | 1 BOTT (100 ml) | 0.68 | 0.0068 | | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (100 ml) | 0.75 | 0.0075 | | | | | |
| Supplier IMRES | 10 BOTT (100 ml) | 8.50 | 0.0085 | POWDER | | | | |
| Supplier MEG | 1 BOTT (100 ml) | 0.86 | 0.0086 | POWDER | | | | |
| Supplier DURBIN | 1 BOTT (100 ml) | 0.90 | 0.0090 | PALMITATE | | | | |
| Supplier MISSION | 1 BOTT (100 ml) | 1.36 | 0.0136 | | | | | |
| Supplier IDA | 1 BOTT (100 ml) | 1.52 | 0.0152 | | | | | |
| Supplier MEDEOR/EU | 10 BOTT (60 ml) | 13.55 | 0.0226 | PALMITATE | | | | |
| | | Supplier Median Price/ml=0.0086 | | | High/Low Ratio=8.07 | | | |
| Buyer CAMERWA | 1 BOTT (100 ml) | 0.39 | 0.0039 | | | | | |
| Buyer MEMS | 1 BOTT (100 ml) | 0.76 | 0.0076 | | | | | |
| Buyer NAMIBIA | 1 BOTT (100 ml) | 2.11 | 0.0211 | PALMITATE | | | | |
| | | Buyer Median Price/ml=0.0076 | | | High/Low Ratio=5.41 | | | |
| CHLORAMPHENICOL 250 mg tab-cap (PO) | | | | Price/tab-cap | | 3 g | E | J01BA01 |
| Supplier UNFPA | 1000 TAB-CAP | 12.00 | 0.0120 | CAPSULES | | | | |
| Supplier JMS | 100 TAB-CAP | 1.31 | 0.0131 | CAPSULES | | | | |
| Supplier IDA | 1000 TAB-CAP | 14.20 | 0.0142 | CAPSULES | | | | |
| Supplier MEG | 1000 TAB-CAP | 14.20 | 0.0142 | CAPSULES | | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 14.93 | 0.0149 | CAPSULES | | | | |
| Supplier MEDS | 1000 TAB-CAP | 15.90 | 0.0159 | CAPSULES | | | | |
| Supplier IMRES | 1000 TAB-CAP | 18.25 | 0.0183 | CAPSULES | | | | |
| Supplier DURBIN | 1000 TAB-CAP | 18.95 | 0.0189 | CAPSULES | | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 24.77 | 0.0248 | TABLETS/CAPSULES | | | | |
| Supplier MISSION | 1000 TAB-CAP | 31.07 | 0.0311 | CAPSULES | | | | |
| | | Supplier Median Price/tab-cap=0.0154 | | | High/Low Ratio=2.59 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 11.80 | 0.0118 | TABLETS | | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 19.93 | 0.0199 | CAPSULES | | | | |
| Buyer MEMS | 1000 TAB-CAP | 22.44 | 0.0224 | CAPSULES | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE | |
|--|-------------------|--|----------------------------|--|--------------------------------|------------|-------------|---------|
| CHLORAMPHENICOL 250 mg tab-cap (PO) Buyer NAMIBIA | 1000 TAB-CAP | 55.96 Buyer Median Price/tab-cap=0.0212 | 0.0560 0.0500 | Price/tab-cap CAPSULES High/Low Ratio=4.75 | 3 g | E | J01BA01 | |
| CHLORAMPHENICOL 30 mcg disc (DIAG) Supplier UNFPA | 250 DISC (1 EACH) | 12.50 | Price/each 5 X 50 DISCS | | N | V07AR | | |
| CHLORAMPHENICOL 5% otic drop (OTIC) Buyer MEMS | 1 BOTT (10 ml) | 0.30 Buyer Median Price/ml=0.1054 | 0.0297 1.81 | Price/ml High/Low Ratio=6.09 | | P | S02AA01 | |
| Buyer OECS/PPS | 1 BOTT (10 ml) | | | | | | | |
| CHLORAMPHENICOL 500 mg tab-cap (PO) Buyer DOMREPUB | 1 TAB-CAP | 0.03 Buyer Median Price/tab-cap=0.0341 | 0.0284 0.0398 | Price/tab-cap BLISTER PACK CAPSULES TABLETS, ILLUSTRATIVE PACK SIZE High/Low Ratio=1.40 | 3 g | P | J01BA01 | |
| Buyer PERU | 100 TAB-CAP | | | | | | | |
| CHLORAMPHENICOL (BASE) 1 g vial (INJ) Supplier JMS | 10 VIAL | 3.42 Supplier MEDS | 0.34 Supplier IDA | 0.3441 17.96 0.3593 | Price/vial SODIUM SUCCINATE | 3 g | E | J01BA01 |
| Supplier UNFPA | 50 VIAL | 18.00 | | | | | | |
| Supplier MEG | 50 VIAL | 18.85 | | | | | | |
| Supplier IMRES | 50 VIAL | 19.00 | | | | | | |
| Supplier MEDEOR/TZ | 50 VIAL | 21.60 | | | | | | |
| Supplier DURBIN | 50 VIAL | 23.44 | | | | | | |
| Supplier MISSION | 50 VIAL | 26.44 Supplier Median Price/vial=0.3770 | | | | | | |
| | | | | | | | | |
| Buyer CAMERWA | 50 VIAL | 8.62 | | | | | | |
| Buyer DOMREPUB | 1 VIAL | 0.35 | | | | | | |
| Buyer BUFMAR | 50 VIAL | 17.93 | | | | | | |
| Buyer MEMS | 1 VIAL | 0.38 | | | | | | |
| Buyer PERU | 100 VIAL | 56.93 | | | | | | |
| Buyer NAMIBIA | 50 VIAL | 31.69 | | | | | | |
| Buyer OECS/PPS | 1 VIAL | 0.75 | | | | | | |
| | | Buyer Median Price/vial=0.3841 | | | | | | |
| | | | | | | | | |
| CHLORAMPHENICOL+DEXAMETHASONE 0.5%+0.1% opht drop (OPHT) Supplier MEDEOR/TZ | 1 BOTT (5 ml) | 0.53 | Price/ml 0.1062 | | | N | S01AA20 | |
| Buyer SAFRICA | 1 BOTT (5 ml) | 1.21 | 0.2414 | | | | | |
| CHLORDIAZEPOXIDE HYDROCHLORIDE 10 mg tab-cap (PO) Buyer BDS | 100 TAB-CAP | 4.41 | Price/tab-cap 0.0441 | CAPSULES | 30 mg | N | N05BA02 | |
| CHLORHEXIDINE 1% cream (TOP) Supplier DURBIN | 10 TUBE (50 g) | 15.41 | Price/g 0.0308 | | | P | D08AC02 | |
| CHLORHEXIDINE 5% cream (TOP) Buyer BDS | 1 BOTT (1000 ml) | 13.59 | Price/ml 0.0136 | | | P | D08AC02 | |
| CHLORHEXIDINE GLUCONATE 20% solution (TOP) Supplier MISSION | 1 BOTT (5000 ml) | 22.19 | Price/ml 0.0045 | | | P | D08AC02 | |
| Supplier IMRES | 1 BOTT (5000 ml) | 49.00 | 0.0098 | DI-GLUCONATE | | | | |
| Supplier IDA | 1 BOTT (5000 ml) | 52.15 | 0.0104 | | | | | |
| Supplier MEDEOR/EU | 1 BOTT (5000 ml) | 69.83 | 0.0139 | | | | | |
| | | Supplier Median Price/ml=0.0101 | | | | | | |
| Buyer NAMIBIA | 1 BOTT (500 ml) | 10.38 | 0.0208 | | | | | |
| | | | | | | | | |
| CHLORHEXIDINE GLUCONATE 5% solution (TOP) Supplier MEDS | 1 BOTT (5000 ml) | 10.88 | Price/ml 0.0022 | | | E | D08AC02 | |
| Supplier UNFPA | 1 BOTT (1000 ml) | 2.95 | 0.0030 | DI-GLUCONATE | | | | |
| Supplier MEG | 1 BOTT (1000 ml) | 3.65 | 0.0037 | DI-GLUCONATE | | | | |
| Supplier IMRES | 1 BOTT (1000 ml) | 3.85 | 0.0039 | DI-GLUCONATE | | | | |
| Supplier IDA | 1 BOTT (1000 ml) | 3.98 | 0.0041 | | | | | |
| Supplier MISSION | 1 BOTT (1000 ml) | 5.36 | 0.0054 | | | | | |
| Supplier DURBIN | 1 BOTT (1000 ml) | 5.54 | 0.0056 | DIGLUCONATE | | | | |
| | | Supplier Median Price/ml=0.0039 | | | | | | |
| Buyer NAMIBIA | 1 BOTT (5000 ml) | 24.86 | 0.0050 | | | | | |
| Buyer BUFMAR | 1 BOTT (1000 ml) | 7.28 | 0.0073 | | | | | |
| | | | | | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|---------|--|---|--|------------------------|------------|-------------|
| CHLORHEXIDINE GLUCONATE 5% solution (TOP) Buyer OECS/PPS 1 BOTT (5000 ml) | | 38.60 Buyer Median Price/ml=0.0073 | Price/ml 0.0077 | 4% W/V High/Low Ratio=1.54 | | E | D08AC02 |
| CHLORHEXIDINE SURGICAL SCRUB 4% liquid (TOP) Buyer NAMIBIA 20 BOTT (1000 ml) | | 93.15 | Price/ml 0.0047 | | | P | D08AC02 |
| CHLOROQUINE (BASE) 100 mg tab-cap (PO) Supplier MEDEOR/EU 3500 TAB-CAP | | 30.71 | Price/tab-cap 0.0088 | TABLETS | 0.5 g | E | P01BA01 |
| CHLOROQUINE (BASE) 150 mg tab-cap (PO) Supplier UNFPA 1000 TAB-CAP Supplier MEG 1000 TAB-CAP Supplier DURBIN 1000 TAB-CAP Supplier IMRES 1000 TAB-CAP Supplier MEDEOR/EU 2100 TAB-CAP Supplier IDA 1000 TAB-CAP | | 8.00 9.60 10.84 11.00 26.15 12.97 | Price/tab-cap 0.0080 0.0096 0.0109 0.0110 0.0125 0.0130 | TABLETS, PHOSPHATE TABLETS, PHOSPHATE TABLETS, PHOSPHATE 242 MG TABLETS, PHOSPHATE TABLETS TABLETS, PHOSPHATE | 0.5 g | E | P01BA01 |
| | | | Supplier Median Price/tab-cap=0.0110 | | High/Low Ratio=1.63 | | |
| Buyer OECS/PPS 1000 TAB-CAP Buyer BOTSWANA 1000 TAB-CAP | | 18.30 20.95 | 0.0183 0.0209 | SULFATE TABLETS FILM-COATED TABLETS | | | |
| | | | Buyer Median Price/tab-cap=0.0196 | | High/Low Ratio=1.14 | | |
| CHLOROQUINE (BASE) 250 mg tab-cap (PO) Buyer BDS 1000 TAB-CAP | | 26.46 | Price/tab-cap 0.0265 | TABLETS, PHOSPHATE | 0.5 g | P | P01BA01 |
| CHLOROQUINE (BASE) 40 mg/ml ampoule (INJ) Supplier DURBIN 100 AMP (5 ml) | | 16.46 | Price/ml 0.0329 | | 0.5 g | P | P01BA01 |
| CHLOROQUINE (BASE) 50 mg/5 ml syrup (PO) Supplier UNFPA 10 BOTT (60 ml) Supplier IMRES 10 BOTT (60 ml) Supplier IDA 195 BOTT (60 ml) Supplier MISSION 1 BOTT (60 ml) Supplier DURBIN 1 BOTT (100 ml) Supplier MEDEOR/EU 12 BOTT (60 ml) | | 4.00 5.50 133.93 0.70 1.45 14.85 | Price/ml 0.0067 0.0092 0.0114 0.0116 0.0145 0.0206 | PHOSPHATE PHOSPHATE SOLUTION, PHOSPHATE | 0.5 g | E | P01BA01 |
| | | | Supplier Median Price/ml=0.0115 | | High/Low Ratio=3.07 | | |
| CHLOROXYLENOL 4.8% solution (N/A) Supplier MEDEOR/TZ 1 BOTT (5000 ml) Supplier UNFPA 1 BOTT (5000 ml) Supplier IDA 1 BOTT (1000 ml) | | 9.00 18.00 15.94 | Price/ml 0.0018 0.0036 0.0159 | 1 JERRYCAN ILLUSTRATIVE NUMBER OF AMPS | | E | D08AE05 |
| Buyer MEMS 1 BOTT (5000 ml) | | 16.50 | 0.0033 | 5% | | | |
| CHLORPHENAMINE MALEATE 10 mg/ml ampoule (INJ) Supplier IDA 100 AMP (1 ml) Supplier MISSION 100 AMP (1 ml) Supplier DURBIN 100 AMP (1 ml) Supplier IMRES 100 AMP (1 ml) | | 8.40 9.42 15.17 17.00 | Price/ml 0.0840 0.0942 0.1517 0.1700 | | 12 mg | E | R06AB04 |
| | | | Supplier Median Price/ml=0.1230 | | High/Low Ratio=2.02 | | |
| Buyer CAMERWA 100 AMP (2 ml) Buyer DOMREPUB 1 AMP (1 ml) Buyer PERU 100 AMP (1 ml) Buyer OECS/PPS 100 AMP (1 ml) Buyer BDS 100 AMP (1 ml) | | 2.39 0.03 4.79 24.70 30.26 | 0.0120 0.0295 0.0479 0.2470 0.3026 | ILLUSTRATIVE NUMBER OF AMPS IV/IM/SC | | | |
| | | | Buyer Median Price/ml=0.0479 | | High/Low Ratio=25.22 | | |
| CHLORPHENAMINE MALEATE 2 mg/5 ml elixir (PO) Supplier MEDS 1 BOTT (5000 ml) Supplier MISSION 1 BOTT (100 ml) | | 1.85 0.71 | Price/ml 0.0004 0.0071 | SYRUP | 6 mg | P | R06AB02 |
| | | | Supplier Median Price/ml=0.0038 | | High/Low Ratio=17.75 | | |
| Buyer PERU 100 BOTT (120 ml) Buyer OECS/PPS 1 BOTT (2000 ml) Buyer MEMS 1 BOTT (100 ml) Buyer BDS 1 BOTT (2000 ml) Buyer BOTSWANA 1 BOTT (100 ml) Buyer NAMIBIA 1 BOTT (100 ml) | | 30.14 5.82 0.43 10.03 0.64 0.80 | 0.0025 0.0029 0.0043 0.0050 0.0064 0.0080 | ILLUSTRATIVE NUMBER OF BOTTLES SYRUP | | | |
| | | | Buyer Median Price/ml=0.0047 | | High/Low Ratio=3.20 | | |
| CHLORPHENAMINE MALEATE 4 mg tab-cap (PO) Supplier JMS 1000 TAB-CAP | | 0.60 | Price/tab-cap 0.0006 | TABLETS | 12 mg | E | R06AB04 |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-----------------|-------------------------|----------------------|---------------------------------|------------------------|--------------|-------------|
| CHLORPHENAMINE MALEATE 4 mg tab-cap (PO) | | | | Price/tab-cap | | 12 mg | E |
| Supplier MEDS | 1000 TAB-CAP | 0.65 | 0.0007 | TABLETS | | | R06AB04 |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 1.15 | 0.0011 | TABLETS | | | |
| Supplier UNFPA | 1000 TAB-CAP | 1.41 | 0.0014 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 1.80 | 0.0018 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 2.03 | 0.0020 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 2.05 | 0.0021 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 2.52 | 0.0025 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 4.17 | 0.0042 | HYDROGEN, TABLETS | | | |
| Supplier Median Price/tab-cap=0.0018 | | | | High/Low Ratio=7.00 | | | |
| Buyer MEMS | 1000 TAB-CAP | 1.19 | 0.0012 | TABLETS | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 2.16 | 0.0022 | TABLETS | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 2.38 | 0.0024 | TABLETS | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 3.85 | 0.0039 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 0.56 | 0.0056 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 0.76 | 0.0076 | TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 8.47 | 0.0085 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 0.98 | 0.0098 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 1.13 | 0.0113 | TABLETS | | | |
| Buyer CRSS | 100 TAB-CAP | 3.10 | 0.0310 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0066 | | | | High/Low Ratio=25.83 | | | |
| CHLORPROMAZINE HCL 100 mg tab-cap (PO) | | | | Price/tab-cap | | 0.3 g | C |
| Supplier MEDS | 1000 TAB-CAP | 8.51 | 0.0085 | TABLETS | | | N05AA01 |
| Supplier DURBIN | 1000 TAB-CAP | 11.24 | 0.0112 | TABLETS | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 13.61 | 0.0136 | TABLETS | | | |
| Supplier JMS | 1000 TAB-CAP | 14.50 | 0.0145 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 14.75 | 0.0148 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 15.36 | 0.0154 | COATED TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 15.50 | 0.0155 | COATED TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 15.60 | 0.0156 | COATED TABLETS | | | |
| Supplier MEDEOR/EU | 2000 TAB-CAP | 33.32 | 0.0167 | TABLETS | | | |
| Supplier Median Price/tab-cap=0.0148 | | | | High/Low Ratio=1.96 | | | |
| Buyer GHANA | 1000 TAB-CAP | 10.43 | 0.0104 | 10 X 100 BLISTER PACK TABLETS | | | |
| Buyer MEMS | 1000 TAB-CAP | 19.80 | 0.0198 | TABLETS | | | |
| Buyer SUDANNHIF | 1 TAB-CAP | 0.02 | 0.0205 | TABLET | | | |
| Buyer CRSS | 100 TAB-CAP | 2.08 | 0.0208 | TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 27.79 | 0.0278 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 3.29 | 0.0329 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 42.30 | 0.0423 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 20.64 | 0.2064 | FILM-COATED TABLETS | | | |
| Buyer Median Price/tab-cap=0.0243 | | | | High/Low Ratio=19.85 | | | |
| CHLORPROMAZINE HCL 25 mg tab-cap (PO) | | | | Price/tab-cap | | 0.3 g | C |
| Supplier MEDS | 1000 TAB-CAP | 2.89 | 0.0029 | TABLETS | | | N05AA01 |
| Supplier JMS | 1000 TAB-CAP | 4.51 | 0.0045 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 5.14 | 0.0052 | COATED TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 6.34 | 0.0064 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 6.45 | 0.0065 | COATED TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 6.47 | 0.0065 | COATED TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 6.60 | 0.0066 | TABLETS | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 16.74 | 0.0167 | TABLETS | | | |
| Supplier Median Price/tab-cap=0.0065 | | | | High/Low Ratio=5.76 | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 8.00 | 0.0080 | TABLETS | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 8.41 | 0.0084 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 1.36 | 0.0136 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 1000 TAB-CAP | 17.20 | 0.0172 | TABLETS | | | |
| Buyer MEMS | 1000 TAB-CAP | 17.82 | 0.0178 | TABLETS | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 19.80 | 0.0198 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 9.81 | 0.0981 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0172 | | | | High/Low Ratio=12.26 | | | |
| CHLORPROMAZINE HCL 25 mg/5 ml suspen (PO) | | | | Price/ml | | 0.3 g | C |
| Supplier IDA | 1 BOTT (150 ml) | 3.91 | 0.0261 | SOLUTION | | | N05AA01 |
| CHLORPROMAZINE HCL 25 mg/ml ampoule (INJ) | | | | Price/ml | | 0.1 g | C |
| Supplier JMS | 100 AMP (2 ml) | 6.65 | 0.0333 | | | | N05AA01 |
| Supplier IDA | 100 AMP (2 ml) | 9.27 | 0.0464 | | | | |
| Supplier MISSION | 100 AMP (2 ml) | 11.11 | 0.0556 | | | | |
| Supplier MEDS | 1 AMP (2 ml) | 0.11 | 0.0566 | | | | |
| Supplier DURBIN | 100 AMP (2 ml) | 12.85 | 0.0642 | | | | |
| Supplier MEDEOR/TZ | 100 AMP (2 ml) | 13.75 | 0.0687 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|----------------|---|----------------------|---------------------------------|------------------------|------------|----------------|
| CHLORPROMAZINE HCL 25 mg/ml ampoule (INJ) | | | Price/ml | | 0.1 g | C | N05AA01 |
| Supplier MEG | 100 AMP (2 ml) | 17.30 | 0.0865 | | | | |
| Supplier IMRES | 100 AMP (2 ml) | 20.00 | 0.1000 | | | | |
| | | Supplier Median Price/ml=0.0604 | | High/Low Ratio=3.00 | | | |
| Buyer GHANA | 10 AMP (2 ml) | 1.37 | 0.0685 | | | | |
| Buyer CAMERWA | 50 AMP (2 ml) | 6.87 | 0.0687 | | | | |
| Buyer DOMREPUB | 1 AMP (2 ml) | 0.15 | 0.0774 | | | | |
| Buyer MEMS | 1 AMP (2 ml) | 0.17 | 0.0825 | | | | |
| Buyer BUFMAR | 100 AMP (2 ml) | 17.65 | 0.0882 | | | | |
| Buyer OECS/PPS | 100 AMP (2 ml) | 32.00 | 0.1600 | | | | |
| Buyer NAMIBIA | 10 AMP (2 ml) | 5.13 | 0.2566 | | | | |
| | | Buyer Median Price/ml=0.0825 | | High/Low Ratio=3.75 | | | |
| CHLORPROMAZINE HCL 50 mg tab-cap (PO) | | | Price/tab-cap | | 0.3 g | C | N05AA01 |
| Buyer GHANA | 1000 TAB-CAP | 6.96 | 0.0070 | 10 X 100 BLISTER PACK TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 22.50 | 0.0225 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 5.20 | 0.0520 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 14.97 | 0.1497 | FILM-COATED TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0373 | | High/Low Ratio=21.39 | | | |
| CHLORPROPAMIDE 250 mg tab-cap (PO) | | | Price/tab-cap | | 0.375 g | T | A01BB02 |
| Supplier MEDEOR/TZ | 112 TAB-CAP | 2.20 | 0.0196 | TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 2.90 | 0.0290 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 2.93 | 0.0293 | TABLETS, 10 X 10 | | | |
| | | Buyer Median Price/tab-cap=0.0292 | | High/Low Ratio=1.01 | | | |
| CHLORTHALIDONE 50 mg tab-cap (PO) | | | Price/tab-cap | | 25 mg | N | C03BA04 |
| Buyer BDS | 100 TAB-CAP | 3.97 | 0.0397 | TABLETS | | | |
| CICLOSPORIN 100 mg tab-cap (PO) | | | Price/tab-cap | | 0.25 g | P | S01XA18 |
| Buyer NAMIBIA | 50 TAB-CAP | 105.89 | 2.1178 | CAPSULES | | | |
| Buyer BDS | 30 TAB-CAP | 77.94 | 2.5980 | CAPSULES | | | |
| | | Buyer Median Price/tab-cap=2.3579 | | High/Low Ratio=1.23 | | | |
| CICLOSPORIN 100 mg/ml solution (PO) | | | Price/ml | | 0.25 g | CP | S01XA18 |
| Buyer BDS | 1 BOTT (50 ml) | 141.79 | 2.8357 | | | | |
| CICLOSPORIN 25 mg tab-cap (PO) | | | Price/tab-cap | | 0.25 g | C | S01XA18 |
| Buyer NAMIBIA | 50 TAB-CAP | 26.47 | 0.5295 | CAPSULES | | | |
| Buyer BDS | 50 TAB-CAP | 65.46 | 1.3092 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.9194 | | High/Low Ratio=2.47 | | | |
| CIMETIDINE 100 mg/ml vial (INJ) | | | Price/ml | | 0.8 g | T | A02BA01 |
| Supplier MISSION | 100 AMP (2 ml) | 36.88 | 0.1844 | | | | |
| Supplier IMRES | 100 AMP (2 ml) | 42.50 | 0.2125 | | | | |
| | | Supplier Median Price/ml=0.1985 | | High/Low Ratio=1.15 | | | |
| Buyer CAMERWA | 100 AMP (2 ml) | 2.75 | 0.0137 | | | | |
| CIMETIDINE 200 mg tab-cap (PO) | | | Price/tab-cap | | 0.8 g | T | A02BA01 |
| Supplier UNFPA | 1000 TAB-CAP | 5.00 | 0.0050 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 8.50 | 0.0085 | TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 0.85 | 0.0085 | TABLETS | | | |
| Supplier IDA | 500 TAB-CAP | 4.42 | 0.0088 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 8.95 | 0.0090 | FILM-COATED TABLETS | | | |
| Supplier MEDEOR/EU | 2500 TAB-CAP | 28.03 | 0.0112 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 11.53 | 0.0116 | TABLETS | | | |
| Supplier DURBIN | 500 TAB-CAP | 6.34 | 0.0127 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0089 | | High/Low Ratio=2.54 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 5.00 | 0.0050 | TABLETS | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 11.73 | 0.0117 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0084 | | High/Low Ratio=2.34 | | | |
| CIMETIDINE 400 mg tab-cap (PO) | | | Price/tab-cap | | 0.8 g | T | A02BA01 |
| Supplier JMS | 100 TAB-CAP | 1.43 | 0.0143 | TABLETS | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 16.33 | 0.0163 | TABLETS | | | |
| Supplier DURBIN | 100 TAB-CAP | 3.69 | 0.0369 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0163 | | High/Low Ratio=2.58 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 8.92 | 0.0089 | TABLETS | | | |
| Buyer BUFMAR | 100 TAB-CAP | 2.10 | 0.0210 | TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 2.31 | 0.0231 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-------------------|---|----------------------|---|------------------------|------------|-------------|
| CIMETIDINE 400 mg tab-cap (PO) Buyer SUDANNHIF | 100 TAB-CAP | 10.73 Buyer Median Price/tabcap=0.0221 | 0.1073 | TABLETS, ILLUSTRATIVE PACK SIZE High/Low Ratio=12.06 | 0.8 g | T | A02BA01 |
| CIPROFLOXACIN 1 mcg disc (DIAG) Supplier JMS | 100 DISC (1 EACH) | 5.03 | 0.0503 | Price/each | | N | V07AR |
| CIPROFLOXACIN 2 mg/ml vial (INJ) Supplier UNFPA | 1 VIAL (100 ml) | 0.25 | 0.0025 | Price/ml | 0.5 g | P | J01MA02 |
| Supplier MEDEORTZ | 1 VIAL (100 ml) | 0.47 | 0.0047 | INFUSION | | | |
| Supplier JMS | 1 VIAL (100 ml) | 0.54 | 0.0054 | | | | |
| Supplier IMRES | 1 BOTT (100 ml) | 1.50 | 0.0150 | FOR INFUSION, NIPPLEHEAD | | | |
| Supplier IDA | 10 BAG (100 ml) | 82.36 | 0.0824 | INFUSION | | | |
| Supplier Median Price/ml=0.0054 | | | | High/Low Ratio=32.96 | | | |
| Buyer PERU | 100 VIAL (100 ml) | 29.22 | 0.0029 | ILLUSTRATIVE NUMBER OF VIALS | | | |
| Buyer CAMERWA | 1 VIAL (100 ml) | 0.40 | 0.0040 | | | | |
| Buyer DOMREPUB | 1 VIAL (100 ml) | 0.42 | 0.0042 | | | | |
| Buyer MEMS | 1 VIAL (100 ml) | 0.43 | 0.0043 | | | | |
| Buyer OECS/PPS | 1 VIAL (100 ml) | 1.00 | 0.0100 | | | | |
| Buyer BDS | 1 VIAL (100 ml) | 3.07 | 0.0307 | | | | |
| Buyer Median Price/ml=0.0043 | | | | High/Low Ratio=10.59 | | | |
| CIPROFLOXACIN 250 mg tab-cap (PO) Supplier MEDEORTZ | 100 TAB-CAP | 1.06 | 0.0106 | Price/tabcap | 1 g | E | J01MA02 |
| Supplier JMS | 100 TAB-CAP | 1.25 | 0.0125 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 14.80 | 0.0148 | FILM-COATED TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 14.99 | 0.0151 | TABLETS | | | |
| Supplier UNFPA | 100 TAB-CAP | 1.55 | 0.0155 | FILM-COATED TABLETS | | | |
| Supplier MEG | 100 TAB-CAP | 1.55 | 0.0155 | TABLETS | | | |
| Supplier DURBIN | 100 TAB-CAP | 3.21 | 0.0321 | TABLETS, HYDROCHLORIDE | | | |
| Supplier MEDEOR/EU | 100 TAB-CAP | 6.23 | 0.0623 | TABLETS | | | |
| Supplier Median Price/tabcap=0.0153 | | | | High/Low Ratio=5.88 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 12.10 | 0.0121 | TABLETS | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 2.39 | 0.0239 | TABLETS, 10 X 10 | | | |
| Buyer BDS | 100 TAB-CAP | 3.37 | 0.0337 | TABLETS, 10 X 10 | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 3.41 | 0.0341 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer Median Price/tabcap=0.0288 | | | | High/Low Ratio=2.82 | | | |
| CIPROFLOXACIN 3 mg/ml opht drop (OPHT) Supplier MEDS | 1 BOTT (5 ml) | 0.42 | 0.0844 | Price/ml | | P | S01AX13 |
| Supplier MEDEORTZ | 1 BOTT (5 ml) | 0.52 | 0.1032 | | | | |
| Supplier IDA | 1 BOTT (5 ml) | 11.95 | 2.3904 | | | | |
| Supplier Median Price/ml=0.1032 | | | | High/Low Ratio=28.32 | | | |
| Buyer OECS/PPS | 1 BOTT (5 ml) | 0.45 | 0.0900 | | | | |
| Buyer BDS | 1 BOTT (5 ml) | 1.30 | 0.2596 | | | | |
| Buyer Median Price/ml=0.1748 | | | | High/Low Ratio=2.88 | | | |
| CIPROFLOXACIN 5 mcg disc (DIAG) Supplier JMS | 100 DISC (1 EACH) | 4.84 | 0.0484 | Price/each | | N | V07AR |
| CIPROFLOXACIN 500 mg tab-cap (PO) Supplier MEG | 100 TAB-CAP | 2.85 | 0.0285 | Price/tabcap | 1 g | P | J01MA02 |
| Supplier MEDS | 10 TAB-CAP | 0.29 | 0.0289 | FILM-COATED TABLETS | | | |
| Supplier MEDEORTZ | 100 TAB-CAP | 2.95 | 0.0295 | CAPSULES | | | |
| Supplier JMS | 100 TAB-CAP | 2.99 | 0.0299 | TABLETS | | | |
| Supplier UNFPA | 100 TAB-CAP | 3.06 | 0.0306 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 35.00 | 0.0350 | TABLETS | | | |
| Supplier IMRES | 100 TAB-CAP | 3.70 | 0.0370 | FILM-COATED TABLETS | | | |
| Supplier IDA | 100 TAB-CAP | 3.98 | 0.0398 | BLISTER PACK TABLETS, 10 X 10 | | | |
| Supplier DURBIN | 100 TAB-CAP | 4.42 | 0.0442 | TABLETS, HYDROCHLORIDE | | | |
| Supplier MISSION | 100 TAB-CAP | 5.36 | 0.0536 | BLISTER PACK TABLETS | | | |
| Supplier Median Price/tabcap=0.0328 | | | | High/Low Ratio=1.88 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 24.46 | 0.0245 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.03 | 0.0251 | BLISTER PACK TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 2.71 | 0.0271 | TABLET | | | |
| Buyer PERU | 100 TAB-CAP | 3.17 | 0.0317 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer NAMIBIA | 10 TAB-CAP | 0.41 | 0.0411 | TABLETS | | | |
| Buyer BUFMAR | 100 TAB-CAP | 4.24 | 0.0424 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 4.61 | 0.0461 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-----------------|---|-------------------------------|---|------------------------|------------|-------------|
| CIPROFLOXACIN 500 mg tab-cap (PO) Buyer SUDANNHIF | 100 TAB-CAP | 7.28 Buyer Median Price/tab-cap=0.0364 | 0.0728 High/Low Ratio=2.97 | Price/tab-cap TABLETS, ILLUSTRATIVE PACK SIZE | 1 g | P | J01MA02 |
| CISATRACURIUM 2 mg/ml ampoule (INJ) Buyer BDS | 5 AMP (5 ml) | 43.39 | 1.7355 | Price/ml | | N | M03AC11 |
| Buyer OECS/PPS | 5 AMP (2.50 ml) | 59.90 | 4.7920 | Buyer Median Price/ml=3.2638 | High/Low Ratio=2.76 | | |
| CISPLATIN 1 mg/ml vial (INJ) Supplier JMS | 1 VIAL (50 ml) | 7.97 | 0.1594 | Price/ml | | N | L01XA01 |
| Buyer BDS | 1 VIAL (50 ml) | 11.41 | 0.2281 | | | | |
| CLARITHROMYCIN 125 mg/5 ml suspen (PO) Supplier MEDS | 1 BOTT (70 ml) | 3.73 | 0.0532 | Price/ml | 0.5 g | N | J01FA09 |
| Buyer SAFRICA | 1 BOTT (50 ml) | 2.13 | 0.0426 | GRANULES | | | |
| CLARITHROMYCIN 250 mg tab-cap (PO) Buyer OECS/PPS | 100 TAB-CAP | 17.16 | 0.1716 | Price/tab-cap TABLETS | 0.5 g | N | J01FA09 |
| Buyer BDS | 100 TAB-CAP | 19.05 | 0.1905 | Buyer Median Price/tab-cap=0.1811 High/Low Ratio=1.11 | TABLETS | | |
| CLARITHROMYCIN 250 mg/5 ml suspen (PO) Buyer CRSS | 1 BOTT (60 ml) | 4.66 | 0.0777 | Price/ml POWDER | 0.5 g | N | J01FA09 |
| CLARITHROMYCIN 500 mg tab-cap (PO) Supplier MEDS | 15 TAB-CAP | 5.30 | 0.3534 | Price/tab-cap TABLETS | 0.5 g | N | J01FA09 |
| Supplier IMRES | 14 TAB-CAP | 6.00 | 0.4286 | FILM-COATED, BLISTER PACK TABLETS | | | |
| Supplier IDA | 40 TAB-CAP | 17.24 | 0.4310 | BLISTER PACK TABLETS, 4 X 10 High/Low Ratio=1.22 | | | |
| Buyer PERU | 1 TAB-CAP | 0.16 | 0.1643 | Supplier Median Price/tab-cap=0.4286 TABLET | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.17 | 0.1699 | BLISTER PACK | | | |
| Buyer SAFRICA | 14 TAB-CAP | 3.92 | 0.2797 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 31.32 | 0.3132 | TABLETS | | | |
| Buyer NAMIBIA | 14 TAB-CAP | 6.19 | 0.4422 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.2797 High/Low Ratio=2.69 | | | | | | | |
| CLINDAMYCIN 300 mg tab-cap (PO) Supplier IMRES | 30 TAB-CAP | 5.25 | 0.1750 | Price/tab-cap BLISTER PACK CAPSULES | 1.2 g | P | J01FF01 |
| Supplier UNFPA | 30 TAB-CAP | 5.50 | 0.1833 | HCL, CAPSULES, BLISTER PACK High/Low Ratio=1.05 | | | |
| Buyer PERU | 100 TAB-CAP | 5.69 | 0.0569 | Supplier Median Price/tab-cap=0.1792 TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.09 | 0.0859 | BLISTER PACK CAPSULES | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 14.00 | 0.1400 | CAPSULES | | | |
| Buyer BDS | 100 TAB-CAP | 21.44 | 0.2144 | CAPSULES | | | |
| Buyer Median Price/tab-cap=0.1130 High/Low Ratio=3.77 | | | | | | | |
| CLINDAMYCIN 75 mg/5 ml solution (PO) Buyer BDS | 1 BOTT (100 ml) | 19.16 | 0.1916 | Price/ml SUSPENSION | 1.2 g | P | J01FF01 |
| CLINDAMYCIN (BASE) 150 mg tab-cap (PO) Supplier IMRES | 30 TAB-CAP | 3.75 | 0.1250 | Price/tab-cap BLISTER PACK CAPSULES | 0.1 g | C | J01FF01 |
| Supplier JMS | 100 TAB-CAP | 12.94 | 0.1294 | TABLETS High/Low Ratio=1.04 | | | |
| Buyer BDS | 100 TAB-CAP | 11.91 | 0.1191 | Supplier Median Price/tab-cap=0.1272 CAPSULES | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 14.09 | 0.1409 | CAPSULES | | | |
| Buyer SAFRICA | 100 TAB-CAP | 14.58 | 0.1458 | CAPSULES | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 24.35 | 0.2435 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.1434 High/Low Ratio=2.04 | | | | | | | |
| CLINDAMYCIN (BASE) 150 mg/ml vial (INJ) Supplier UNFPA | 3 AMP (2 ml) | 26.45 | 4.4083 | Price/ml PHOSPHATE | 1.8 g | C | J01FF01 |
| Buyer PERU | 100 VIAL (4 ml) | 32.72 | 0.0818 | ILLUSTRATIVE NUMBER OF VIALS | | | |
| Buyer DOMREPUB | 1 AMP (4 ml) | 0.50 | 0.1238 | | | | |
| Buyer BDS | 25 VIAL (4 ml) | 37.05 | 0.3705 | | | | |
| Buyer SAFRICA | 1 AMP (4 ml) | 1.58 | 0.3948 | | | | |
| Buyer OECS/PPS | 10 AMP (2 ml) | 19.50 | 0.9750 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|---|--|---|---|---|------------|-------------|
| CLINDAMYCIN (BASE) 150 mg/ml vial (INJ) Buyer NAMIBIA | 1 VIAL (4 ml) | 4.03 Buyer Median Price/ml=0.3827 | Price/ml 1.0065 | | 1.8 g | C | J01FF01 |
| CLOBETASOL PROPRIONATE 0.05% cream (TOP) Buyer PERU Buyer NAMIBIA Buyer BDS | 1 TUBE (20 g) 1 TUBE (25 g) 1 TUBE (15 g) | 0.43 0.90 2.91 Buyer Median Price/g=0.0361 | Price/g 0.0216 0.0361 0.1941 | | High/Low Ratio=12.30 High/Low Ratio=8.99 | N | D07AD01 |
| CLOFAZIMINE (LAMPRENE) 100 mg tab-cap (PO) Buyer NAMIBIA | 100 TAB-CAP | 397.72 | Price/tab-cap 3.9772 | TABLETS | 0.1 g | E | J04BA01 |
| CLOMIFENE 50 mg tab-cap (PO) Supplier MEDS Supplier JMS | 30 TAB-CAP 10 TAB-CAP | 2.63 2.86 Supplier Median Price/tab-cap=0.1869 | Price/tab-cap 0.0877 0.2860 | TABLETS TABLETS, CITRATE | 9 mg High/Low Ratio=3.26 | C | G03GB02 |
| Buyer MEMS Buyer SUDANNHIF Buyer BDS | 10 TAB-CAP 100 TAB-CAP 10 TAB-CAP | 1.91 26.46 7.81 Buyer Median Price/tab-cap=0.2646 | CAPSULES TABLETS, ILLUSTRATIVE PACK SIZE TABLETS | | High/Low Ratio=4.08 | | |
| CLOMIPRAMINE 10 mg tab-cap (PO) Buyer BDS | 100 TAB-CAP | 3.22 | Price/tab-cap 0.0322 | TABLETS | 0.1 g | E | N06AA04 |
| CLOMIPRAMINE 25 mg tab-cap (PO) Supplier MEDEOR/TZ | 1000 TAB-CAP | 85.07 | Price/tab-cap 0.0851 | | 0.1 g | E | N06AA04 |
| Buyer CAMERWA Buyer PERU Buyer SUDANNHIF | 50 TAB-CAP 100 TAB-CAP 100 TAB-CAP | 1.39 6.36 11.87 Buyer Median Price/tab-cap=0.0636 | TABLETS TABLET, ILLUSTRATIVE PACK SIZE TABLETS, ILLUSTRATIVE PACK SIZE | | High/Low Ratio=4.27 | | |
| CLONAZEPAM 0.5 mg tab-cap (PO) Buyer PERU Buyer BDS Buyer NAMIBIA | 100 TAB-CAP 100 TAB-CAP 90 TAB-CAP | 0.77 2.85 17.26 Buyer Median Price/tab-cap=0.0285 | Price/tab-cap 0.0077 0.0285 0.1918 | TABLETS, ILLUSTRATIVE PACK SIZE TABLETS TABLETS | 8 mg High/Low Ratio=24.91 | N | N03AE01 |
| CLONAZEPAM 2 mg tab-cap (PO) Buyer PERU Buyer BDS Buyer OECS/PPS Buyer BOTSWANA Buyer NAMIBIA | 100 TAB-CAP 100 TAB-CAP 30 TAB-CAP 90 TAB-CAP 90 TAB-CAP | 0.99 2.98 4.97 35.55 39.66 Buyer Median Price/tab-cap=0.1657 | Price/tab-cap 0.0099 0.0298 0.1657 0.3950 0.4406 | TABLETS, ILLUSTRATIVE PACK SIZE TABLETS TABLETS TABLETS TABLETS | 8 mg High/Low Ratio=44.51 | N | N03AE01 |
| CLONAZEPAM 2.5 mg/ml drops (PO) Buyer BOTSWANA | 1 BOTT (10 ml) | 16.78 | Price/ml 1.6782 | | 8 mg | N | N03AE01 |
| CLOPIDOGREL BISULFATE 75 mg tab-cap (PO) Buyer BDS Buyer DOMREPUB Buyer BOTSWANA | 10 TAB-CAP 1 TAB-CAP 28 TAB-CAP | 1.30 0.22 56.42 Buyer Median Price/tab-cap=0.2177 | Price/tab-cap 0.1298 0.2177 2.0150 | TABLETS BLISTER PACK TABLET TABLETS | 75 mg High/Low Ratio=15.52 | N | |
| CLOTrimazole 1% cream (TOP) Supplier MEDEOR/TZ Supplier MEDS Supplier JMS Supplier IMRES Supplier IDA Supplier MISSION Supplier UNFPA Supplier DURBIN Supplier MEDEOR/EU | 1 TUBE (20 g) 1 TUBE (20 g) 1 TUBE (20 g) 1 TUBE (20 g) 10 TUBE (20 g) 1 TUBE (20 g) 50 TUBE (20 g) 10 TUBE (20 g) 24 TUBE (20 g) | 0.12 0.13 0.22 0.28 2.90 0.41 27.50 6.18 17.96 Supplier Median Price/g=0.0145 | Price/g 0.0060 0.0067 0.0110 0.0140 0.0145 0.0203 0.0275 0.0310 0.0374 | | High/Low Ratio=6.23 | E | D01AC01 |
| Buyer DOMREPUB Buyer MEMS Buyer PERU Buyer BDS Buyer NAMIBIA Buyer CAMERWA | 1 TUBE (30 g) 1 TUBE (20 g) 10 TUBE (20 g) 1 TUBE (20 g) 1 TUBE (20 g) 1 TUBE (20 g) | 0.20 0.18 3.18 0.32 0.37 0.37 | 0.0067 0.0092 0.0159 0.0160 0.0183 0.0186 | ILLUSTRATIVE NUMBER OF TUBES | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-----------------------|--------------------------------------|----------------------|-----------------------------------|---|------------|-------------|
| CLOTRIMAZOLE 1% cream (TOP) Buyer BOTSWANA | 1 TUBE (20 g) | 0.45 Buyer Median Price/g=0.0160 | 0.0225 | Price/g High/Low Ratio=3.36 | E | D01AC01 | |
| CLOTRIMAZOLE 1% cream (VAG) Buyer BDS | 1 TUBE (35 g) | 1.19 | 0.0340 | Price/g | 0.1 g | E | G01AF02 |
| Buyer BOTSWANA | 1 TUBE (50 g) | 3.91 | 0.0782 | WITH APPLICATORS | | | |
| Buyer OECS/PPS | 1 TUBE (35 g) | 3.53 | 0.1009 | Buyer Median Price/g=0.0782 | High/Low Ratio=2.97 | | |
| CLOTRIMAZOLE 100 mg pessary (VAG) Supplier MISSION | 100 PESS | 0.65 | 0.0065 | Price/pessary | 0.1 g | E | G01AF02 |
| Supplier JMS | 6 PESS | 0.27 | 0.0447 | | | | |
| Supplier UNFPA | 6 PESS | 0.30 | 0.0500 | | | | |
| Supplier MEDEOR/TZ | 6 PESS | 0.43 | 0.0720 | WITH APPLICATOR | | | |
| Supplier IMRES | 6 PESS | 0.45 | 0.0750 | | | | |
| Supplier MEG | 6 PESS | 1.02 | 0.1700 | + APPLICATOR | | | |
| Supplier IDA | 6 TAB-CAP (1 PESSARY) | 1.45 | 0.2415 | BLISTER PACK, WITH APPLICATOR | | | |
| | | Supplier Median Price/pessary=0.0720 | | High/Low Ratio=37.15 | | | |
| Buyer DOMREPUB | 1 PESS | 0.04 | 0.0431 | | | | |
| Buyer MEMS | 6 PESS | 0.39 | 0.0649 | | | | |
| Buyer SUDANNHIF | 100 PESS | 16.60 | 0.1660 | ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 6 PESS | 1.97 | 0.3278 | | | | |
| Buyer OECS/PPS | 6 PESS | 3.37 | 0.5617 | Buyer Median Price/pessary=0.1660 | High/Low Ratio=13.03 | | |
| CLOTRIMAZOLE 500 mg pessary (VAG) Supplier UNFPA | 100 PESS | 6.50 | 0.0650 | Price/pessary | 0.1 g | E | G01AF02 |
| Supplier IMRES | 100 PESS | 7.00 | 0.0700 | | BLISTER PACK 10 X 10, WITH 1 APPLICATOR | | |
| Supplier IDA | 100 PESS | 19.34 | 0.1934 | | 10 X 10 BLISTER PACK, 10 APPLICATORS | | |
| | | Supplier Median Price/pessary=0.0700 | | BLISTER PACK 10 X 10 | | | |
| Buyer NAMIBIA | 1 PESS | 1.15 | 1.1528 | High/Low Ratio=2.98 | SINGLE DOSE | | |
| Buyer BDS | 1 PESS | 1.97 | 1.9668 | | | | |
| | | Buyer Median Price/pessary=1.5598 | | High/Low Ratio=1.71 | | | |
| CLOXACILLIN 5 mcg disc (DIAG) Supplier JMS | 100 DISC (1 EACH) | 5.62 | 0.0562 | Price/each | | N | V07AR |
| CLOXACILLIN SODIUM 125 mg/5 ml suspen (PO) Supplier MEDS | 1 BOTT (100 ml) | 0.30 | 0.0030 | Price/ml | 2 g | T | J01CF02 |
| Supplier IDA | 40 BOTT (100 ml) | 25.64 | 0.0064 | | POWDER FOR SYRUP | | |
| Supplier MEDEOR/TZ | 1 BOTT (100 ml) | 0.71 | 0.0071 | | POWDER | | |
| Supplier UNFPA | 1 BOTT (100 ml) | 0.75 | 0.0075 | | POWDER | | |
| Supplier MISSION | 1 BOTT (100 ml) | 0.77 | 0.0077 | | | | |
| Supplier IMRES | 1 BOTT (100 ml) | 0.80 | 0.0080 | | POWDER | | |
| Supplier DURBIN | 1 BOTT (100 ml) | 1.12 | 0.0112 | | POWDER FOR SYRUP, SODIUM SALT | | |
| Supplier MEG | 1 BOTT (100 ml) | 1.58 | 0.0158 | | POWDER | | |
| | | Supplier Median Price/ml=0.0076 | | High/Low Ratio=5.27 | | | |
| Buyer BOTSWANA | 1 BOTT (100 ml) | 0.60 | 0.0060 | | POWDER | | |
| Buyer MEMS | 1 BOTT (100 ml) | 0.69 | 0.0069 | | | | |
| Buyer OECS/PPS | 1 BOTT (100 ml) | 1.05 | 0.0105 | | | | |
| Buyer BDS | 1 BOTT (100 ml) | 1.22 | 0.0122 | | | | |
| Buyer NAMIBIA | 1 BOTT (100 ml) | 2.39 | 0.0239 | Buyer Median Price/ml=0.0105 | High/Low Ratio=3.98 | | |
| CLOXACILLIN SODIUM 250 mg tab-cap (PO) Supplier MEDS | 1000 TAB-CAP | 13.21 | 0.0132 | Price/tab-cap | 2 g | T | J01CF02 |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 14.22 | 0.0142 | | CAPSULES | | |
| Supplier IMRES | 1000 TAB-CAP | 17.30 | 0.0173 | | CAPSULES | | |
| Supplier IDA | 1000 TAB-CAP | 17.38 | 0.0174 | | CAPSULES | | |
| Supplier JMS | 100 TAB-CAP | 1.81 | 0.0181 | | CAPSULES | | |
| Supplier MEG | 1000 TAB-CAP | 18.15 | 0.0182 | | CAPSULES | | |
| Supplier MISSION | 1000 TAB-CAP | 26.42 | 0.0264 | | CAPSULES | | |
| Supplier DURBIN | 1000 TAB-CAP | 26.49 | 0.0265 | | CAPSULES | | |
| | | Supplier Median Price/tab-cap=0.0178 | | High/Low Ratio=2.01 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 14.48 | 0.0145 | | CAPSULES | | |
| Buyer BUFMAR | 1000 TAB-CAP | 20.24 | 0.0202 | | TABLETS | | |
| Buyer MEMS | 1000 TAB-CAP | 21.38 | 0.0214 | | CAPSULES | | |
| Buyer NAMIBIA | 100 TAB-CAP | 3.11 | 0.0311 | | CAPSULES | | |
| Buyer BOTSWANA | 100 TAB-CAP | 3.42 | 0.0342 | | CAPSULES | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|---|---|--|--|---|------------|-------------|
| CLOXACILLIN SODIUM 250 mg tab-cap (PO) Buyer BDS | 100 TAB-CAP | 4.63 Buyer Median Price/tab-cap=0.0263 | 0.0463 0.0463 | Price/tab-cap CAPSULES High/Low Ratio=3.19 | 2 g | T | J01CF02 |
| CLOXACILLIN SODIUM 250 mg vial (INJ) Buyer NAMIBIA Buyer SAFRICA Buyer BOTSWANA | 10 VIAL 1 VIAL 1 VIAL | 5.86 0.65 42.09 | 0.5859 0.6512 42.0927 | Price/vial POWDER Buyer Median Price/vial=0.6512 | 2 g | T | J01CF02 |
| CLOXACILLIN SODIUM 500 mg tab-cap (PO) Supplier IMRES Supplier IDA Supplier MEG Supplier UNFPA Supplier MISSION Supplier MEDEOR/EU | 500 TAB-CAP 1000 TAB-CAP 500 TAB-CAP 500 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP | 16.35 32.81 17.90 18.44 48.53 84.10 | 0.0327 0.0329 0.0358 0.0369 0.0485 0.0842 | Price/tab-cap CAPSULES CAPSULES CAPSULES CAPSULES CAPSULES Supplier Median Price/tab-cap=0.0364 Buyer OECS/PPS Buyer BDS | 2 g | T | J01CF02 |
| CLOXACILLIN SODIUM 500 mg vial (INJ) Supplier UNFPA Supplier IMRES Supplier IDA Supplier JMS Supplier MISSION Supplier DURBIN Supplier MEDEOR/TZ Supplier MEDEOR/EU | 50 VIAL 50 VIAL 50 VIAL 50 VIAL 50 VIAL 50 VIAL 50 VIAL 50 VIAL | 5.66 7.25 7.39 7.65 9.42 11.24 20.46 31.65 | 0.1132 0.1450 0.1478 0.1531 0.1883 0.2248 0.4092 0.6331 | Price/vial POWDER POWDER POWDER POWDER POWDER, SODIUM SALT POWDER POWDER Supplier Median Price/vial=0.1707 Buyer CAMERWA Buyer BUFMAR Buyer OECS/PPS Buyer MEMS Buyer BDS Buyer NAMIBIA Buyer SAFRICA | 2 g | T | J01CF02 |
| CLOZAPINE 100 mg tab-cap (PO) Buyer GHANA Buyer PERU Buyer OECS/PPS Buyer BDS Buyer NAMIBIA Buyer BOTSWANA | 100 TAB-CAP 100 TAB-CAP 30 TAB-CAP 50 TAB-CAP 100 TAB-CAP 100 TAB-CAP | 3.65 5.02 5.88 10.45 26.32 70.46 | 0.0365 0.0502 0.1960 0.2091 0.2632 0.7046 | Price/tab-cap 10 X 10 BLISTER PACK, SCORED TABLETS TABLETS, ILLUSTRATIVE PACK SIZE TABLETS TABLETS, 5 X 10 TABLETS TABLETS Buyer Median Price/tab-cap=0.2026 Buyer Median Price/tab-cap=0.1800 | 0.3 g High/Low Ratio=19.30 High/Low Ratio=13.66 | N | N05AH02 |
| CLOZAPINE 25 mg tab-cap (PO) Buyer GHANA Buyer NAMIBIA Buyer OECS/PPS Buyer CAMERWA Buyer BOTSWANA | 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP 30 TAB-CAP 100 TAB-CAP | 2.97 10.17 18.00 6.57 40.56 | 0.0297 0.1017 0.1800 0.2190 0.4056 | Price/tab-cap 10 X 10 BLISTER PACK, SCORED TABLETS TABLETS TABLETS TABLETS TABLETS Buyer Median Price/tab-cap=0.1800 | 0.3 g High/Low Ratio=13.66 | N | N05AH02 |
| CODEINE (IC) 15 mg tab-cap (PO) Supplier IDA | 28 TAB-CAP | 2.32 | 0.0827 | Price/tab-cap BLISTER PACK TABLETS | 0.1 g | P | R05DA04 |
| Buyer BDS | 28 TAB-CAP | 2.08 | 0.0743 | TABLETS | | | |
| CODEINE (IC) 30 mg tab-cap (PO) Supplier DURBIN Supplier MEDS Supplier JMS Supplier IDA | 1000 TAB-CAP 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP | 32.11 6.55 7.37 11.52 | 0.0321 0.0655 0.0737 0.1152 | Price/tab-cap TABLETS, PHOSPHATE TABLETS, PHOSPHATE TABLETS, PHOSPHATE TABLETS, PHOSPHATE Supplier Median Price/tab-cap=0.0696 Buyer BDS Buyer NAMIBIA | 0.1 g High/Low Ratio=3.59 | E | R05DA04 |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|---------|---|--|--|--|------------|-------------|
| CODEINE (IC) 30 mg tab-cap (PO) Buyer BOTSWANA 100 TAB-CAP | | 38.89 | 0.3889 | Price/tab-cap TABLETS Buyer Median Price/tab-cap=0.1822 | 0.1 g | E | R05DA04 |
| COLCHICINE 0.5-0.6 mg tab-cap (PO) Buyer NAMIBIA 50 TAB-CAP Buyer BDS 100 TAB-CAP Buyer OECS/PPS 100 TAB-CAP | | 2.02 5.88 9.00 | 0.0403 0.0588 0.0900 | Price/tab-cap 0.5 MG TABLETS 0.5 MG TABLETS 0.5 MG TABLETS Buyer Median Price/tab-cap=0.0588 | 1 mg | N | M04AC01 |
| CONDOM, FEMALE condom (N/A) Supplier USAID 1 CONDOM (1 EACH) Supplier UNFPA 1 CONDOM (1 EACH) Supplier IDA 1000 CONDOM (1 EACH) Supplier IMRES 3 EACH Supplier MISSION 1 CONDOM (1 EACH) | | 0.58 0.60 864.08 3.50 1.27 | 0.5803 0.6000 0.8641 1.1667 1.2749 | Price/each Supplier Median Price/each=0.8641 | P | V07AY | |
| CONDOMS (LUBRICATED) condom (N/A) Supplier UNFPA 144 EACH Supplier UNFPA 144 EACH Supplier USAID 1000 CONDOM (1 EACH) Supplier IDA 144 CONDOM (1 EACH) Supplier MEG 144 CONDOM (1 EACH) Supplier IMRES 144 EACH Supplier MISSION 144 CONDOM (1 EACH) | | 3.53 3.63 28.48 5.22 5.30 5.50 7.39 | 0.0245 0.0252 0.0285 0.0362 0.0368 0.0382 0.0513 | Price/each Supplier Median Price/each=0.0362 | E | V07AY | |
| Buyer CAMERWA 144 EACH Buyer OECS/PPS 144 EACH Buyer BDS 1000 EACH | | 6.20 18.91 306.80 | 0.0431 0.1313 0.3068 | High/Low Ratio=2.09 53.5 MM Buyer Median Price/each=0.1313 | High/Low Ratio=7.12 | | |
| COUGH PREPARATION syrup (PO) Supplier MEDS 1 BOTT (5000 ml) Supplier MEDS 1 BOTT (5000 ml) Supplier MEDEOR/TZ 1 BOTT (100 ml) Supplier JMS 1 BOTT (100 ml) | | 4.87 4.93 0.52 0.60 | 0.0010 0.0010 0.0052 0.0060 | Price/ml Supplier Median Price/ml=0.0031 | N | R05D | |
| Buyer OECS/PPS 1 BOTT (2000 ml) Buyer MEMS 1 BOTT (100 ml) | | 7.86 0.53 | 0.0039 0.0053 | EXPECTORANT EXPECTORANT, ADULT Buyer Median Price/ml=0.0046 | High/Low Ratio=6.00 High/Low Ratio=1.36 | | |
| CYCLEBEADS (TM) (32 BEADS W/ RUBBER MARKER) each (N/A) Supplier USAID 1 EACH | | 1.16 | 1.1600 | Price/each | | N | |
| CYCLOPENTOLATE 1% opht drop (OPHT) Supplier DURBIN 1 BOTT (5 ml) | | 13.49 | 2.6976 | Price/ml | | N | S01FA04 |
| CYCLOPHOSPHAMIDE 1 g vial (INJ) Supplier MEDEOR/TZ 1 VIAL | | 2.34 | 2.3400 | Price/vial | P | L01AA01 | |
| Buyer OECS/PPS 1 AMP (1 VIAL) Buyer BDS 1 VIAL Buyer NAMIBIA 5 VIAL | | 3.85 6.39 64.22 | 3.8500 6.3921 12.8445 | Buyer Median Price/vial=6.3921 | High/Low Ratio=3.34 | | |
| CYCLOPHOSPHAMIDE 200 mg vial (INJ) Buyer NAMIBIA 10 VIAL Buyer BDS 1 VIAL Buyer BOTSWANA 1 VIAL | | 50.46 5.29 49.68 | 5.0461 5.2907 49.6829 | Price/vial POWDER Buyer Median Price/vial=5.2907 | High/Low Ratio=9.85 | P | L01AA01 |
| CYCLOPHOSPHAMIDE 50 mg tab-cap (PO) Supplier IDA 1000 TAB-CAP | | 201.01 | 0.2011 | Price/tab-cap TABLETS | | P | L01AA01 |
| Buyer BOTSWANA 100 TAB-CAP Buyer OECS/PPS 50 TAB-CAP Buyer NAMIBIA 50 TAB-CAP Buyer CRSS 100 TAB-CAP Buyer SICA 1 TAB-CAP | | 15.74 10.97 15.03 31.00 0.31 | 0.1574 0.2194 0.3007 0.3100 0.3100 | TABLETS TABLETS TABLETS TABLETS TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|----------------|--|----------------------|--|---|---|-------------|
| CYCLOPHOSPHAMIDE 50 mg tab-cap (PO) Buyer BDS | 50 TAB-CAP | 15.88 Buyer Median Price/tab-cap=0.3054 | 0.3175 TABLETS | Price/tab-cap High/Low Ratio=2.02 | P | L01AA01 | |
| CYCLOPHOSPHAMIDE 500 mg vial (INJ) Supplier JMS | 1 VIAL | 3.79 Supplier Median Price/vial=7.8254 | 3.7948 948.46 | Price/vial High/Low Ratio=3.12 | C | L01AA01 | |
| Supplier IDA | 80 VIAL | 8.10 Buyer Median Price/vial=9.4894 | 11.8559 54.39 | 8.1000 10.8787 | | | |
| Buyer SICA | 1 VIAL | | | | | | |
| Buyer NAMIBIA | 5 VIAL | | | | | | |
| CYCLOCERINE 250 mg tab-cap (PO) Supplier GDF | 100 TAB-CAP | 59.09 Buyer Median Price/tab-cap=0.9339 | 0.5909 115.92 | Price/tab-cap CAPSULES High/Low Ratio=1.64 | 0.75 g 10 X 10 BLISTER PACK CAPSULES | C | J04AB01 |
| Buyer CRSS | 100 TAB-CAP | 70.86 Buyer Median Price/vial=3.4304 | 0.7086 1.1592 | 70.86 1.1592 | 0.7086 1.1592 | CAPSULES High/Low Ratio=1.64 | |
| Buyer SAFRICA | 100 TAB-CAP | | | | | | |
| CYPROTERONE ACETATE 50 mg tab-cap (PO) Buyer OECS/PPS | 100 TAB-CAP | 20.00 Buyer Median Price/tab-cap=0.2177 | 0.2000 0.2177 | 20.00 0.2000 | 0.1 g TABLETS | N | G03HA01 |
| Buyer PERU | 100 TAB-CAP | 21.77 Buyer Median Price/vial=3.4304 | 0.2177 0.8773 | 21.77 0.2177 | 21.77 0.2177 | TABLETS, ILLUSTRATIVE PACK SIZE | |
| Buyer BDS | 50 TAB-CAP | 43.86 Buyer Median Price/vial=3.4304 | 0.8773 5.3989 | 43.86 0.8773 | 43.86 0.8773 | TABLETS High/Low Ratio=4.39 | |
| CYTARABINE 100 mg vial (INJ) Supplier JMS | 1 VIAL | 5.17 Buyer Median Price/vial=3.4304 | 5.1680 2.7500 | 5.17 2.7500 | 5.1680 2.7500 | 20 MG/ML High/Low Ratio=1.96 | C L01BC01 |
| Buyer CRSS | 1 VIAL | 2.75 Buyer Median Price/vial=3.4304 | 2.7500 2.7500 | 2.75 2.7500 | 2.7500 2.7500 | | |
| Buyer SICA | 1 VIAL | 2.75 Buyer Median Price/vial=3.4304 | 2.7500 4.1108 | 2.75 4.1108 | 2.7500 4.1108 | WITHOUT PRESERVATIVES | |
| Buyer PERU | 1 VIAL | 4.11 Buyer Median Price/vial=3.4304 | 4.1108 5.3989 | 4.11 5.3989 | 4.1108 5.3989 | | |
| Buyer BDS | 1 VIAL | 5.40 Buyer Median Price/vial=3.4304 | 5.3989 5.3989 | 5.40 5.3989 | 5.3989 5.3989 | | |
| CYTARABINE 500 mg vial (INJ) Buyer PERU | 1 VIAL | 3.75 Buyer Median Price/vial=3.4304 | 3.7520 3.7520 | 3.75 3.7520 | 3.75 3.7520 | C L01BC01 | |
| DACARBAZINE 10 mg/ml vial (INJ) Buyer CRSS | 1 VIAL (20 ml) | 18.90 Buyer Median Price/vial=13.6388 | 0.9450 22.5147 | 18.90 22.5147 | 0.9450 22.5147 | Price/ml POWDER High/Low Ratio=3.42 | P L01AX04 |
| DACARBAZINE 200 mg vial (INJ) Buyer PERU | 1 VIAL | 6.59 Buyer Median Price/vial=13.6388 | 6.5886 10.99 | 6.59 10.99 | 6.5886 10.99 | P L01AX04 | |
| Buyer NAMIBIA | 1 VIAL | 10.99 Buyer Median Price/vial=13.6388 | 10.9876 16.29 | 10.99 16.29 | 10.9876 16.29 | | |
| Buyer BDS | 1 VIAL | 16.29 Buyer Median Price/vial=13.6388 | 16.2900 22.51 | 16.29 22.51 | 16.2900 22.51 | | |
| Buyer BOTSWANA | 1 VIAL | 22.51 Buyer Median Price/vial=13.6388 | 22.5147 22.5147 | 22.51 22.5147 | 22.5147 22.5147 | POWDER High/Low Ratio=3.42 | |
| DACTINOMYCIN 500 mcg vial (INJ) Buyer NAMIBIA | 1 VIAL | 30.43 Buyer Median Price/vial=115.2127 | 30.4253 200.00 | 30.43 200.0000 | 30.4253 200.0000 | C L01DA01 | |
| Buyer CRSS | 1 VIAL | 200.00 Buyer Median Price/vial=115.2127 | 200.0000 3 ML | 200.00 3 ML | 200.0000 3 ML | High/Low Ratio=6.57 | |
| DANAZOL 200 mg tab-cap (PO) Buyer BDS | 150 TAB-CAP | 140.13 Buyer Median Price/tab-cap=0.1969 | 0.9342 56.55 | 140.13 56.55 | 0.9342 1.8848 | 0.6 g TABLETS High/Low Ratio=52.65 | N G03XA01 |
| DAPSONE 100 mg tab-cap (PO) Supplier MEDS | 100 TAB-CAP | 0.50 Supplier Median Price/tab-cap=0.0148 | 0.0050 0.0135 | 0.50 0.0050 | 0.0050 0.0135 | 50 mg TABLETS High/Low Ratio=3.62 | E J04BA02 |
| Supplier IMRES | 1000 TAB-CAP | 13.50 Buyer Median Price/vial=3.4304 | 0.0135 0.0160 | 13.50 0.0135 | 0.0135 0.0160 | TABLETS High/Low Ratio=3.62 | |
| Supplier JMS | 1000 TAB-CAP | 15.95 Buyer Median Price/vial=3.4304 | 0.0160 0.0181 | 15.95 0.0160 | 0.0160 0.0181 | TABLETS High/Low Ratio=3.62 | |
| Supplier IDA | 28 TAB-CAP | 0.51 Buyer Median Price/vial=3.4304 | 0.0181 0.0358 | 0.51 0.0358 | 0.0181 0.0358 | TABLETS High/Low Ratio=3.62 | |
| Buyer CAMERWA | 100 TAB-CAP | 3.58 Buyer Median Price/vial=3.4304 | 0.0358 0.0878 | 3.58 0.0358 | 0.0358 0.0878 | TABLETS High/Low Ratio=3.62 | |
| Buyer NAMIBIA | 100 TAB-CAP | 8.78 Buyer Median Price/vial=3.4304 | 0.0878 0.1821 | 8.78 0.0878 | 0.0878 0.1821 | TABLETS High/Low Ratio=3.62 | |
| Buyer OECS/PPS | 1000 TAB-CAP | 182.10 Buyer Median Price/vial=3.4304 | 0.1821 0.2117 | 182.10 0.1821 | 0.1821 0.2117 | TABLETS High/Low Ratio=3.62 | |
| Buyer BOTSWANA | 100 TAB-CAP | 21.17 Buyer Median Price/vial=3.4304 | 0.2117 0.3800 | 21.17 0.3800 | 0.2117 0.3800 | TABLETS High/Low Ratio=3.62 | |
| Buyer CRSS | 100 TAB-CAP | 38.00 Buyer Median Price/vial=3.4304 | 0.3800 1.8848 | 38.00 1.8848 | 0.3800 1.8848 | TABLETS High/Low Ratio=3.62 | |
| Buyer BDS | 30 TAB-CAP | 56.55 Buyer Median Price/vial=3.4304 | 1.8848 5.3989 | 56.55 5.3989 | 1.8848 5.3989 | TABLETS High/Low Ratio=3.62 | |
| DARUNAVIR 300 mg tab-cap (PO) Supplier SCMS | 120 TAB-CAP | 94.50 Buyer Median Price/vial=3.4304 | 0.7875 0.7875 | 94.50 0.7875 | 0.7875 0.7875 | 1.2 g TABLETS High/Low Ratio=52.65 | N J05AE10 |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE | |
|--|------------------|-------------------------|----------------------|---|------------------------|--|----------------------|---------|
| DARUNAVIR 300 mg tab-cap (PO) Buyer CRSS | 100 TAB-CAP | 471.77 | | Price/tab-cap 4.7177 | 1.2 g | N | J05AE10 | |
| DAUNORUBICIN 20 mg vial (INJ) Buyer BDS | 1 VIAL | 79.71 | | Price/vial 79.7144 | 20 ML | CP | L01DB02 | |
| DEFEROXAMINE MESILATE 500 mg ampoule (INJ) Buyer NAMIBIA | 10 AMP | 103.89 | | Price/ampoule 10.3895 | | E | V03AC01 | |
| DEFEROXAMINE MESILATE 500 mg ampoule (INJ) Buyer BDS | 10 AMP | 404.00 | | 404.00 Buyer Median Price/ampoule=25.3945 | 40.3995 | | | |
| DESMOPRESSIN ACETATE 4 mcg/ml vial (INJ) Buyer BDS | 10 VIAL (1 ml) | 60.87 | | Price/ml 6.0872 | | 0.4 mg | N H01BA02 | |
| DETERMINE CHASE BUFFER vial (N/A) Supplier IMRES | 1 BOTT (2.50 ml) | 9.00 | | Price/ml 3.6000 | | N | V07AZ | |
| DETERMINE CHASE BUFFER vial (N/A) Supplier IDA | 1 BOTT (2.50 ml) | 9.71 | | 9.71 Supplier Median Price/ml=3.7413 | 3.8825 | FOR 100 DETERMINE TESTS (HEP.B, HIV 1&2, SYPHILIS) | | |
| DEXAMETHASONE 0.1% opht drop (OPHT) Supplier MEDEOR/TZ | 1 BOTT (5 ml) | 0.45 | | Price/ml 0.0894 | | P | S01BA01 | |
| DEXAMETHASONE 0.1% opht drop (OPHT) Supplier MISSION | 1 BOTT (10 ml) | 0.91 | | 0.91 Supplier Median Price/ml=0.1043 | 0.0913 | | | |
| DEXAMETHASONE 0.1% opht drop (OPHT) Supplier IDA | 10 BOTT (5 ml) | 5.87 | | 5.87 Supplier Median Price/ml=0.1043 | 0.1173 | SODIUM PHOSPHATE | | |
| DEXAMETHASONE 0.1% opht drop (OPHT) Supplier JMS | 1 BOTT (5 ml) | 0.69 | | 0.69 Supplier Median Price/ml=0.1043 | 0.1386 | High/Low Ratio=1.55 | | |
| DEXAMETHASONE 0.1% opht drop (OPHT) Buyer CAMERWA | 1 BOTT (10 ml) | 0.23 | | 0.23 Buyer Median Price/ml=0.3066 | 0.0226 | | | |
| DEXAMETHASONE 0.1% opht drop (OPHT) Buyer NAMIBIA | 1 BOTT (5 ml) | 1.53 | | 1.53 Buyer Median Price/ml=0.3066 | 0.3066 | | | |
| DEXAMETHASONE 0.1% opht drop (OPHT) Buyer BDS | 1 BOTT (5 ml) | 4.25 | | 4.25 Buyer Median Price/ml=0.3066 | 0.8497 | High/Low Ratio=37.60 | | |
| DEXAMETHASONE 0.5 mg tab-cap (PO) Supplier JMS | 1000 TAB-CAP | 2.73 | | Price/tab-cap 0.0027 | TABLETS | E | H02AB02 | |
| DEXAMETHASONE 0.5 mg tab-cap (PO) Supplier IDA | 1000 TAB-CAP | 3.04 | | 3.04 Supplier Median Price/tab-cap=0.0049 | 0.0030 | TABLETS | | |
| DEXAMETHASONE 0.5 mg tab-cap (PO) Supplier MISSION | 1000 TAB-CAP | 4.88 | | 4.88 Supplier Median Price/tab-cap=0.0049 | 0.0049 | TABLETS | | |
| DEXAMETHASONE 0.5 mg tab-cap (PO) Supplier MEDEOR/EU | 7000 TAB-CAP | 34.70 | | 34.70 Supplier Median Price/tab-cap=0.0049 | 0.0049 | TABLETS | | |
| DEXAMETHASONE 0.5 mg tab-cap (PO) Supplier IMRES | 1000 TAB-CAP | 25.00 | | 25.00 Supplier Median Price/tab-cap=0.0049 | 0.0250 | TABLETS | | |
| DEXAMETHASONE 0.5 mg tab-cap (PO) Supplier MEDEOR/TZ | 1000 TAB-CAP | 26.04 | | 26.04 Supplier Median Price/tab-cap=0.0049 | 0.0260 | TABLETS | | |
| DEXAMETHASONE 0.5 mg tab-cap (PO) Buyer PERU | 100 TAB-CAP | 0.74 | | 0.74 Buyer Median Price/tab-cap=0.0295 | 0.0074 | TABLETS, ILLUSTRATIVE PACK SIZE | | |
| DEXAMETHASONE 0.5 mg tab-cap (PO) Buyer MEMS | 1000 TAB-CAP | 17.16 | | 17.16 Buyer Median Price/tab-cap=0.0295 | 0.0172 | TABLETS | | |
| DEXAMETHASONE 0.5 mg tab-cap (PO) Buyer BDS | 100 TAB-CAP | 4.17 | | 4.17 Buyer Median Price/tab-cap=0.0295 | 0.0417 | TABLETS | | |
| DEXAMETHASONE 0.5 mg tab-cap (PO) Buyer NAMIBIA | 100 TAB-CAP | 8.75 | | 8.75 Buyer Median Price/tab-cap=0.0295 | 0.0875 | TABLETS | High/Low Ratio=11.82 | |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) Supplier JMS | 6 AMP (2 ml) | 0.90 | | Price/ml 0.0746 | | 1.5 mg | E | H02AB02 |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) Supplier IMRES | 100 AMP (1 ml) | 8.70 | | 8.70 Supplier Median Price/ml=0.1111 | 0.0870 | SODIUM PHOSPHATE | | |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) Supplier MEDEOR/TZ | 100 AMP (2 ml) | 18.60 | | 18.60 Supplier Median Price/ml=0.1111 | 0.0930 | | | |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) Supplier MEDS | 1 AMP (1 ml) | 0.11 | | 0.11 Supplier Median Price/ml=0.1111 | 0.1110 | SODIUM PHOSPHATE SALT | | |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) Supplier MISSION | 100 AMP (1 ml) | 11.11 | | 11.11 Supplier Median Price/ml=0.1111 | 0.1111 | SODIUM PHOSPHATE | | |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) Supplier DURBIN | 100 AMP (1 ml) | 22.88 | | 22.88 Supplier Median Price/ml=0.1111 | 0.2288 | | | |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) Supplier UNFPA | 100 AMP (1 ml) | 23.00 | | 23.00 Supplier Median Price/ml=0.1111 | 0.2300 | SODIUM PHOSPHATE | | |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) Supplier MEG | 100 AMP (1 ml) | 23.00 | | 23.00 Supplier Median Price/ml=0.1111 | 0.2300 | SODIUM PHOSPHATE | High/Low Ratio=3.08 | |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) Buyer DOMREPUB | 1 AMP (2 ml) | 0.05 | | 0.05 Buyer Median Price/ml=0.1480 | 0.0238 | | | |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) Buyer CAMERWA | 100 AMP (1 ml) | 2.48 | | 2.48 Buyer Median Price/ml=0.1480 | 0.0248 | | | |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) Buyer MEMS | 1 AMP (2 ml) | 0.13 | | 0.13 Buyer Median Price/ml=0.1480 | 0.0660 | | | |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) Buyer OECS/PPS | 100 VIAL (1 ml) | 23.00 | | 23.00 Buyer Median Price/ml=0.1480 | 0.2300 | SODIUM PHOSPHATE | | |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) Buyer BDS | 100 AMP (1 ml) | 25.65 | | 25.65 Buyer Median Price/ml=0.1480 | 0.2565 | | | |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) Buyer NAMIBIA | 10 AMP (2 ml) | 8.45 | | 8.45 Buyer Median Price/ml=0.1480 | 0.4226 | High/Low Ratio=17.76 | | |
| DEXAMETHASONE 5 mg/ml ampoule (INJ) Supplier IDA | 100 AMP (1 ml) | 11.08 | | Price/ml 0.1108 | SODIUM PHOSPHATE | 1.5 mg | P | H02AB02 |
| DEXTRAN 70 6% IN SOD. CHLORIDE 0.9% solution (IV) Supplier UNFPA | 1 BOTT (500 ml) | 5.00 | | 5.00 Supplier Median Price/ml=0.0106 | 0.0100 | E | B05AA05 | |
| DEXTRAN 70 6% IN SOD. CHLORIDE 0.9% solution (IV) Supplier IMRES | 1 BOTT (500 ml) | 5.30 | | 5.30 Supplier Median Price/ml=0.0106 | 0.0106 | | | |
| DEXTRAN 70 6% IN SOD. CHLORIDE 0.9% solution (IV) Supplier DURBIN | 20 BAG (500 ml) | 117.22 | | 117.22 Supplier Median Price/ml=0.0106 | 0.0117 | High/Low Ratio=1.17 | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-------------------|-------------------------|----------------------|--------------------------------|------------------------|------------|-------------|
| DEXTROSE 10% IN WATER solution (IV) | | | Price/ml | | | E | B05BA03 |
| Supplier MEDS | 1 BOTT (500 ml) | 0.46 | 0.0009 | | | | |
| Supplier UNFPA | 1 BOTT (500 ml) | 0.65 | 0.0013 | | | | |
| Supplier MISSION | 1 BOTT (500 ml) | 0.72 | 0.0014 | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (500 ml) | 0.74 | 0.0015 | | | | |
| Supplier IDA | 20 BAG (500 ml) | 21.51 | 0.0022 | | | | |
| Supplier Median Price/ml=0.0014 | | | | High/Low Ratio=2.44 | | | |
| Buyer PERU | 1 BOTT (1000 ml) | 0.97 | 0.0010 | | | | |
| Buyer CAMERWA | 1 BOTT (500 ml) | 0.61 | 0.0012 | | | | |
| Buyer OECS/PPS | 24 BOTT (500 ml) | 19.20 | 0.0016 | | | | |
| Buyer BDS | 1 BOTT (1000 ml) | 1.68 | 0.0017 | | | | |
| Buyer BDS | 1 BAG (500 ml) | 1.24 | 0.0025 | | | | |
| Buyer BOTSWANA | 1 BAG (1000 ml) | 2.50 | 0.0025 | | | | |
| Buyer Median Price/ml=0.0017 | | | | High/Low Ratio=2.50 | | | |
| DEXTROSE 2.5% IN SOD. CHLORIDE 0.45% solution (IV) | | | Price/ml | | | P | B05BB02 |
| Supplier IDA | 12 BAG (1000 ml) | 16.30 | 0.0013 | | | | |
| Supplier IDA | 20 BAG (500 ml) | 19.99 | 0.0020 | | | | |
| Supplier Median Price/ml=0.0017 | | | | High/Low Ratio=1.54 | | | |
| DEXTROSE 4% IN SODIUM CHLORIDE 0.18% solution (IV) | | | Price/ml | | | E | B05BB02 |
| Buyer OECS/PPS | 14 BOTT (1000 ml) | 14.56 | 0.0010 | DEXTROSE 4.3% | | | |
| DEXTROSE 4.3-5% IN WATER solution (IV) | | | Price/ml | | | E | B05BA03 |
| Supplier IMRES | 1 BOTT (1000 ml) | 0.88 | 0.0009 | 5% | | | |
| Supplier IMRES | 1 BOTT (500 ml) | 0.57 | 0.0011 | 5% | | | |
| Supplier Median Price/ml=0.0010 | | | | High/Low Ratio=1.22 | | | |
| DEXTROSE 5% IN SODIUM CHLORIDE 0.45% solution (INJ) | | | Price/ml | | | P | B05BB02 |
| Buyer OECS/PPS | 14 BOTT (1000 ml) | 11.90 | 0.0009 | | | | |
| Buyer BDS | 1 BOTT (1000 ml) | 1.43 | 0.0014 | | | | |
| Buyer NAMIBIA | 1 BOTT (1000 ml) | 1.76 | 0.0018 | | | | |
| Buyer BDS | 1 BOTT (500 ml) | 1.27 | 0.0026 | | | | |
| Buyer Median Price/ml=0.0016 | | | | High/Low Ratio=2.89 | | | |
| DEXTROSE 5% IN SODIUM CHLORIDE 0.9% solution (IV) | | | Price/ml | | | P | B05BB02 |
| Supplier MEDS | 1 BOTT (1000 ml) | 0.72 | 0.0007 | | | | |
| Supplier MEDS | 1 BOTT (500 ml) | 0.40 | 0.0008 | | | | |
| Supplier MEG | 1 BOTT (500 ml) | 0.52 | 0.0010 | | | | |
| Supplier MISSION | 1 BOTT (1000 ml) | 1.30 | 0.0013 | NIPPLEHEAD | | | |
| Supplier DURBIN | 10 BOTT (1000 ml) | 13.65 | 0.0014 | | | | |
| Supplier MISSION | 1 BOTT (500 ml) | 0.75 | 0.0014 | NIPPLEHEAD | | | |
| Supplier DURBIN | 20 BOTT (500 ml) | 15.98 | 0.0016 | | | | |
| Supplier MEDEOR/EU | 10 BOTT (500 ml) | 12.89 | 0.0026 | | | | |
| Supplier Median Price/ml=0.0014 | | | | High/Low Ratio=3.71 | | | |
| Buyer DOMREPUB | 1 BOTT (1000 ml) | 0.57 | 0.0006 | | | | |
| Buyer OECS/PPS | 14 BOTT (1000 ml) | 12.32 | 0.0009 | | | | |
| Buyer BDS | 1 BOTT (1000 ml) | 1.13 | 0.0011 | | | | |
| Buyer BDS | 1 BOTT (500 ml) | 1.05 | 0.0021 | | | | |
| Buyer Median Price/ml=0.0010 | | | | High/Low Ratio=3.50 | | | |
| DEXTROSE 5% IN WATER solution (INJ) | | | Price/ml | | | E | B05BA03 |
| Supplier UNFPA | 1 BOTT (1000 ml) | 0.61 | 0.0006 | | | | |
| Supplier UNFPA | 1 BOTT (500 ml) | 0.35 | 0.0007 | | | | |
| Supplier MEDS | 1 BOTT (1000 ml) | 0.72 | 0.0007 | | | | |
| Supplier JMS | 1 BOTT (500 ml) | 0.38 | 0.0008 | | | | |
| Supplier MEDS | 1 BOTT (500 ml) | 0.38 | 0.0008 | | | | |
| Supplier MEG | 1 BOTT (1000 ml) | 0.80 | 0.0008 | | | | |
| Supplier IDA | 12 BAG (1000 ml) | 10.87 | 0.0009 | | | | |
| Supplier MEG | 1 BOTT (500 ml) | 0.50 | 0.0010 | | | | |
| Supplier DURBIN | 12 BOTT (1000 ml) | 13.65 | 0.0011 | | | | |
| Supplier IDA | 20 BAG (500 ml) | 11.95 | 0.0012 | | | | |
| Supplier MISSION | 1 BOTT (1000 ml) | 1.30 | 0.0013 | NIPPLEHEAD | | | |
| Supplier MISSION | 1 BOTT (500 ml) | 0.72 | 0.0014 | NIPPLEHEAD | | | |
| Supplier DURBIN | 20 BOTT (500 ml) | 14.85 | 0.0014 | | | | |
| Supplier Median Price/ml=0.0009 | | | | High/Low Ratio=2.33 | | | |
| Buyer DOMREPUB | 1 BOTT (1000 ml) | 0.55 | 0.0005 | | | | |
| Buyer OECS/PPS | 14 BOTT (1000 ml) | 11.90 | 0.0009 | | | | |
| Buyer MEMS | 1 BOTT (500 ml) | 0.46 | 0.0009 | | | | |
| Buyer BDS | 1 BOTT (1000 ml) | 0.96 | 0.0010 | | | | |
| Buyer PERU | 10 BOTT (1000 ml) | 9.88 | 0.0010 | ILLUSTRATIVE NUMBER OF BOTTLES | | | |
| Buyer CAMERWA | 1 BOTT (500 ml) | 0.68 | 0.0014 | | | | |
| Buyer NAMIBIA | 1 BOTT (1000 ml) | 1.37 | 0.0014 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|--|---|--|--|-----------------------------------|-------------------------------|--------------|
| DEXTROSE 5% IN WATER solution (INJ) Buyer BDS | 1 BAG (500 ml) | 0.88 Buyer Median Price/ml=0.0010 | Price/ml 0.0018 | | E | B05BA03 | |
| | | | | High/Low Ratio=3.60 | | | |
| DEXTROSE 50% IN WATER (HYPERTONIC) solution (INJ) Supplier JMS Supplier MEDEOR/TZ Supplier UNFPA Supplier MEDS Supplier IMRES Supplier IDA Supplier MISSION Supplier DURBIN Supplier MEDEOR/EU | 1 BOTT (100 ml) 1 VIAL (250 ml) 25 VIAL (50 ml) 1 VIAL (50 ml) 25 VIAL (50 ml) 20 VIAL (50 ml) 20 VIAL (50 ml) 25 VIAL (50 ml) 25 VIAL (50 ml) | 0.61 2.68 15.00 0.70 18.55 18.83 26.57 47.37 52.37 | Price/ml 0.0061 0.0107 0.0120 0.0140 0.0148 0.0188 0.0265 0.0379 0.0419 | | E | B05BA03 | |
| | | | Supplier Median Price/ml=0.0148 | High/Low Ratio=6.87 | | | |
| Buyer DOMREPUB Buyer CAMERWA Buyer NAMIBIA Buyer BDS Buyer OECS/PPS Buyer NAMIBIA Buyer MEMS | 1 AMP (20 ml) 25 AMP (20 ml) 1 BOTT (500 ml) 1 VIAL (50 ml) 1 VIAL (50 ml) 10 VIAL (20 ml) 1 VIAL (50 ml) | 0.13 4.08 4.54 0.69 0.69 15.55 4.95 | 0.0066 0.0082 0.0091 0.0138 0.0138 0.0777 0.0990 | VACUUM-PACKED | Buyer Median Price/ml=0.0138 | High/Low Ratio=15.00 | |
| DIALYSIS SOL. PERITONEAL W/ DEXTROSE 1.5% solution (INJ) Buyer BDS Buyer BOTSWANA | 2 BAG (5000 ml) 1 BAG (2000 ml) | 15.76 10.00 | Price/ml 0.0016 0.0050 | | C | V07A | |
| | | | Buyer Median Price/ml=0.0033 | High/Low Ratio=3.13 | | | |
| DIAZEPAM (IC) 10 mg tab-cap (PO) Buyer GHANA Buyer BDS | 1000 TAB-CAP 1000 TAB-CAP | 2.72 20.25 | Price/tab-cap 0.0027 0.0203 | 10 X 100 BLISTER PACK TABLETS TABLETS | Buyer Median Price/tab-cap=0.0115 | 10 mg High/Low Ratio=7.52 | P N05BA01 |
| DIAZEPAM (IC) 2 mg tab-cap (PO) Buyer BDS | 1000 TAB-CAP | 17.86 | Price/tab-cap 0.0178 | TABLETS | 10 mg | E | N05BA01 |
| DIAZEPAM (IC) 5 mg tab-cap (PO) Supplier MEDS Supplier JMS Supplier MEDEOR/TZ Supplier IDA Supplier MISSION Supplier DURBIN Supplier IMRES | 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP | 2.64 2.97 3.87 5.94 7.07 7.23 20.00 | Price/tab-cap 0.0026 0.0030 0.0039 0.0059 0.0071 0.0072 0.0200 | TABLETS TABLETS TABLETS TABLETS TABLETS TABLETS TABLETS | Buyer Median Price/tab-cap=0.0059 | 10 mg High/Low Ratio=7.69 | E N05BA01 |
| Buyer GHANA Buyer CAMERWA Buyer MEMS Buyer OECS/PPS Buyer BDS Buyer SUDANNHIF Buyer BOTSWANA | 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 100 TAB-CAP 100 TAB-CAP | 2.19 2.60 4.68 18.20 19.05 2.73 3.19 | 0.0022 0.0026 0.0047 0.0182 0.0191 0.0273 0.0319 | 10 X 100 BLISTER PACK TABLETS TABLETS TABLETS SCORED TABLETS TABLETS TABLETS, ILLUSTRATIVE PACK SIZE TABLETS | Buyer Median Price/tab-cap=0.0182 | 10 mg High/Low Ratio=14.50 | P N05BA01 |
| DIAZEPAM (IC) 5 mg/ml ampoule (INJ) Supplier JMS Supplier DURBIN Supplier MISSION Supplier IDA Supplier MEG Supplier IMRES Supplier UNFPA Supplier MEDEOR/TZ Supplier MEDS | 10 AMP (2 ml) 100 AMP (2 ml) 1 AMP (2 ml) | 0.76 10.84 11.44 12.02 15.52 19.00 20.00 22.69 0.37 | Price/ml 0.0382 0.0543 0.0572 0.0601 0.0776 0.0950 0.1000 0.1134 0.1832 | IM/IV | Buyer Median Price/ml=0.0776 | 10 mg High/Low Ratio=4.80 | P N05BA01 |
| Buyer CAMERWA Buyer MEMS Buyer DOMREPUB Buyer GHANA Buyer BDS Buyer OECS/PPS | 100 AMP (2 ml) 1 AMP (2 ml) 1 AMP (2 ml) 10 AMP (2 ml) 100 AMP (2 ml) 100 AMP (2 ml) | 11.72 0.17 0.17 1.75 24.56 26.00 | 0.0586 0.0825 0.0861 0.0875 0.1228 0.1300 | IM/IV | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-----------------|--------------------------------------|--|---|------------------------|------------|-------------|
| DIAZEPAM (IC) 5 mg/ml ampoule (INJ) Buyer NAMIBIA | 10 AMP (2 ml) | 5.58 Buyer Median Price/ml=0.0875 | Price/ml 0.2792 | 10 mg High/Low Ratio=4.76 | P | N | N05BA01 |
| DICLOFENAC 100 mg suppos (RECT) Supplier IMRES | 100 SUPP | 7.50 | Price/supp 0.0750 | 0.1 g | N | | |
| Supplier MEDS | 10 SUPP | 1.32 | 0.1321 | | | | |
| Buyer CAMERWA | 100 SUPP | 17.45 | Supplier Median Price/supp=0.1036 0.1745 | High/Low Ratio=1.76 | | | |
| DICLOFENAC SODIUM 0.1% opht drop (OPHT) Buyer BDS | 1 BOTT (5 ml) | 3.62 | Price/ml 0.7248 | | N | S01BC03 | |
| DICLOFENAC SODIUM 25 mg tab-cap (PO) Supplier IMRES | 1000 TAB-CAP | 4.25 | Price/tab-cap 0.0043 | 0.1 g ENTERIC-COATED TABLETS | N | M01AB05 | |
| Supplier IDA | 1000 TAB-CAP | 4.42 | 0.0045 | ENTERIC COATED TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 4.56 | 0.0046 | ENTERIC-COATED TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 5.62 | 0.0056 | TABLETS | | | |
| Supplier MEDEOR/EU | 3500 TAB-CAP | 20.93 | 0.0059 | TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 1.62 | Supplier Median Price/tab-cap=0.0046 0.0162 | High/Low Ratio=1.37 TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 1.85 | 0.0185 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 100 TAB-CAP | 3.81 | 0.0381 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0185 | | | | High/Low Ratio=2.35 | | | |
| DICLOFENAC SODIUM 25 mg/ml ampoule (INJ) Supplier JMS | 100 AMP (3 ml) | 4.40 | Price/ml 0.0147 | 0.1 g | N | M01AB05 | |
| Supplier MEDS | 1 AMP (3 ml) | 0.05 | 0.0163 | IM | | | |
| Supplier MEDEOR/TZ | 100 AMP (3 ml) | 5.76 | 0.0192 | | | | |
| Supplier IMRES | 100 AMP (3 ml) | 7.75 | 0.0258 | | | | |
| Supplier MISSION | 100 AMP (3 ml) | 11.78 | 0.0393 | | | | |
| Supplier IDA | 100 AMP (3 ml) | 12.02 | 0.0401 | | | | |
| Supplier MEG | 100 AMP (3 ml) | 17.58 | 0.0586 | | | | |
| Supplier UNFPA | 100 AMP (3 ml) | 19.00 | 0.0633 | | | | |
| Supplier DURBIN | 100 AMP (3 ml) | 24.89 | 0.0830 | | | | |
| Supplier MEDEOR/EU | 50 AMP (3 ml) | 13.69 | 0.0913 | | | | |
| Buyer CAMERWA | 100 AMP (3 ml) | 2.78 | Supplier Median Price/ml=0.0397 0.0093 | High/Low Ratio=6.21 | | | |
| Buyer DOMREPUB | 1 AMP (3 ml) | 0.03 | 0.0105 | | | | |
| Buyer PERU | 100 AMP (3 ml) | 3.67 | 0.0122 | ILLUSTRATIVE NUMBER OF AMPS | | | |
| Buyer MEMS | 1 AMP (3 ml) | 0.06 | 0.0209 | | | | |
| Buyer OECS/PPS | 100 AMP (3 ml) | 9.00 | 0.0300 | | | | |
| Buyer CRSS | 1 AMP (3 ml) | 0.19 | 0.0633 | | | | |
| Buyer BOTSWANA | 1 AMP (3 ml) | 0.21 | 0.0708 | | | | |
| Buyer BDS | 100 AMP (3 ml) | 22.13 | 0.0738 | Buyer Median Price/ml=0.0255 | High/Low Ratio=7.94 | | |
| DICLOFENAC SODIUM 50 mg tab-cap (PO) Supplier MEDS | 1000 TAB-CAP | 2.15 | Price/tab-cap 0.0022 | 0.1 g ENTERIC-COATED TABLETS | N | M01AB05 | |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 0.38 | 0.0038 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 4.15 | 0.0042 | ENTERIC-COATED TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 5.65 | 0.0056 | ENTERIC-COATED TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 5.97 | 0.0059 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 6.60 | 0.0066 | ENTERIC-COATED TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 0.80 | 0.0080 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.00 | Supplier Median Price/tab-cap=0.0056 0.0026 | High/Low Ratio=3.64 BLISTER PACK TABLETS | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 3.92 | 0.0039 | TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 0.40 | 0.0040 | TABLETS | | | |
| Buyer CAMERWA | 100 TAB-CAP | 0.40 | 0.0040 | TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 10.32 | 0.0103 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 13.15 | 0.1315 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer Median Price/tab-cap=0.0040 | | | | High/Low Ratio=50.58 | | | |
| DICLOFENAC SODIUM (SUSTAINED-RELEASE) 75 mg tab-cap (PO) Buyer OECS/PPS | 500 TAB-CAP | 9.60 | Price/tab-cap 0.0192 | 0.1 g | N | M01AB05 | |
| Buyer BDS | 200 TAB-CAP | 7.13 | 0.0357 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0275 | | | | High/Low Ratio=1.86 | | | |
| DICLOXACILLIN 125 mg/5 ml suspen (PO) Supplier UNFPA | 1 BOTT (100 ml) | 1.20 | Price/ml 0.0120 | 2 g POWDER | N | J01CF01 | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|----------------|-------------------------|----------------------|---------------------------------|--|------------|-------------|
| DICLOXACILLIN 250 mg tab-cap (PO) Buyer PERU | 100 TAB-CAP | 7.69 | | Price/tab-cap 0.0769 | 2 g TABLETS, ILLUSTRATIVE PACK SIZE | E | J01CF01 |
| DICLOXACILLIN 500 mg tab-cap (PO) Supplier UNFPA | 100 TAB-CAP | 12.00 | | Price/tab-cap 0.1200 | 2 g CAPSULES | N | J01CF01 |
| Buyer PERU | 100 TAB-CAP | 7.31 | 0.0731 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| DIDANOSINE 10 mg/ml powder (PO) Supplier SCMS | 1 PACKET (2 g) | 4.20 | 2.1000 | Price/g | 0.4 g RECONSTITUTE TO 200 ML | E | J05AF02 |
| Supplier SCMS | 1 PACKET (4 g) | 8.40 | 2.1000 | | RECONSTITUTE TO 400 ML | | |
| DIDANOSINE (DDI) 100 mg tab-cap (PO) Supplier SCMS | 60 TAB-CAP | 8.11 | 0.1351 | Price/tab-cap 0.1351 | 0.4 g TABLETS | E | J05AF02 |
| DIDANOSINE (DDI) 150 mg tab-cap (PO) Supplier SCMS | 60 TAB-CAP | 12.07 | 0.2013 | Price/tab-cap 0.2013 | 0.4 g TABLETS | E | J05AF02 |
| DIDANOSINE (DDI) 200 mg tab-cap (PO) Supplier SCMS | 60 TAB-CAP | 15.75 | 0.2625 | Price/tab-cap 0.2625 | 0.4 g TABLETS | E | J05AF02 |
| Supplier IDA | 30 TAB-CAP | 18.33 | 0.6109 | | ENTERIC-COATED CAPSULES High/Low Ratio=2.33 | | |
| Supplier Median Price/tab-cap=0.4367 | | | | | | | |
| DIDANOSINE (DDI) 250 mg tab-cap (PO) Buyer CAMERWA | 30 TAB-CAP | 16.95 | 0.5649 | Price/tab-cap 0.5649 | 0.4 g TABLETS | P | J05AF02 |
| DIDANOSINE (DDI) 400 mg tab-cap (PO) Supplier IDA | 30 TAB-CAP | 34.29 | 1.1430 | Price/tab-cap 1.1430 | 0.4 g ENTERIC-COATED TABLETS | E | J05AF02 |
| Buyer CAMERWA | 30 TAB-CAP | 28.74 | 0.9579 | TABLETS | | | |
| DIDANOSINE (DDI, CHEWABLE) 25 mg tab-cap (PO) Supplier SCMS | 60 TAB-CAP | 7.00 | 0.1167 | Price/tab-cap 0.1167 | 0.4 g TABLETS | E | J05AF02 |
| DIDANOSINE (DDI, CHEWABLE) 50 mg tab-cap (PO) Supplier SCMS | 60 TAB-CAP | 9.50 | 0.1583 | Price/tab-cap 0.1583 | 0.4 g TABLETS | E | J05AF02 |
| DIDANOSINE (DDI, DELAYED-RELEASE) 125 mg tab-cap (PO) Supplier SCMS | 30 TAB-CAP | 8.93 | 0.2975 | Price/tab-cap 0.2975 | 0.4 g CAPSULES | P | J05AF02 |
| DIDANOSINE (DDI, DELAYED-RELEASE) 200 mg tab-cap (PO) Supplier SCMS | 30 TAB-CAP | 11.55 | 0.3850 | Price/tab-cap 0.3850 | 0.4 g CAPSULES | P | J05AF02 |
| DIDANOSINE (DDI, DELAYED-RELEASE) 250 mg tab-cap (PO) Supplier SCMS | 30 TAB-CAP | 13.65 | 0.4550 | Price/tab-cap 0.4550 | 0.4 g CAPSULES | P | J05AF02 |
| Buyer BDS | 30 TAB-CAP | 18.54 | 0.6179 | CAPSULES | | | |
| DIDANOSINE (DDI, DELAYED-RELEASE) 400 mg tab-cap (PO) Supplier SCMS | 30 TAB-CAP | 21.00 | 0.7000 | Price/tab-cap 0.7000 | 0.4 g CAPSULES | P | J05AF02 |
| Buyer BDS | 30 TAB-CAP | 27.80 | 0.9267 | TABLETS | | | |
| DIETHYLCARBAMAZINE CITRATE 50 mg tab-cap (PO) | | | | Price/tab-cap | 0.4 g | C | P02CB02 |
| Supplier IDA | 1000 TAB-CAP | 3.91 | 0.0039 | | TABLETS | | |
| Supplier MISSION | 1000 TAB-CAP | 4.97 | 0.0049 | | TABLETS | | |
| Supplier JMS | 1000 TAB-CAP | 5.76 | 0.0058 | | TABLETS | | |
| Supplier DURBIN | 1000 TAB-CAP | 9.15 | 0.0092 | | TABLETS | | |
| Supplier Median Price/tab-cap=0.0054 | | | | | High/Low Ratio=2.36 | | |
| Buyer CAMERWA | 1000 TAB-CAP | 5.60 | 0.0056 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|----------------|-------------------------|----------------------|---------------------------------|------------------------|------------|-------------|
| DIGOXIN 0.05 mg/ml solution (PO) | | | Price/ml | | 0.25 mg | E | C01AA05 |
| Buyer NAMIBIA | 1 BOTT (50 ml) | 2.25 | 0.0451 | ELIXIR, WITH DROPPER | | | |
| Buyer BOTSWANA | 1 BOTT (50 ml) | 3.39 | 0.0678 | ELIXIR | | | |
| Buyer OECS/PPS | 1 BOTT (60 ml) | 12.78 | 0.2130 | PEDIATRIC ELIXIR | | | |
| Buyer BDS | 1 BOTT (60 ml) | 21.69 | 0.3615 | | | | |
| Buyer CRSS | 1 BOTT (60 ml) | 22.00 | 0.3667 | | | | |
| Buyer Median Price/ml=0.2130 | | | | High/Low Ratio=8.13 | | | |
| DIGOXIN 0.125 mg tab-cap (PO) | | | Price/tab-cap | | 0.25 mg | P | C01AA05 |
| Buyer BDS | 28 TAB-CAP | 1.13 | 0.0402 | TABLETS | | | |
| Buyer OECS/PPS | 500 TAB-CAP | 20.42 | 0.0408 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0405 | | | | High/Low Ratio=1.01 | | | |
| DIGOXIN 0.25 mg tab-cap (PO) | | | Price/tab-cap | | 0.25 mg | E | C01AA05 |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 5.63 | 0.0056 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 7.70 | 0.0077 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 8.03 | 0.0080 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 8.52 | 0.0085 | TABLETS | | | |
| Supplier MEDEOR/EU | 7000 TAB-CAP | 60.27 | 0.0085 | TABLETS | | | |
| Supplier JMS | 1000 TAB-CAP | 15.63 | 0.0156 | TABLETS | | | |
| Supplier IDA | 28 TAB-CAP | 2.03 | 0.0724 | BLISTER-PACK TABLETS, 7 X 4 | | | |
| Supplier Median Price/tab-cap=0.0085 | | | | High/Low Ratio=12.93 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 5.57 | 0.0056 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0094 | BLISTER PACK TABLETS | | | |
| Buyer MEMS | 1000 TAB-CAP | 11.04 | 0.0110 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 1.34 | 0.0134 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 1000 TAB-CAP | 17.20 | 0.0172 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 2.60 | 0.0260 | TABLETS | | | |
| Buyer NAMIBIA | 500 TAB-CAP | 14.76 | 0.0295 | TABLETS | | | |
| Buyer OECS/PPS | 500 TAB-CAP | 20.42 | 0.0408 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 14.60 | 0.1460 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer Median Price/tab-cap=0.0172 | | | | High/Low Ratio=26.07 | | | |
| DIGOXIN 0.25 mg/ml ampoule (INJ) | | | Price/ml | | 0.25 mg | E | C01AA05 |
| Supplier JMS | 10 AMP (2 ml) | 0.88 | 0.0439 | | | | |
| Supplier IDA | 100 AMP (2 ml) | 11.23 | 0.0562 | | | | |
| Supplier MISSION | 100 AMP (2 ml) | 11.95 | 0.0598 | | | | |
| Supplier DURBIN | 100 AMP (2 ml) | 14.05 | 0.0703 | | | | |
| Supplier MEDEOR/TZ | 100 AMP (2 ml) | 14.38 | 0.0719 | | | | |
| Supplier MEG | 100 AMP (2 ml) | 17.50 | 0.0875 | | | | |
| Supplier UNFPA | 100 AMP (2 ml) | 23.00 | 0.1150 | | | | |
| Supplier IMRES | 100 AMP (2 ml) | 24.75 | 0.1238 | | | | |
| Supplier Median Price/ml=0.0711 | | | | High/Low Ratio=2.82 | | | |
| Buyer DOMREPUB | 1 AMP (2 ml) | 0.08 | 0.0388 | | | | |
| Buyer MEMS | 1 AMP (2 ml) | 0.17 | 0.0825 | | | | |
| Buyer CAMERWA | 100 AMP (2 ml) | 20.26 | 0.1013 | | | | |
| Buyer OECS/PPS | 100 AMP (2 ml) | 29.90 | 0.1495 | | | | |
| Buyer BDS | 100 AMP (2 ml) | 47.64 | 0.2382 | | | | |
| Buyer NAMIBIA | 5 AMP (2 ml) | 7.71 | 0.7706 | | | | |
| Buyer CRSS | 1 AMP (1 ml) | 1.40 | 1.4000 | | | | |
| Buyer Median Price/ml=0.1495 | | | | High/Low Ratio=36.08 | | | |
| DIHYDROARTEMISININ + PIPERAQUINE 40 + 320 mg tab-cap (PO) | | | Price/tab-cap | | | N | P01B |
| Supplier MEDEOR/TZ | 8 TAB-CAP | 4.75 | 0.5940 | TABLETS | | | |
| DIHYDROCODEINE (IC) 30 mg tab-cap (PO) | | | Price/tab-cap | | 0.15 g | N | N02AA08 |
| Supplier MEDS | 100 TAB-CAP | 7.88 | 0.0788 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 31.16 | 0.3116 | TABLETS | | | |
| DILTIAZEM HCL 60 mg tab-cap (PO) | | | Price/tab-cap | | 0.24 g | N | C08DB01 |
| Supplier IMRES | 1000 TAB-CAP | 21.00 | 0.0210 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 3.25 | 0.0325 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer MEMS | 100 TAB-CAP | 8.17 | 0.0817 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 21.72 | 0.2172 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer Median Price/tab-cap=0.0817 | | | | High/Low Ratio=6.68 | | | |
| DIMENHYDRINATE 100 mg suppos (RECT) | | | Price/supp | | | N | R06AA02 |
| Buyer CRSS | 100 SUPP | 28.10 | 0.2810 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-----------------|-------------------------|----------------------|-------------------------------------|------------------------|------------|-------------|
| DIMENHYDRINATE 50 mg tab-cap (PO) Supplier UNFPA | 1000 TAB-CAP | 20.00 | 0.0200 | TABLETS | | N | R06AA02 |
| Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0065 | BLISTER PACK TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 1.00 | 0.0100 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 12.00 | 0.0120 | TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 17.86 | 0.0178 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0110 | | | | High/Low Ratio=2.74 | | | |
| DIMENHYDRINATE 50 mg/ml vial (INJ) | | | Price/ml | | | N | R06AA02 |
| Buyer DOMREPUB | 1 AMP (1 ml) | 0.08 | 0.0804 | | | | |
| Buyer BDS | 25 AMP (5 ml) | 24.61 | 0.1969 | | | | |
| Buyer OECS/PPS | 25 VIAL (1 ml) | 24.00 | 0.9600 | | | | |
| Buyer Median Price/ml=0.1969 | | | | High/Low Ratio=11.94 | | | |
| DIMERCAPROL 50 mg/ml vial (INJ) | | | Price/ml | | | E | V03AB09 |
| Buyer BDS | 1 VIAL (2 ml) | 97.41 | 48.7029 | | | | |
| DIPHENHYDRAMINE 25 mg tab-cap (PO) | | | Price/tab-cap | | 0.3 g | T | R06AA02 |
| Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0112 | TABLETS | | | |
| DOBUTAMINE 12.5 mg/ml vial (INJ) | | | Price/ml | | 0.5 g | N | C01CA07 |
| Supplier MISSION | 10 AMP (20 ml) | 49.55 | 0.2477 | | | | |
| Buyer BDS | 10 VIAL (20 ml) | 21.54 | 0.1077 | | | | |
| Buyer OECS/PPS | 10 VIAL (20 ml) | 33.00 | 0.1650 | | | | |
| Buyer BOTSWANA | 1 VIAL (20 ml) | 5.63 | 0.2816 | | | | |
| Buyer Median Price/ml=0.1650 | | | | High/Low Ratio=2.61 | | | |
| DOCETAXEL 20 mg vial (INJ) | | | Price/vial | | | E | L01CD02 |
| Buyer BDS | 1 VIAL | 34.96 | 34.9599 | | | | |
| Buyer NAMIBIA | 1 VIAL | 53.84 | 53.8444 | 1.5 ML | | | |
| Buyer Median Price/vial=44.4022 | | | | High/Low Ratio=1.54 | | | |
| DOCETAXEL 80 mg vial (INJ) | | | Price/vial | | | E | L01CD02 |
| Buyer PERU | 1 VIAL | 17.50 | 17.4960 | 2 ML | | | |
| Buyer BDS | 1 VIAL | 102.33 | 102.3277 | | | | |
| Buyer NAMIBIA | 1 VIAL | 104.61 | 104.6108 | 6 ML | | | |
| Buyer Median Price/vial=102.3277 | | | | High/Low Ratio=5.98 | | | |
| DOPAMINE HCL 40 mg/ml ampoule (INJ) | | | Price/ml | | 0.5 g | C | C01CA04 |
| Supplier UNFPA | 100 AMP (5 ml) | 37.75 | 0.0755 | | | | |
| Supplier DURBIN | 100 AMP (5 ml) | 39.34 | 0.0787 | | | | |
| Supplier IMRES | 100 AMP (5 ml) | 47.00 | 0.0940 | | | | |
| Supplier IDA | 100 AMP (5 ml) | 65.34 | 0.1307 | | | | |
| Supplier JMS | 1 AMP (5 ml) | 0.92 | 0.1844 | | | | |
| Supplier Median Price/ml=0.0940 | | | | High/Low Ratio=2.44 | | | |
| Buyer CAMERWA | 50 AMP (5 ml) | 11.42 | 0.0457 | | | | |
| Buyer DOMREPUB | 1 AMP (5 ml) | 0.44 | 0.0884 | | | | |
| Buyer BDS | 5 AMP (5 ml) | 2.58 | 0.1033 | | | | |
| Buyer OECS/PPS | 25 BOTT (5 ml) | 14.20 | 0.1136 | | | | |
| Buyer Median Price/ml=0.0959 | | | | High/Low Ratio=2.49 | | | |
| DORZOLAMIDE CHLORHYDRATE 2% opht drop (OPHT) | | | Price/ml | | 0.3 ML | N | S01EC03 |
| Buyer BDS | 1 BOTT (5 ml) | 15.88 | 3.1754 | | | | |
| DOXORUBICIN HCL 10 mg vial (INJ) | | | Price/vial | | | C | L01DB01 |
| Supplier JMS | 1 VIAL | 5.40 | 5.4000 | | | | |
| Supplier MISSION | 1 VIAL | 7.08 | 7.0841 | WITH SOLVENT | | | |
| Supplier Median Price/vial=6.2421 | | | | High/Low Ratio=1.31 | | | |
| DOXORUBICIN HCL 50 mg vial (INJ) | | | Price/vial | | | C | L01DB01 |
| Supplier MEDEOR/TZ | 1 VIAL | 12.92 | 12.9180 | 0 | | | |
| Supplier JMS | 1 VIAL | 19.40 | 19.4040 | | | | |
| Supplier IDA | 1 VIAL | 31.44 | 31.4368 | POWDER | | | |
| Supplier Median Price/vial=19.4040 | | | | High/Low Ratio=2.43 | | | |
| Buyer PERU | 1 VIAL | 9.86 | 9.8612 | | | | |
| Buyer BDS | 1 VIAL | 12.54 | 12.5433 | | | | |
| Buyer OECS/PPS | 1 VIAL | 16.80 | 16.8000 | 2 MG/ML IN 25 ML VIAL, READY TO USE | | | |
| Buyer BOTSWANA | 1 VIAL | 17.30 | 17.3039 | POWDER | | | |
| Buyer CAMERWA | 1 VIAL | 19.91 | 19.9120 | POWDER | | | |
| Buyer Median Price/vial=16.8000 | | | | High/Low Ratio=2.02 | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-----------------|---|----------------------|---------------------------------|-----------------------------|--------------|----------------|
| DOXYCYCLINE 100 mg tab-cap (PO) | | | | | Price/tab-cap | 0.1 g | C |
| Supplier UNFPA | 1000 TAB-CAP | 9.88 | 0.0099 | TABLETS | | | J01AA02 |
| Supplier MEG | 1000 TAB-CAP | 9.90 | 0.0099 | COATED TABLETS | | | |
| Supplier MEDS | 1000 TAB-CAP | 9.98 | 0.0100 | CAPSULES | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 11.88 | 0.0119 | CAPSULES | | | |
| Supplier JMS | 1000 TAB-CAP | 11.98 | 0.0120 | CAPSULES | | | |
| Supplier IMRES | 1000 TAB-CAP | 12.60 | 0.0126 | FILM-COATED TABLETS, HYCLATE | | | |
| Supplier IDA | 1000 TAB-CAP | 12.89 | 0.0129 | TABLETS, HYCLATE | | | |
| Supplier DURBIN | 1000 TAB-CAP | 15.17 | 0.0153 | TABLETS, HYCLATE | | | |
| Supplier MISSION | 1000 TAB-CAP | 17.17 | 0.0172 | TABLETS, HYCLATE | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 22.67 | 0.0227 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0123 | | | High/Low Ratio=2.29 | | |
| Buyer CAMERWA | 1000 TAB-CAP | 9.85 | 0.0098 | TABLETS | | | |
| Buyer MEMS | 1000 TAB-CAP | 14.52 | 0.0145 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 1.84 | 0.0184 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 1.88 | 0.0188 | CAPSULES | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.02 | 0.0201 | BLISTER PACK CAPSULES | | | |
| Buyer SAFRICA | 100 TAB-CAP | 2.12 | 0.0212 | CAPSULES | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 2.60 | 0.0260 | CAPSULES | | | |
| Buyer BDS | 100 TAB-CAP | 4.29 | 0.0429 | TABLETS, 10 X 10 | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 15.18 | 0.1518 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0201 | | | High/Low Ratio=15.49 | | |
| DROPERIDOL 2.5 mg/ml ampoule (INJ) | | | | | Price/ml | | |
| Buyer CRSS | 1 AMP (2 ml) | 1.00 | 0.5000 | | | N | N01AX01 |
| DYDROGESTERONE 10 mg tab-cap (PO) | | | | | Price/tab-cap | 10 mg | N |
| Supplier UNFPA | 42 TAB-CAP | 14.00 | 0.3333 | TABLETS | | | |
| EDROPHONIUM CHLORIDE 10 mg/ml vial (INJ) | | | | | Price/ml | | |
| Buyer OECS/PPS | 10 AMP (5 ml) | 158.00 | 3.1600 | | | N | N07AA |
| EFAVIRENZ (EFV) 100 mg tab-cap (PO) | | | | | Price/tab-cap | 0.6 g | E |
| Supplier SCMS | 30 TAB-CAP | 4.62 | 0.1540 | CAPSULES | | | J05AG03 |
| EFAVIRENZ (EFV) 200 mg tab-cap (PO) | | | | | Price/tab-cap | 0.6 g | E |
| Supplier SCMS | 90 TAB-CAP | 9.31 | 0.1035 | CAPSULES | | | J05AG03 |
| Supplier IDA | 90 TAB-CAP | 14.82 | 0.1647 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 28.72 | 0.2872 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Supplier Median Price/tab-cap=0.1341 | | | High/Low Ratio=1.59 | | |
| EFAVIRENZ (EFV) 30 mg/ml syrup (PO) | | | | | Price/ml | 0.6 g | P |
| Supplier SCMS | 1 BOTT (180 ml) | 17.81 | 0.0989 | SOLUTION | | | J05AG03 |
| EFAVIRENZ (EFV) 50 mg tab-cap (PO) | | | | | Price/tab-cap | 0.6 g | E |
| Supplier SCMS | 30 TAB-CAP | 2.35 | 0.0784 | CAPSULES | | | J05AG03 |
| Supplier IDA | 30 TAB-CAP | 3.98 | 0.1328 | CAPSULES | | | |
| Buyer GHANA | 30 TAB-CAP | 2.30 | 0.0767 | CAPSULES | | | |
| | | Supplier Median Price/tab-cap=0.1056 | | | High/Low Ratio=1.69 | | |
| EFAVIRENZ (EFV) 600 mg tab-cap (PO) | | | | | Price/tab-cap | 0.6 g | P |
| Supplier SCMS | 30 TAB-CAP | 4.33 | 0.1442 | TABLETS | | | J05AG03 |
| Supplier MEG | 30 TAB-CAP | 7.35 | 0.2450 | TABLETS | | | |
| Supplier IDA | 30 TAB-CAP | 8.74 | 0.2912 | TABLETS | | | |
| Buyer CAMERWA | 30 TAB-CAP | 4.80 | 0.1601 | TABLETS | | | |
| Buyer BDS | 30 TAB-CAP | 6.95 | 0.2316 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 23.43 | 0.2343 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer CRSS | 100 TAB-CAP | 23.89 | 0.2389 | CAPSULES | | | |
| | | Supplier Median Price/tab-cap=0.2450 | | | High/Low Ratio=2.02 | | |
| | | Buyer Median Price/tab-cap=0.2330 | | | High/Low Ratio=1.49 | | |
| EFAVIRENZ+EMTRICITABINE+TENOFOVIR DF (600+200+300 MG) tab-cap (PO) | | | | | Price/tab-cap | | |
| Supplier SCMS | 30 TAB-CAP | 20.92 | 0.6972 | TABLETS | | | J05AR06 |
| Supplier IDA | 30 TAB-CAP | 26.29 | 0.8765 | TABLETS | | | |
| Buyer BDS | 30 TAB-CAP | 23.03 | 0.7675 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.7869 | | | High/Low Ratio=1.26 | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|--------------|--|--|--|--------------------------------------|----------------------|-------------|
| EFAVIRENZ+LAMIVUDINE+TENOFOVIR DISOP. (600+300+300 MG) tab-cap (PO) Supplier SCMS | 30 TAB-CAP | 17.93 | 0.5978 | TABLETS | Price/tab-cap | P | J05AR |
| EMTRICITABINE 200 mg tab-cap (PO) Supplier SCMS | 30 TAB-CAP | 5.04 | 0.1680 | CAPSULES | 0.2 g | E | J05AF09 |
| ENALAPRIL 10 mg tab-cap (PO) Supplier IMRES | 1000 TAB-CAP | 15.00 | 0.0150 | TABLETS | Price/tab-cap | 10 mg | P |
| Buyer DOMREPUB 1 TAB-CAP Buyer PERU 100 TAB-CAP Buyer BDS 100 TAB-CAP | | 0.00 0.59 0.99 | 0.0029 0.0059 0.0099 | BLISTER PACK TABLETS TABLETS, ILLUSTRATIVE PACK SIZE TABLETS | Buyer Median Price/tab-cap=0.0059 | High/Low Ratio=3.41 | C09AA02 |
| ENALAPRIL 20 mg tab-cap (PO) Supplier IMRES | 1000 TAB-CAP | 30.00 | 0.0300 | TABLETS | Price/tab-cap | 10 mg | P |
| Buyer DOMREPUB 1 TAB-CAP Buyer BDS 100 TAB-CAP Buyer BOTSWANA 28 TAB-CAP | | 0.01 1.99 2.12 | 0.0050 0.0199 0.0758 | BLISTER PACK TABLETS TABLETS TABLETS | Buyer Median Price/tab-cap=0.0199 | High/Low Ratio=15.16 | C09AA02 |
| ENALAPRIL 5 mg tab-cap (PO) Supplier IDA 100 TAB-CAP Supplier MEDS 100 TAB-CAP | | 0.87 1.26 | 0.0087 0.0126 | 10 X 10 BLISTER PACK TABLETS TABLETS | Supplier Median Price/tab-cap=0.0107 | 10 mg | P |
| Buyer CRSS 100 TAB-CAP Buyer BDS 100 TAB-CAP Buyer BOTSWANA 28 TAB-CAP Buyer CAMERWA 28 TAB-CAP | | 0.59 0.99 0.68 1.01 | 0.0059 0.0099 0.0241 0.0360 | TABLETS TABLETS TABLETS TABLETS | Buyer Median Price/tab-cap=0.0170 | High/Low Ratio=1.45 | C09AA02 |
| ENFLURANE liquid (INH) Buyer NAMIBIA 1 BOTT (250 ml) | | 80.99 | 0.3240 | Price/ml | | N | N01AB04 |
| ENOXAPARIN 20 mg syringe (INJ) Buyer BDS 2 SYRINGE Buyer OECS/PPS 2 SYRINGE | | 8.60 8.78 | 4.2999 4.3900 | Price/syringe | 2 TU | N | B01AB05 |
| ENOXAPARIN 40 mg syringe (INJ) Buyer DOMREPUB 1 SYRINGE Buyer CRSS 1 SYRINGE Buyer PERU 1 SYRINGE Buyer BDS 2 SYRINGE Buyer OECS/PPS 2 SYRINGE Buyer CAMERWA 1 SYRINGE | | 2.40 3.25 4.01 10.59 10.80 6.59 | 2.4033 3.2500 4.0102 5.2932 5.4000 6.5920 | Price/syringe | 2 TU | N | B01AB05 |
| ENOXAPARIN 60 mg syringe (INJ) Buyer BDS 2 SYRINGE Buyer OECS/PPS 2 SYRINGE | | 15.62 15.93 | 7.8082 7.9650 | Price/syringe | 2 TU | N | B01AB05 |
| EPHEDRINE 0.5% nasal (NASA) Buyer MEMS 1 BOTT (15 ml) | | 0.36 | 0.0242 | Price/ml | | P | R01AA03 |
| EPHEDRINE 30 mg/ml vial (INJ) Supplier UNFPA 10 AMP (1 ml) Supplier IMRES 10 AMP (1 ml) Supplier IDA 10 AMP (1 ml) Supplier JMS 10 AMP (1 ml) Supplier MISSION 10 AMP (1 ml) | | 5.50 6.70 7.03 7.07 8.89 | 0.5500 0.6700 0.7026 0.7068 0.8895 | Price/ml | 50 mg | P | R03CA02 |
| EPHEDRINE HCL 30 mg tab-cap (PO) Supplier MEDEOR/TZ 1000 TAB-CAP | | 4.27 | 0.0043 | Price/tab-cap | 50 mg | C | R03CA02 |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|--------------------|--------------------------------------|-------------------------|---------------------------------|------------------------|------------|-------------|
| EPHEDRINE HCL 30 mg tab-cap (PO) <i>Buyer MEMS</i> | 1000 TAB-CAP | 5.35 | Price/tab-cap 0.0053 | TABLETS | 50 mg | C | R03CA02 |
| EPHEDRINE SULFATE 50 mg/ml ampoule (INJ) <i>Buyer NAMIBIA</i> | 10 AMP (1 ml) | 36.46 | Price/ml 3.6457 | | 50 mg | P | R03CA02 |
| EPINEPHRINE (ADRENALINE) 1 mg/ml ampoule (INJ) <i>Supplier JMS</i> | 10 AMP (1 ml) | 0.81 | Price/ml 0.0810 | | 0.5 mg | E | C01CA24 |
| <i>Supplier UNFPA</i> | 100 AMP (1 ml) | 10.00 | 0.1000 | | | | |
| <i>Supplier IMRES</i> | 100 AMP (1 ml) | 11.00 | 0.1100 | | | | |
| <i>Supplier MEDEOR/TZ</i> | 100 AMP (1 ml) | 15.84 | 0.1584 | | | | |
| <i>Supplier DURBIN</i> | 100 AMP (1 ml) | 16.70 | 0.1670 | | | | |
| <i>Supplier MEDS</i> | 1 AMP (1 ml) | 0.17 | 0.1743 | | | | |
| <i>Supplier MISSION</i> | 100 AMP (1 ml) | 19.12 | 0.1912 | | | | |
| <i>Supplier MEG</i> | 100 AMP (1 ml) | 21.50 | 0.2150 | | | | |
| <i>Supplier MEDEOR/EU</i> | 100 AMP (1 ml) | 36.21 | 0.3621 | | | | |
| <i>Supplier IDA</i> | 100 AMP (1 ml) | 55.05 | 0.5505 | | | | |
| | | Supplier Median Price/ml=0.1707 | | | High/Low Ratio=6.80 | | |
| <i>Buyer BUFMAR</i> | 100 AMP (1 ml) | 5.61 | 0.0561 | | | | |
| <i>Buyer DOMREPUB</i> | 1 AMP (1 ml) | 0.06 | 0.0569 | | | | |
| <i>Buyer CAMERWA</i> | 10 AMP (1 ml) | 0.81 | 0.0811 | | | | |
| <i>Buyer PERU</i> | 100 AMP (1 ml) | 9.34 | 0.0934 | ILLUSTRATIVE NUMBER OF AMPS | | | |
| <i>Buyer BDS</i> | 100 AMP (1 ml) | 23.90 | 0.2390 | | | | |
| <i>Buyer OECS/PPS</i> | 100 AMP (1 ml) | 24.40 | 0.2440 | | | | |
| <i>Buyer MEMS</i> | 1 AMP (1 ml) | 0.43 | 0.4290 | | | | |
| <i>Buyer NAMIBIA</i> | 10 AMP (1 ml) | 4.70 | 0.4699 | TARTRATE | High/Low Ratio=8.38 | | |
| | | Buyer Median Price/ml=0.1662 | | | High/Low Ratio=8.38 | | |
| EPIRUBICIN 10 mg vial (INJ) <i>Buyer BDS</i> | 1 VIAL | 9.25 | Price/vial 9.2489 | | | N | L01DB03 |
| <i>Buyer OECS/PPS</i> | 1 VIAL | 11.80 | 11.8000 | | | | |
| | | Buyer Median Price/vial=10.5245 | | | High/Low Ratio=1.28 | | |
| EPIRUBICIN 50 mg vial (INJ) <i>Buyer BDS</i> | 1 VIAL | 37.05 | Price/vial 37.0496 | | | N | L01DB03 |
| <i>Buyer CRSS</i> | 1 VIAL | 45.00 | 45.0000 | 37 ML | | | |
| | | Buyer Median Price/vial=41.0248 | | | High/Low Ratio=1.21 | | |
| EPOETIN ALPHA 2000 IU vial (INJ) <i>Buyer CRSS</i> | 1 VIAL | 5.49 | Price/vial 5.4900 | | | N | B03XA02 |
| <i>Buyer BDS</i> | 6 VIAL | 58.22 | 9.7037 | | | | |
| <i>Buyer OECS/PPS</i> | 6 SYRINGE (1 VIAL) | 70.00 | 11.6667 | | | | |
| <i>Buyer BOTSWANA</i> | 1 SYRINGE (1 VIAL) | 43.20 | 43.2000 | | | | |
| | | Buyer Median Price/vial=10.6852 | | | High/Low Ratio=7.87 | | |
| EPOETIN ALPHA 4000 IU vial (INJ) <i>Buyer BDS</i> | 6 VIAL | 103.70 | Price/vial 17.2841 | | | N | B03XA02 |
| <i>Buyer OECS/PPS</i> | 6 SYRINGE (1 VIAL) | 132.00 | 22.0000 | | | | |
| | | Buyer Median Price/vial=19.6421 | | | High/Low Ratio=1.27 | | |
| ERGOMETRINE MALEATE 0.125 mg tab-cap (PO) <i>Buyer SUDANNHIF</i> | 100 TAB-CAP | 5.31 | Price/tab-cap 0.0531 | TABLETS, ILLUSTRATIVE PACK SIZE | 0.2 mg | N | G02AB03 |
| ERGOMETRINE MALEATE 0.2 mg/ml ampoule (INJ) <i>Supplier UNFPA</i> | 100 AMP (1 ml) | 11.00 | Price/ml 0.1100 | | 0.2 mg | E | G02AB03 |
| <i>Buyer MEMS</i> | 1 AMP (1 ml) | 0.17 | 0.1650 | | | | |
| ERGOMETRINE MALEATE 0.5 mg tab-cap (PO) <i>Supplier DURBIN</i> | 1000 TAB-CAP | 12.44 | Price/tab-cap 0.0125 | TABLETS | 0.2 mg | N | G02AB03 |
| <i>Supplier UNFPA</i> | 1000 TAB-CAP | 13.00 | 0.0130 | TABLETS | | | |
| <i>Supplier IMRES</i> | 1000 TAB-CAP | 24.00 | 0.0240 | TABLETS | | | |
| <i>Supplier MISSION</i> | 1000 TAB-CAP | 26.87 | 0.0269 | TABLETS, BLISTER 100 X 10 | | | |
| | | Supplier Median Price/tab-cap=0.0185 | | | High/Low Ratio=2.15 | | |
| <i>Buyer BDS</i> | 1000 TAB-CAP | 30.44 | 0.0304 | TABLETS | | | |
| ERGOMETRINE MALEATE 0.5 mg/ml ampoule (INJ) <i>Supplier MISSION</i> | 100 AMP (1 ml) | 13.84 | Price/ml 0.1384 | | 0.2 mg | P | G02AB03 |
| <i>Supplier DURBIN</i> | 100 AMP (1 ml) | 23.68 | 0.2368 | | | | |
| | | Supplier Median Price/ml=0.1876 | | | High/Low Ratio=1.71 | | |
| <i>Buyer OECS/PPS</i> | 100 AMP (1 ml) | 40.50 | 0.4050 | | | | |
| <i>Buyer BDS</i> | 100 AMP (1 ml) | 46.31 | 0.4631 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-------------------|--------------------------------------|-------------------------|--|------------------------|------------|-------------|
| ERGOMETRINE MALEATE 0.5 mg/ml ampoule (INJ) <i>Buyer NAMIBIA</i> | 10 AMP (1 ml) | 5.28 Buyer Median Price/ml=0.4631 | Price/ml 0.5283 | | 0.2 mg | P | G02AB03 |
| ERGOMETRINE+OXYTOCIN 0.5mg+5IU/ml ampoule (INJ) <i>Supplier UNFPA</i> | 100 AMP (1 ml) | 50.00 | Price/ml 0.5000 | | | P | G02AC01 |
| <i>Buyer BOTSWANA</i> | 1 AMP (1 ml) | 1.19 | 1.1928 | | | | |
| <i>Buyer NAMIBIA</i> | 5 AMP (1 ml) | 6.51 | 1.3030 | | | | |
| | | Buyer Median Price/ml=1.2479 | | | High/Low Ratio=1.09 | | |
| ERGOTAMINE+CAFFEINE 1+100 mg tab-cap (PO) <i>Supplier IDA</i> | 30 TAB-CAP | 13.69 | Price/tab-cap 0.4563 | TABLETS, BLISTER PACK | | N | N02CA52 |
| <i>Buyer MEMS</i> | 100 TAB-CAP | 6.86 | 0.0686 | TABLETS | | | |
| ERYTHROMYCIN 15 mcg disc (DIAG) <i>Supplier UNFPA</i> | 250 DISC (1 EACH) | 12.50 | Price/each 0.0500 | 5 X 50 DISCS | | N | V07AR |
| ERYTHROMYCIN 5 mcg disc (DIAG) <i>Supplier JMS</i> | 100 DISC (1 EACH) | 4.22 | Price/each 0.0422 | | | N | V07AR |
| ERYTHROMYCIN (BASE) 125 mg/5 ml suspen (PO) <i>Supplier MEDS</i> | 1 BOTT (100 ml) | 0.47 | Price/ml 0.0047 | STEARATE SYRUP | 1 g | E | J01FA01 |
| <i>Supplier JMS</i> | 1 BOTT (100 ml) | 0.71 | 0.0071 | | | | |
| <i>Supplier MEDEOR/TZ</i> | 1 BOTT (100 ml) | 0.76 | 0.0076 | POWDER | | | |
| <i>Supplier UNFPA</i> | 10 BOTT (100 ml) | 8.00 | 0.0080 | POWDER | | | |
| <i>Supplier MEG</i> | 1 BOTT (100 ml) | 0.85 | 0.0085 | POWDER | | | |
| <i>Supplier IMRES</i> | 10 BOTT (100 ml) | 13.70 | 0.0137 | POWDER, ESTOLATE | | | |
| <i>Supplier DURBIN</i> | 1 BOTT (100 ml) | 1.53 | 0.0153 | POWDER FOR SYRUP, AS ETHYL SUCCINATE OR ETHYL STEARATE | | | |
| <i>Supplier IDA</i> | 250 BOTT (100 ml) | 414.33 | 0.0165 | POWDER | | | |
| <i>Supplier MEDEOR/EU</i> | 12 BOTT (100 ml) | 20.72 | 0.0172 | ETHYLSUCCINATE | | | |
| <i>Supplier MISSION</i> | 1 BOTT (100 ml) | 1.93 | 0.0193 | ETHYL SUCCINATE | | | |
| | | Supplier Median Price/ml=0.0111 | | | High/Low Ratio=4.11 | | |
| <i>Buyer MEMS</i> | 1 BOTT (100 ml) | 0.63 | 0.0063 | | | | |
| <i>Buyer SAFRICA</i> | 1 BOTT (100 ml) | 0.78 | 0.0078 | ESTOLATE; GRANULES | | | |
| <i>Buyer BUFMAR</i> | 1 BOTT (100 ml) | 0.86 | 0.0086 | | | | |
| <i>Buyer BOTSWANA</i> | 1 BOTT (100 ml) | 1.32 | 0.0132 | | | | |
| <i>Buyer BDS</i> | 1 BOTT (100 ml) | 1.47 | 0.0147 | | | | |
| <i>Buyer NAMIBIA</i> | 1 BOTT (100 ml) | 1.85 | 0.0185 | | | | |
| | | Buyer Median Price/ml=0.0109 | | | High/Low Ratio=2.94 | | |
| ERYTHROMYCIN (BASE) 200 mg/5 ml suspen (PO) <i>Buyer OECS/PPS</i> | 1 BOTT (100 ml) | 2.00 | Price/ml 0.0200 | EES | 1 g | P | |
| ERYTHROMYCIN (BASE) 250 mg tab-cap (PO) <i>Supplier MEDEOR/TZ</i> | 500 TAB-CAP | 6.66 | Price/tab-cap 0.0133 | TABLETS | 1 g | E | J01FA01 |
| <i>Supplier JMS</i> | 1000 TAB-CAP | 27.47 | 0.0275 | TABLETS | | | |
| <i>Supplier MEDS</i> | 1000 TAB-CAP | 27.75 | 0.0278 | STEARATE TABLETS | | | |
| <i>Supplier UNFPA</i> | 1000 TAB-CAP | 31.00 | 0.0310 | FILM-COATED TABLETS, STEARATE | | | |
| <i>Supplier DURBIN</i> | 1000 TAB-CAP | 33.72 | 0.0337 | TABLETS, AS ETHYL SUCCINATE OR ETHYL STEARATE | | | |
| <i>Supplier MEG</i> | 1000 TAB-CAP | 37.80 | 0.0378 | STEARATE, TABLETS | | | |
| <i>Supplier IMRES</i> | 1000 TAB-CAP | 39.50 | 0.0395 | FILM-COATED TABLETS, STEARATE | | | |
| <i>Supplier MEDEOR/EU</i> | 1000 TAB-CAP | 41.51 | 0.0416 | STEARATE, TABLETS | | | |
| <i>Supplier IDA</i> | 1000 TAB-CAP | 42.66 | 0.0427 | STEARATE, BLISTER PACK TABLETS | | | |
| <i>Supplier MISSION</i> | 1000 TAB-CAP | 45.07 | 0.0451 | STEARATE TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0358 | | | High/Low Ratio=3.39 | | |
| <i>Buyer MEMS</i> | 1000 TAB-CAP | 26.40 | 0.0264 | TABLETS | | | |
| <i>Buyer CAMERWA</i> | 1000 TAB-CAP | 31.25 | 0.0312 | TABLETS | | | |
| <i>Buyer BUFMAR</i> | 1000 TAB-CAP | 33.10 | 0.0331 | TABLETS | | | |
| <i>Buyer OECS/PPS</i> | 1000 TAB-CAP | 50.00 | 0.0500 | TABLETS | | | |
| <i>Buyer SAFRICA</i> | 500 TAB-CAP | 25.71 | 0.0514 | STEARATE; TABLETS | | | |
| <i>Buyer SUDANNHIF</i> | 100 TAB-CAP | 5.27 | 0.0527 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| <i>Buyer BOTSWANA</i> | 100 TAB-CAP | 6.38 | 0.0638 | STEARATE, FILM-COATED TABLETS | | | |
| <i>Buyer BDS</i> | 1000 TAB-CAP | 68.81 | 0.0688 | TABLETS | | | |
| <i>Buyer NAMIBIA</i> | 100 TAB-CAP | 7.15 | 0.0715 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0514 | | | High/Low Ratio=2.71 | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|------------------|---|----------------------|---|------------------------|----------------|----------------|
| ERYTHROMYCIN (BASE) 250 mg/5 ml suspen (PO) | | | Price/ml | | 1 g | P | J01FA01 |
| Supplier UNFPA | 10 BOTT (100 ml) | 12.50 | 0.0125 | POWDER | | | |
| Supplier IMRES | 10 BOTT (100 ml) | 22.00 | 0.0220 | ESTOLATE BASE | | | |
| | | Supplier Median Price/ml=0.0173 | | High/Low Ratio=1.76 | | | |
| Buyer DOMREPUB | 1 BOTT (120 ml) | 0.92 | 0.0077 | | | | |
| Buyer PERU | 1 BOTT (60 ml) | 0.89 | 0.0148 | POWDER | | | |
| Buyer SAFRICA | 1 BOTT (100 ml) | 1.58 | 0.0158 | ESTOLATE | | | |
| Buyer BDS | 1 BOTT (60 ml) | 2.20 | 0.0366 | | | | |
| | | Buyer Median Price/ml=0.0153 | | High/Low Ratio=4.75 | | | |
| ERYTHROMYCIN (BASE) 500 mg tab-cap (PO) | | | Price/tab-cap | | 1 g | P | J01FA01 |
| Supplier MEDS | 100 TAB-CAP | 5.33 | 0.0533 | TABLETS | | | |
| Supplier DURBIN | 100 TAB-CAP | 6.42 | 0.0642 | TABLETS, AS ETHYL SUCCINATE OR ETHYL STEARATE | | | |
| Supplier UNFPA | 500 TAB-CAP | 32.50 | 0.0650 | BASE, STEARATE, COATED TABLETS | | | |
| Supplier MEG | 500 TAB-CAP | 38.50 | 0.0770 | STEARATE, TABLETS | | | |
| Supplier IMRES | 500 TAB-CAP | 39.50 | 0.0790 | STEARATE, COATED TABLETS | | | |
| Supplier IDA | 500 TAB-CAP | 42.88 | 0.0858 | TABLETS, AS STEARATE | | | |
| | | Supplier Median Price/tab-cap=0.0710 | | High/Low Ratio=1.61 | | | |
| Buyer PERU | 100 TAB-CAP | 9.28 | 0.0928 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer SAFRICA | 100 TAB-CAP | 23.59 | 0.2359 | STEARATE; TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.1644 | | High/Low Ratio=2.54 | | | |
| ERYTHROMYCIN LACTOBIONATE 500 mg vial (INJ) | | | Price/vial | | 1 g | E | J01FA01 |
| Buyer BDS | 1 VIAL | 2.95 | 2.9502 | | | | |
| Buyer OECS/PPS | 10 VIAL | 59.00 | 5.9000 | | | | |
| | | Buyer Median Price/vial=4.4251 | | High/Low Ratio=2.00 | | | |
| ESTROGENS, CONJUGATED 0.625 mg tab-cap (PO) | | | Price/tab-cap | | 0.625 mg | N | G03CA57 |
| Buyer NAMIBIA | 500 TAB-CAP | 60.59 | 0.1212 | TABLETS | | | |
| Buyer CRSS | 100 TAB-CAP | 23.30 | 0.2330 | TABLETS | | | |
| Buyer BDS | 28 TAB-CAP | 12.39 | 0.4423 | TABLETS | | | |
| Buyer BOTSWANA | 28 TAB-CAP | 23.96 | 0.8557 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.3377 | | High/Low Ratio=7.06 | | | |
| ETHAMBUTOL 400 mg tab-cap (PO) | | | Price/tab-cap | | 1.2 g | E | J04AK02 |
| Supplier GDF | 672 TAB-CAP | 18.30 | 0.0272 | 28 FILM-COATED TABLETS PER BLISTER SHEET | | | |
| Supplier DURBIN | 1000 TAB-CAP | 28.82 | 0.0289 | TABLETS, HYDROCHLORIDE | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 33.75 | 0.0338 | TABLETS | | | |
| Supplier IDA | 672 TAB-CAP | 26.80 | 0.0398 | 24X28 BLISTER PACK TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 5.00 | 0.0500 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0338 | | High/Low Ratio=1.84 | | | |
| Buyer NAMIBIA | 672 TAB-CAP | 23.87 | 0.0355 | FILM-COATED, BLISTER-PACK TABLETS, 28 X 24 SHEETS | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 39.90 | 0.0399 | TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 58.22 | 0.0582 | TABLETS | | | |
| Buyer CRSS | 100 TAB-CAP | 119.90 | 1.1990 | | | | |
| | | Buyer Median Price/tab-cap=0.0491 | | High/Low Ratio=33.77 | | | |
| ETHAMBUTOL (DISPERISIBLE) 100 mg tab-cap (PO) | | | Price/tab-cap | | 1.2 g | E | J04AK02 |
| Supplier GDF | 100 TAB-CAP | 3.26 | 0.0326 | 10 X 10 BLISTER PACK TABLETS | | | |
| Buyer NAMIBIA | 500 TAB-CAP | 8.28 | 0.0166 | TABLETS | | | |
| ETHAMBUTOL+ISONIAZID 400mg+150 mg tab-cap (PO) | | | Price/tab-cap | | E | J04AM03 | |
| Supplier GDF | 672 TAB-CAP | 20.80 | 0.0310 | 28 FILM-COATED TABLETS PER BLISTER SHEET | | | |
| ETHER, ANAESTHETIC solution (INH) | | | Price/ml | | E | N01AA01 | |
| Supplier JMS | 1 BOTT (1000 ml) | 16.45 | 0.0165 | | | | |
| Supplier MISSION | 1 BOTT (1000 ml) | 17.09 | 0.0171 | | | | |
| | | Supplier Median Price/ml=0.0168 | | High/Low Ratio=1.04 | | | |
| ETHINYLESTRADIOL+DESOGESTREL 0.03+0.15mg tab-cap (PO) | | | Price/cycle | | N | G03FB10 | |
| Supplier UNFPA | 100 CYCLE | 69.33 | 0.6933 | 28 TABLETS; ILLUSTRATIVE NUMBER OF CYCLES | | | |
| ETHINYLESTRADIOL+LEVONORGESTREL 0.03+0.15 mg tab-cap (PO) | | | Price/cycle | | E | G03FA11 | |
| Supplier UNFPA | 1 CYCLE | 0.28 | 0.2800 | 28 TABS (7 TABS 75 MG FERROUS FUMARATE) | | | |
| Supplier USAID | 1 CYCLE | 0.30 | 0.2954 | BRAND=MICROGYNON (TM); 75 MG FERROUS FUMARATE | | | |
| Supplier DURBIN | 3 CYCLE | 1.20 | 0.4014 | 28 TABLETS/CYCLE, IRON | | | |
| Supplier IMRES | 3 CYCLE | 1.50 | 0.5000 | | | | |
| Supplier IDA | 200 CYCLE | 176.45 | 0.8823 | 28 TABLETS | | | |
| | | Supplier Median Price/cycle=0.4014 | | High/Low Ratio=3.15 | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-----------------|-------------------------|----------------------|--|------------------------|------------|-------------|
| ETHINYLESTRADIOL+LEVONORGESTREL 0.03+0.15 mg tab-cap (PO) Buyer NAMIBIA | 1 CYCLE | 0.40 | | Price/cycle 0.4006 28 TABLETS | | E | G03FA11 |
| ETHINYLESTRADIOL+LEVONORGESTREL (30+50MCGX6 40+70X5 30+125X10) 3-phase tab-cap (PO) Buyer NAMIBIA | 1 CYCLE | 0.39 | 0.3891 | Price/cycle 28 TABLETS | | P | G03FA11 |
| ETHINYLESTRADIOL+NORGESTREL 0.05+0.5 mg tab-cap (PO) Buyer CRSS | 1 CYCLE | 0.48 | 0.4800 | | | N | G03FA10 |
| Buyer NAMIBIA | 1 CYCLE | 0.68 | 0.6816 | 28 TABLETS | High/Low Ratio=1.42 | | |
| Buyer Median Price/cycle=0.5808 | | | | | | | |
| ETHIONAMIDE 250 mg tab-cap (PO) Supplier GDF | 100 TAB-CAP | 8.25 | 0.0825 | Price/tab-cap 10 X 10 BLISTER PACK FILM-COATED TABLETS | 0.75 g | C | J04AD03 |
| Buyer NAMIBIA | 250 TAB-CAP | 26.41 | 0.1056 | TABLETS | | | |
| Buyer SAFRICA | 250 TAB-CAP | 55.92 | 0.2237 | TABLETS | | | |
| Buyer CRSS | 100 TAB-CAP | 230.00 | 2.3000 | TABLETS | High/Low Ratio=21.78 | | |
| Buyer Median Price/tab-cap=0.2237 | | | | | | | |
| ETHYL CHLORIDE spray (TOP) Buyer BOTSWANA | 1 BOTT (100 ml) | 11.47 | 0.1147 | | | N | N01BX01 |
| Buyer NAMIBIA | 1 BOTT (100 ml) | 14.74 | 0.1474 | | | | |
| Buyer OECS/PPS | 1 BOTT (100 ml) | 52.00 | 0.5200 | Buyer Median Price/ml=0.1474 | High/Low Ratio=4.53 | | |
| ETOMIDATE 2 mg/ml ampoule (INJ) Buyer BDS | 10 AMP (10 ml) | 16.24 | 0.1624 | | | N | N01AX07 |
| Buyer NAMIBIA | 5 AMP (10 ml) | 47.20 | 0.9440 | Buyer Median Price/ml=0.5532 | High/Low Ratio=5.81 | | |
| ETONOGESTREL 68 mg/rod rod (SC) Supplier UNFPA | 1 ROD | 18.00 | 18.0000 | Price/rod SET | 68 mcg | N | G03AC08 |
| ETOPOSIDE 20 mg/ml vial (INJ) Buyer BDS | 1 VIAL (5 ml) | 4.55 | 0.9106 | | | C | L01CB01 |
| Buyer NAMIBIA | 10 VIAL (5 ml) | 49.58 | 0.9916 | | | | |
| Buyer CRSS | 1 VIAL (5 ml) | 5.00 | 1.0000 | Buyer Median Price/ml=0.9916 | High/Low Ratio=1.10 | | |
| ETRAVIRINE 100 mg tab-cap (PO) Supplier SCMS | 120 TAB-CAP | 75.00 | 0.6250 | Price/tab-cap TABLETS | 0.4 g | N | |
| FACTOR IX 500 IU vial (INJ) Buyer SICA | 1 VIAL | 100.57 | 100.5700 | Price/vial | 350 U | N | B02BD04 |
| FAMOTIDINE 20 mg tab-cap (PO) Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0084 | Price/tab-cap TABLET | 40 mg | T | |
| Buyer BDS | 100 TAB-CAP | 3.57 | 0.0357 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 7.46 | 0.0746 | Buyer Median Price/tab-cap=0.0357 TABLETS, ILLUSTRATIVE PACK SIZE | High/Low Ratio=8.88 | | |
| FAMOTIDINE 40 mg tab-cap (PO) Buyer CRSS | 100 TAB-CAP | 0.52 | 0.0052 | Price/tab-cap SCORED TABLETS | 40 mg | T | A02BA03 |
| Buyer BDS | 100 TAB-CAP | 3.11 | 0.0311 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 13.35 | 0.1335 | Buyer Median Price/tab-cap=0.0311 TABLETS, ILLUSTRATIVE PACK SIZE | High/Low Ratio=25.67 | | |
| FENTANYL CITRATE (IC) 50 mcg/ml vial (INJ) Supplier MISSION | 10 AMP (10 ml) | 15.28 | 0.1528 | | | N | N01AH01 |
| Supplier IDA | 10 AMP (2 ml) | 6.23 | 0.3115 | | | | |
| Supplier MISSION | 10 AMP (2 ml) | 7.71 | 0.3854 | | | | |
| Supplier UNFPA | 10 AMP (10 ml) | 45.00 | 0.4500 | FENTANYL HYDROGEN CITRATE 0.05 MG BASE/ML | | | |
| Supplier UNFPA | 10 AMP (2 ml) | 10.00 | 0.5000 | FENTANYL HYDROGEN CITRATE 0.05 MG BASE/ML | High/Low Ratio=3.27 | | |
| Buyer PERU | 1 VIAL (10 ml) | 0.81 | 0.0811 | | | | |
| Buyer BDS | 10 VIAL (10 ml) | 10.78 | 0.1078 | | | | |
| Buyer OECS/PPS | 10 AMP (2 ml) | 4.06 | 0.2030 | | | | |
| Buyer NAMIBIA | 10 VIAL (2 ml) | 5.28 | 0.2641 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|------------------|---|----------------------|--|------------------------|------------|-------------|
| FENTANYL CITRATE (IC) 50 mcg/ml vial (INJ) | | | | Price/ml | | N | N01AH01 |
| Buyer CRSS | 1 AMP (2 ml) | 0.75 | 0.3750 | | | | |
| Buyer DOMREPUB | 1 AMP (2 ml) | 1.14 | 0.5713 | | | | |
| Buyer CAMERWA | 10 VIAL (2 ml) | 24.52 | 1.2260 | | | | |
| | | Buyer Median Price/ml=0.2641 | | High/Low Ratio=15.12 | | | |
| FERROUS SALT 20 mg/ml suspen (PO) | | | | Price/ml | | 0.2 g | P |
| Supplier IDA | 1 BOTT (5000 ml) | 34.33 | 0.0068 | FUMARATE | | | B03AA |
| FERROUS SALT (IRON=60-65 MG) 200 mg tab-cap (PO) | | | | Price/tab-cap | | 0.2 g | E |
| Supplier UNFPA | 1000 TAB-CAP | 1.50 | 0.0015 | COATED TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 2.00 | 0.0020 | SULFATE, TABLETS | | | |
| Supplier JMS | 1000 TAB-CAP | 2.04 | 0.0020 | TABLETS, SULPHATE | | | |
| Supplier IMRES | 1000 TAB-CAP | 2.25 | 0.0023 | SUGAR-COATED TABLETS, SULFATE | | | |
| Supplier DURBIN | 1000 TAB-CAP | 2.33 | 0.0024 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 2.68 | 0.0028 | SULFATE; 65 MG IRON; COATED TABLETS | | | |
| Supplier MEDS | 1000 TAB-CAP | 2.74 | 0.0027 | TABLETS, SULFATE | | | |
| Supplier MISSION | 1000 TAB-CAP | 3.33 | 0.0033 | TABLETS, SULFATE | | | |
| Supplier MEDEOR/EU | 5000 TAB-CAP | 18.83 | 0.0038 | SULFATE TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0024 | | High/Low Ratio=2.53 | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 2.17 | 0.0022 | TABLETS | | | |
| Buyer MEMS | 1000 TAB-CAP | 2.41 | 0.0024 | TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 7.87 | 0.0079 | FUMARATE, TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 1.00 | 0.0100 | SULFATE, TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 16.50 | 0.0165 | 60 MG IRON SULFATE TABLETS | | | |
| Buyer BOTSWANA | 1000 TAB-CAP | 29.87 | 0.0299 | FILM-COATED TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0090 | | High/Low Ratio=13.59 | | | |
| FERROUS SALT+FOLIC ACID (IRON=60 MG) 200 mg+0.4mg tab-cap (PO) | | | | Price/tab-cap | | 0.2 g | E |
| Supplier MEG | 1000 TAB-CAP | 1.85 | 0.0019 | TABLETS | | | |
| Supplier UNFPA | 1000 TAB-CAP | 2.10 | 0.0021 | COATED TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 2.75 | 0.0028 | COATED TABLETS, SULFATE | | | |
| Supplier IDA | 1000 TAB-CAP | 2.90 | 0.0029 | FERROUS SULFATE TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 4.32 | 0.0043 | FERROUS SULFATE TABLETS | | | |
| Supplier MEDEOR/EU | 5000 TAB-CAP | 27.38 | 0.0055 | COATED TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0029 | | High/Low Ratio=2.89 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 1.30 | 0.0013 | TABLETS | | | |
| Buyer BDS | 300 TAB-CAP | 9.41 | 0.0314 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0164 | | High/Low Ratio=24.15 | | | |
| FERROUS SALT+FOLIC ACID (IRON=60 MG) 200+0.25 mg tab-cap (PO) | | | | Price/tab-cap | | 0.2 g | P |
| Supplier MEG | 1000 TAB-CAP | 1.80 | 0.0018 | SULFATE, TABLETS | | | |
| Supplier UNFPA | 1000 TAB-CAP | 2.00 | 0.0020 | COATED TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 2.50 | 0.0025 | COATED TABLETS, SULFATE | | | |
| Supplier DURBIN | 1000 TAB-CAP | 2.65 | 0.0027 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 2.83 | 0.0029 | FERROUS SULFATE TABLETS | | | |
| Supplier JMS | 1000 TAB-CAP | 3.51 | 0.0035 | TABLETS, FERROUS SULPHATE | | | |
| Supplier MISSION | 1000 TAB-CAP | 3.94 | 0.0039 | FERROUS SULFATE, TABLETS | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 4.32 | 0.0043 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0028 | | High/Low Ratio=2.39 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 1.48 | 0.0015 | TABLETS | | | |
| Buyer MEMS | 1000 TAB-CAP | 2.77 | 0.0028 | TABLETS | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 11.25 | 0.0113 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 3.40 | 0.0340 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0071 | | High/Low Ratio=22.67 | | | |
| FILGRASTIM 300 mcg/ml ampoule (INJ) | | | | Price/ml | | 0.35 mg | N |
| Buyer BOTSWANA | 1 AMP (5 ml) | 168.46 | 33.6913 | | | | L03AA02 |
| FLUCLOXACILLIN 250 mg tab-cap (PO) | | | | Price/tab-cap | | 2 g | N |
| Supplier MEDS | 50 TAB-CAP | 2.92 | 0.0584 | CAPSULES | | | J01CF05 |
| Supplier JMS | 100 TAB-CAP | 8.36 | 0.0836 | CAPSULES | | | |
| | | Supplier Median Price/tab-cap=0.0710 | | High/Low Ratio=1.43 | | | |
| Buyer SAFRICA | 100 TAB-CAP | 4.24 | 0.0424 | CAPSULES | | | |
| FLUCONAZOLE 100 mg tab-cap (PO) | | | | Price/tab-cap | | 0.2 g | P |
| Supplier IDA | 100 TAB-CAP | 7.10 | 0.0710 | CAPSULES | | | J02AC01 |
| Supplier MISSION | 100 TAB-CAP | 8.19 | 0.0819 | CAPSULES | | | |
| Supplier JMS | 24 TAB-CAP | 3.70 | 0.1540 | CAPSULES | | | |
| | | Supplier Median Price/tab-cap=0.0819 | | High/Low Ratio=2.17 | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|---------------------|-------------------------|----------------------|---|----------------------------|------------|----------------|
| FLUCONAZOLE 100 mg tab-cap (PO) | | | | Price/tab-cap | 0.2 g | P | J02AC01 |
| Buyer BDS | 50 TAB-CAP | 34.54 | 0.6907 | TABLETS | | | |
| FLUCONAZOLE 150 mg tab-cap (PO) | | | | Price/tab-cap | 0.2 g | P | J02AC01 |
| Supplier UNFPA | 1000 TAB-CAP | 37.23 | 0.0372 | CAPSULES | | | |
| Supplier MEG | 100 TAB-CAP | 4.20 | 0.0420 | CAPSULES, 10 X 10 | | | |
| Supplier IMRES | 1000 TAB-CAP | 61.00 | 0.0610 | CAPSULES | | | |
| Supplier IDA | 100 TAB-CAP | 6.16 | 0.0616 | CAPSULES, 10 X 10 BLISTER PACK | | | |
| Supplier MEDEOR/TZ | 10 TAB-CAP | 1.28 | 0.1281 | TABLETS | | | |
| Supplier MISSION | 10 TAB-CAP | 1.77 | 0.1767 | CAPSULES, BLISTER PACK | | | |
| | | | | Supplier Median Price/tab-cap=0.0613 | High/Low Ratio=4.75 | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.03 | 0.0326 | BLISTER PACK CAPSULES | | | |
| Buyer PERU | 100 TAB-CAP | 3.67 | 0.0367 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 10 TAB-CAP | 1.13 | 0.1126 | TABLETS | | | |
| Buyer MEMS | 1 TAB-CAP | 0.13 | 0.1320 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.0747 | High/Low Ratio=4.05 | | |
| FLUCONAZOLE 2 mg/ml vial (INJ) | | | | Price/ml | 0.2 g | E | J02AC01 |
| Supplier MEDS | 1 VIAL (100 ml) | 1.87 | 0.0187 | | | | |
| Supplier MEDEOR/TZ | 1 VIAL (100 ml) | 2.27 | 0.0227 | INFUSION | | | |
| | | | | Supplier Median Price/ml=0.0207 | High/Low Ratio=1.21 | | |
| Buyer PERU | 1 VIAL (100 ml) | 1.61 | 0.0161 | | | | |
| Buyer MEMS | 1 VIAL (100 ml) | 1.65 | 0.0165 | | | | |
| Buyer NAMIBIA | 1 VIAL (100 ml) | 8.18 | 0.0818 | | | | |
| | | | | Buyer Median Price/ml=0.0165 | High/Low Ratio=5.08 | | |
| FLUCONAZOLE 200 mg tab-cap (PO) | | | | Price/tab-cap | 0.2 g | P | J02AC01 |
| Supplier MEDS | 100 TAB-CAP | 7.35 | 0.0735 | TABLETS | | | |
| Supplier IMRES | 100 TAB-CAP | 8.40 | 0.0840 | BLISTER PACK CAPSULES | | | |
| Supplier IDA | 100 TAB-CAP | 9.85 | 0.0985 | CAPSULES, BLISTER PACK 10X10 | | | |
| Supplier JMS | 20 TAB-CAP | 2.94 | 0.1469 | | | | |
| | | | | Supplier Median Price/tab-cap=0.0913 | High/Low Ratio=2.00 | | |
| Buyer NAMIBIA | 28 TAB-CAP | 4.28 | 0.1529 | TABLETS | | | |
| Buyer BDS | 7 TAB-CAP | 2.24 | 0.3196 | CAPSULES | | | |
| | | | | Buyer Median Price/tab-cap=0.2363 | High/Low Ratio=2.09 | | |
| FLUCONAZOLE 50 mg tab-cap (PO) | | | | Price/tab-cap | 0.2 g | E | J02AC01 |
| Supplier MEDS | 50 TAB-CAP | 1.22 | 0.0244 | TABLETS | | | |
| Supplier IDA | 100 TAB-CAP | 5.29 | 0.0529 | CAPSULES | | | |
| Supplier MEDEOR/EU | 140 TAB-CAP | 19.99 | 0.1428 | BLISTER PACK CAPSULES | | | |
| | | | | Supplier Median Price/tab-cap=0.0529 | High/Low Ratio=5.85 | | |
| Buyer OECS/PPS | 100 TAB-CAP | 7.30 | 0.0730 | TABLETS | | | |
| FLUCONAZOLE 50 mg/5 ml suspen (PO) | | | | Price/ml | 0.2 g | E | J02AC01 |
| Supplier MEDS | 1 BOTT (35 ml) | 1.41 | 0.0402 | SYRUP | | | |
| Supplier IDA | 1 BOTT (50 ml) | 2.54 | 0.0507 | POWDER | | | |
| | | | | Supplier Median Price/ml=0.0455 | High/Low Ratio=1.26 | | |
| Buyer BDS | 1 BOTT (35 ml) | 19.60 | 0.5600 | | | | |
| FLUDARABINE PHOSPHATE 50 mg vial (INJ) | | | | Price/vial | | N | L01BB05 |
| Buyer BDS | 1 VIAL | 105.78 | 105.7843 | 2 ML | | | |
| FLUMAZENIL 0.1 mg/ml vial (INJ) | | | | Price/ml | | N | V03AB25 |
| Buyer PERU | 1 VIAL (5 ml) | 4.90 | 0.9791 | | | | |
| Buyer BDS | 10 VIAL (5 ml) | 132.82 | 2.6564 | | | | |
| Buyer OECS/PPS | 10 VIAL (5 ml) | 160.00 | 3.2000 | | | | |
| Buyer BOTSWANA | 1 VIAL (5 ml) | 36.21 | 7.2430 | | | | |
| | | | | Buyer Median Price/ml=2.9282 | High/Low Ratio=7.40 | | |
| FLUORESCIN SODIUM opht strp (OPHT) | | | | Price/each | | P | S01JA01 |
| Supplier IMRES | 100 EACH | 6.75 | 0.0675 | | | | |
| Supplier DURBIN | 100 STRIPS (1 EACH) | 11.88 | 0.1188 | | | | |
| | | | | Supplier Median Price/each=0.0932 | High/Low Ratio=1.76 | | |
| Buyer OECS/PPS | 100 STRIPS (1 EACH) | 13.95 | 0.1395 | | | | |
| Buyer BDS | 100 EACH | 17.47 | 0.1747 | | | | |
| | | | | Buyer Median Price/each=0.1571 | High/Low Ratio=1.25 | | |
| FLUOROURACIL 25 mg/ml vial (INJ) | | | | Price/ml | | P | L01BC02 |
| Buyer OECS/PPS | 1 VIAL (10 ml) | 0.79 | 0.0790 | | | | |
| Buyer BDS | 1 AMP (10 ml) | 0.96 | 0.0964 | | | | |
| | | | | Buyer Median Price/ml=0.0877 | High/Low Ratio=1.22 | | |
| FLUOROURACIL 50 mg/ml ampoule (INJ) | | | | Price/ml | | C | L01BC02 |
| Supplier JMS | 1 AMP (10 ml) | 2.50 | 0.2497 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|------------------|-------------------------|----------------------|--|--|---|----------------------------|
| FLUOROURACIL 50 mg/ml ampoule (INJ) | | | | Price/ml | | C | L01BC02 |
| Supplier MISSION | 1 VIAL (10 ml) | 5.00 | 0.4998 | | | | |
| Supplier MISSION | 1 VIAL (5 ml) | 2.81 | 0.5621 | | | | |
| Buyer BDS | 1 VIAL (10 ml) | 1.44 | 0.1441 | Supplier Median Price/ml=0.4998 | High/Low Ratio=2.25 | | |
| FLUOXETINE 20 mg tab-cap (PO) | | | | Price/tab-cap | 20 mg | E | N06AB03 |
| Supplier IMRES | 1000 TAB-CAP | 10.70 | 0.0107 | CAPSULES | | | |
| Supplier IDA | 100 TAB-CAP | 2.10 | 0.0210 | BLISTER PACK CAPSULES 10X10 | | | |
| Buyer PERU | 100 TAB-CAP | 1.01 | 0.0101 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer GHANA | 100 TAB-CAP | 1.66 | 0.0166 | 10 X 10 BLISTER PACK CAPSULES | | | |
| Buyer OECSS/PPS | 500 TAB-CAP | 9.70 | 0.0194 | CAPSULES | | | |
| Buyer CRSS | 100 TAB-CAP | 2.46 | 0.0246 | CAPSULES | | | |
| Buyer BDS | 30 TAB-CAP | 0.78 | 0.0261 | CAPSULES | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 11.27 | 0.1127 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer CAMERWA | 30 TAB-CAP | 4.84 | 0.1612 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.0246 | High/Low Ratio=15.96 | | |
| FLUPHENAZINE DECANOATE 25 mg/ml ampoule (INJ) | | | | Price/ml | 1 mg | E | N05AB02 |
| Supplier MEDEOR/TZ | 100 AMP (1 ml) | 59.58 | 0.5958 | | | | |
| Supplier DURBIN | 10 AMP (1 ml) | 8.59 | 0.8590 | OILY, LONG-ACTING INJECTION | | | |
| Supplier MEDS | 1 AMP (1 ml) | 0.93 | 0.9324 | | | | |
| Supplier IDA | 10 AMP (1 ml) | 9.71 | 0.9706 | | | | |
| Supplier MISSION | 100 AMP (1 ml) | 254.72 | 2.5472 | | | | |
| Buyer OECSS/PPS | 25 AMP (10 ml) | 98.00 | 0.3920 | | Supplier Median Price/ml=0.9324 | High/Low Ratio=4.28 | |
| Buyer BDS | 10 AMP (1 ml) | 10.06 | 1.0055 | | | | |
| Buyer GHANA | 10 AMP (1 ml) | 21.56 | 2.1560 | | | | |
| Buyer NAMIBIA | 5 AMP (1 ml) | 45.57 | 9.1135 | | | | |
| | | | | Buyer Median Price/ml=1.5808 | High/Low Ratio=23.25 | | |
| FLUTAMIDE 250 mg tab-cap (PO) | | | | Price/tab-cap | 0.75 g | N | L02BB01 |
| Buyer PERU | 100 TAB-CAP | 8.87 | 0.0887 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 100 TAB-CAP | 11.31 | 0.1131 | SCORED TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.1009 | High/Low Ratio=1.28 | | |
| FLUVASTATIN 20 mg tab-cap (PO) | | | | Price/tab-cap | 60 mg | T | C10AA04 |
| Buyer BDS | 28 TAB-CAP | 19.28 | 0.6886 | CAPSULES | | | |
| FOLIC ACID 1 mg tab-cap (PO) | | | | Price/tab-cap | 0.4 mg | E | B03BB01 |
| Supplier UNFPA | 1000 TAB-CAP | 1.34 | 0.0013 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 2.75 | 0.0028 | TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 27.66 | 0.0277 | TABLETS | | Supplier Median Price/tab-cap=0.0021 | High/Low Ratio=2.15 |
| Buyer OECSS/PPS | 90 TAB-CAP | 2.50 | 0.0278 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.0278 | High/Low Ratio=1.00 | | |
| FOLIC ACID 5 mg tab-cap (PO) | | | | Price/tab-cap | 0.4 mg | E | B03BB01 |
| Supplier MEDS | 1000 TAB-CAP | 1.09 | 0.0011 | TABLETS | | | |
| Supplier JMS | 1000 TAB-CAP | 1.17 | 0.0012 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 2.05 | 0.0021 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 2.17 | 0.0022 | TABLETS | | | |
| Supplier UNFPA | 1000 TAB-CAP | 2.21 | 0.0022 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 2.35 | 0.0024 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 3.32 | 0.0033 | TABLETS | | | |
| Supplier MEDEOR/EU | 10000 TAB-CAP | 33.90 | 0.0033 | TABLETS | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 3.60 | 0.0036 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 3.69 | 0.0037 | TABLETS | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 1.46 | 0.0015 | TABLETS | | Supplier Median Price/tab-cap=0.0023 | High/Low Ratio=3.36 |
| Buyer DOMREPUB | 1 TAB-CAP | 0.00 | 0.0029 | BLISTER PACK TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 2.98 | 0.0030 | TABLETS | | | |
| Buyer OECSS/PPS | 1000 TAB-CAP | 3.40 | 0.0034 | TABLETS | | | |
| Buyer MEMS | 1000 TAB-CAP | 3.56 | 0.0036 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 1.25 | 0.0125 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 1.59 | 0.0159 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.0034 | High/Low Ratio=10.60 | | |
| FORMALDEHYDE 40% liquid (N/A) | | | | Price/ml | | N | V04C |
| Supplier MEDS | 1 BOTT (5000 ml) | 7.86 | 0.0016 | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (2500 ml) | 18.60 | 0.0074 | | | | |
| | | | | Supplier Median Price/ml=0.0045 | High/Low Ratio=4.63 | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|------------------|--------------------------------------|----------------------|---------------------------------|------------------------|------------|-------------|
| FORMALDEHYDE 40% liquid (N/A) | | | | | | N | V04C |
| Buyer MEMS | 1 BOTT (5000 ml) | 59.40 | Price/ml 0.0119 | 37%, TECHNICAL GRADE | | | |
| FUROSEMIDE 10 mg/ml ampoule (INJ) | | | Price/ml | | 40 mg | E | C03CA01 |
| Supplier JMS | 100 AMP (2 ml) | 7.16 | 0.0358 | | | | |
| Supplier IMRES | 100 AMP (2 ml) | 7.40 | 0.0370 | | | | |
| Supplier IDA | 100 AMP (2 ml) | 8.19 | 0.0410 | | | | |
| Supplier MISSION | 100 AMP (2 ml) | 8.84 | 0.0442 | | | | |
| Supplier MEDS | 1 AMP (2 ml) | 0.09 | 0.0444 | | | | |
| Supplier DURBIN | 100 AMP (2 ml) | 14.69 | 0.0735 | | | | |
| Supplier MEG | 100 AMP (2 ml) | 18.35 | 0.0918 | | | | |
| Supplier MEDEOR/EU | 100 AMP (2 ml) | 18.98 | 0.0949 | | | | |
| | | Supplier Median Price/ml=0.0443 | | | High/Low Ratio=2.65 | | |
| Buyer CAMERWA | 100 AMP (2 ml) | 2.41 | 0.0121 | | | | |
| Buyer DOMREPUB | 1 AMP (2 ml) | 0.03 | 0.0159 | | | | |
| Buyer PERU | 100 AMP (2 ml) | 3.41 | 0.0170 | ILLUSTRATIVE NUMBER OF AMPOULES | | | |
| Buyer NAMIBIA | 10 AMP (25 ml) | 16.35 | 0.0654 | | | | |
| Buyer NAMIBIA | 10 AMP (2 ml) | 1.82 | 0.0911 | | | | |
| Buyer OECS/PPS | 100 AMP (2 ml) | 19.00 | 0.0950 | | | | |
| Buyer BDS | 100 AMP (2 ml) | 19.29 | 0.0965 | | | | |
| Buyer MEMS | 1 AMP (2 ml) | 0.21 | 0.1056 | | | | |
| Buyer BOTSWANA | 1 AMP (2 ml) | 1.65 | 0.8249 | | | | |
| | | Buyer Median Price/ml=0.0911 | | | High/Low Ratio=68.17 | | |
| FUROSEMIDE 10 mg/ml solution (PO) | | | Price/ml | | 40 mg | P | C03CA01 |
| Buyer NAMIBIA | 1 BOTT (100 ml) | 9.19 | 0.0919 | | | | |
| FUROSEMIDE 40 mg tab-cap (PO) | | | Price/tab-cap | | 40 mg | E | C03CA01 |
| Supplier MEDS | 1000 TAB-CAP | 2.77 | 0.0028 | TABLETS | | | |
| Supplier JMS | 1000 TAB-CAP | 3.09 | 0.0031 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 4.20 | 0.0042 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 4.20 | 0.0042 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 4.81 | 0.0048 | TABLETS | | | |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 0.60 | 0.0060 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 6.18 | 0.0063 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 6.42 | 0.0064 | TABLETS | | | |
| Supplier MEDEOR/EU | 3200 TAB-CAP | 24.41 | 0.0077 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0048 | | | High/Low Ratio=2.75 | | |
| Buyer CAMERWA | 1000 TAB-CAP | 3.62 | 0.0036 | TABLETS | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 4.15 | 0.0042 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0050 | BLISTER PACK TABLETS | | | |
| Buyer MEMS | 1000 TAB-CAP | 5.28 | 0.0053 | TABLETS | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 11.00 | 0.0110 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 1.77 | 0.0177 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 2.27 | 0.0227 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer NAMIBIA | 250 TAB-CAP | 7.78 | 0.0311 | TABLETS | | | |
| Buyer BDS | 250 TAB-CAP | 11.91 | 0.0476 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0110 | | | High/Low Ratio=13.22 | | |
| FUSIDIC ACID 2% cream (TOP) | | | Price/g | | | N | D06AX01 |
| Buyer DOMREPUB | 1 TUBE (20 g) | 1.49 | 0.0746 | | | | |
| Buyer OECS/PPS | 1 TUBE (15 g) | 1.88 | 0.1253 | | | | |
| Buyer BDS | 1 TUBE (15 g) | 3.24 | 0.2160 | | | | |
| | | Buyer Median Price/g=0.1253 | | | High/Low Ratio=2.90 | | |
| GABAPENTIN 300 mg tab-cap (PO) | | | Price/tab-cap | | 1.8 g | N | N03AX12 |
| Buyer OECS/PPS | 100 TAB-CAP | 7.00 | 0.0700 | CAPSULES | | | |
| Buyer BDS | 100 TAB-CAP | 10.43 | 0.1043 | CAPSULES | | | |
| | | Buyer Median Price/tab-cap=0.0872 | | | High/Low Ratio=1.49 | | |
| GABAPENTIN 400 mg tab-cap (PO) | | | Price/tab-cap | | 1.8 g | N | N03AX12 |
| Buyer BDS | 100 TAB-CAP | 11.46 | 0.1146 | CAPSULES | | | |
| GANCICLOVIR 500 mg vial (INJ) | | | Price/vial | | 0.5 g | N | J05AB06 |
| Supplier IDA | 1 VIAL | 49.55 | 49.5455 | POWDER | | | |
| GENTAMICIN 0.3% opht oint (OPHT) | | | Price/g | | | P | S01AA11 |
| Supplier MISSION | 1 TUBE (5 g) | 0.43 | 0.0869 | | | | |
| Buyer BDS | 1 TUBE (3.50 g) | 17.68 | 5.0504 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE | |
|--|-------------------|-------------------------|-------------------------|-----------------------------|------------------------|------------|-------------|---------|
| GENTAMICIN 100 mcg disc (DIAG) Supplier JMS | 100 DISC (1 EACH) | 4.45 | Price/each 0.0445 | | | N | V07AR | |
| GENTAMICIN (BASE) 0.3% opht drop (OPHT) Supplier JMS | 1 BOTT (10 ml) | 0.14 | Price/ml 0.0136 | | | E | S01AA11 | |
| Supplier MEDS | 1 BOTT (5 ml) | 0.14 | 0.0289 | | | | | |
| Supplier UNFPA | 1 BOTT (10 ml) | 0.30 | 0.0300 | | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (5 ml) | 0.18 | 0.0360 | | | | | |
| Supplier IMRES | 1 BOTT (10 ml) | 0.40 | 0.0400 | | | | | |
| Supplier MISSION | 1 BOTT (10 ml) | 0.48 | 0.0478 | | | | | |
| Supplier MEG | 1 BOTT (5 ml) | 0.24 | 0.0480 | | | | | |
| Supplier MEDEOR/EU | 25 BOTT (10 ml) | 26.73 | 0.1069 | | | | | |
| Supplier IDA | 100 BOTT (5 ml) | 56.57 | 0.1131 | | | | | |
| Supplier DURBIN | 10 BOTT (5 ml) | 6.34 | 0.1269 | | | | | |
| Supplier Median Price/ml=0.0439 | | | | | | | | |
| Buyer CAMERWA | 1 BOTT (5 ml) | 0.11 | 0.0221 | | High/Low Ratio=9.33 | | | |
| Buyer BDS | 1 BOTT (5 ml) | 1.23 | 0.2459 | | | | | |
| Buyer OECS/PPS | 1 BOTT (5 ml) | 1.25 | 0.2500 | | | | | |
| Buyer BOTSWANA | 1 BOTT (5 ml) | 1.96 | 0.3911 | | High/Low Ratio=17.70 | | | |
| Buyer Median Price/ml=0.2480 | | | | | | | | |
| GENTAMICIN SULFATE 10 mg/ml ampoule (INJ) Supplier MISSION | 100 AMP (2 ml) | 8.40 | Price/ml 0.0420 | | 0.24 g | E | J01GB03 | |
| Supplier IMRES | 100 AMP (2 ml) | 8.80 | 0.0440 | | | | | |
| Supplier MEDS | 1 AMP (2 ml) | 0.09 | 0.0444 | | | | | |
| Supplier UNFPA | 100 AMP (2 ml) | 11.00 | 0.0550 | | | | | |
| Supplier IDA | 100 AMP (2 ml) | 11.59 | 0.0579 | | | | | |
| Supplier Median Price/ml=0.0444 | | | | | High/Low Ratio=1.38 | | | |
| Buyer CAMERWA | 100 AMP (2 ml) | 13.10 | 0.0655 | | | | | |
| Buyer SAFRICA | 1 AMP (2 ml) | 0.20 | 0.0998 | | | | | |
| Buyer NAMIBIA | 10 AMP (2 ml) | 3.29 | 0.1644 | | | | | |
| Buyer OECS/PPS | 12 AMP (2 ml) | 7.20 | 0.3000 | IM/IV | High/Low Ratio=4.58 | | | |
| Buyer Median Price/ml=0.1321 | | | | | | | | |
| GENTAMICIN SULFATE 40 mg/ml ampoule (INJ) Supplier JMS | 100 AMP (2 ml) | 5.41 | Price/ml 0.0271 | | 0.24 g | E | J01GB03 | |
| Supplier MEDEOR/TZ | 100 AMP (2 ml) | 6.84 | 0.0342 | | | | | |
| Supplier IMRES | 100 AMP (2 ml) | 9.00 | 0.0450 | | | | | |
| Supplier MISSION | 100 AMP (2 ml) | 9.05 | 0.0453 | | | | | |
| Supplier MEG | 100 AMP (2 ml) | 9.35 | 0.0468 | | | | | |
| Supplier IDA | 100 AMP (2 ml) | 12.02 | 0.0601 | | | | | |
| Supplier MEDS | 1 AMP (2 ml) | 0.12 | 0.0611 | | | | | |
| Supplier UNFPA | 100 AMP (2 ml) | 17.00 | 0.0850 | | | | | |
| Supplier DURBIN | 100 AMP (2 ml) | 20.79 | 0.1040 | | | | | |
| Supplier MEDEOR/EU | 100 AMP (2 ml) | 27.38 | 0.1369 | | | | | |
| Supplier Median Price/ml=0.0535 | | | | | High/Low Ratio=5.05 | | | |
| Buyer DOMREPUB | 1 AMP (2 ml) | 0.04 | 0.0175 | | | | | |
| Buyer PERU | 100 AMP (2 ml) | 6.11 | 0.0305 | ILLUSTRATIVE NUMBER OF AMPS | | | | |
| Buyer MEMS | 1 AMP (2 ml) | 0.06 | 0.0314 | | | | | |
| Buyer OECS/PPS | 100 AMP (2 ml) | 12.00 | 0.0600 | | | | | |
| Buyer BDS | 100 AMP (2 ml) | 20.80 | 0.1040 | | | | | |
| Buyer SAFRICA | 1 AMP (2 ml) | 0.25 | 0.1227 | | | | | |
| Buyer Median Price/ml=0.0457 | | | | | High/Low Ratio=7.01 | | | |
| GENTIAN VIOLET (METHYLROSANILINIUM CHLORIDE) powder (TOP) Supplier MEG | 1 JAR (25 g) | 1.55 | Price/g 0.0620 | | | N | D01AE02 | |
| Supplier DURBIN | 1 JAR (100 g) | 7.23 | 0.0723 | | | | | |
| Supplier JMS | 1 JAR (25 g) | 2.27 | 0.0909 | | | | | |
| Supplier MEDS | 1 JAR (25 g) | 2.31 | 0.0924 | | | | | |
| Supplier MISSION | 1 BOTT (25 g) | 2.32 | 0.0927 | | | | | |
| Supplier IMRES | 1 JAR (25 g) | 2.80 | 0.1120 | | | | | |
| Supplier IDA | 4 JAR (25 g) | 12.82 | 0.1282 | | | | | |
| Supplier MEDEOR/EU | 10 JAR (25 g) | 43.39 | 0.1736 | | | | | |
| Supplier Median Price/g=0.0926 | | | | | High/Low Ratio=2.80 | | | |
| Buyer CAMERWA | 1 JAR (25 g) | 2.79 | 0.1114 | | | | | |
| Buyer MEMS | 1 JAR (25 g) | 9.44 | 0.3775 | | High/Low Ratio=3.39 | | | |
| Buyer Median Price/g=0.2445 | | | | | | | | |
| GLIBENCLAMIDE 5 mg tab-cap (PO) Supplier JMS | 1000 TAB-CAP | 1.95 | Price/tab-cap 0.0020 | TABLETS | | 10 mg | E | A10BB01 |
| Supplier MEG | 1000 TAB-CAP | 3.47 | 0.0035 | TABLETS | | | | |
| Supplier IMRES | 1000 TAB-CAP | 3.55 | 0.0036 | TABLETS | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|------------------|---|----------------------|---------------------------------|-----------------------------|------------|----------------|
| GLIBENCLAMIDE 5 mg tab-cap (PO) | | | | Price/tab-cap | 10 mg | E | A10BB01 |
| Supplier IDA | 1000 TAB-CAP | 3.98 | 0.0041 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 4.26 | 0.0043 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 5.51 | 0.0055 | TABLETS | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 9.71 | 0.0097 | SCORED TABLETS | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 10.42 | 0.0104 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0042 | | | High/Low Ratio=5.20 | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.00 | 0.0034 | BLISTER PACK TABLETS | | | |
| Buyer NAMIBIA | 500 TAB-CAP | 2.33 | 0.0047 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 0.48 | 0.0048 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 5.55 | 0.0056 | TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 0.71 | 0.0071 | TABLETS | | | |
| Buyer OECS/PPS | 500 TAB-CAP | 4.00 | 0.0080 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 0.81 | 0.0081 | TABLETS | | | |
| Buyer SUDANNEHIF | 100 TAB-CAP | 1.14 | 0.0114 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 500 TAB-CAP | 25.80 | 0.0516 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0071 | | | High/Low Ratio=15.18 | | |
| GLICLAZIDE 80 mg tab-cap (PO) | | | | Price/tab-cap | 0.16 g | N | A10BB09 |
| Supplier MEDS | 50 TAB-CAP | 3.13 | 0.0626 | TABLETS | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 22.00 | 0.0220 | TABLETS | | | |
| Buyer BDS | 60 TAB-CAP | 1.42 | 0.0236 | TABLETS | | | |
| Buyer NAMIBIA | 500 TAB-CAP | 28.49 | 0.0570 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0236 | | | High/Low Ratio=2.59 | | |
| GLUTARALDEHYDE 2% solution (TOP) | | | | Price/ml | | E | V07AV |
| Supplier DURBIN | 1 BOTT (5000 ml) | 7.47 | 0.0014 | | | | |
| Supplier JMS | 1 BOTT (5000 ml) | 10.22 | 0.0020 | CIDEX | | | |
| Supplier IDA | 1 BOTT (5000 ml) | 10.58 | 0.0022 | + ACTIVATOR | | | |
| Supplier MISSION | 1 BOTT (5000 ml) | 15.14 | 0.0030 | WITH ACTIVATOR | | | |
| Supplier MEDEOR/TZ | 1 BOTT (3780 ml) | 62.28 | 0.0016 | | | | |
| | | Supplier Median Price/ml=0.0022 | | | High/Low Ratio=2.14 | | |
| Buyer CAMERWA | 1 BOTT (5000 ml) | 14.11 | 0.0028 | | | | |
| Buyer OECS/PPS | 1 BOTT (3800 ml) | 24.13 | 0.0064 | | | | |
| | | Buyer Median Price/ml=0.0046 | | | High/Low Ratio=2.29 | | |
| GLYCERIN 1 g suppos (RECT) | | | | Price/supp | | N | A06AX01 |
| Supplier UNFPA | 12 SUPP | 2.40 | 0.2000 | | | | |
| GLYCERIN 2 g suppos (RECT) | | | | Price/supp | | N | A06AX01 |
| Supplier MEDS | 5 SUPP | 1.07 | 0.2131 | | | | |
| GLYCERYL TRINITRATE (NITROGLYCERIN) 0.5 mg tab-cap (SL) | | | | Price/tab-cap | 5 mg | E | C01DA02 |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 4.46 | 0.0446 | TABLETS | | | |
| Supplier DURBIN | 100 TAB-CAP | 6.42 | 0.0642 | TABLETS | | | |
| Supplier IMRES | 100 TAB-CAP | 6.75 | 0.0675 | TABLETS | | | |
| Supplier MISSION | 100 TAB-CAP | 12.02 | 0.1202 | TABLETS | | | |
| Supplier IDA | 100 TAB-CAP | 14.41 | 0.1441 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0675 | | | High/Low Ratio=3.23 | | |
| Buyer BOTSWANA | 50 TAB-CAP | 1.98 | 0.0395 | TABLETS | | | |
| Buyer NAMIBIA | 50 TAB-CAP | 3.21 | 0.0643 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0519 | | | High/Low Ratio=1.63 | | |
| GLYCERYL TRINITRATE (NITROGLYCERIN) 1 mg/ml ampoule (INJ) | | | | Price/ml | 5 mg | P | C01DA02 |
| Buyer OECS/PPS | 1 AMP (50 ml) | 30.00 | 0.6000 | | | | |
| GLYCERYL TRINITRATE (NITROGLYCERIN) 5 mg patch (TOP) | | | | Price/patch | 5 mg | P | C01DA02 |
| Buyer BDS | 10 PATCH | 9.44 | 0.9436 | | | | |
| GLYCERYL TRINITRATE (NITROGLYCERIN) 5 mg/ml ampoule (INJ) | | | | Price/ml | | P | C01DA |
| Buyer BDS | 5 AMP (5 ml) | 19.12 | 0.7649 | | | | |
| GRANISETRON 1 mg/ml ampoule (INJ) | | | | Price/ml | 3 mg | N | A04AA02 |
| Buyer BDS | 1 AMP (1 ml) | 6.76 | 6.7609 | | | | |
| Buyer BOTSWANA | 1 AMP (3 ml) | 22.19 | 7.3965 | | | | |
| | | Buyer Median Price/ml=7.0787 | | | High/Low Ratio=1.09 | | |
| GRISEOFULVIN 125 mg tab-cap (PO) | | | | Price/tab-cap | 0.5 g | E | D01BA01 |
| Supplier MEG | 1000 TAB-CAP | 14.72 | 0.0147 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-----------------|-------------------------|----------------------|--|------------------------|------------|----------------|
| GRISEOFULVIN 125 mg tab-cap (PO) | | | Price/tab-cap | | 0.5 g | E | D01BA01 |
| Supplier DURBIN | 1000 TAB-CAP | 16.86 | 0.0169 | TABLETS | | | |
| Supplier MEDEOR/TZ | 1900 TAB-CAP | 32.67 | 0.0172 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 17.40 | 0.0174 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 18.40 | 0.0184 | TABLETS | | | |
| Supplier MEDS | 100 TAB-CAP | 1.96 | 0.0196 | TABLETS | | | |
| Supplier MEDEOR/EU | 1900 TAB-CAP | 39.11 | 0.0206 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 28.54 | 0.0285 | FINE PARTICLE TABLETS | | | |
| Supplier Median Price/tab-cap=0.0179 | | | | High/Low Ratio=1.94 | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 12.88 | 0.0129 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 4.19 | 0.0419 | TABLETS | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 4.40 | 0.0440 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 5.23 | 0.0523 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 6.67 | 0.0667 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer SAFRICA | 100 TAB-CAP | 10.86 | 0.1086 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0482 | | | | High/Low Ratio=8.42 | | | |
| GRISEOFULVIN 125 mg/5 ml suspen (PO) | | | Price/ml | | 0.5 g | P | D01BA01 |
| Buyer BDS | 1 BOTT (100 ml) | 7.88 | 0.0788 | | | | |
| Buyer OECS/PPS | 1 BOTT (100 ml) | 9.20 | 0.0920 | | | | |
| Buyer Median Price/ml=0.0854 | | | | High/Low Ratio=1.17 | | | |
| GRISEOFULVIN 250 mg tab-cap (PO) | | | Price/tab-cap | | 0.5 g | E | D01BA01 |
| Supplier MEDS | 100 TAB-CAP | 3.44 | 0.0344 | SCORED TABLETS | | | |
| GRISEOFULVIN 500 mg tab-cap (PO) | | | Price/tab-cap | | 0.5 g | P | D01BA01 |
| Supplier UNFPA | 1000 TAB-CAP | 55.00 | 0.0550 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 56.20 | 0.0562 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 56.70 | 0.0567 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 58.45 | 0.0585 | TABLETS | | | |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 6.10 | 0.0610 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 62.00 | 0.0620 | TABLETS | | | |
| Supplier MEDS | 100 TAB-CAP | 6.50 | 0.0650 | TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 6.85 | 0.0685 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 92.57 | 0.0926 | TABLETS | | | |
| Supplier Median Price/tab-cap=0.0610 | | | | High/Low Ratio=1.68 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 46.13 | 0.0461 | TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 5.61 | 0.0561 | TABLETS | | | |
| Buyer BUFMAR | 100 TAB-CAP | 6.87 | 0.0687 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 7.76 | 0.0777 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 9.00 | 0.0900 | TABLETS, 10 X 10 | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 24.60 | 0.2460 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer SAFRICA | 100 TAB-CAP | 29.35 | 0.2935 | FINE PARTICLE SIZE, TABLETS | | | |
| Buyer Median Price/tab-cap=0.0777 | | | | High/Low Ratio=6.37 | | | |
| HALOPERIDOL 0.5 mg tab-cap (PO) | | | Price/tab-cap | | 8 mg | P | N05AD01 |
| Buyer SUDANNHIF | 100 TAB-CAP | 7.68 | 0.0768 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| HALOPERIDOL 1.5-2 mg tab-cap (PO) | | | Price/tab-cap | | 8 mg | E | N05AD01 |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 3.72 | 0.0372 | 1.5 MG TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 2.71 | 0.0271 | 1.5 MG, 10 X 10 TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 3.56 | 0.0356 | 1.5 MG TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 5.37 | 0.0537 | 1.5 MG TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 7.00 | 0.0700 | 1.5 MG TABLETS | | | |
| Buyer Median Price/tab-cap=0.0447 | | | | High/Low Ratio=2.58 | | | |
| HALOPERIDOL 10 mg tab-cap (PO) | | | Price/tab-cap | | 8 mg | P | N05AD01 |
| Supplier JMS | 100 TAB-CAP | 7.80 | 0.0780 | TABLETS | | | |
| Buyer GHANA | 1000 TAB-CAP | 10.13 | 0.0101 | 10 X 100 BLISTER PACK TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.03 | 0.0256 | BLISTER PACK TABLET | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 4.00 | 0.0400 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0256 | | | | High/Low Ratio=3.96 | | | |
| HALOPERIDOL 2 mg/ml syrup (PO) | | | Price/ml | | 8 mg | P | N05AD01 |
| Supplier IDA | 1 BOTT (100 ml) | 15.28 | 0.1528 | SOLUTION | | | |
| Buyer DOMREPUB | 1 BOTT (15 ml) | 0.57 | 0.0383 | DROPS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-----------------|-------------------------|----------------------|---------------------------------|------------------------|----------------|----------------|
| HALOPERIDOL 5 mg tab-cap (PO) | | | Price/tab-cap | | 8 mg | E | N05AD01 |
| Supplier MISSION | 1000 TAB-CAP | 4.69 | 0.0046 | TABLETS | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 4.91 | 0.0049 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 5.15 | 0.0052 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 5.90 | 0.0059 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 7.46 | 0.0075 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 11.24 | 0.0112 | TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 5.52 | 0.0552 | TABLETS | | | |
| Supplier Median Price/tab-cap=0.0059 | | | | High/Low Ratio=12.00 | | | |
| Buyer GHANA | 1000 TAB-CAP | 7.00 | 0.0070 | 10 X 100 BLISTER PACK TABLETS | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 10.56 | 0.0106 | TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 11.58 | 0.0116 | TABLETS | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 11.60 | 0.0116 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 1.67 | 0.0167 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 3.03 | 0.0303 | TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 4.62 | 0.0462 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 5.30 | 0.0530 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0142 | | | | High/Low Ratio=7.57 | | | |
| HALOPERIDOL 5 mg/ml ampoule (INJ) | | | Price/ml | | 3.3 mg | E | N05AD01 |
| Supplier DURBIN | 100 AMP (2 ml) | 15.17 | 0.0758 | | | | |
| Supplier MEDEOR/TZ | 100 AMP (1 ml) | 18.77 | 0.1877 | | | | |
| Supplier IMRES | 100 AMP (1 ml) | 33.00 | 0.3300 | | | | |
| Supplier IDA | 100 AMP (1 ml) | 39.77 | 0.3977 | | | | |
| Supplier MISSION | 100 AMP (1 ml) | 44.74 | 0.4474 | | | | |
| Supplier JMS | 5 AMP (1 ml) | 4.82 | 0.9646 | | | | |
| Supplier Median Price/ml=0.3639 | | | | High/Low Ratio=12.73 | | | |
| Buyer DOMREPUB | 1 AMP (2 ml) | 0.51 | 0.2563 | | | | |
| Buyer OECS/PPS | 100 AMP (1 ml) | 28.60 | 0.2860 | LACTATE | | | |
| Buyer BDS | 100 AMP (1 ml) | 33.08 | 0.3308 | | | | |
| Buyer GHANA | 10 AMP (1 ml) | 13.48 | 1.3480 | | | | |
| Buyer NAMIBIA | 5 AMP (1 ml) | 15.06 | 3.0111 | | | | |
| Buyer Median Price/ml=0.3308 | | | | High/Low Ratio=11.75 | | | |
| HALOTHANE liquid (INH) | | | Price/ml | | E | N01AB01 | |
| Supplier JMS | 1 BOTT (250 ml) | 20.72 | 0.0829 | | | | |
| Supplier UNFPA | 1 BOTT (250 ml) | 23.50 | 0.0940 | | | | |
| Supplier IMRES | 1 BOTT (250 ml) | 25.00 | 0.1000 | | | | |
| Supplier IDA | 6 BOTT (250 ml) | 159.07 | 0.1060 | | | | |
| Supplier MISSION | 1 BOTT (250 ml) | 33.90 | 0.1356 | | | | |
| Supplier MEDS | 1 BOTT (250 ml) | 36.30 | 0.1452 | | | | |
| Supplier DURBIN | 1 BOTT (250 ml) | 37.33 | 0.1493 | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (250 ml) | 37.80 | 0.1512 | | | | |
| Supplier Median Price/ml=0.1208 | | | | High/Low Ratio=1.82 | | | |
| Buyer MEMS | 1 BOTT (250 ml) | 28.31 | 0.1133 | CAN; SPRAY FOR INHALATION | | | |
| Buyer CAMERWA | 1 BOTT (250 ml) | 39.10 | 0.1564 | | | | |
| Buyer PERU | 1 BOTT (250 ml) | 49.96 | 0.1998 | | | | |
| Buyer OECS/PPS | 1 BOTT (250 ml) | 51.50 | 0.2060 | | | | |
| Buyer NAMIBIA | 1 BOTT (250 ml) | 56.34 | 0.2254 | | | | |
| Buyer BDS | 1 BOTT (250 ml) | 59.22 | 0.2369 | | | | |
| Buyer Median Price/ml=0.2029 | | | | High/Low Ratio=2.09 | | | |
| HEPARIN 1000 IU/ml ampoule (INJ) | | | Price/ml | | 10 TU | C | B01AB01 |
| Buyer BDS | 10 AMP (5 ml) | 19.07 | 0.3814 | | | | |
| Buyer NAMIBIA | 10 VIAL (1 ml) | 7.83 | 0.7830 | | | | |
| Buyer Median Price/ml=0.5822 | | | | High/Low Ratio=2.05 | | | |
| HEPARIN 5000 IU/ml ampoule (INJ) | | | Price/ml | | 10 TU | C | B01AB01 |
| Supplier DURBIN | 25 AMP (5 ml) | 55.32 | 0.4425 | | | | |
| Supplier MEDS | 1 VIAL (5 ml) | 3.69 | 0.7370 | | | | |
| Supplier MEDEOR/TZ | 1 AMP (5 ml) | 3.72 | 0.7440 | | | | |
| Supplier IDA | 25 VIAL (5 ml) | 97.57 | 0.7806 | | | | |
| Supplier JMS | 1 VIAL (5 ml) | 5.11 | 1.0218 | SODIUM | | | |
| Supplier MISSION | 25 VIAL (5 ml) | 152.26 | 1.2181 | | | | |
| Supplier Median Price/ml=0.7623 | | | | High/Low Ratio=2.75 | | | |
| Buyer NAMIBIA | 10 VIAL (5 ml) | 30.45 | 0.6090 | | | | |
| Buyer BDS | 1 AMP (5 ml) | 3.35 | 0.6697 | | | | |
| Buyer CRSS | 1 VIAL (5 ml) | 3.92 | 0.7840 | | | | |
| Buyer DOMREPUB | 1 AMP (5 ml) | 3.99 | 0.7981 | | | | |
| Buyer OECS/PPS | 1 VIAL (5 ml) | 4.69 | 0.9380 | | | | |
| Buyer Median Price/ml=0.7840 | | | | High/Low Ratio=1.54 | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|----------------|---|----------------------|---------------------------------|------------------------|------------|-------------|
| HOMATROPINE 2% ophth drop (OPHT) | | | Price/ml | | | N | S01FA05 |
| Buyer BOTSWANA | 1 BOTT (5 ml) | 2.78 | 0.5566 | | | | |
| Buyer BDS | 1 BOTT (10 ml) | 6.49 | 0.6486 | | | | |
| | | Buyer Median Price/ml=0.6026 | | High/Low Ratio=1.17 | | | |
| HUMAN CHORIONIC GONADOTROPHIN 5000 IU ampoule (INJ) | | 10.00 | Price/ampoule | | 250 U | N | |
| Supplier UNFPA | 1 AMP | | 10.0000 | + 1 ML SOLVENT | | | |
| HUMAN MENOPAUSAL GONADOTROPHIN 75 IU vial (INJ) | | 175.00 | Price/vial | | 30 U | N | |
| Supplier UNFPA | 5 VIAL | | 35.0000 | | | | |
| HYDRALAZINE 20 mg/ml ampoule (INJ) | | | Price/ml | | 0.1 g | N | C02DB02 |
| Supplier UNFPA | 5 AMP (1 ml) | 1.75 | 0.3500 | HYDROCHLORIDE | | | |
| Supplier MEDS | 1 AMP (1 ml) | 1.78 | 1.7760 | | | | |
| Supplier MEDEOR/TZ | 5 AMP (1 ml) | 10.42 | 2.0832 | | | | |
| Supplier DURBIN | 5 AMP (1 ml) | 22.24 | 4.4478 | | | | |
| | | Supplier Median Price/ml=1.9296 | | High/Low Ratio=12.71 | | | |
| Buyer MEMS | 1 AMP (1 ml) | 0.26 | 0.2640 | | | | |
| Buyer DOMREPUB | 1 AMP (1 ml) | 1.51 | 1.5117 | | | | |
| Buyer OECS/PPS | 5 AMP (1 ml) | 23.40 | 4.6800 | | | | |
| | | Buyer Median Price/ml=1.5117 | | High/Low Ratio=17.73 | | | |
| HYDRALAZINE 25 mg tab-cap (PO) | | | Price/tab-cap | | 0.1 g | N | C02DB01 |
| Supplier MEDS | 1000 TAB-CAP | 15.60 | 0.0156 | TABLETS | | | |
| Supplier MEG | 100 TAB-CAP | 2.30 | 0.0230 | TABLETS | | | |
| Supplier MEDEOR/TZ | 500 TAB-CAP | 13.39 | 0.0268 | TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 3.18 | 0.0318 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 37.52 | 0.0375 | HCL, TABLETS | | | |
| Supplier MISSION | 100 TAB-CAP | 7.04 | 0.0704 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0293 | | High/Low Ratio=4.51 | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 2.00 | 0.0200 | TABLETS | | | |
| Buyer MEMS | 500 TAB-CAP | 12.21 | 0.0244 | TABLETS | | | |
| Buyer CAMERWA | 100 TAB-CAP | 2.80 | 0.0280 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 3.31 | 0.0331 | TABLETS, 10 X 10 | | | |
| | | Buyer Median Price/tab-cap=0.0262 | | High/Low Ratio=1.65 | | | |
| HYDRALAZINE 50 mg tab-cap (PO) | | | Price/tab-cap | | 0.1 g | N | C02DB01 |
| Supplier UNFPA | 500 TAB-CAP | 70.00 | 0.1400 | TABLETS, HYDROCHLORIDE | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 2.60 | 0.0260 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 4.76 | 0.0476 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0368 | | High/Low Ratio=1.83 | | | |
| HYDROCHLOROTHIAZIDE 25 mg tab-cap (PO) | | | Price/tab-cap | | 25 mg | E | C03AA03 |
| Supplier IMRES | 1000 TAB-CAP | 3.60 | 0.0036 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 3.62 | 0.0036 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 5.43 | 0.0055 | TABLETS | | | |
| Supplier MEDEOR/EU | 7600 TAB-CAP | 50.49 | 0.0067 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0046 | | High/Low Ratio=1.86 | | | |
| Buyer CRSS | 100 TAB-CAP | 0.59 | 0.0059 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 0.60 | 0.0060 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer MEMS | 1000 TAB-CAP | 13.20 | 0.0132 | TABLETS | | | |
| Buyer CAMERWA | 100 TAB-CAP | 3.70 | 0.0370 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 9.48 | 0.0948 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0132 | | High/Low Ratio=16.07 | | | |
| HYDROCHLOROTHIAZIDE 50 mg tab-cap (PO) | | | Price/tab-cap | | 25 mg | E | C03AA03 |
| Supplier MEDS | 1000 TAB-CAP | 3.17 | 0.0032 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 4.94 | 0.0049 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 5.20 | 0.0052 | TABLETS | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 5.32 | 0.0053 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 5.65 | 0.0056 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 6.26 | 0.0062 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 7.95 | 0.0080 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0053 | | High/Low Ratio=2.50 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 3.62 | 0.0036 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.00 | 0.0039 | BLISTER PACK TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0038 | | High/Low Ratio=1.08 | | | |

WHO EML = <E>sential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|----------------|-----------------------------------|----------------------|---------------------------------|------------------------|---------------------|-------------|
| HYDROCHLOROTHIAZIDE+TRIAMTERENE 25 mg+50 mg tab-cap (PO) | | | | | | N | C03EA01 |
| Buyer OECS/PPS | 1000 TAB-CAP | 16.30 | 0.0163 | TABLETS | | | |
| HYDROCORTISONE 1% cream (TOP) | | | | | | E | D07AA02 |
| Supplier MEDS | 1 TUBE (15 g) | 0.26 | 0.0170 | | | | |
| Supplier JMS | 1 TUBE (15 g) | 0.37 | 0.0245 | | | | |
| Supplier MEDEOR/TZ | 1 TUBE (15 g) | 0.37 | 0.0248 | | | | |
| Supplier IDA | 10 TUBE (15 g) | 5.94 | 0.0395 | ACETATE | | | |
| Supplier MISSION | 1 TUBE (15 g) | 0.77 | 0.0511 | | | | |
| Supplier DURBIN | 10 TUBE (15 g) | 10.84 | 0.0723 | | | | |
| | | Supplier Median Price/g=0.0322 | | | | High/Low Ratio=4.25 | |
| Buyer CAMERWA | 1 TUBE (15 g) | 0.31 | 0.0204 | | | | |
| Buyer DOMREPUB | 1 TUBE (15 g) | 0.34 | 0.0229 | | | | |
| Buyer MEMS | 1 TUBE (15 g) | 0.43 | 0.0286 | | | | |
| Buyer BOTSWANA | 1 TUBE (15 g) | 0.50 | 0.0333 | | | | |
| Buyer BDS | 1 TUBE (15 g) | 0.89 | 0.0590 | | | | |
| Buyer OECS/PPS | 1 TUBE (15 g) | 0.95 | 0.0633 | | | | |
| | | Buyer Median Price/g=0.0310 | | | | High/Low Ratio=3.10 | |
| HYDROCORTISONE 1% ointment (TOP) | | | | | | E | D07AA02 |
| Supplier MEDS | 1 TUBE (15 g) | 0.26 | 0.0170 | | | | |
| Supplier JMS | 1 TUBE (15 g) | 0.33 | 0.0221 | | | | |
| Supplier MEG | 50 TUBE (15 g) | 27.00 | 0.0360 | ACETATE | | | |
| Supplier IMRES | 1 TUBE (15 g) | 0.55 | 0.0367 | ACETATE | | | |
| Supplier IDA | 10 TUBE (15 g) | 6.08 | 0.0406 | ACETATE | | | |
| Supplier UNFPA | 50 TUBE (15 g) | 45.00 | 0.0600 | ACETATE | | | |
| Supplier MEDEOR/EU | 50 TUBE (15 g) | 50.27 | 0.0671 | ACETATE | | | |
| Supplier MISSION | 1 TUBE (15 g) | 1.43 | 0.0956 | | | | |
| | | Supplier Median Price/g=0.0387 | | | | High/Low Ratio=5.62 | |
| Buyer BUFMAR | 1 JAR (1000 g) | 38.96 | 0.0390 | | | | |
| Buyer NAMIBIA | 1 TUBE (20 g) | 1.48 | 0.0739 | | | | |
| Buyer OECS/PPS | 1 TUBE (15 g) | 1.19 | 0.0793 | | | | |
| Buyer BOTSWANA | 1 TUBE (15 g) | 1.35 | 0.0899 | | | | |
| | | Buyer Median Price/g=0.0766 | | | | High/Low Ratio=2.31 | |
| HYDROCORTISONE 1% opht drop (OPHT) | | | | | | P | S01BA02 |
| Supplier JMS | 1 BOTT (5 ml) | 0.46 | 0.0924 | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (5 ml) | 0.55 | 0.1104 | | | | |
| | | Supplier Median Price/ml=0.1014 | | | | High/Low Ratio=1.19 | |
| HYDROCORTISONE 1% opht oint (OPHT) | | | | | | P | S01BA02 |
| Supplier MISSION | 50 TUBE (5 g) | 19.93 | 0.0797 | | | | |
| HYDROCORTISONE 10 mg tab-cap (PO) | | | | | | E | H02AB09 |
| Buyer SUDANNHIF | 100 TAB-CAP | 9.55 | 0.0955 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 100 TAB-CAP | 65.15 | 0.6515 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.3735 | | | | High/Low Ratio=6.82 | |
| HYDROCORTISONE 20 mg tab-cap (PO) | | | | | | E | H02AB09 |
| Buyer CRSS | 100 TAB-CAP | 7.68 | 0.0768 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 65.15 | 0.6515 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.3642 | | | | High/Low Ratio=8.48 | |
| HYDROCORTISONE (SODIUM SUCCINATE) 100 mg vial (INJ) | | | | | | E | H02AB09 |
| Supplier UNFPA | 50 VIAL | 17.50 | 0.3500 | | | | |
| Supplier MEG | 50 VIAL | 18.15 | 0.3630 | | | | |
| Supplier IMRES | 50 VIAL | 18.75 | 0.3750 | | | | |
| Supplier JMS | 10 VIAL | 3.81 | 0.3812 | | | | |
| Supplier IDA | 50 VIAL | 19.48 | 0.3897 | POWDER | | | |
| Supplier MEDEOR/TZ | 25 VIAL | 10.33 | 0.4132 | | | | |
| Supplier MISSION | 50 VIAL | 25.21 | 0.5041 | | | | |
| Supplier MEDS | 1 VIAL | 0.63 | 0.6327 | | | | |
| Supplier DURBIN | 100 VIAL | 64.15 | 0.6415 | POWDER | | | |
| Supplier MEDEOR/EU | 100 VIAL | 82.50 | 0.8250 | POWDER | | | |
| | | Supplier Median Price/vial=0.4015 | | | | High/Low Ratio=2.36 | |
| Buyer BDS | 50 VIAL | 9.40 | 0.1879 | | | | |
| Buyer CAMERWA | 50 VIAL | 9.62 | 0.1924 | | | | |
| Buyer DOMREPUB | 1 VIAL | 0.26 | 0.2581 | | | | |
| Buyer MEMS | 1 VIAL | 0.35 | 0.3465 | | | | |
| Buyer OECS/PPS | 50 VIAL | 26.60 | 0.5320 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|---|---|--|---|--------------------------------|------------|-------------|
| HYDROCORTISONE (SODIUM SUCCINATE) 100 mg vial (INJ) Buyer SUDANNHIF | 100 VIAL | 64.44 Buyer Median Price/vial=0.3023 | Price/vial 0.6444 | ILLUSTRATIVE NUMBER OF VIALS High/Low Ratio=3.43 | 30 mg | E | H02AB09 |
| HYDROCORTISONE (SODIUM SUCCINATE) 500 mg vial (INJ) Buyer BDS | 1 VIAL | 3.55 | Price/vial 3.5452 | | 30 mg | P | H02AB09 |
| HYDROGEN PEROXIDE 3% solution (TOP) Supplier MEDEOR/TZ | 1 BOTT (100 ml) | 0.23 | Price/ml 0.0023 | MOUTHWASH | | N | D08AX01 |
| Buyer CRSS Buyer CAMERWA | 1 BOTT (1000 ml) 1 BOTT (500 ml) | 1.26 1.65 Buyer Median Price/ml=0.0023 | 0.0013 0.0033 | | High/Low Ratio=2.54 | | |
| HYDROGEN PEROXIDE 6% solution (TOP) Supplier MEDS Supplier JMS Supplier MEDEOR/TZ | 1 BOTT (5000 ml) 1 BOTT (250 ml) 1 BOTT (100 ml) | 2.83 0.25 0.23 Supplier Median Price/ml=0.0010 | 0.0006 0.0010 0.0023 | STABILIZED WOUNDWASH High/Low Ratio=3.83 | | N | D08AX01 |
| Buyer BDS | 1 BOTT (200 ml) | 0.77 | 0.0038 | | | | |
| HYDROXYCARBAMIDE (HYDROXYUREA) 500 mg tab-cap (PO) Buyer OECS/PPS Buyer BDS Buyer CRSS Buyer PERU Buyer NAMIBIA | 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP | 8.25 16.67 17.80 29.81 52.59 Buyer Median Price/tab-cap=0.1780 | 0.0825 0.1667 0.1780 0.2981 0.5259 | CAPSULES CAPSULES CAPSULES CAPSULES, ILLUSTRATIVE PACK SIZE CAPSULES | High/Low Ratio=6.37 | C | L01XX05 |
| HYDROXYCHLOROQUINE 300 mg tab-cap (PO) Buyer CRSS | 100 TAB-CAP | 9.80 | Price/tab-cap 0.0980 | 0.516 g 310 MG BASE TABLETS, AS SULFATE | N | P01BA02 | |
| HYDROXYCHLOROQUINE SULFATE 200 mg tab-cap (PO) Buyer BDS Buyer OECS/PPS | 100 TAB-CAP 100 TAB-CAP | 7.94 10.00 Buyer Median Price/tab-cap=0.0897 | 0.0794 0.1000 | TABLETS TABLETS | 0.516 g High/Low Ratio=1.26 | N | P01BA02 |
| HYDROXYZINE 10 mg/5 ml syrup (PO) Buyer BDS | 1 BOTT (200 ml) | 4.63 | Price/ml 0.0232 | | 75 mg | N | N05BB01 |
| HYDROXYZINE 25 mg tab-cap (PO) Buyer BDS Buyer NAMIBIA | 100 TAB-CAP 100 TAB-CAP | 4.76 8.87 Buyer Median Price/tab-cap=0.0682 | 0.0476 0.0887 | CAPSULES TABLETS | 75 mg High/Low Ratio=1.86 | N | N05BB01 |
| HYOSCINE BUTYLBROMIDE 10 mg tab-cap (PO) Supplier MEDS Supplier DURBIN Supplier MEDEOR/TZ Supplier MEG Supplier IMRES Supplier JMS Supplier IDA Supplier MISSION | 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 100 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP | 20.65 22.08 28.04 28.55 28.75 2.91 29.92 41.19 Supplier Median Price/tab-cap=0.0287 | 0.0206 0.0222 0.0280 0.0286 0.0288 0.0291 0.0300 0.0411 | TABLETS TABLETS TABLETS TABLETS COATED TABLETS TABLETS TABLETS TABLETS | 60 mg High/Low Ratio=2.00 | N | A03BB01 |
| Buyer OECS/PPS Buyer CAMERWA Buyer BUFMAR Buyer MEMS Buyer SUDANNHIF Buyer DOMREPUB Buyer BDS Buyer NAMIBIA | 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 100 TAB-CAP 100 TAB-CAP 1 TAB-CAP 1000 TAB-CAP 100 TAB-CAP | 19.50 24.48 31.27 3.30 3.41 0.04 43.67 4.59 Buyer Median Price/tab-cap=0.0336 | 0.0195 0.0245 0.0313 0.0330 0.0341 0.0355 0.0437 0.0459 | TABLETS TABLETS TABLETS TABLETS TABLETS, ILLUSTRATIVE PACK SIZE BLISTER PACK TABLETS TABLETS TABLETS | High/Low Ratio=2.35 | | |
| HYOSCINE BUTYLBROMIDE 10 mg/ml ampoule (INJ) Supplier MEG Supplier DURBIN | 100 AMP (2 ml) 100 AMP (2 ml) | 21.29 30.43 Supplier Median Price/ml=0.1294 | 0.1065 0.1522 | | 60 mg High/Low Ratio=1.43 | N | A03BB01 |
| Buyer MEMS | 1 AMP (2 ml) | 0.16 | 0.0792 | | | | |
| HYOSCINE BUTYLBROMIDE 20 mg tab-cap (PO) Supplier MEDEOR/EU | 1000 TAB-CAP | 54.91 | Price/tab-cap 0.0549 | 60 mg TABLETS | N | A03BB01 | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-----------------|--------------------------------------|----------------------|---------------------------------|------------------------|------------|-------------|
| HYOSCINE BUTYLBROMIDE 20 mg tab-cap (PO) | | Price/tab-cap | | 60 mg | | N | A03BB01 |
| HYOSCINE BUTYLBROMIDE 20 mg/ml ampoule (INJ) | | Price/ml | | 60 mg | | N | A03BB01 |
| Supplier IMRES | 100 AMP (1 ml) | 1.80 | 0.0180 | | | | |
| Supplier JMS | 10 AMP (1 ml) | 1.31 | 0.1312 | | | | |
| Supplier IDA | 100 AMP (1 ml) | 14.20 | 0.1420 | | | | |
| Supplier UNFPA | 100 AMP (1 ml) | 14.50 | 0.1450 | | | | |
| Supplier MEDEOR/TZ | 100 AMP (1 ml) | 16.38 | 0.1638 | | | | |
| Supplier MISSION | 100 AMP (1 ml) | 16.95 | 0.1695 | | | | |
| Supplier MEDEOR/EU | 50 AMP (1 ml) | 16.80 | 0.3361 | | | | |
| | | Supplier Median Price/ml=0.1450 | | High/Low Ratio=18.67 | | | |
| Buyer DOMREPUB | 1 AMP (1 ml) | 0.12 | 0.1156 | | | | |
| Buyer OECS/PPS | 100 AMP (1 ml) | 26.40 | 0.2640 | | | | |
| Buyer BDS | 100 AMP (1 ml) | 27.18 | 0.2718 | | | | |
| Buyer NAMIBIA | 10 AMP (1 ml) | 2.73 | 0.2735 | | | | |
| | | Buyer Median Price/ml=0.2679 | | High/Low Ratio=2.37 | | | |
| HYPROMELLOSE 0.3% opht drop (OPHT) | | Price/ml | | N | | S01KA02 | |
| Buyer BDS | 1 BOTT (10 ml) | 1.53 | 0.1534 | | | | |
| IBUPROFEN 100 mg/5 ml suspen (PO) | | Price/ml | | 1.2 g | | P | M01AE01 |
| Supplier MEDS | 1 BOTT (100 ml) | 0.21 | 0.0021 | | | | |
| Supplier IMRES | 1 BOTT (100 ml) | 0.75 | 0.0075 | | | | |
| Supplier IDA | 1 BOTT (100 ml) | 1.59 | 0.0159 | | | | |
| | | Supplier Median Price/ml=0.0075 | | High/Low Ratio=7.57 | | | |
| Buyer CAMERWA | 1 BOTT (100 ml) | 0.25 | 0.0025 | | | | |
| Buyer PERU | 10 BOTT (60 ml) | 1.90 | 0.0032 | ILLUSTRATIVE NUMBER OF BOTTLES | | | |
| Buyer MEMS | 1 BOTT (100 ml) | 0.59 | 0.0059 | | | | |
| Buyer BUFMAR | 1 BOTT (100 ml) | 0.62 | 0.0062 | | | | |
| Buyer BOTSWANA | 1 BOTT (100 ml) | 1.30 | 0.0130 | | | | |
| Buyer OECS/PPS | 1 BOTT (125 ml) | 1.65 | 0.0132 | | | | |
| Buyer BDS | 1 BOTT (100 ml) | 1.38 | 0.0138 | | | | |
| | | Buyer Median Price/ml=0.0062 | | High/Low Ratio=5.52 | | | |
| IBUPROFEN 200 mg tab-cap (PO) | | Price/tab-cap | | 1.2 g | | E | C01EB16 |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 3.60 | 0.0036 | TABLETS | | | |
| Supplier MEDS | 1000 TAB-CAP | 3.63 | 0.0036 | TABLETS | | | |
| Supplier JMS | 1000 TAB-CAP | 4.28 | 0.0043 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 5.40 | 0.0054 | FILM-COATED TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 5.60 | 0.0056 | FILM-COATED TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 5.65 | 0.0056 | FILM-COATED TABLETS | | | |
| Supplier UNFPA | 1000 TAB-CAP | 5.90 | 0.0059 | FILM-COATED TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 6.82 | 0.0069 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 8.47 | 0.0084 | COATED TABLETS | | | |
| Supplier MEDEOR/EU | 2000 TAB-CAP | 18.98 | 0.0094 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0056 | | High/Low Ratio=2.61 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 3.92 | 0.0039 | TABLETS | | | |
| Buyer MEMS | 1000 TAB-CAP | 4.36 | 0.0044 | TABLETS | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 4.39 | 0.0044 | TABLETS | | | |
| Buyer NAMIBIA | 1000 TAB-CAP | 10.20 | 0.0102 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 1.40 | 0.0140 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 100 TAB-CAP | 10.89 | 0.1089 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0073 | | High/Low Ratio=27.92 | | | |
| IBUPROFEN 400 mg tab-cap (PO) | | Price/tab-cap | | 1.2 g | | E | C01EB16 |
| Supplier UNFPA | 1000 TAB-CAP | 6.45 | 0.0065 | TABLETS | | | |
| Supplier MEDS | 500 TAB-CAP | 3.95 | 0.0079 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 8.65 | 0.0087 | FILM-COATED TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 9.70 | 0.0097 | FILM-COATED TABLETS | | | |
| Supplier IDA | 500 TAB-CAP | 5.43 | 0.0109 | FILM-COATED TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 11.16 | 0.0112 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 14.97 | 0.0149 | COATED TABLETS | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 15.36 | 0.0154 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0103 | | High/Low Ratio=2.37 | | | |
| Buyer MEMS | 500 TAB-CAP | 0.82 | 0.0017 | TABLETS | | | |
| Buyer BUFMAR | 500 TAB-CAP | 4.52 | 0.0090 | TABLETS | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 1.31 | 0.0131 | TABLETS, 10 X 10 | | | |
| Buyer BOTSWANA | 1000 TAB-CAP | 14.98 | 0.0150 | FILM-COATED TABLETS | | | |
| Buyer NAMIBIA | 1000 TAB-CAP | 16.75 | 0.0167 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 1.93 | 0.0193 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0141 | | High/Low Ratio=11.35 | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-----------------|---|----------------------|---------------------------------|------------------------|------------|----------------|
| IBUPROFEN 600 mg tab-cap (PO) | | | | Price/tab-cap | 1.2 g | E | M01AE01 |
| Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0120 | BLISTER PACK TABLET | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 10.29 | 0.1029 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0575 | | High/Low Ratio=8.58 | | | |
| ICHTHAMMOL 10% ointment (TOP) | | | | Price/g | | N | D10AX |
| Supplier IDA | 1 JAR (800 g) | 11.44 | 0.0143 | | | | |
| Buyer BUFMAR | 1 JAR (1000 g) | 15.36 | 0.0154 | | | | |
| ICHTHAMMOL 20% ointment (TOP) | | | | Price/g | | N | D10AX |
| Supplier MEDEOR/EU | 15 TUBE (100 g) | 38.32 | 0.0255 | | | | |
| Supplier MEDEOR/TZ | 1 TUBE (100 g) | 4.35 | 0.0435 | | | | |
| | | Supplier Median Price/g=0.0345 | | High/Low Ratio=1.71 | | | |
| IDARUBICIN 5 mg vial (INJ) | | | | Price/vial | | N | |
| Buyer CRSS | 1 VIAL | 180.75 | 180.7500 | | | | |
| IMATINIB 100 mg tab-cap (PO) | | | | Price/tab-cap | | N | L01XE01 |
| Buyer BDS | 10 TAB-CAP | 32.39 | 3.2393 | TABLETS | | | |
| Buyer SICA | 1 TAB-CAP | 8.15 | 8.1500 | | | | |
| | | Buyer Median Price/tab-cap=5.6947 | | High/Low Ratio=2.52 | | | |
| IMATINIB 400 mg tab-cap (PO) | | | | Price/tab-cap | | N | |
| Buyer SICA | 1 TAB-CAP | 62.50 | 62.5000 | TABLETS | | | |
| IMIPENEM+CILASTATIN 500mg+500mg vial (INJ) | | | | Price/vial | 2 g | C | J01DH51 |
| Buyer PERU | 1 VIAL | 5.93 | 5.9348 | | | | |
| Buyer DOMREPUB | 1 VIAL | 11.02 | 11.0246 | | | | |
| Buyer SAFRICA | 1 VIAL | 15.80 | 15.8036 | 120 ML | | | |
| | | Buyer Median Price/vial=11.0246 | | High/Low Ratio=2.66 | | | |
| IMIPRAMINE HCL 10 mg tab-cap (PO) | | | | Price/tab-cap | 0.1 g | T | N06AA02 |
| Buyer BDS | 1000 TAB-CAP | 16.67 | 0.0167 | TABLETS | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 3.03 | 0.0303 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0235 | | High/Low Ratio=1.81 | | | |
| IMIPRAMINE HCL 25 mg tab-cap (PO) | | | | Price/tab-cap | 0.1 g | T | N06AA02 |
| Supplier JMS | 1000 TAB-CAP | 13.30 | 0.0133 | TABLETS | | | |
| Supplier MEDEOR/TZ | 500 TAB-CAP | 12.25 | 0.0245 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0189 | | High/Low Ratio=1.84 | | | |
| Buyer GHANA | 1000 TAB-CAP | 3.48 | 0.0035 | 10 X 100 BLISTER PACK TABLETS | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 12.00 | 0.0120 | TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 17.86 | 0.0178 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 5.60 | 0.0560 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0149 | | High/Low Ratio=16.00 | | | |
| IMMUNOGLOBULIN VARICELLA ZOSTER (HUMAN) 125 IU/ml vial (INJ) | | | | Price/vial | | N | |
| Buyer CRSS | 1 VIAL | 143.60 | 143.6000 | | | | |
| INDINAVIR (IDV) 400 mg tab-cap (PO) | | | | Price/tab-cap | 2.4 g | E | J05AE02 |
| Supplier SCMS | 180 TAB-CAP | 52.50 | 0.2917 | CAPSULES | | | |
| Supplier DURBIN | 180 TAB-CAP | 73.22 | 0.4067 | CAPSULES | | | |
| Supplier IDA | 180 TAB-CAP | 74.90 | 0.4161 | CAPSULES | | | |
| | | Supplier Median Price/tab-cap=0.4067 | | High/Low Ratio=1.43 | | | |
| Buyer CRSS | 100 TAB-CAP | 39.50 | 0.3950 | TABLETS | | | |
| INDOMETACIN 100 mg suppos (RECT) | | | | Price/supp | 0.1 g | N | M01AB01 |
| Buyer CRSS | 100 SUPP | 9.95 | 0.0995 | | | | |
| Buyer NAMIBIA | 10 SUPP | 1.82 | 0.1817 | | | | |
| Buyer BOTSWANA | 10 SUPP | 1.96 | 0.1964 | | | | |
| Buyer BDS | 30 SUPP | 21.10 | 0.7035 | | | | |
| | | Buyer Median Price/supp=0.1891 | | High/Low Ratio=7.07 | | | |
| INDOMETACIN 25 mg tab-cap (PO) | | | | Price/tab-cap | 0.1 g | N | M01AB01 |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 2.74 | 0.0027 | CAPSULES | | | |
| Supplier MEDEOR/EU | 6000 TAB-CAP | 16.80 | 0.0028 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 3.06 | 0.0031 | TABLETS | | | |
| Supplier JMS | 1000 TAB-CAP | 3.52 | 0.0035 | CAPSULES | | | |
| Supplier DURBIN | 1000 TAB-CAP | 4.34 | 0.0043 | TABLETS | | | |
| Supplier MEDS | 1000 TAB-CAP | 4.76 | 0.0048 | CAPSULES | | | |
| Supplier MISSION | 1000 TAB-CAP | 5.16 | 0.0052 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|----------------------|---|----------------------|----------------------------------|------------------------|------------|-------------|
| INDOMETACIN 25 mg tab-cap (PO) | | | Price/tab-cap | | 0.1 g | N | M01AB01 |
| Supplier IMRES | 1000 TAB-CAP | 5.20 | 0.0052 | CAPSULES | | | |
| Supplier IDA | 1000 TAB-CAP | 6.01 | 0.0061 | CAPSULES | | | |
| | | Supplier Median Price/tab-cap=0.0043 | | High/Low Ratio=2.26 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 3.48 | 0.0035 | TABLETS | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 3.68 | 0.0037 | TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 0.64 | 0.0064 | CAPSULES | | | |
| Buyer CRSS | 100 TAB-CAP | 0.88 | 0.0088 | CAPSULES | | | |
| Buyer BDS | 1000 TAB-CAP | 13.23 | 0.0132 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 2.09 | 0.0209 | CAPSULES | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 2.16 | 0.0216 | CAPSULES, ILLUSTRATIVE PACK SIZE | | | |
| Buyer NAMIBIA | 500 TAB-CAP | 11.29 | 0.0226 | CAPSULES | | | |
| | | Buyer Median Price/tab-cap=0.0110 | | High/Low Ratio=6.46 | | | |
| INSULIN, ISOPHANE (NPH) 100 IU/ml vial (SC) | | | Price/ml | | 40 IU | E | A10AC |
| Supplier JMS | 1 VIAL (10 ml) | 5.08 | 0.5079 | | | | |
| Supplier MISSION | 1 VIAL (10 ml) | 8.98 | 0.8982 | HM | | | |
| Supplier MEDEOR/TZ | 1 VIAL (10 ml) | 9.19 | 0.9186 | | | | |
| | | Supplier Median Price/ml=0.8982 | | High/Low Ratio=1.81 | | | |
| Buyer DOMREPUB | 1 VIAL (10 ml) | 3.10 | 0.3101 | | | | |
| Buyer OECS/PPS | 1 VIAL (10 ml) | 5.48 | 0.5480 | HUMAN | | | |
| Buyer MEMS | 1 VIAL (10 ml) | 8.02 | 0.8019 | HUMAN | | | |
| | | Buyer Median Price/ml=0.5480 | | High/Low Ratio=2.59 | | | |
| INSULIN, NEUT. SOL/ISOPHANE 30/70 (HUMAN, MIXTARD) 100 IU/ml vial (SC) | | | Price/ml | | 40 U | P | A10AD01 |
| Supplier MEDS | 1 VIAL (10 ml) | 4.68 | 0.4684 | | | | |
| Supplier JMS | 1 VIAL (10 ml) | 5.05 | 0.5052 | | | | |
| Supplier MISSION | 1 VIAL (10 ml) | 8.98 | 0.8982 | | | | |
| Supplier MEDEOR/TZ | 1 VIAL (10 ml) | 13.02 | 1.3020 | | | | |
| Supplier JMS | 5 CRTDGS (3 ml) | 22.13 | 1.4751 | | | | |
| | | Supplier Median Price/ml=0.8982 | | High/Low Ratio=3.15 | | | |
| Buyer OECS/PPS | 1 VIAL (10 ml) | 5.48 | 0.5480 | | | | |
| INSULIN, NEUTRAL SOLUBLE (REGULAR) 100 IU/ml vial (SC) | | | Price/ml | | 40 IU | E | A10AB |
| Supplier MEDS | 1 VIAL (10 ml) | 4.70 | 0.4695 | ACTRAPID | | | |
| Supplier JMS | 1 VIAL (10 ml) | 5.05 | 0.5047 | | | | |
| Supplier MISSION | 1 VIAL (10 ml) | 8.98 | 0.8982 | HM | | | |
| Supplier MEDEOR/TZ | 1 VIAL (10 ml) | 9.04 | 0.9039 | | | | |
| Supplier UNFPA | 1 VIAL (10 ml) | 9.25 | 0.9250 | HUMAN | | | |
| | | Supplier Median Price/ml=0.8982 | | High/Low Ratio=1.97 | | | |
| Buyer DOMREPUB | 1 VIAL (10 ml) | 3.19 | 0.3187 | | | | |
| Buyer OECS/PPS | 1 VIAL (10 ml) | 5.48 | 0.5480 | | | | |
| Buyer MEMS | 1 VIAL (10 ml) | 8.02 | 0.8019 | HUMAN | | | |
| | | Buyer Median Price/ml=0.5480 | | High/Low Ratio=2.52 | | | |
| INSULIN, ZINC SUSP (LENTE) 100 IU/ml vial (SC) | | | Price/ml | | 40 IU | E | A10AE |
| Buyer BDS | 1 VIAL (10 ml) | 6.64 | 0.6643 | HUMAN | | | |
| IODINE TOPICAL 2.0-2.5% tincture (TOP) | | | Price/ml | | | N | D08AG03 |
| Supplier JMS | 1 BOTT (500 ml) | 7.14 | 0.0143 | 2% | | | |
| IPRATROPIUM BROMIDE 20 mcg/dose inhaler (INH) | | | Price/dose | | 0.12 mg | E | R03BB01 |
| Buyer OECS/PPS | 1 INHALER (200 DOSE) | 4.15 | 0.0208 | | | | |
| Buyer BDS | 1 INHALER (200 DOSE) | 12.57 | 0.0629 | | | | |
| | | Buyer Median Price/dose=0.0419 | | High/Low Ratio=3.02 | | | |
| IPRATROPIUM BROMIDE 250 mcg/ml respisol (INH) | | | Price/ml | | 0.12 mg | P | R03BB01 |
| Buyer NAMIBIA | 60 BOTT (2 ml) | 11.82 | 0.0985 | | | | |
| Buyer OECS/PPS | 1 BOTT (20 ml) | 4.00 | 0.2000 | | | | |
| | | Buyer Median Price/ml=0.1493 | | High/Low Ratio=2.03 | | | |
| IRBESARTAN 150 mg tab-cap (PO) | | | Price/tab-cap | | 0.15 g | N | C09CA04 |
| Buyer CRSS | 100 TAB-CAP | 3.70 | 0.0370 | | | | |
| Buyer BDS | 14 TAB-CAP | 7.78 | 0.5556 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.2963 | | High/Low Ratio=15.02 | | | |
| IRON DEXTRAN 50 mg/ml ampoule (INJ) | | | Price/ml | | 0.1 g | N | B03AC01 |
| Supplier UNFPA | 100 AMP (2 ml) | 30.00 | 0.1500 | | | | |
| Supplier DURBIN | 100 AMP (2 ml) | 33.72 | 0.1686 | | | | |
| Supplier JMS | 10 AMP (2 ml) | 3.47 | 0.1733 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-----------------|-------------------------|----------------------|---|--|------------|-------------|
| IRON DEXTRAN 50 mg/ml ampoule (INJ) | | | Price/ml | | 0.1 g | N | B03AC01 |
| Supplier MEDEOR/TZ | 10 AMP (2 ml) | 3.54 | 0.1769 | | | | |
| Buyer CRSS | 1 VIAL (2 ml) | 0.95 | 0.4750 | Supplier Median Price/ml=0.1710 High/Low Ratio=1.18 | | | |
| ISOFLURANE liquid (INH) | | | Price/ml | | | E | N01AB06 |
| Supplier IDA | 6 BOTT (250 ml) | 264.61 | 0.1765 | | | | |
| Supplier UNFPA | 6 BOTT (250 ml) | 450.00 | 0.3000 | | | | |
| Supplier IMRES | 1 BOTT (250 ml) | 275.00 | 1.1000 | Supplier Median Price/ml=0.3000 High/Low Ratio=6.23 | | | |
| Buyer OECS/PPS | 1 BOTT (250 ml) | 24.70 | 0.0988 | | | | |
| Buyer BDS | 1 BOTT (100 ml) | 11.58 | 0.1158 | | | | |
| Buyer CAMERWA | 1 BOTT (250 ml) | 83.70 | 0.3348 | | | | |
| Buyer NAMIBIA | 1 BOTT (100 ml) | 35.22 | 0.3522 | Buyer Median Price/ml=0.2253 High/Low Ratio=3.56 | | | |
| ISONIAZID (INH) 100 mg tab-cap (PO) | | | Price/tab-cap | | 0.3 g | E | J04AC01 |
| Supplier IDA | 1000 TAB-CAP | 5.94 | 0.0059 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 8.59 | 0.0087 | TABLETS | | | |
| Supplier GDF | 100 TAB-CAP | 2.02 | 0.0202 | DISPERSIBLE TABLETS, 10 X 10 BLISTER STRIPS High/Low Ratio=3.42 | | | |
| Buyer NAMIBIA | 1000 TAB-CAP | 5.18 | 0.0052 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 4.47 | 0.0447 | TABLETS | Buyer Median Price/tab-cap=0.0250 High/Low Ratio=8.60 | | |
| ISONIAZID (INH) 300 mg tab-cap (PO) | | | Price/tab-cap | | 0.3 g | E | J04AC01 |
| Supplier IDA | 1000 TAB-CAP | 9.42 | 0.0094 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 19.67 | 0.0198 | TABLETS | | | |
| Supplier GDF | 672 TAB-CAP | 13.52 | 0.0201 | 28 TABLETS PER BLISTER SHEET High/Low Ratio=2.14 | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 16.80 | 0.0168 | TABLETS | | | |
| Buyer NAMIBIA | 672 TAB-CAP | 12.24 | 0.0182 | BLISTER PACK TABLETS, 28 X 24 SHEETS | | | |
| Buyer BDS | 100 TAB-CAP | 4.80 | 0.0480 | TABLETS | | | |
| Buyer SAFRICA | 28 TAB-CAP | 2.68 | 0.0956 | TABLETS | | | |
| Buyer CRSS | 100 TAB-CAP | 15.75 | 0.1575 | SCORED TABLETS Buyer Median Price/tab-cap=0.0480 High/Low Ratio=9.38 | | | |
| ISOSORBIDE DINITRATE 10 mg tab-cap (PO) | | | Price/tab-cap | | 60 mg | P | C01DA08 |
| Supplier MEDS | 100 TAB-CAP | 4.63 | 0.0463 | SUB-LINGUAL TABLETS | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 1.25 | 0.0125 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 1.67 | 0.0167 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 2.20 | 0.0220 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 4.92 | 0.0492 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer NAMIBIA | 500 TAB-CAP | 25.51 | 0.0510 | TABLETS Buyer Median Price/tab-cap=0.0220 High/Low Ratio=4.08 | | | |
| ISOSORBIDE DINITRATE 20 mg tab-cap (PO) | | | Price/tab-cap | | 60 mg | P | |
| Buyer CRSS | 100 TAB-CAP | 3.98 | 0.0398 | SCORED TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 8.30 | 0.0830 | TABLETS, ILLUSTRATIVE PACK SIZE Buyer Median Price/tab-cap=0.0614 High/Low Ratio=2.09 | | | |
| ISOSORBIDE DINITRATE 5 mg tab-cap (PO) | | | Price/tab-cap | | 60 mg | E | C01DA08 |
| Supplier IDA | 180 TAB-CAP | 12.60 | 0.0700 | SUBLINGUAL, BLISTER PACK TABLETS, 10 X 18 | | | |
| Buyer PERU | 100 TAB-CAP | 2.51 | 0.0251 | SUBLINGUAL TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 5.36 | 0.0536 | TABLETS, ILLUSTRATIVE PACK SIZE Buyer Median Price/tab-cap=0.0394 High/Low Ratio=2.14 | | | |
| ISOSORBIDE MONONITRATE 20 mg tab-cap (PO) | | | Price/tab-cap | | 40 mg | N | C01DA14 |
| Buyer MEMS | 56 TAB-CAP | 5.28 | 0.0943 | TABLETS | | | |
| ISRADIPINE 2.5 mg tab-cap (PO) | | | Price/tab-cap | | 5 mg | N | C08CA03 |
| Buyer NAMIBIA | 60 TAB-CAP | 21.68 | 0.3614 | TABLETS | | | |
| ITRACONAZOLE 100 mg tab-cap (PO) | | | Price/tab-cap | | 0.2 g | N | J02AC02 |
| Supplier IDA | 28 TAB-CAP | 7.75 | 0.2768 | BLISTER PACK TABLETS, 7 X 4 | | | |
| Supplier IMRES | 4 TAB-CAP | 4.00 | 1.0000 | BLISTER PACK CAPSULES Supplier Median Price/tab-cap=0.6384 High/Low Ratio=3.61 | | | |
| Buyer PERU | 100 TAB-CAP | 16.74 | 0.1674 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 56.87 | 0.5687 | ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 60 TAB-CAP | 74.59 | 1.2432 | CAPSULES | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE | |
|---|---|--|--|---|---|---------------------|-------------|---------|
| ITRACONAZOLE 100 mg tab-cap (PO) Buyer NAMIBIA | 14 TAB-CAP | 39.32 | 2.8088 | CAPSULES Buyer Median Price/tab-cap=0.9060 | 0.2 g | N | J02AC02 | |
| IUD (COPPER) iud (VAG) Supplier UNFPA Supplier UNFPA Supplier USAID Supplier IMRES Supplier IDA Supplier MISSION | 10 IUD 10 IUD 1 IUD 1 IUD 50 IUD 1 IUD | 1.89 3.23 0.52 0.75 53.75 1.36 | 0.1890 0.3230 0.5170 0.7500 1.0749 1.3618 | COPPER T 380A, ILLUSTRATIVE PACK SIZE CU 375 SHORT OR STANDARD, ILLUSTRATIVE NUMBER OF IUDS TCU380A COPPER SURFACE 380 SQ.MM MULTILOAD CU 375, STANDARD | Price/iud Supplier Median Price/iud=0.6335 | E | G02BA02 | |
| Buyer BOTSWANA Buyer OECS/PPS | 1 IUD 1 IUD | 11.41 11.48 | 11.4100 11.4800 | WITH INSERTION KIT COPPER-T 380-A | High/Low Ratio=7.21 Buyer Median Price/iud=11.4450 | High/Low Ratio=1.01 | | |
| IVERMECTIN 6 mg tab-cap (PO) Buyer CRSS | 100 TAB-CAP | 5.10 | 0.0510 | TABLETS | Price/tab-cap | 12 mg | E | P02CF01 |
| KANAMYCIN SULFATE 1 g vial (INJ) Supplier DURBIN Supplier GDF | 50 VIAL 10 VIAL | 35.25 25.80 | 0.7049 2.5800 | POWDER 4 ML | Price/vial Supplier Median Price/vial=1.6425 | 1 g | C | J01GB04 |
| KETAMINE 10 mg/ml vial (INJ) Buyer NAMIBIA Buyer CRSS | 1 VIAL (20 ml) 1 VIAL (20 ml) | 4.99 5.42 | 0.2496 0.2710 | Price/ml Buyer Median Price/ml=0.2603 | | P | N01AX03 | |
| KETAMINE 50 mg/ml vial (INJ) Supplier UNFPA Supplier DURBIN Supplier IMRES Supplier MEG Supplier IDA Supplier MEDS Supplier MEDEOR/EU Supplier JMS Supplier MISSION Supplier MEDEOR/TZ | 25 VIAL (10 ml) 25 VIAL (10 ml) 10 VIAL (10 ml) 25 VIAL (10 ml) 25 VIAL (10 ml) 1 VIAL (10 ml) 25 VIAL (10 ml) 1 VIAL (10 ml) 25 VIAL (10 ml) 1 VIAL (10 ml) | 20.00 20.07 8.50 22.80 25.21 1.05 28.54 1.30 33.97 1.37 | 0.0800 0.0803 0.0850 0.0912 0.1008 0.1055 0.1142 0.1296 0.1359 0.1365 | HCL | Price/ml Supplier Median Price/ml=0.1032 | High/Low Ratio=1.71 | E | N01AX03 |
| Buyer CAMERWA Buyer BDS Buyer OECS/PPS Buyer MEMS Buyer NAMIBIA | 25 VIAL (10 ml) 25 VIAL (10 ml) 25 VIAL (10 ml) 1 VIAL (10 ml) 1 VIAL (10 ml) | 22.36 36.92 48.00 1.98 2.41 | 0.0894 0.1477 0.1920 0.1980 0.2406 | IM | Buyer Median Price/ml=0.1920 | High/Low Ratio=2.69 | | |
| KETOCONAZOLE 100 mg/5 ml suspen (PO) Buyer BDS | 1 BOTT (60 ml) | 8.21 | 0.1368 | Price/ml | 0.2 g | N | J02AB02 | |
| KETOCONAZOLE 2% cream (TOP) Supplier IMRES Supplier IDA Supplier UNFPA | 1 TUBE (30 g) 10 TUBE (10 g) 1 TUBE (30 g) | 0.65 7.90 4.95 | 0.0217 0.0790 0.1650 | Price/g Supplier Median Price/g=0.0790 | High/Low Ratio=7.60 | N | D01AC08 | |
| Buyer DOMREPUB Buyer BDS | 1 TUBE (30 g) 1 TUBE (15 g) | 0.30 0.89 | 0.0100 0.0590 | Buyer Median Price/g=0.0345 | High/Low Ratio=5.90 | | | |
| KETOCONAZOLE 200 mg tab-cap (PO) Supplier MEDS Supplier JMS Supplier UNFPA Supplier MISSION Supplier IMRES Supplier IDA Supplier DURBIN Supplier MEDEOR/TZ Supplier MEDEOR/EU | 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP | 2.41 2.95 3.50 5.59 6.30 6.66 8.99 10.85 14.27 | 0.0241 0.0295 0.0350 0.0559 0.0630 0.0666 0.0899 0.1085 0.1427 | TABLETS TABLETS BLISTER PACK TABLETS TABLETS TABLETS, BLISTER PACK TABLETS, BLISTER PACK 10 X 10 TABLETS TABLETS TABLETS | Price/tab-cap Supplier Median Price/tab-cap=0.0630 | 0.2 g | T | J02AB02 |
| Buyer CAMERWA Buyer DOMREPUB Buyer BDS | 1000 TAB-CAP 1 TAB-CAP 100 TAB-CAP | 19.11 0.02 3.97 | 0.0191 0.0232 0.0397 | TABLETS BLISTER PACK TABLETS TABLETS | High/Low Ratio=5.92 | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-----------|-------------------------|----------------------|----------------------------|---------------------------------|------------|----------------|
| KETOCONAZOLE 200 mg tab-cap (PO) | | | | Price/tab-cap | 0.2 g | T | J02AB02 |
| Buyer | OECS/PPS | 100 TAB-CAP | 4.71 | 0.0471 | TABLETS | | |
| Buyer | MEMS | 100 TAB-CAP | 5.28 | 0.0528 | TABLETS | | |
| Buyer | BOTSWANA | 30 TAB-CAP | 2.36 | 0.0787 | TABLETS | | |
| Buyer | NAMIBIA | 30 TAB-CAP | 2.67 | 0.0889 | TABLETS | | |
| Buyer | SUDANNHIF | 100 TAB-CAP | 13.88 | 0.1388 | TABLETS, ILLUSTRATIVE PACK SIZE | | |
| Buyer Median Price/tab-cap=0.0500 | | | | High/Low Ratio=7.27 | | | |
| LABETALOL 5 mg/ml ampoule (INJ) | | | | Price/ml | 0.6 g | N | C07AG01 |
| Buyer | OECS/PPS | 10 AMP (20 ml) | 18.50 | 0.0925 | | | |
| Buyer | BDS | 1 VIAL (20 ml) | 1.99 | 0.0993 | | | |
| Buyer Median Price/ml=0.0959 | | | | High/Low Ratio=1.07 | | | |
| LACTULOSE 3.35 g/5 ml solution (PO) | | | | Price/ml | 6.7 g | N | A06AD11 |
| Buyer | OECS/PPS | 1 BOTT (500 ml) | 5.59 | 0.0112 | | | |
| Buyer | BOTSWANA | 1 BOTT (500 ml) | 6.26 | 0.0125 | | | |
| Buyer | PERU | 1 BOTT (180 ml) | 3.31 | 0.0184 | | | |
| Buyer | NAMIBIA | 1 BOTT (150 ml) | 3.14 | 0.0210 | SYRUP | | |
| Buyer Median Price/ml=0.0155 | | | | High/Low Ratio=1.88 | | | |
| LAMIVUDINE (3TC) 10 mg/ml solution (PO) | | | | Price/ml | 0.3 g | E | J05AF05 |
| Supplier | SCMS | 1 BOTT (240 ml) | 1.94 | 0.0081 | | | |
| Supplier | IDA | 1 BOTT (240 ml) | 4.03 | 0.0168 | | | |
| Supplier Median Price/ml=0.0125 | | | | High/Low Ratio=2.07 | | | |
| Buyer | PERU | 1 BOTT (240 ml) | 2.01 | 0.0084 | | | |
| Buyer | GHANA | 1 BOTT (240 ml) | 3.65 | 0.0152 | | | |
| Buyer | BDS | 1 BOTT (240 ml) | 14.09 | 0.0587 | | | |
| Buyer Median Price/ml=0.0152 | | | | High/Low Ratio=6.99 | | | |
| LAMIVUDINE (3TC) 150 mg tab-cap (PO) | | | | Price/tab-cap | 0.3 g | E | J05AF05 |
| Supplier | SCMS | 60 TAB-CAP | 2.45 | 0.0408 | TABLETS | | |
| Supplier | MEG | 60 TAB-CAP | 4.15 | 0.0692 | TABLETS | | |
| Supplier | IDA | 60 TAB-CAP | 4.56 | 0.0761 | TABLETS | | |
| Supplier | DURBIN | 60 TAB-CAP | 9.47 | 0.1578 | TABLETS | | |
| Supplier Median Price/tab-cap=0.0727 | | | | High/Low Ratio=3.87 | | | |
| Buyer | CAMERWA | 60 TAB-CAP | 2.38 | 0.0396 | TABLETS | | |
| Buyer | CRSS | 100 TAB-CAP | 6.93 | 0.0693 | TABLETS | | |
| Buyer | BDS | 60 TAB-CAP | 4.23 | 0.0706 | TABLETS | | |
| Buyer Median Price/tab-cap=0.0693 | | | | High/Low Ratio=1.78 | | | |
| LAMIVUDINE (3TC) 300 mg tab-cap (PO) | | | | Price/tab-cap | 0.3 g | P | J05AF05 |
| Supplier | SCMS | 30 TAB-CAP | 3.01 | 0.1005 | TABLETS | | |
| LAMIVUDINE+STAVUDINE (3TC+D4T) 150 mg+30 mg tab-cap (PO) | | | | Price/tab-cap | | P | J05AF30 |
| Supplier | SCMS | 60 TAB-CAP | 3.10 | 0.0516 | TABLETS | | |
| Supplier | MEG | 60 TAB-CAP | 4.32 | 0.0720 | TABLETS | | |
| Supplier | IDA | 60 TAB-CAP | 5.52 | 0.0920 | TABLETS | | |
| Supplier | DURBIN | 60 TAB-CAP | 13.33 | 0.2221 | TABLETS | | |
| Supplier Median Price/tab-cap=0.0820 | | | | High/Low Ratio=4.30 | | | |
| Buyer | CAMERWA | 60 TAB-CAP | 3.41 | 0.0568 | TABLETS | | |
| LAMIVUDINE+STAVUDINE (3TC+D4T) 150 mg+40 mg tab-cap (PO) | | | | Price/tab-cap | | P | J05AF30 |
| Supplier | DURBIN | 60 TAB-CAP | 13.73 | 0.2288 | TABLETS | | |
| LAMIVUDINE+STAVUDINE (3TC+D4T) 30 mg + 6 mg tab-cap (PO) | | | | Price/tab-cap | | P | J05AF |
| Supplier | IDA | 60 TAB-CAP | 1.27 | 0.0213 | TABLETS FOR ORAL SUSPENSION | | |
| Supplier | SCMS | 60 TAB-CAP | 2.00 | 0.0332 | TABLETS FOR ORAL SUSPENSION | | |
| Supplier Median Price/tab-cap=0.0273 | | | | High/Low Ratio=1.56 | | | |
| LAMIVUDINE+STAVUDINE (TABLET FOR ORAL SUSPENSION) 60+12 mg tab-cap (PO) | | | | Price/tab-cap | | N | J05AR |
| Supplier | IDA | 60 TAB-CAP | 1.75 | 0.0293 | | | |
| Supplier | SCMS | 60 TAB-CAP | 3.46 | 0.0578 | TABLETS | | |
| Supplier Median Price/tab-cap=0.0436 | | | | High/Low Ratio=1.97 | | | |
| LAMIVUDINE+STAVUDINE+NEVIRAPINE (3TC+D4T+NVP) 150+30+200mg tab-cap (PO) | | | | Price/tab-cap | | E | J05AF30 |
| Supplier | SCMS | 60 TAB-CAP | 5.65 | 0.0942 | TABLETS | | |
| Supplier | IDA | 60 TAB-CAP | 8.81 | 0.1468 | TABLETS | | |
| Supplier | MEG | 60 TAB-CAP | 9.70 | 0.1617 | TABLETS | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-------------|--|----------------------|---------------------------------|------------------------|------------|-------------|
| LAMIVUDINE+STAVUDINE+NEVIRAPINE (3TC+D4T+NVP) 150+30+200mg tab-cap (PO) | | Price/tab-cap | | | | E | J05AF30 |
| Supplier DURBIN | 60 TAB-CAP | 24.41 | 0.4067 | TABLETS | | | |
| Buyer CAMERWA | 60 TAB-CAP | Supplier Median Price/tab-cap=0.1543 5.98 | 0.0996 | TABLETS | High/Low Ratio=4.32 | | |
| LAMIVUDINE+STAVUDINE+NEVIRAPINE (3TC+D4T+NVP) 150+40+200mg tab-cap (PO) | | Price/tab-cap | | | | P | J05AF30 |
| Supplier DURBIN | 60 TAB-CAP | 25.69 | 0.4282 | TABLETS | | | |
| LAMIVUDINE+STAVUDINE+NEVIRAPINE (3TC+D4T+NVP) 30+6+50 mg tab-cap (PO) | | Price/tab-cap | | | | P | J05A |
| Supplier SCMS | 60 TAB-CAP | 2.61 | 0.0436 | TABLETS | | | |
| Supplier IDA | 60 TAB-CAP | 4.14 | 0.0691 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0564 | | | High/Low Ratio=1.58 | | |
| LAMIVUDINE+STAVUDINE+NEVIRAPINE (3TC+D4T+NVP) 60+12+100 mg tab-cap (PO) | | Price/tab-cap | | | | P | J05A |
| Supplier SCMS | 60 TAB-CAP | 4.77 | 0.0795 | TABLETS | | | |
| Supplier IDA | 60 TAB-CAP | 7.33 | 0.1221 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.1008 | | | High/Low Ratio=1.54 | | |
| LAMIVUDINE+TENOFOVIR DF (3TC+TDF) 300+300 mg tab-cap (PO) | | Price/tab-cap | | | | P | J05AF |
| Supplier IDA | 30 TAB-CAP | 11.78 | 0.3926 | TABLETS | | | |
| Buyer CAMERWA | 30 TAB-CAP | 10.45 | 0.3483 | TABLETS | | | |
| LAMIVUDINE+ZIDOVUDINE (3TC+AZT) 150mg+300mg tab-cap (PO) | | Price/tab-cap | | | 2 TAB | E | J05AF30 |
| Supplier SCMS | 60 TAB-CAP | 8.67 | 0.1446 | TABLETS | | | |
| Supplier MEG | 60 TAB-CAP | 11.50 | 0.1917 | TABLETS | | | |
| Supplier IDA | 60 TAB-CAP | 14.08 | 0.2347 | TABLETS | | | |
| Supplier DURBIN | 60 TAB-CAP | 27.78 | 0.4629 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.2132 | | | High/Low Ratio=3.20 | | |
| Buyer GHANA | 60 TAB-CAP | 8.42 | 0.1403 | TABLETS | | | |
| Buyer BDS | 60 TAB-CAP | 12.31 | 0.2051 | TABLETS | | | |
| Buyer CAMERWA | 60 TAB-CAP | 14.39 | 0.2398 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.2051 | | | High/Low Ratio=1.71 | | |
| LAMIVUDINE+ZIDOVUDINE (3TC+AZT) 30+60 mg tab-cap (PO) | | Price/tab-cap | | | | E | J05AR01 |
| Supplier SCMS | 60 TAB-CAP | 3.14 | 0.0523 | TABLETS | | | |
| Supplier IDA | 60 TAB-CAP | 4.98 | 0.0830 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0677 | | | High/Low Ratio=1.59 | | |
| LAMIVUDINE+ZIDOVUDINE+ABACAVIR (150+300+300 MG) tab-cap (PO) | | Price/tab-cap | | | | P | J05AR04 |
| Supplier SCMS | 60 TAB-CAP | 31.50 | 0.5250 | TABLETS | | | |
| LAMIVUDINE+ZIDOVUDINE+ABACAVIR (3TC/AZT/ABC) 30+60+60 mg tab-cap (PO) | | Price/tab-cap | | | | N | J05AR04 |
| Supplier IDA | 60 TAB-CAP | 16.73 | 0.2789 | TABLETS | | | |
| LAMIVUDINE+ZIDOVUDINE+NEVIRAPINE (150+300+200 MG) 3TC+AZT+NVP tab-cap (PO) | | Price/tab-cap | | | | E | J05A |
| Supplier SCMS | 60 TAB-CAP | 11.55 | 0.1925 | TABLETS | | | |
| Supplier MEG | 60 TAB-CAP | 18.45 | 0.3075 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.2500 | | | High/Low Ratio=1.60 | | |
| Buyer PERU | 100 TAB-CAP | 16.95 | 0.1695 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer CAMERWA | 60 TAB-CAP | 11.70 | 0.1951 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.1823 | | | High/Low Ratio=1.15 | | |
| LAMIVUDINE+ZIDOVUDINE+NEVIRAPINE (3TC/AZT/NVP) 30+60+50 mg tab-cap (PO) | | Price/tab-cap | | | | E | J05AR05 |
| Supplier IDA | 60 TAB-CAP | 6.78 | 0.1130 | TABLETS | | | |
| LAMIVUDINE+ZIDOVUDINE+NEVIRAPINE (3TC/AZT/NVP, DISPERSIBLE) 30+60+50 mg tab-cap (PO) | | Price/tab-cap | | | | E | J05AR05 |
| Supplier SCMS | 60 TAB-CAP | 4.46 | 0.0744 | DISPERSIBLE TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|------------------|-------------------------|----------------------|--------------------------------------|------------------------|------------|-------------|
| LAMIVUDINE+ZIDOVUDINE+NEVIRAPINE (3TC/AZT/NVP, DISPERISIBLE) 30+60+50 mg tab-cap (PO) | | | | Price/tab-cap | | E | J05AR05 |
| LAMIVUDINE/ZIDOVUDINE + EFAVIRENZ (2 TAB L/Z.+ 1 TAB EF. CO-PACK) 150/300+600m tab-cap (PO) | | | | Price/tab-cap | | P | J05A |
| Supplier SCMS | 90 TAB-CAP | 18.90 | 0.2100 | 60 + 30 BLISTER PACK TABLETS | | | |
| Supplier IDA | 90 TAB-CAP | 23.90 | 0.2655 | 60 + 30 TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.2378 | High/Low Ratio=1.26 | | |
| LAMIVUDINE/ZIDOVUDINE + NEVIRAPINE (1 TAB L/Z. + 1 TAB N. CO-PACK) 150/300+200m tab-cap (PO) | | | | Price/tab-cap | | E | J05AR05 |
| Supplier SCMS | 120 TAB-CAP | 17.85 | 0.1488 | 60 + 60 BLISTER PACK TABLETS | | | |
| Supplier IDA | 60 TAB-CAP | 18.04 | 0.3006 | TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.2247 | High/Low Ratio=2.02 | | |
| LAMIVUDINE/ZIDOVUDINE+ABACAVIR (150/300+300 MG CO-PACK) tab-cap (PO) | | | | Price/tab-cap | | P | J05AR04 |
| Supplier SCMS | 120 TAB-CAP | 46.73 | 0.3894 | 60 + 60 TABLETS; BLISTER | | | |
| LAMOTRIGINE 25 mg tab-cap (PO) | | | | Price/tab-cap | 0.3 g | N | |
| Buyer GHANA | 100 TAB-CAP | 4.50 | 0.0450 | 10 X 10 BLISTER PACK TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 11.94 | 0.1194 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BOTSWANA | 60 TAB-CAP | 10.39 | 0.1731 | TABLETS | | | |
| Buyer BDS | 30 TAB-CAP | 15.85 | 0.5284 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.1463 | High/Low Ratio=11.74 | | |
| LATANOPROST 0.005% ophth drop (OPHT) | | | | Price/ml | 0.1 ml | N | S01EX03 |
| Buyer PERU | 1 BOTT (2.50 ml) | 0.63 | 0.2535 | | | | |
| Buyer BDS | 1 BOTT (2.50 ml) | 16.21 | 6.4845 | | | | |
| | | | | Buyer Median Price/ml=3.3690 | High/Low Ratio=25.58 | | |
| LEVAMISOLE 40 mg tab-cap (PO) | | | | Price/tab-cap | 0.15 g | P | P02CE01 |
| Supplier MEDS | 1000 TAB-CAP | 2.45 | 0.0025 | TABLETS | | | |
| Supplier JMS | 500 TAB-CAP | 2.10 | 0.0042 | TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.0034 | High/Low Ratio=1.68 | | |
| Buyer MEMS | 1000 TAB-CAP | 2.51 | 0.0025 | TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 11.37 | 0.0114 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.0070 | High/Low Ratio=4.56 | | |
| LEVAMISOLE 40 mg/5 ml syrup (PO) | | | | Price/ml | 0.15 g | P | P02CE01 |
| Supplier MEDS | 1 BOTT (500 ml) | 0.67 | 0.0013 | | | | |
| LEVAMISOLE 50 mg tab-cap (PO) | | | | Price/tab-cap | 0.15 g | E | P02CE01 |
| Supplier DURBIN | 1000 TAB-CAP | 7.23 | 0.0072 | TABLETS | | | |
| Supplier IDA | 100 TAB-CAP | 1.09 | 0.0109 | BASE, TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.0091 | High/Low Ratio=1.51 | | |
| LEVODOPA+CARBIDOPA 100+10 mg tab-cap (PO) | | | | Price/tab-cap | 0.6 g | E | N04BA02 |
| Buyer BDS | 100 TAB-CAP | 7.14 | 0.0714 | TABLETS | | | |
| LEVODOPA+CARBIDOPA 100+25 mg tab-cap (PO) | | | | Price/tab-cap | 0.6 g | P | N04BA02 |
| Buyer NAMIBIA | 100 TAB-CAP | 10.07 | 0.1007 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 17.70 | 0.1770 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.1389 | High/Low Ratio=1.76 | | |
| LEVODOPA+CARBIDOPA 250+25 mg tab-cap (PO) | | | | Price/tab-cap | 0.6 g | E | N04BA02 |
| Supplier IDA | 100 TAB-CAP | 14.20 | 0.1420 | TABLETS, BLISTER PACK 10X10 | | | |
| Buyer PERU | 100 TAB-CAP | 4.54 | 0.0454 | TABLET, ILLUSTRATIVE PACK SIZE | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 10.00 | 0.1000 | TABLETS | | | |
| Buyer BDS | 500 TAB-CAP | 59.16 | 0.1183 | TABLETS | | | |
| Buyer CAMERWA | 50 TAB-CAP | 7.44 | 0.1488 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 48.71 | 0.4871 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.1183 | High/Low Ratio=10.73 | | |
| LEVOFLOXACIN 250 mg tab-cap (PO) | | | | Price/tab-cap | 0.5 g | T | J01MA12 |
| Supplier GDF | 100 TAB-CAP | 5.50 | 0.0550 | BLISTER PACK FILM-COATED TABLETS | | | |
| Supplier IDA | 100 TAB-CAP | 8.04 | 0.0804 | BLISTER PACK TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.0677 | High/Low Ratio=1.46 | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-----------------|---|----------------------|----------------------------------|-----------------------------|----------------|-------------|
| LEVOFLOXACIN 5 mg/ml vial (INJ) | | | | | 0.5 g | T | J01MA12 |
| Supplier MEDS | 1 BOTT (100 ml) | 1.87 | 0.0187 | INFUSION | | | |
| Buyer DOMREPUB | 1 VIAL (100 ml) | 2.27 | 0.0227 | | | | |
| Buyer BDS | 1 VIAL (100 ml) | 6.45 | 0.0645 | | | | |
| | | Buyer Median Price/ml=0.0436 | | | High/Low Ratio=2.84 | | |
| LEVOFLOXACIN 500 mg tab-cap (PO) | | | | | Price/tab-cap | 0.5 g | C J01MA12 |
| Supplier GDF | 100 TAB-CAP | 7.85 | 0.0785 | BLISTER PACK FILM-COATED TABLETS | | | |
| Supplier IDA | 100 TAB-CAP | 10.43 | 0.1043 | BLISTER PACK TABLETS | | | |
| Supplier MEDS | 10 TAB-CAP | 2.00 | 0.2005 | TABLETS | | | |
| Supplier JMS | 7 TAB-CAP | 7.16 | 0.10230 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.1524 | | | High/Low Ratio=13.03 | | |
| Buyer BDS | 10 TAB-CAP | 1.99 | 0.1986 | TABLETS | | | |
| LEVOMEPROZIMAINE 25 mg tab-cap (PO) | | | | | Price/tab-cap | 0.3 g | N N05AA02 |
| Supplier MEDEOR/TZ | 20 TAB-CAP | 2.08 | 0.1041 | TABLETS | | | |
| Buyer CAMERWA | 100 TAB-CAP | 2.45 | 0.0245 | TABLETS | | | |
| LEVONORGESTREL 0.03 mg tab-cap (PO) | | | | | Price/cycle | | E G03AC03 |
| Supplier UNFPA | 1 CYCLE | 0.30 | 0.3000 | 35 TABLETS | | | |
| Supplier IMRES | 3 CYCLE | 1.80 | 0.6000 | 35 TABLETS/CYCLE | | | |
| | | Supplier Median Price/cycle=0.4500 | | | High/Low Ratio=2.00 | | |
| LEVONORGESTREL 0.75 mg tab-cap (PO) | | | | | Price/tab-cap | | E G03AC03 |
| Supplier UNFPA | 2 TAB-CAP | 0.25 | 0.1250 | TABLETS | | | |
| Supplier IDA | 2 TAB-CAP | 0.38 | 0.1883 | TABLETS | | | |
| Supplier IMRES | 2 TAB-CAP | 0.40 | 0.2000 | TABLETS | | | |
| Supplier MISSION | 2 TAB-CAP | 0.48 | 0.2390 | BLISTER PACK TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.1942 | | | High/Low Ratio=1.91 | | |
| Buyer BDS | 2 TAB-CAP | 4.62 | 2.3085 | TABLETS | | | |
| LEVONORGESTREL 75 mg/rod rod (SC) | | | | | Price/set | | E G03AC03 |
| Supplier UNFPA | 2 ROD (1 SET) | 21.00 | 10.5000 | | | | |
| Supplier USAID | 2 ROD (1 SET) | 22.16 | 11.0775 | BRAND=JADELLE (TM) | | | |
| | | Supplier Median Price/set=10.7888 | | | High/Low Ratio=1.06 | | |
| LEVOTHYROXINE 0.05 mg tab-cap (PO) | | | | | Price/tab-cap | 0.15 mg | E H03AA01 |
| Buyer NAMIBIA | 100 TAB-CAP | 2.37 | 0.0237 | TABLETS | | | |
| Buyer OECS/PPS | 50 TAB-CAP | 2.00 | 0.0400 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 4.74 | 0.0474 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 50 TAB-CAP | 5.55 | 0.1109 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0437 | | | High/Low Ratio=4.68 | | |
| LEVOTHYROXINE 0.1 mg tab-cap (PO) | | | | | Price/tab-cap | 0.15 mg | E H03AA01 |
| Supplier DURBIN | 1000 TAB-CAP | 25.69 | 0.0257 | TABLETS, THYROXINE SODIUM | | | |
| Supplier JMS | 250 TAB-CAP | 18.23 | 0.0729 | TABLETS | | | |
| Supplier IDA | 28 TAB-CAP | 2.68 | 0.0958 | BLISTER PACK TABLETS, 7 X 4 | | | |
| | | Supplier Median Price/tab-cap=0.0729 | | | High/Low Ratio=3.73 | | |
| Buyer PERU | 100 TAB-CAP | 1.12 | 0.0112 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 1000 TAB-CAP | 19.32 | 0.0193 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.02 | 0.0196 | BLISTER PACK TABLETS | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 3.17 | 0.0317 | TABLETS | | | |
| Buyer OECS/PPS | 50 TAB-CAP | 1.86 | 0.0372 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 5.64 | 0.0564 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0257 | | | High/Low Ratio=5.04 | | |
| LEVOTHYROXINE 0.2 mg tab-cap (PO) | | | | | Price/tab-cap | 0.15 mg | P H03AA01 |
| Buyer DOMREPUB | 1 TAB-CAP | 0.02 | 0.0238 | BLISTER PACK TABLETS | | | |
| LIDOCAINE 10% spray (TOP) | | | | | Price/ml | | P D04AB01 |
| Buyer OECS/PPS | 1 BOTT (50 ml) | 7.47 | 0.1494 | | | | |
| LIDOCAINE HCl 1% vial (INJ) | | | | | Price/ml | | E C01BB01 |
| Supplier UNFPA | 10 VIAL (50 ml) | 6.00 | 0.0120 | | | | |
| Supplier DURBIN | 25 VIAL (50 ml) | 26.49 | 0.0212 | | | | |
| Supplier MEG | 20 AMP (20 ml) | 8.65 | 0.0216 | | | | |
| Supplier MEDEOR/EU | 25 VIAL (50 ml) | 31.65 | 0.0254 | | | | |
| Supplier MISSION | 25 VIAL (50 ml) | 39.26 | 0.0314 | | | | |
| Supplier IMRES | 10 VIAL (20 ml) | 7.00 | 0.0350 | | | | |
| Supplier IDA | 10 VIAL (20 ml) | 10.72 | 0.0536 | | | | |
| | | Supplier Median Price/ml=0.0254 | | | High/Low Ratio=4.47 | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE | |
|--|----------------------|--|----------------------|-----------------------|-----------------------------|------------|-------------|---------|
| LIDOCAINE HCL 1% vial (INJ) | | | | Price/ml | | E | C01BB01 | |
| Buyer BDS | 1 VIAL (50 ml) | 0.46 | 0.0092 | | | | | |
| Buyer OECS/PPS | 1 VIAL (50 ml) | 0.47 | 0.0094 | | | | | |
| Buyer CAMERWA | 25 VIAL (50 ml) | 22.57 | 0.0181 | | | | | |
| Buyer MEMS | 1 VIAL (50 ml) | 1.22 | 0.0243 | | | | | |
| Buyer NAMIBIA | 10 VIAL (20 ml) | 15.27 | 0.0763 | | | | | |
| | | Buyer Median Price/ml=0.0181 | | | High/Low Ratio=8.29 | | | |
| LIDOCAINE HCL 2% ointment (TOP) | | | | Price/g | | E | D04AB01 | |
| Supplier IMRES | 50 TUBE (30 g) | 49.00 | 0.9327 | | | | | |
| Supplier IDA | 10 TUBE (30 g) | 67.58 | 0.2253 | GEL, STERILE | | | | |
| | | Supplier Median Price/g=0.1290 | | | High/Low Ratio=6.89 | | | |
| Buyer BDS | 50 TUBE (30 g) | 86.01 | 0.0573 | | | | | |
| Buyer OECS/PPS | 10 TUBE (20 g) | 27.04 | 0.1352 | JELLY | | | | |
| Buyer NAMIBIA | 1 TUBE (20 g) | 3.45 | 0.1726 | GEL | | | | |
| | | Buyer Median Price/g=0.1352 | | | High/Low Ratio=3.01 | | | |
| LIDOCAINE HCL 2% vial (INJ) | | | | Price/ml | | 3 g | E | C01BB01 |
| Supplier MEDEOR/TZ | 1 VIAL (30 ml) | 0.32 | 0.0108 | | | | | |
| Supplier UNFPA | 10 VIAL (20 ml) | 3.00 | 0.0150 | | | | | |
| Supplier MEG | 20 VIAL (20 ml) | 8.30 | 0.0208 | | | | | |
| Supplier DURBIN | 25 VIAL (50 ml) | 26.49 | 0.0212 | | | | | |
| Supplier MISSION | 25 VIAL (50 ml) | 29.76 | 0.0238 | | | | | |
| Supplier JMS | 1 VIAL (20 ml) | 0.53 | 0.0266 | | | | | |
| Supplier IMRES | 10 VIAL (20 ml) | 7.80 | 0.0390 | | | | | |
| Supplier MISSION | 25 VIAL (20 ml) | 21.08 | 0.0422 | | | | | |
| Supplier IDA | 10 VIAL (20 ml) | 10.72 | 0.0536 | | | | | |
| | | Supplier Median Price/ml=0.0238 | | | High/Low Ratio=4.96 | | | |
| Buyer DOMREPUB | 1 VIAL (50 ml) | 0.43 | 0.0086 | | | | | |
| Buyer MEMS | 1 VIAL (30 ml) | 0.36 | 0.0121 | | | | | |
| Buyer PERU | 1 VIAL (20 ml) | 0.26 | 0.0129 | WITHOUT PRESERVATIVES | | | | |
| Buyer OECS/PPS | 1 VIAL (50 ml) | 0.86 | 0.0172 | PRESERVATIVE-FREE | | | | |
| Buyer CAMERWA | 25 VIAL (50 ml) | 24.12 | 0.0193 | | | | | |
| Buyer BUFMAR | 25 VIAL (30 ml) | 22.40 | 0.0299 | | | | | |
| Buyer CRSS | 1 VIAL (20 ml) | 0.86 | 0.0430 | WITH PRESERVATIVES | | | | |
| Buyer NAMIBIA | 10 VIAL (20 ml) | 13.56 | 0.0678 | | | | | |
| Buyer BDS | 100 VIAL (2 ml) | 35.73 | 0.1786 | | | | | |
| | | Buyer Median Price/ml=0.0193 | | | High/Low Ratio=20.77 | | | |
| LIDOCAINE HCL 5% vial (INJ) | | | | Price/ml | | P | C01BB01 | |
| Supplier JMS | 100 AMP (2 ml) | 6.55 | 0.0328 | | | | | |
| Buyer OECS/PPS | 1 AMP (2 ml) | 4.20 | 2.1000 | SPINAL HEAVY | | | | |
| LIDOCAINE HCL + EPINEPHRINE DENTAL 2%+1:80000 ctdgs (INJ) | | | | Price/ml | | E | N01BB52 | |
| Supplier IDA | 100 CRTDGS (1.80 ml) | 35.49 | 0.1972 | | | | | |
| Supplier MISSION | 100 CRTDGS (1.80 ml) | 38.14 | 0.2119 | EPINEPHRINE 1:80,000 | | | | |
| Supplier DURBIN | 50 CRTDGS (1.80 ml) | 22.08 | 0.2454 | | | | | |
| Supplier IMRES | 100 CRTDGS (1.80 ml) | 45.00 | 0.2500 | | | | | |
| | | Supplier Median Price/ml=0.2287 | | | High/Low Ratio=1.27 | | | |
| Buyer OECS/PPS | 50 VIAL (1.80 ml) | 14.96 | 0.1662 | | | | | |
| LIDOCAINE HCL 5% (IN DEXTROSE 7.5%) vial (INJ) | | | | Price/ml | | E | N01BB02 | |
| Supplier IDA | 100 AMP (2 ml) | 9.34 | 0.0468 | SPINAL HEAVY | | | | |
| Supplier UNFPA | 100 AMP (2 ml) | 10.00 | 0.0500 | | | | | |
| Supplier MISSION | 100 AMP (2 ml) | 11.49 | 0.0575 | HEAVY | | | | |
| Supplier MEG | 100 AMP (2 ml) | 15.00 | 0.0750 | SPINAL HEAVY | | | | |
| Supplier IMRES | 100 AMP (2 ml) | 15.00 | 0.0750 | | | | | |
| Supplier DURBIN | 100 AMP (2 ml) | 18.87 | 0.0944 | | | | | |
| Supplier MEDEOR/TZ | 100 AMP (2 ml) | 90.00 | 0.4500 | | | | | |
| | | Supplier Median Price/ml=0.0750 | | | High/Low Ratio=9.62 | | | |
| LIDOCAINE+EPINEPHRINE 1%+1:100000 vial (INJ) | | | | Price/ml | | P | N01BB52 | |
| Buyer OECS/PPS | 1 VIAL (30 ml) | 0.89 | 0.0297 | | | | | |
| LIDOCAINE+EPINEPHRINE 2%+1:100000 vial (INJ) | | | | Price/ml | | P | N01BB52 | |
| Buyer CAMERWA | 25 VIAL (50 ml) | 30.04 | 0.240 | | | | | |
| Buyer OECS/PPS | 1 VIAL (30 ml) | 0.89 | 0.0297 | | | | | |
| Buyer BDS | 1 VIAL (30 ml) | 2.91 | 0.0970 | | | | | |
| | | Buyer Median Price/ml=0.0297 | | | High/Low Ratio=4.04 | | | |
| LINDANE (GAMMA BENZENE HEXACHLORIDE) 1% solution (TOP) | | | | Price/ml | | N | P03AB02 | |
| Supplier MISSION | 1 BOTT (100 ml) | 0.87 | 0.0087 | | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|----------------|--------------------------------------|----------------------|---------------------------------|------------------------|------------|-------------|
| LINDANE (GAMMA BENZENE HEXACHLORIDE) 1% solution (TOP) | | | | Price/ml | | N | P03AB02 |
| LISINOPRIL 10 mg tab-cap (PO) | | | | Price/tab-cap | 10 mg | T | C09AA03 |
| Supplier MEDEOR/TZ | 280 TAB-CAP | 1.12 | 0.0040 | TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 12.01 | 0.1201 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0621 | | High/Low Ratio=30.02 | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0094 | BLISTER PACK TABLETS | | | |
| Buyer BDS | 28 TAB-CAP | 0.86 | 0.0307 | TABLETS | | | |
| Buyer OECS/PPS | 28 TAB-CAP | 1.59 | 0.0568 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 13.08 | 0.1308 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0438 | | High/Low Ratio=13.91 | | | |
| LISINOPRIL 20 mg tab-cap (PO) | | | | Price/tab-cap | 10 mg | T | C09AA03 |
| Buyer BDS | 100 TAB-CAP | 2.12 | 0.0212 | TABLETS | | | |
| Buyer OECS/PPS | 28 TAB-CAP | 2.05 | 0.0732 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 12.51 | 0.1251 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0732 | | High/Low Ratio=5.90 | | | |
| LITHIUM CARBONATE 300 mg tab-cap (PO) | | | | Price/tab-cap | 24 MMO | E | N05AN01 |
| Supplier JMS | 100 TAB-CAP | 6.97 | 0.0697 | TABLETS | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 3.50 | 0.0350 | CAPSULES | | | |
| Buyer BDS | 100 TAB-CAP | 4.15 | 0.0415 | CAPSULES | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.05 | 0.0480 | | | | |
| Buyer PERU | 100 TAB-CAP | 5.28 | 0.0528 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0448 | | High/Low Ratio=1.51 | | | |
| LOPERAMIDE HCL 2 mg tab-cap (PO) | | | | Price/tab-cap | 10 mg | N | A07DA03 |
| Supplier MEG | 1000 TAB-CAP | 2.75 | 0.0028 | TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 0.53 | 0.0053 | CAPSULES | | | |
| Supplier MEDEOR/EU | 6000 TAB-CAP | 38.10 | 0.0064 | HCL, TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 9.23 | 0.0093 | TABLETS | | | |
| Supplier IMRES | 100 TAB-CAP | 0.95 | 0.0095 | TABLETS | | | |
| Supplier MEDS | 100 TAB-CAP | 1.67 | 0.0167 | CAPSULES | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 17.58 | 0.0176 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 17.89 | 0.0180 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 18.91 | 0.0190 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0095 | | High/Low Ratio=6.79 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 3.58 | 0.0036 | TABLETS | | | |
| Buyer NAMIBIA | 300 TAB-CAP | 2.78 | 0.0093 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 2.52 | 0.0252 | TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 2.74 | 0.0274 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 3.57 | 0.0357 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 6.52 | 0.0652 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0263 | | High/Low Ratio=18.11 | | | |
| LOPINAVIR+RITONAVIR (LPV/R) 100 mg+25 mg tab-cap (PO) | | | | Price/tab-cap | | P | J05AE |
| Supplier SCMS | 60 TAB-CAP | 9.49 | 0.1582 | TABLETS | | | |
| Supplier IDA | 120 TAB-CAP | 32.60 | 0.2716 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.2149 | | High/Low Ratio=1.72 | | | |
| Buyer CRSS | 100 TAB-CAP | 195.00 | 1.9500 | TABLETS | | | |
| LOPINAVIR+RITONAVIR (LPV/R) 133.3+33.3mg tab-cap (PO) | | | | Price/tab-cap | | E | J05AE30 |
| Supplier SCMS | 180 TAB-CAP | 41.10 | 0.2283 | 2 X 90 CAPSULES | | | |
| LOPINAVIR+RITONAVIR (LPV/R) 200 mg+50 mg tab-cap (PO) | | | | Price/tab-cap | | P | J05AE |
| Supplier SCMS | 120 TAB-CAP | 35.28 | 0.2940 | TABLETS | | | |
| Supplier IDA | 120 TAB-CAP | 59.48 | 0.4957 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.3949 | | High/Low Ratio=1.69 | | | |
| Buyer CAMERWA | 120 TAB-CAP | 4.46 | 0.0371 | TABLETS | | | |
| Buyer GHANA | 120 TAB-CAP | 34.97 | 0.2914 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 32.74 | 0.3274 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 120 TAB-CAP | 46.58 | 0.3881 | TABLETS | | | |
| Buyer CRSS | 100 TAB-CAP | 98.40 | 0.9840 | CAPSULES | | | |
| | | Buyer Median Price/tab-cap=0.3274 | | High/Low Ratio=26.52 | | | |
| LOPINAVIR+RITONAVIR (LPV/R) 80+20 mg/ml solution (PO) | | | | Price/ml | | E | J05AE30 |
| Supplier SCMS | 5 BOTT (60 ml) | 41.10 | 0.1370 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-----------------|-------------------------|----------------------|---|------------------------|------------|----------------|
| LORATADINE 10 mg tab-cap (PO) | | | | Price/tab-cap | 10 mg | N | R06AX13 |
| Supplier IDA | 20 TAB-CAP | 1.23 | 0.0616 | BLISTER PACK TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0065 | BLISTER PACK TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 0.86 | 0.0086 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer OECS/PPS | 500 TAB-CAP | 11.25 | 0.0225 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 3.57 | 0.0357 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 4.70 | 0.0470 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer Median Price/tab-cap=0.0225 | | | | High/Low Ratio=7.23 | | | |
| LORATADINE 5 mg/5 ml syrup (PO) | | | | Price/ml | 10 mg | N | R06AX13 |
| Buyer DOMREPUB | 1 BOTT (90 ml) | 0.36 | 0.0040 | | | | |
| Buyer OECS/PPS | 1 BOTT (100 ml) | 0.94 | 0.0094 | | | | |
| Buyer BDS | 1 BOTT (100 ml) | 1.99 | 0.0199 | | | | |
| Buyer Median Price/ml=0.0094 | | | | High/Low Ratio=4.98 | | | |
| LORAZEPAM 1 mg tab-cap (PO) | | | | Price/tab-cap | 2.5 mg | P | N05BA06 |
| Buyer BDS | 1000 TAB-CAP | 14.29 | 0.0143 | TABLETS | | | |
| Buyer OECS/PPS | 50 TAB-CAP | 2.29 | 0.0458 | TABLETS | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 5.65 | 0.0565 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0458 | | | | High/Low Ratio=3.95 | | | |
| LORAZEPAM 2 mg tab-cap (PO) | | | | Price/tab-cap | 2.5 mg | P | N05BA06 |
| Buyer GHANA | 1000 TAB-CAP | 6.88 | 0.0069 | 10 X 100 BLISTER PACK TABLETS | | | |
| LOSARTAN 50 mg tab-cap (PO) | | | | Price/tab-cap | 50 mg | N | C09CA01 |
| Supplier MEDS | 50 TAB-CAP | 1.42 | 0.0284 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0117 | BLISTER PACK TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 1.32 | 0.0132 | TABLETS | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 17.20 | 0.0172 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 6.83 | 0.0683 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer CAMERWA | 100 TAB-CAP | 15.56 | 0.1556 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0172 | | | | High/Low Ratio=13.30 | | | |
| LUBRICATING JELLY ointment (TOP) | | | | Price/g | | N | D02AC |
| Supplier IMRES | 1 TUBE (45 g) | 1.10 | 0.0244 | | | | |
| Supplier JMS | 1 TUBE (42 g) | 1.47 | 0.0351 | | | | |
| Supplier DURBIN | 1 TUBE (82 g) | 3.05 | 0.0373 | | | | |
| Supplier MEDEOR/TZ | 1 TUBE (82 g) | 3.12 | 0.0380 | | | | |
| Supplier MEDS | 1 TUBE (42 g) | 1.61 | 0.0383 | STERILE | | | |
| Supplier IDA | 1 TUBE (82 g) | 4.56 | 0.0556 | | | | |
| Supplier MISSION | 1 TUBE (82 g) | 7.56 | 0.0923 | | | | |
| Supplier Median Price/g=0.0380 | | | | High/Low Ratio=3.78 | | | |
| Buyer OECS/PPS | 1 TUBE (82 g) | 1.06 | 0.0129 | | | | |
| Buyer BDS | 1 TUBE (82 g) | 1.09 | 0.0133 | | | | |
| Buyer DOMREPUB | 1 TUBE (60 g) | 1.28 | 0.0213 | | | | |
| Buyer MEMS | 1 TUBE (82 g) | 2.72 | 0.0332 | JELLY | | | |
| Buyer BOTSWANA | 1 TUBE (100 g) | 5.27 | 0.0527 | | | | |
| Buyer Median Price/g=0.0213 | | | | High/Low Ratio=4.09 | | | |
| LYNESTRENOL 0.5 mg tab-cap (PO) | | | | Price/cycle | | N | G03AC02 |
| Supplier UNFPA | 100 CYCLE | 41.30 | 0.4130 | 28 TABLETS, ILLUSTRATIVE NUMBER OF CYCLES | | | |
| MAGNESIUM SULFATE 500 mg/ml vial (INJ) | | | | Price/ml | 3 g | E | A12CC02 |
| Supplier IMRES | 10 AMP (10 ml) | 5.00 | 0.0500 | | | | |
| Supplier IDA | 10 VIAL (20 ml) | 10.65 | 0.0533 | | | | |
| Supplier MEDEOR/TZ | 1 VIAL (20 ml) | 1.64 | 0.0819 | | | | |
| Supplier MEG | 10 AMP (10 ml) | 9.62 | 0.0962 | | | | |
| Supplier UNFPA | 5 VIAL (10 ml) | 8.00 | 0.1600 | | | | |
| Supplier JMS | 1 VIAL (10 ml) | 1.61 | 0.1611 | | | | |
| Supplier Median Price/ml=0.0891 | | | | High/Low Ratio=3.22 | | | |
| Buyer CAMERWA | 25 VIAL (20 ml) | 18.02 | 0.0360 | | | | |
| Buyer NAMIBIA | 10 VIAL (2 ml) | 2.31 | 0.1153 | | | | |
| Buyer OECS/PPS | 10 AMP (2 ml) | 5.54 | 0.2770 | | | | |
| Buyer BDS | 10 VIAL (2 ml) | 6.42 | 0.3208 | | | | |
| Buyer Median Price/ml=0.1962 | | | | High/Low Ratio=8.91 | | | |
| MAGNESIUM TRISILICATE COMPOUND tab-cap (PO) | | | | Price/tab-cap | | T | A02AA10 |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 2.38 | 0.0024 | TABLETS | | | |
| Supplier JMS | 1000 TAB-CAP | 2.90 | 0.0029 | 250/120 MG TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE | |
|--|------------------|-------------------------|----------------------|---|------------------------|------------------------------|----------------|----------------|
| MAGNESIUM TRISILICATE COMPOUND tab-cap (PO) | | | | Price/tab-cap | | T | A02AA10 | |
| Supplier IDA | 1000 TAB-CAP | 3.98 | 0.0041 | 250 MG/ 120 MG TABLETS | | | | |
| Supplier IMRES | 1000 TAB-CAP | 4.00 | 0.0040 | MAGNESIUM TRISIL. 250 MG/ALUMINIUM HYDROXIDE 120 MG TAB | | | | |
| Supplier MEG | 1000 TAB-CAP | 4.12 | 0.0041 | MAGNESIUM TRISILICATE 250 MG+ALUMINUM HYDROXIDE 120 MG | | | | |
| Supplier DURBIN | 1000 TAB-CAP | 5.22 | 0.0053 | MAG. TRISIL. 250 MG/ALUM. HYDROX. 120 MG TABLETS | | | | |
| Supplier MISSION | 1000 TAB-CAP | 5.61 | 0.0056 | CHEWABLE TABLETS | | | | |
| Supplier MEDEOR/EU | 1500 TAB-CAP | 29.48 | 0.0197 | TABLETS, MAGNESIUM TRISILICATE 250 MG+ALUM. HYD. 120 MG | | | | |
| | | | | Supplier Median Price/tab-cap=0.0041 | | High/Low Ratio=8.21 | | |
| Buyer MEMS | 1000 TAB-CAP | 2.57 | 0.0026 | TABLETS | | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 2.50 | 0.0250 | TABLETS | | | | |
| | | | | Buyer Median Price/tab-cap=0.0138 | | High/Low Ratio=9.62 | | |
| MANNITOL 10% solution (IV) | | | | Price/ml | | C | B05BC01 | |
| Buyer BDS | 1 BOTT (500 ml) | 3.41 | 0.0068 | | | | | |
| Buyer CAMERWA | 1 BOTT (500 ml) | 6.59 | 0.0132 | | | | | |
| | | | | Buyer Median Price/ml=0.0100 | | High/Low Ratio=1.94 | | |
| MANNITOL 20% solution (IV) | | | | Price/ml | | C | B05BC01 | |
| Supplier MEDEOR/TZ | 1 BOTT (500 ml) | 1.64 | 0.0033 | | | | | |
| Supplier IMRES | 1 BOTT (500 ml) | 2.90 | 0.0058 | NIPPLEHEAD | | | | |
| Supplier IDA | 20 BAG (500 ml) | 65.05 | 0.0065 | | | | | |
| Supplier MEDS | 1 BOTT (500 ml) | 4.55 | 0.0091 | | | | | |
| Supplier JMS | 1 VIAL (100 ml) | 1.29 | 0.0129 | | | | | |
| | | | | Supplier Median Price/ml=0.0065 | | High/Low Ratio=3.91 | | |
| Buyer PERU | 1 BOTT (1000 ml) | 2.61 | 0.0026 | | | | | |
| Buyer DOMREPUB | 1 BOTT (250 ml) | 0.66 | 0.0026 | | | | | |
| Buyer MEMS | 1 BOTT (500 ml) | 2.15 | 0.0043 | | | | | |
| Buyer NAMIBIA | 1 BOTT (500 ml) | 3.34 | 0.0067 | IN WATER | | | | |
| Buyer OECS/PPS | 1 BOTT (500 ml) | 3.98 | 0.0080 | | | | | |
| Buyer CRSS | 1 BOTT (250 ml) | 4.08 | 0.0163 | 25% | | | | |
| Buyer BDS | 1 BOTT (250 ml) | 4.86 | 0.0194 | | | | | |
| | | | | Buyer Median Price/ml=0.0067 | | High/Low Ratio=7.46 | | |
| MEBENDAZOLE 100 mg tab-cap (PO) | | | | Price/tab-cap | | 0.2 g | E | P02CA01 |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 1.88 | 0.0019 | TABLETS | | | | |
| Supplier JMS | 1000 TAB-CAP | 3.30 | 0.0033 | TABLETS | | | | |
| Supplier UNFPA | 1000 TAB-CAP | 4.49 | 0.0045 | TABLETS | | | | |
| Supplier MEG | 1000 TAB-CAP | 4.85 | 0.0048 | TABLETS | | | | |
| Supplier MISSION | 1000 TAB-CAP | 7.71 | 0.0077 | TABLETS | | | | |
| Supplier IMRES | 1000 TAB-CAP | 8.10 | 0.0081 | TABLETS | | | | |
| Supplier MEDEOR/EU | 2500 TAB-CAP | 23.32 | 0.0093 | TABLETS | | | | |
| Supplier IDA | 1000 TAB-CAP | 11.37 | 0.0113 | TABLETS | | | | |
| | | | | Supplier Median Price/tab-cap=0.0063 | | High/Low Ratio=5.95 | | |
| Buyer MEMS | 1000 TAB-CAP | 2.90 | 0.0029 | TABLETS | | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 3.56 | 0.0036 | TABLETS | | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 3.90 | 0.0039 | TABLETS | | | | |
| Buyer DOMREPUB | 6 TAB-CAP | 0.05 | 0.0090 | BLISTER PACK TABLETS | | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 1.71 | 0.0171 | TABLETS, ILLUSTRATIVE PACK SIZE | | | | |
| Buyer BDS | 6 TAB-CAP | 2.38 | 0.3967 | TABLETS | | | | |
| | | | | Buyer Median Price/tab-cap=0.0065 | | High/Low Ratio=136.79 | | |
| MEBENDAZOLE 100 mg/5 ml suspen (PO) | | | | Price/ml | | 0.2 g | P | P02CA01 |
| Supplier MEDS | 1 BOTT (1000 ml) | 1.52 | 0.0015 | SYRUP | | | | |
| Supplier MISSION | 1 BOTT (100 ml) | 0.85 | 0.0085 | | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (30 ml) | 0.26 | 0.0086 | | | | | |
| Supplier IMRES | 10 BOTT (30 ml) | 3.50 | 0.0117 | | | | | |
| Supplier IDA | 1 BOTT (30 ml) | 0.38 | 0.0126 | | | | | |
| Supplier DURBIN | 10 BOTT (30 ml) | 7.39 | 0.0246 | | | | | |
| | | | | Supplier Median Price/ml=0.0102 | | High/Low Ratio=16.40 | | |
| Buyer DOMREPUB | 1 BOTT (30 ml) | 0.21 | 0.0069 | | | | | |
| Buyer CAMERWA | 1 BOTT (30 ml) | 0.25 | 0.0082 | | | | | |
| Buyer MEMS | 1 BOTT (30 ml) | 0.26 | 0.0086 | | | | | |
| Buyer BUFMAR | 1 BOTT (30 ml) | 0.27 | 0.0091 | | | | | |
| Buyer BOTSWANA | 1 BOTT (30 ml) | 0.78 | 0.0259 | | | | | |
| | | | | Buyer Median Price/ml=0.0086 | | High/Low Ratio=3.75 | | |
| MEBENDAZOLE 500 mg tab-cap (PO) | | | | Price/tab-cap | | 0.2 g | E | P02CA01 |
| Supplier UNFPA | 1000 TAB-CAP | 20.00 | 0.0200 | TABLETS | | | | |
| Buyer CAMERWA | 500 TAB-CAP | 9.50 | 0.0190 | TABLETS | | | | |
| MEBENDAZOLE (CHEWABLE) 100 mg tab-cap (PO) | | | | Price/tab-cap | | 0.2 g | E | P02CA01 |
| Supplier MEDS | 1000 TAB-CAP | 7.60 | 0.0076 | CHEWABLE TABLETS | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|--------------------|-------------------------|----------------------|--------------------------------------|------------------------|------------|-------------|
| MEBENDAZOLE (CHEWABLE) 100 mg tab-cap (PO) | | | | Price/tab-cap | 0.2 g | E | P02CA01 |
| Supplier DURBIN | 1000 TAB-CAP | 8.03 | 0.0080 | TABLETS | | | |
| Buyer BOTSWANA | 6 TAB-CAP | 0.51 | 0.0845 | TABLETS | High/Low Ratio=1.05 | | |
| MEBENDAZOLE (CHEWABLE) 500 mg tab-cap (PO) | | | | Price/tab-cap | 0.2 g | E | |
| Supplier MEG | 1000 TAB-CAP | 25.23 | 0.0252 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 26.50 | 0.0265 | FLAVORED TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 54.54 | 0.0546 | TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.0265 | High/Low Ratio=2.17 | | |
| MEDROXYPROGESTERONE 5 mg tab-cap (PO) | | | | Price/tab-cap | 5 mg | C | G03DA02 |
| Supplier UNFPA | 100 TAB-CAP | 6.40 | 0.0640 | TABLETS, BLISTER PACK | | | |
| Buyer NAMIBIA | 30 TAB-CAP | 6.52 | 0.2175 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 43.67 | 0.4367 | TABLETS | High/Low Ratio=2.01 | | |
| | | | | Buyer Median Price/tab-cap=0.3271 | | | |
| MEDROXYPROGESTERONE ACETATE 150 mg/ml vial (INJ) | | | | Price/ml | 1.67 mg | E | G03AC06 |
| Supplier UNFPA | 1 VIAL (1 ml) | 0.77 | 0.7700 | | | | |
| Supplier USAID | 1 VIAL (1 ml) | 0.82 | 0.8229 | BRAND=DEPO-PROVERA | | | |
| Supplier IMRES | 25 VIAL (1 ml) | 34.00 | 1.3600 | | | | |
| | | | | Supplier Median Price/ml=0.8229 | High/Low Ratio=1.77 | | |
| Buyer NAMIBIA | 1 VIAL (1 ml) | 0.97 | 0.9741 | | | | |
| Buyer BDS | 1 VIAL (1 ml) | 10.41 | 10.4142 | | | | |
| | | | | Buyer Median Price/ml=5.6942 | High/Low Ratio=10.69 | | |
| MEFENAMIC ACID 250 mg tab-cap (PO) | | | | Price/tab-cap | 1 g | N | M01AG01 |
| Supplier MEDS | 1000 TAB-CAP | 7.05 | 0.0070 | CAPSULES | | | |
| Supplier UNFPA | 100 TAB-CAP | 6.00 | 0.0600 | CAPSULES | | | |
| | | | | Supplier Median Price/tab-cap=0.0335 | High/Low Ratio=8.57 | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 1.82 | 0.0182 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer MEMS | 100 TAB-CAP | 2.05 | 0.0205 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.0194 | High/Low Ratio=1.13 | | |
| MEFENAMIC ACID 500 mg tab-cap (PO) | | | | Price/tab-cap | 1 g | N | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0084 | BLISTER PACK TABLET | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 2.80 | 0.0280 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 20 TAB-CAP | 1.59 | 0.0794 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.0280 | High/Low Ratio=9.45 | | |
| MEFLOQUINE 250 mg tab-cap (PO) | | | | Price/tab-cap | 1 g | E | P01BC02 |
| Supplier IMRES | 100 TAB-CAP | 3.60 | 0.0360 | TABLETS | | | |
| Supplier UNFPA | 100 TAB-CAP | 45.00 | 0.4500 | TABLETS | | | |
| Supplier DURBIN | 100 TAB-CAP | 68.24 | 0.6824 | TABLETS, HYDROCHLORIDE | | | |
| Supplier JMS | 4 TAB-CAP | 3.23 | 0.8085 | TABLETS | | | |
| Supplier MEG | 100 TAB-CAP | 125.50 | 1.2550 | TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.6824 | High/Low Ratio=34.86 | | |
| Buyer BDS | 8 TAB-CAP | 9.53 | 1.1911 | TABLETS | | | |
| MEGESTROL ACETATE 40 mg tab-cap (PO) | | | | Price/tab-cap | 5 mg | N | L02AB01 |
| Buyer BDS | 100 TAB-CAP | 11.91 | 0.1191 | TABLETS | | | |
| MELOXICAM 7.5 mg tab-cap (PO) | | | | Price/tab-cap | 15 mg | N | |
| Supplier MEDS | 100 TAB-CAP | 1.09 | 0.0109 | TABLETS | | | |
| Supplier MEDEOR/TZ | 30 TAB-CAP | 3.72 | 0.1240 | TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.0675 | High/Low Ratio=11.38 | | |
| Buyer BDS | 100 TAB-CAP | 3.57 | 0.0357 | TABLETS | | | |
| MELPHALAN 2 mg tab-cap (PO) | | | | Price/tab-cap | | N | L01AA03 |
| Buyer NAMIBIA | 25 TAB-CAP | 24.69 | 0.9877 | TABLETS | | | |
| Buyer BDS | 25 TAB-CAP | 50.29 | 2.0114 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=1.4996 | High/Low Ratio=2.04 | | |
| MEPIVACAINE 3% vial (INJ) | | | | Price/ml | | N | N01BB03 |
| Buyer CRSS | 1 CRTDGS (1.80 ml) | 0.17 | 0.0944 | | | | |
| MERCAPTOPURINE 50 mg tab-cap (PO) | | | | Price/tab-cap | | C | L01BB02 |
| Buyer NAMIBIA | 25 TAB-CAP | 16.05 | 0.6422 | TABLETS | | | |
| Buyer BDS | 25 TAB-CAP | 56.90 | 2.2760 | TABLETS | | | |
| Buyer OECS/PPS | 25 TAB-CAP | 63.06 | 2.5224 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=2.2760 | High/Low Ratio=3.93 | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|----------------|---|----------------------|---------------------------------|------------------------|----------------|----------------|
| MEROPENEM 1 g vial (INJ) | | | Price/vial | | 2 g | N | J01DH02 |
| Buyer DOMREPUB | 1 VIAL | 14.33 | 14.3263 | | | | |
| Buyer BDS | 1 VIAL | 23.82 | 23.8179 | | | | |
| Buyer SAFRICA | 1 VIAL | 33.92 | 33.9235 | POWDER, 30 ML | | | |
| | | Buyer Median Price/vial=23.8179 | | High/Low Ratio=2.37 | | | |
| MEROPENEM 500 mg vial (INJ) | | | Price/vial | | 2 g | N | J01DH02 |
| Buyer PERU | 1 VIAL | 4.52 | 4.5198 | | | | |
| Buyer BDS | 1 VIAL | 13.23 | 13.2316 | | | | |
| Buyer SAFRICA | 1 VIAL | 17.81 | 17.8106 | POWDER, 20 ML | | | |
| | | Buyer Median Price/vial=13.2316 | | High/Low Ratio=3.94 | | | |
| METAMIZOL 500 mg/ml ampoule (INJ) | | | Price/ml | | 3 g | N | N02BB02 |
| Buyer PERU | 100 AMP (2 ml) | 6.25 | 0.0312 | ILLUSTRATIVE NUMBER OF AMPOULES | | | |
| Buyer CRSS | 1 AMP (5 ml) | 0.64 | 0.1280 | | | | |
| Buyer BDS | 5 AMP (2 ml) | 3.97 | 0.3968 | | | | |
| | | Buyer Median Price/ml=0.1280 | | High/Low Ratio=12.72 | | | |
| METFORMIN HCL 500 mg tab-cap (PO) | | | Price/tab-cap | | 2 g | C | A10BA02 |
| Supplier IMRES | 1000 TAB-CAP | 8.65 | 0.0087 | TABLETS | | | |
| Supplier IDA | 500 TAB-CAP | 4.64 | 0.0093 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 11.75 | 0.0117 | TABLETS | | | |
| Supplier MEDS | 30 TAB-CAP | 0.36 | 0.0118 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 17.85 | 0.0179 | FILM-COATED TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 1.85 | 0.0185 | TABLETS | | | |
| Supplier DURBIN | 500 TAB-CAP | 11.16 | 0.0223 | TABLETS | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 22.74 | 0.0227 | TABLETS | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 26.04 | 0.0260 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0179 | | High/Low Ratio=2.99 | | | |
| Buyer BDS | 1000 TAB-CAP | 18.00 | 0.0180 | TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 2.56 | 0.0256 | TABLETS | | | |
| Buyer OECS/PPS | 500 TAB-CAP | 14.00 | 0.0280 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 2.84 | 0.0284 | | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 3.00 | 0.0300 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0280 | | High/Low Ratio=1.67 | | | |
| METFORMIN HCL 850 mg tab-cap (PO) | | | Price/tab-cap | | 2 g | CP | A10BA02 |
| Supplier IDA | 500 TAB-CAP | 5.87 | 0.0117 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 15.00 | 0.0150 | FILM-COATED | | | |
| Supplier MEDS | 30 TAB-CAP | 0.80 | 0.0266 | TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 4.39 | 0.0439 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0208 | | High/Low Ratio=3.75 | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0112 | BLISTER PACK TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 1.38 | 0.0138 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 500 TAB-CAP | 9.79 | 0.0196 | TABLETS | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 3.90 | 0.0390 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 5.31 | 0.0531 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0196 | | High/Low Ratio=4.74 | | | |
| METHADONE (IC) 5 mg tab-cap (PO) | | | Price/tab-cap | | 25 mg | CP | N07BC02 |
| Buyer CRSS | 100 TAB-CAP | 50.14 | 0.5014 | SCORED TABLETS | | | |
| METHOTREXATE SODIUM 2.5 mg tab-cap (PO) | | | Price/tab-cap | | 2.5 mg | C | L01BA01 |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 5.76 | 0.0576 | TABLETS | | | |
| Supplier IDA | 100 TAB-CAP | 7.39 | 0.0739 | BLISTER PACK TABLETS, 10X10 | | | |
| Supplier JMS | 100 TAB-CAP | 13.68 | 0.1368 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0739 | | High/Low Ratio=2.38 | | | |
| Buyer PERU | 100 TAB-CAP | 3.68 | 0.0368 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 100 TAB-CAP | 11.39 | 0.1139 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 13.04 | 0.1304 | TABLETS | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 16.58 | 0.1658 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.34 | 0.3445 | | | | |
| | | Buyer Median Price/tab-cap=0.1304 | | High/Low Ratio=9.36 | | | |
| METHOTREXATE SODIUM 2.5 mg/ml ampoule (INJ) | | | Price/ml | | P | L01BA01 | |
| Supplier MISSION | 10 VIAL (2 ml) | 26.55 | 1.3277 | | | | |
| Supplier JMS | 1 VIAL (2 ml) | 4.00 | 2.0008 | | | | |
| | | Supplier Median Price/ml=1.6643 | | High/Low Ratio=1.51 | | | |
| METHOTREXATE SODIUM 25 mg/ml vial (INJ) | | | Price/ml | | P | L01BA01 | |
| Supplier MEDEORTZ | 1 VIAL (2 ml) | 2.15 | 1.0770 | | | | |
| Supplier JMS | 1 VIAL (2 ml) | 4.53 | 2.2662 | | | | |
| Supplier MISSION | 10 VIAL (2 ml) | 60.56 | 3.0278 | | | | |
| | | Supplier Median Price/ml=2.2662 | | High/Low Ratio=2.81 | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|------------------|---|----------------------|---------------------------------|------------------------|------------|-------------|
| METHOTREXATE SODIUM 25 mg/ml vial (INJ) | | | | Price/ml | | P | L01BA01 |
| Buyer BDS | 10 VIAL (10 ml) | 19.61 | 0.1961 | | | | |
| Buyer OECS/PPS | 1 AMP (2 ml) | 2.65 | 1.3250 | | | | |
| Buyer BOTSWANA | 1 AMP (2 ml) | 4.31 | 2.1536 | | | | |
| | | Buyer Median Price/ml=1.3250 | | High/Low Ratio=10.98 | | | |
| METHYLDOPA 250 mg tab-cap (PO) | | | | Price/tab-cap | | 1 g | E |
| Supplier DURBIN | 1000 TAB-CAP | 22.48 | 0.0225 | TABLETS | | | C02AB01 |
| Supplier MEDS | 1000 TAB-CAP | 23.09 | 0.0231 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 23.20 | 0.0232 | FILM-COATED TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 23.90 | 0.0239 | FILM-COATED TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 25.00 | 0.0250 | FILM-COATED TABLETS | | | |
| Supplier MEDEOR/EU | 2000 TAB-CAP | 58.89 | 0.0294 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 36.00 | 0.0361 | COATED TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 3.60 | 0.0360 | TABLETS | | | |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 3.71 | 0.0371 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0250 | | High/Low Ratio=1.65 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 24.29 | 0.0243 | TABLETS | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 35.00 | 0.0350 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 4.91 | 0.0491 | TABLET, ILLUSTRATIVE PACK SIZE | | | |
| Buyer MEMS | 100 TAB-CAP | 5.02 | 0.0502 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 5.69 | 0.0569 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 30 TAB-CAP | 1.80 | 0.0600 | TABLETS | | | |
| Buyer NAMIBIA | 500 TAB-CAP | 55.94 | 0.1119 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0502 | | High/Low Ratio=4.60 | | | |
| METHYLDOPA 500 mg tab-cap (PO) | | | | Price/tab-cap | | 1 g | P |
| Buyer OECS/PPS | 100 TAB-CAP | 7.50 | 0.0750 | TABLETS | | | C02AB01 |
| Buyer BDS | 30 TAB-CAP | 3.14 | 0.1046 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0898 | | High/Low Ratio=1.39 | | | |
| METHYLERGOMETRINE MALEATE 0.2 mg/ml ampoule (INJ) | | | | Price/ml | | 0.2 mg | T |
| Supplier UNFPA | 10 AMP (1 ml) | 0.85 | 0.0850 | | | | G02AB01 |
| Supplier IMRES | 10 AMP (1 ml) | 0.95 | 0.0950 | | | | |
| Supplier IDA | 100 AMP (1 ml) | 10.29 | 0.1029 | | | | |
| Supplier MISSION | 100 AMP (1 ml) | 11.73 | 0.1173 | | | | |
| Supplier MEDEOR/TZ | 100 AMP (1 ml) | 18.60 | 0.1860 | | | | |
| Supplier MEG | 100 AMP (1 ml) | 24.50 | 0.2450 | | | | |
| Supplier MEDEOR/EU | 100 AMP (1 ml) | 27.31 | 0.2731 | | | | |
| | | Supplier Median Price/ml=0.1173 | | High/Low Ratio=3.21 | | | |
| METHYLPHENIDATE HYDROCHLORIDE (IC) 10 mg tab-cap (PO) | | | | Price/tab-cap | | 30 mg | N |
| Buyer BDS | 30 TAB-CAP | 5.76 | 0.1919 | TABLETS | | | N06BA04 |
| Buyer NAMIBIA | 30 TAB-CAP | 13.42 | 0.4474 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.3197 | | High/Low Ratio=2.33 | | | |
| METHYLPREDNISOLONE (SODIUM SUCCINATE) 1 g vial (INJ) | | | | Price/vial | | 20 mg | N |
| Buyer SUDANNHIF | 100 AMP (1 VIAL) | 151.63 | 1.5163 | | | | H02AB04 |
| Buyer NAMIBIA | 1 VIAL | 33.47 | 33.4672 | ILLUSTRATIVE NUMBER OF AMPOULES | | | |
| | | Buyer Median Price/vial=17.4918 | | High/Low Ratio=22.07 | | | |
| METHYLPREDNISOLONE (SODIUM SUCCINATE) 500 mg vial (INJ) | | | | Price/vial | | 20 mg | N |
| Buyer OECS/PPS | 1 VIAL | 5.50 | 5.5000 | | | | H02AB04 |
| Buyer PERU | 1 VIAL | 9.04 | 9.0363 | | | | |
| Buyer BDS | 25 VIAL | 235.87 | 9.4349 | | | | |
| | | Buyer Median Price/vial=9.0363 | | High/Low Ratio=1.72 | | | |
| METOCLOPRAMIDE HCL 10 mg tab-cap (PO) | | | | Price/tab-cap | | 30 mg | E |
| Supplier MEDS | 1000 TAB-CAP | 2.38 | 0.0024 | TABLETS | | | A03FA01 |
| Supplier IMRES | 1000 TAB-CAP | 4.55 | 0.0046 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 4.71 | 0.0048 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 5.43 | 0.0055 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 5.75 | 0.0058 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 5.94 | 0.0059 | TABLETS | | | |
| Supplier MEDEOR/EU | 3000 TAB-CAP | 18.98 | 0.0064 | TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 0.65 | 0.0065 | TABLETS | | | |
| Supplier MEDEOR/TZ | 200 TAB-CAP | 6.69 | 0.0334 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0058 | | High/Low Ratio=13.92 | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 2.56 | 0.0026 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.00 | 0.0044 | BLISTER PACK TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 0.80 | 0.0080 | TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 11.02 | 0.0110 | TABLETS | | | |
| Buyer OECS/PPS | 500 TAB-CAP | 5.94 | 0.0119 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|--------------------------|-------------------------|--|-----------------------------|-----------------------------|------------|----------------|
| METOCLOPRAMIDE HCL 10 mg tab-cap (PO) | | | Price/tab-cap | | 30 mg | E | A03FA01 |
| Buyer NAMIBIA | 500 TAB-CAP | 6.32 | 0.0126 | TABLETS | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 15.08 | 0.0151 | TABLETS | | | |
| Buyer MEMS | 200 TAB-CAP | 6.34 | 0.0317 | TABLETS | | | |
| | | | Buyer Median Price/tab-cap=0.0115 | | High/Low Ratio=12.19 | | |
| METOCLOPRAMIDE HCL 4 mg/ml drops (PO) | | | Price/ml | | 30 mg | P | A03FA01 |
| Supplier MEDEOR/EU | 25 BOTT (30 ml) | 33.61 | 0.0448 | | | | |
| METOCLOPRAMIDE HCL 5 mg/5 ml syrup (PO) | | | Price/ml | | 30 mg | P | A03FA01 |
| Buyer BDS | 1 BOTT (500 ml) | 7.49 | 0.0150 | SOLUTION | | | |
| METOCLOPRAMIDE HCL 5 mg/ml ampoule (INJ) | | | Price/ml | | 30 mg | E | A03FA01 |
| Supplier IMRES | 100 AMP (2 ml) | 7.00 | 0.0350 | | | | |
| Supplier JMS | 100 AMP (2 ml) | 7.04 | 0.0352 | | | | |
| Supplier IDA | 100 AMP (2 ml) | 8.84 | 0.0442 | | | | |
| Supplier MEDS | 1 AMP (2 ml) | 0.09 | 0.0444 | | | | |
| Supplier MISSION | 100 AMP (2 ml) | 10.42 | 0.0522 | | | | |
| Supplier DURBIN | 100 AMP (2 ml) | 14.37 | 0.0719 | | | | |
| Supplier MEG | 100 AMP (2 ml) | 14.50 | 0.0725 | | | | |
| Supplier MEDEOR/EU | 100 AMP (2 ml) | 19.12 | 0.0956 | | | | |
| Supplier MEDEOR/TZ | 10 AMP (2 ml) | 2.00 | 0.1002 | | | | |
| | | | Supplier Median Price/ml=0.0522 | | High/Low Ratio=2.86 | | |
| Buyer DOMREPUB | 1 AMP (2 ml) | 0.03 | 0.0147 | | | | |
| Buyer PERU | 100 AMP (2 ml) | 5.53 | 0.0277 | ILLUSTRATIVE NUMBER OF AMPS | | | |
| Buyer OECS/PPS | 100 AMP (2 ml) | 19.10 | 0.0955 | | | | |
| Buyer BOTSWANA | 1 AMP (2 ml) | 0.22 | 0.1105 | | | | |
| Buyer BDS | 100 AMP (2 ml) | 23.70 | 0.1185 | | | | |
| | | | Buyer Median Price/ml=0.0955 | | High/Low Ratio=8.06 | | |
| METRONIDAZOLE 1 g suppos (RECT) | | | Price/supp | | 2 g | E | P01AB01 |
| Buyer NAMIBIA | 10 SUPP | 3.94 | 0.3944 | | | | |
| METRONIDAZOLE 100 mg pessary (VAG) | | | Price/pessary | | 0.5 g | P | G01AF01 |
| Supplier MEDEOR/EU | 1500 TAB-CAP (1 PESSARY) | 32.16 | 0.0214 | | | | |
| METRONIDAZOLE 125 mg/5 ml syrup (PO) | | | Price/ml | | 1.5 g | P | P01AB01 |
| Supplier MEG | 1 BOTT (100 ml) | 0.44 | 0.0044 | POWDER FOR SUSPENSION | | | |
| Supplier UNFPA | 10 BOTT (100 ml) | 5.00 | 0.0050 | POWDER FOR SUSPENSION | | | |
| Supplier DURBIN | 1 BOTT (100 ml) | 0.61 | 0.0061 | POWDER | | | |
| Supplier MISSION | 1 BOTT (100 ml) | 0.64 | 0.0064 | | | | |
| Supplier IMRES | 10 BOTT (100 ml) | 6.50 | 0.0065 | POWDER FOR SUSPENSION | | | |
| Supplier IDA | 250 BOTT (100 ml) | 235.41 | 0.0094 | POWDER FOR SUSPENSION | | | |
| | | | Supplier Median Price/ml=0.0063 | | High/Low Ratio=2.14 | | |
| Buyer CRSS | 1 BOTT (120 ml) | 2.07 | 0.0173 | | | | |
| METRONIDAZOLE 200 mg/5 ml syrup (PO) | | | Price/ml | | 1.5 g | E | P01AB01 |
| Supplier MEDS | 1 BOTT (100 ml) | 0.28 | 0.0028 | SUSPENSION | | | |
| Supplier JMS | 1 BOTT (100 ml) | 0.31 | 0.0031 | SUSPENSION | | | |
| Supplier IDA | 250 BOTT (100 ml) | 259.90 | 0.0104 | POWDER FOR SUSPENSION | | | |
| | | | Supplier Median Price/ml=0.0031 | | High/Low Ratio=3.71 | | |
| Buyer CAMERWA | 1 BOTT (100 ml) | 0.36 | 0.0036 | | | | |
| Buyer MEMS | 1 BOTT (100 ml) | 0.46 | 0.0046 | SUSPENSION | | | |
| Buyer NAMIBIA | 1 BOTT (100 ml) | 1.89 | 0.0189 | SUSPENSION | | | |
| Buyer BOTSWANA | 1 BOTT (100 ml) | 3.90 | 0.0390 | | | | |
| | | | Buyer Median Price/ml=0.0118 | | High/Low Ratio=10.83 | | |
| METRONIDAZOLE 200-250 mg tab-cap (PO) | | | Price/tab-cap | | 1.5 g | E | P01AB01 |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 2.76 | 0.0028 | 200 MG TABLETS | | | |
| Supplier MEDS | 1000 TAB-CAP | 3.42 | 0.0034 | 200 MG TABLETS | | | |
| Supplier JMS | 1000 TAB-CAP | 3.59 | 0.0036 | 200 MG TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 4.90 | 0.0049 | 200 MG TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 5.07 | 0.0051 | 200 MG TABLETS | | | |
| Supplier UNFPA | 1000 TAB-CAP | 5.23 | 0.0052 | 200 MG TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 5.94 | 0.0059 | 250 MG TABLETS | | | |
| Supplier UNFPA | 1000 TAB-CAP | 6.00 | 0.0060 | 250 MG TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 6.05 | 0.0061 | 250 MG TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 6.10 | 0.0061 | 250 MG TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 6.34 | 0.0064 | 250 MG TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 8.19 | 0.0083 | 250 MG TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-------------------|-------------------------|----------------------|---|------------------------|------------|-------------|
| METRONIDAZOLE 200-250 mg tab-cap (PO) | | | Price/tab-cap | | 1.5 g | E | P01AB01 |
| Supplier MEDEOR/EU | 2500 TAB-CAP | 20.72 | 0.0083 | 200 MG TABLETS High/Low Ratio=2.96 | | | |
| Buyer MEMS | 1000 TAB-CAP | 3.79 | 0.0038 | 200 MG TABLETS | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 4.02 | 0.0040 | TABLETS | | | |
| Buyer BOTSWANA | 1000 TAB-CAP | 8.99 | 0.0090 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 1.08 | 0.0108 | 200 MG TABLET, ILLUSTRATIVE PACK SIZE | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 11.65 | 0.0117 | 250 MG TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 13.01 | 0.0130 | 200 MG TABLETS High/Low Ratio=3.42 | | | |
| METRONIDAZOLE 400-500 mg tab-cap (PO) | | | Price/tab-cap | | 1.5 g | E | P01AB01 |
| Supplier MEDS | 1000 TAB-CAP | 6.60 | 0.0066 | 400 MG TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 11.52 | 0.0116 | 500 MG TABLETS High/Low Ratio=1.76 | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0120 | 500 MG, BLISTER PACK TABLETS | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 21.75 | 0.0218 | TABLETS | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 2.37 | 0.0237 | 400 MG TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 2.92 | 0.0292 | 500 MG TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer CRSS | 100 TAB-CAP | 3.45 | 0.0345 | 500 MG TABLETS | | | |
| Buyer BDS | 14 TAB-CAP | 2.76 | 0.1974 | 400 MG TABLETS High/Low Ratio=16.45 | | | |
| METRONIDAZOLE 5 mg/ml vial (INJ) | | | Price/ml | | 1.5 g | E | J01XD01 |
| Supplier MEDS | 1 BOTT (100 ml) | 0.24 | 0.0024 | | | | |
| Supplier JMS | 1 VIAL (100 ml) | 0.28 | 0.0028 | | | | |
| Supplier UNFPA | 1 BOTT (100 ml) | 0.31 | 0.0031 | FOR INFUSION | | | |
| Supplier MEDEOR/TZ | 1 VIAL (100 ml) | 0.36 | 0.0036 | INFUSION | | | |
| Supplier MEG | 1 BOTT (100 ml) | 0.40 | 0.0040 | | | | |
| Supplier IMRES | 1 BOTT (100 ml) | 0.54 | 0.0054 | FOR INFUSION | | | |
| Supplier MISSION | 1 BOTT (100 ml) | 0.64 | 0.0064 | | | | |
| Supplier MEDEOR/EU | 10 BOTT (100 ml) | 11.01 | 0.0110 | | | | |
| Supplier IDA | 20 VIAL (100 ml) | 22.82 | 0.0114 | | | | |
| Supplier DURBIN | 20 VIAL (100 ml) | 24.09 | 0.0120 | Supplier Median Price/ml=0.0047 High/Low Ratio=5.00 | | | |
| Buyer PERU | 100 VIAL (100 ml) | 32.15 | 0.0032 | ILLUSTRATIVE NUMBER OF VIALS | | | |
| Buyer DOMREPUB | 1 AMP (100 ml) | 0.32 | 0.0032 | | | | |
| Buyer MEMS | 1 VIAL (100 ml) | 0.38 | 0.0038 | | | | |
| Buyer BUFMAR | 1 BAG (100 ml) | 0.41 | 0.0041 | | | | |
| Buyer CAMERWA | 1 AMP (100 ml) | 0.41 | 0.0041 | | | | |
| Buyer BDS | 1 BAG (100 ml) | 0.61 | 0.0061 | | | | |
| Buyer NAMIBIA | 1 VIAL (100 ml) | 0.74 | 0.0074 | | | | |
| Buyer OECS/PPS | 1 VIAL (100 ml) | 1.30 | 0.0130 | Buyer Median Price/ml=0.0041 High/Low Ratio=4.06 | | | |
| METRONIDAZOLE 500 mg pessary (VAG) | | | Price/pessary | | 0.5 g | P | G01AF01 |
| Supplier UNFPA | 1000 PESS | 32.00 | 0.0320 | | | | |
| Supplier IMRES | 100 PESS | 3.40 | 0.0340 | | | | |
| Supplier DURBIN | 1000 PESS | 36.13 | 0.0361 | | | | |
| Supplier IDA | 1000 PESS | 52.37 | 0.0524 | Supplier Median Price/pessary=0.0351 High/Low Ratio=1.64 | | | |
| Buyer CAMERWA | 100 PESS | 5.21 | 0.0521 | | | | |
| MICONAZOLE 25 mg/ml oral gel (PO) | | | Price/g | | 0.2 g | P | A01AB09 |
| Buyer OECS/PPS | 1 TUBE (15 g) | 3.25 | 0.2167 | | | | |
| MICONAZOLE NITRATE 2% cream (TOP) | | | Price/g | | E | D01AC02 | |
| Supplier MEG | 10 TUBE (30 g) | 3.55 | 0.0118 | | | | |
| Supplier IMRES | 1 TUBE (30 g) | 0.36 | 0.0120 | | | | |
| Supplier IDA | 10 TUBE (30 g) | 3.91 | 0.0130 | | | | |
| Supplier MISSION | 1 TUBE (30 g) | 0.80 | 0.0265 | | | | |
| Supplier UNFPA | 1 TUBE (30 g) | 0.85 | 0.0283 | | | | |
| Supplier DURBIN | 10 TUBE (30 g) | 11.24 | 0.0374 | Supplier Median Price/g=0.0198 High/Low Ratio=3.17 | | | |
| Buyer CAMERWA | 1 TUBE (15 g) | 0.25 | 0.0170 | | | | |
| Buyer BDS | 1 TUBE (15 g) | 0.33 | 0.0220 | Buyer Median Price/g=0.0195 High/Low Ratio=1.29 | | | |
| MICONAZOLE NITRATE (BUCCAL MUCO-ADHESIVE) 10 mg tab-cap (PO) | | | Price/tab-cap | | 0.2 g | N | A01AB09 |
| Supplier MEDEOR/TZ | 350 TAB-CAP | 61.93 | 0.1769 | TABLETS | | | |
| Supplier IMRES | 70 TAB-CAP | 18.00 | 0.2571 | TABLETS | | | |
| Supplier IDA | 350 TAB-CAP | 90.54 | 0.2587 | BLISTER PACK 50 X 7 TABLETS | | | |
| Supplier MEG | 70 TAB-CAP | 19.00 | 0.2714 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|------------------|--------------------------------------|----------------------|---------------------------------|------------------------|------------|-------------|
| MICONAZOLE NITRATE (BUCCAL MUCO-ADHESIVE) 10 mg tab-cap (PO) | | | | Price/tab-cap | 0.2 g | N | A01AB09 |
| Supplier MISSION | 350 TAB-CAP | 149.22 | 0.4264 | TABLETS, BLISTER 5 X 10 X 7 | | | |
| Supplier MEDS | 10 TAB-CAP | 8.66 | 0.8658 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.2651 | | High/Low Ratio=4.89 | | | |
| MIDAZOLAM 7.5 mg tab-cap (PO) | | | | Price/tab-cap | 15 mg | E | N05CD08 |
| Buyer BDS | 30 TAB-CAP | 5.63 | 0.1875 | TABLETS | | | |
| MIDAZOLAM (IC) 1 mg/ml ampoule (INJ) | | | | Price/ml | 15 mg | N | N05CD08 |
| Buyer PERU | 100 AMP (5 ml) | 23.11 | 0.0462 | ILLUSTRATIVE NUMBER OF AMPOULES | | | |
| Buyer CAMERWA | 10 AMP (5 ml) | 33.37 | 0.6674 | | | | |
| | | Buyer Median Price/ml=0.3568 | | High/Low Ratio=14.45 | | | |
| MIDAZOLAM (IC) 5 mg/ml ampoule (INJ) | | | | Price/ml | 15 mg | N | N05CD08 |
| Supplier UNFPA | 10 AMP (2 ml) | 30.00 | 1.5000 | | | | |
| Buyer NAMIBIA | 5 AMP (3 ml) | 3.75 | 0.2498 | | | | |
| Buyer CRSS | 1 AMP (3 ml) | 0.96 | 0.3200 | | | | |
| Buyer DOMREPUB | 1 AMP (3 ml) | 2.27 | 0.7560 | | | | |
| Buyer OECS/PPS | 10 AMP (1 ml) | 13.20 | 1.3200 | | | | |
| Buyer CAMERWA | 1 AMP (3 ml) | 5.25 | 1.7488 | | | | |
| | | Buyer Median Price/ml=0.7560 | | High/Low Ratio=7.00 | | | |
| MINOXIDIL 10 mg tab-cap (PO) | | | | Price/tab-cap | 20 mg | N | C02DC01 |
| Buyer BDS | 100 TAB-CAP | 53.59 | 0.5359 | TABLETS | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 83.22 | 0.8322 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.6841 | | High/Low Ratio=1.55 | | | |
| MISOPROSTOL 100 mcg tab-cap (PO) | | | | Price/tab-cap | 0.8 mg | P | |
| Supplier MEDEOR/TZ | 28 TAB-CAP | 5.73 | 0.2046 | TABLETS | | | |
| MISOPROSTOL 200 mcg tab-cap (PO) | | | | Price/tab-cap | 0.8 mg | C | A02BB01 |
| Supplier MEDS | 30 TAB-CAP | 6.10 | 0.2032 | | | | |
| Supplier MEDEOR/TZ | 28 TAB-CAP | 16.37 | 0.5846 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.3939 | | High/Low Ratio=2.88 | | | |
| Buyer CAMERWA | 100 TAB-CAP | 5.64 | 0.0564 | TABLETS | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 9.00 | 0.0900 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 17.86 | 0.1786 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0900 | | High/Low Ratio=3.17 | | | |
| MITOMYCIN 5 mg vial (INJ) | | | | Price/vial | | N | L01DC03 |
| Buyer BDS | 1 VIAL | 83.89 | 83.8939 | | | | |
| MORPHINE (IC, SUSTAINED-RELEASE) 10 mg tab-cap (PO) | | | | Price/tab-cap | 0.1 g | E | N02AA01 |
| Supplier JMS | 60 TAB-CAP | 11.11 | 0.1851 | CAPSULES | | | |
| MORPHINE SULFATE (IC) 10 mg tab-cap (PO) | | | | Price/tab-cap | 0.1 g | E | N02AA01 |
| Buyer BDS | 100 TAB-CAP | 47.64 | 0.4764 | TABLET | | | |
| MORPHINE SULFATE (IC) 10 mg/ml ampoule (INJ) | | | | Price/ml | 0.1 g | E | N02AA01 |
| Supplier IDA | 10 AMP (1 ml) | 5.79 | 0.5795 | | | | |
| Buyer BOTSWANA | 10 AMP (1 ml) | 0.40 | 0.0398 | | | | |
| Buyer NAMIBIA | 10 AMP (1 ml) | 3.56 | 0.3564 | | | | |
| Buyer BDS | 10 AMP (1.10 ml) | 5.46 | 0.4966 | | | | |
| | | Buyer Median Price/ml=0.3564 | | High/Low Ratio=12.48 | | | |
| MORPHINE SULFATE (IC) 15 mg/ml ampoule (INJ) | | | | Price/ml | 0.1 g | P | N02AA01 |
| Supplier JMS | 10 AMP (1 ml) | 5.44 | 0.5436 | | | | |
| Buyer NAMIBIA | 10 AMP (1 ml) | 3.65 | 0.3646 | | | | |
| Buyer OECS/PPS | 10 AMP (1.10 ml) | 4.06 | 0.3691 | | | | |
| Buyer BDS | 10 AMP (1.10 ml) | 5.68 | 0.5163 | | | | |
| | | Buyer Median Price/ml=0.3691 | | High/Low Ratio=1.42 | | | |
| MORPHINE SULFATE (IC, SUSTAINED-RELEASE) 30 mg tab-cap (PO) | | | | Price/tab-cap | 0.1 g | P | N02AA01 |
| Supplier IDA | 30 TAB-CAP | 13.55 | 0.4516 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-------------------|-------------------------|----------------------|-----------------------------------|------------------------|------------|-------------|
| MORPHINE SULFATE (IC, SUSTAINED-RELEASE) 30 mg tab-cap (PO) | | Price/tab-cap | | | 0.1 g | P | N02AA01 |
| Buyer CRSS | 100 TAB-CAP | 50.75 | 0.5075 | | | | |
| Buyer BDS | 50 TAB-CAP | 41.68 | 0.8336 | TABLETS | | | |
| Buyer OECS/PPS | 50 TAB-CAP | 57.38 | 1.1476 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.8336 | | | | High/Low Ratio=2.26 | | | |
| MOSQUITO NET, 2-PERSON, IMPREGNATED (130 X 180 X 150 CM) net (N/A) | | Price/each | | | | N | V07A |
| Supplier MEDEOR/TZ | 1 EACH | 4.84 | 4.8360 | | | | |
| MOSQUITO NET, 2-PERSON, LLIN (130 X 180 X 150 CM) net (N/A) | | Price/each | | | | N | V04C |
| Supplier IDA | 1 EACH | 5.72 | 5.7224 | POLYESTER | | | |
| Supplier IDA | 1 EACH | 6.01 | 6.0121 | POLYETHYLENE | | | |
| Supplier Median Price/each=5.8673 | | | | High/Low Ratio=1.05 | | | |
| MOSQUITO NET, FAMILY, IMPREGNATED (190 X 180 X 150 CM) net (N/A) | | Price/each | | | | N | V07A |
| Supplier IMRES | 1 EACH | 5.25 | 5.2500 | 75 DENIER, 156 MESH | | | |
| Supplier MEDEOR/TZ | 1 EACH | 5.34 | 5.3430 | | | | |
| Supplier Median Price/each=5.2965 | | | | High/Low Ratio=1.02 | | | |
| MOSQUITO NET, FAMILY, LLIN (190 X 180 X 150 CM) net (N/A) | | Price/each | | | | N | V04C |
| Supplier IDA | 1 EACH | 6.59 | 6.5916 | POLYESTER | | | |
| Supplier IDA | 1 EACH | 7.24 | 7.2435 | POLYETHYLENE | | | |
| Supplier Median Price/each=6.9176 | | | | High/Low Ratio=1.10 | | | |
| Buyer GHANA | 1 EACH | 3.84 | 3.8400 | | | | |
| MOSQUITO NET, IMPREGNATED (100 X 180 X 150 CM) net (N/A) | | Price/each | | | | N | V04C |
| Supplier MEDEOR/TZ | 1 EACH | 4.49 | 4.4850 | | | | |
| MOSQUITO NET, IMPREGNATED (160 X 180 X 150 CM) net (N/A) | | Price/each | | | | N | V04C |
| Supplier MEDEOR/TZ | 1 EACH | 5.07 | 5.0700 | | | | |
| MOSQUITO NET, LLI (1250 X 250 X 65 CM) net (N/A) | | Price/each | | | | N | |
| Buyer GHANA | 1 EACH | 5.41 | 5.4100 | | | | |
| MOSQUITO NET, LLIN (160 X 180 X 150 CM) net (N/A) | | Price/each | | | | N | |
| Supplier IDA | 1 EACH | 6.37 | 6.3743 | POLYESTER | | | |
| Supplier IDA | 1 EACH | 6.59 | 6.5916 | POLYETHYLENE | | | |
| Supplier Median Price/each=6.4830 | | | | High/Low Ratio=1.03 | | | |
| MOXIFLOXACIN 400 mg tab-cap (PO) | | Price/tab-cap | | 0.4 g | | N | |
| Supplier GDF | 5 TAB-CAP | 8.40 | 1.6800 | FILM-COATED, BLISTER PACK TABLETS | | | |
| MUPIROCIN 2% cream (TOP) | | Price/g | | | | E | D06AX09 |
| Buyer BDS | 1 TUBE (15 g) | 3.86 | 0.2573 | OINTMENT | | | |
| Buyer PERU | 1 TUBE (15 g) | 4.29 | 0.2857 | | | | |
| Buyer Median Price/g=0.2715 | | | | High/Low Ratio=1.11 | | | |
| MYCOPHENOLATE MOFETIL 250 mg tab-cap (PO) | | Price/tab-cap | | | | N | |
| Buyer SICA | 100 TAB-CAP | 47.90 | 0.4790 | CAPSULES, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 100 TAB-CAP | 158.79 | 1.5879 | CAPSULES | | | |
| Buyer Median Price/tab-cap=1.0335 | | | | High/Low Ratio=3.32 | | | |
| NALBUFINE CHLORHYDRATE 10 mg/ml vial (INJ) | | Price/ml | | 80 mg | | N | N02AF02 |
| Buyer DOMREPUB | 1 AMP (1 ml) | 1.61 | 1.6078 | | | | |
| NALIDIXIC ACID 250 mg/5 ml suspen (PO) | | Price/ml | | 4 g | | N | J01MB02 |
| Buyer NAMIBIA | 1 BOTT (100 ml) | 3.68 | 0.0368 | | | | |
| NALIDIXIC ACID 30 mcg disc (PO) | | Price/each | | | | N | V07AR |
| Supplier JMS | 100 DISC (1 EACH) | 4.78 | 0.0478 | | | | |
| NALIDIXIC ACID 500 mg tab-cap (PO) | | Price/tab-cap | | 4 g | | N | J01MB02 |
| Supplier MEDS | 1000 TAB-CAP | 32.86 | 0.0329 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|----------------|---|----------------------|---------------------------------|-----------------------------|------------|----------------|
| NALIDIXIC ACID 500 mg tab-cap (PO) | | | Price/tab-cap | | 4 g | N | J01MB02 |
| Supplier IDA | 1000 TAB-CAP | 38.25 | 0.0382 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 39.05 | 0.0390 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 44.88 | 0.0450 | TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 4.89 | 0.0489 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 50.00 | 0.0500 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 62.80 | 0.0629 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0450 | | | High/Low Ratio=1.91 | | |
| Buyer CAMERWA | 500 TAB-CAP | 19.04 | 0.0381 | TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 8.32 | 0.0832 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 14.41 | 0.1441 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 15.55 | 0.1555 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.1137 | | | High/Low Ratio=4.08 | | |
| NALOXONE HCL 0.02 mg/ml vial (INJ) | | | Price/ml | | | P | V03AB15 |
| Buyer NAMIBIA | 10 VIAL (2 ml) | 11.31 | 0.5655 | NEONATAL | | | |
| NALOXONE HCL 0.4 mg/ml ampoule (INJ) | | | Price/ml | | | E | V03AB15 |
| Supplier MEG | 10 AMP (1 ml) | 7.01 | 0.7010 | | | | |
| Supplier JMS | 10 AMP (1 ml) | 9.25 | 0.9247 | | | | |
| Supplier MISSION | 10 AMP (1 ml) | 9.42 | 0.9417 | | | | |
| Supplier IMRES | 10 AMP (1 ml) | 13.00 | 1.3000 | | | | |
| Supplier IDA | 10 AMP (1 ml) | 17.24 | 1.7240 | | | | |
| Supplier DURBIN | 10 AMP (1 ml) | 18.06 | 1.8064 | | | | |
| | | Supplier Median Price/ml=1.1209 | | | High/Low Ratio=2.58 | | |
| Buyer OECS/PPS | 10 AMP (1 ml) | 6.60 | 0.6600 | | | | |
| Buyer NAMIBIA | 10 AMP (1 ml) | 6.85 | 0.6852 | | | | |
| Buyer CAMERWA | 10 AMP (1 ml) | 7.80 | 0.7802 | | | | |
| Buyer BDS | 10 AMP (1 ml) | 11.70 | 1.1698 | | | | |
| | | Buyer Median Price/ml=0.7327 | | | High/Low Ratio=1.77 | | |
| NAPROXEN 250 mg tab-cap (PO) | | | Price/tab-cap | | 0.5 g | E | M01AE02 |
| Supplier IDA | 1000 TAB-CAP | 24.41 | 0.0245 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 2.15 | 0.0215 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 28 TAB-CAP | 0.94 | 0.0335 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 4.01 | 0.0401 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0335 | | | High/Low Ratio=1.87 | | |
| NAPROXEN 500 mg tab-cap (PO) | | | Price/tab-cap | | 0.5 g | N | M01AE02 |
| Buyer PERU | 100 TAB-CAP | 3.78 | 0.0378 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 100 TAB-CAP | 6.55 | 0.0655 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0517 | | | High/Low Ratio=1.73 | | |
| NELFINAVIR (NFV) 250 mg tab-cap (PO) | | | Price/tab-cap | | 2.25 g | E | J05AE04 |
| Supplier SCMS | 270 TAB-CAP | 140.30 | 0.5196 | AS MESILATE, TABLETS | | | |
| NELFINAVIR (NFV) 50 mg/g powder (PO) | | | Price/g | | 2.25 g | E | J05AE04 |
| Supplier SCMS | 1 JAR (144 g) | 42.57 | 0.2956 | | | | |
| NEOMYCIN+BACITRACIN 5mg+500IU/g ointment (TOP) | | | Price/g | | | N | D06AX04 |
| Supplier MEG | 10 TUBE (15 g) | 5.15 | 0.0343 | | | | |
| Supplier IDA | 10 TUBE (15 g) | 5.79 | 0.0387 | | | | |
| Supplier DURBIN | 10 TUBE (15 g) | 6.42 | 0.0429 | | | | |
| Supplier IMRES | 1 TUBE (15 g) | 0.67 | 0.0447 | | | | |
| Supplier MISSION | 1 TUBE (15 g) | 0.72 | 0.0482 | | | | |
| | | Supplier Median Price/g=0.0429 | | | High/Low Ratio=1.41 | | |
| Buyer BUFMAR | 1 JAR (1000 g) | 23.97 | 0.0240 | | | | |
| NEOSTIGMINE METHYLSULFATE 0.5 mg/ml ampoule (INJ) | | | Price/ml | | 60 mg | E | N07AA01 |
| Supplier IMRES | 100 AMP (1 ml) | 11.40 | 0.1140 | | | | |
| Supplier JMS | 100 AMP (1 ml) | 14.40 | 0.1440 | | | | |
| Supplier DURBIN | 100 AMP (1 ml) | 20.63 | 0.2063 | | | | |
| Supplier MISSION | 100 AMP (1 ml) | 39.62 | 0.3962 | | | | |
| Supplier MEDEOR/TZ | 5 AMP (1 ml) | 11.93 | 2.3850 | | | | |
| | | Supplier Median Price/ml=0.2063 | | | High/Low Ratio=20.92 | | |
| NEOSTIGMINE METHYLSULFATE 2.5 mg/ml ampoule (INJ) | | | Price/ml | | | E | N07AA01 |
| Supplier MEDEOR/TZ | 5 AMP (1 ml) | 0.91 | 0.1812 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-----------------|-------------------------|----------------------|--------------------------------------|--------------------------------------|---------------------------------|-------------|
| NEOSTIGMINE METHYLSULFATE 2.5 mg/ml ampoule (INJ) | | | Price/ml | | | E | N07AA01 |
| Supplier MISSION | 100 AMP (1 ml) | 42.81 | 0.4281 | | | | |
| Buyer NAMIBIA | 10 AMP (1 ml) | 3.85 | 0.3855 | Supplier Median Price/ml=0.3047 | High/Low Ratio=2.36 | | |
| Buyer BDS | 10 AMP (1 ml) | 22.50 | 2.2495 | | | | |
| Buyer BOTSWANA | 1 AMP (1 ml) | 7.40 | 7.4020 | Buyer Median Price/ml=2.2495 | High/Low Ratio=19.20 | | |
| NEVIRAPINE (FOR ORAL SUSPENSION) 50 mg tab-cap (PO) | | | Price/tab-cap | | 0.4 g | P | |
| Supplier SCMS | 30 TAB-CAP | 1.31 | 0.0438 | TABLETS | | | |
| NEVIRAPINE (NVP) 200 mg tab-cap (PO) | | | Price/tab-cap | | 0.4 g | E | J05AG01 |
| Supplier SCMS | 60 TAB-CAP | 2.71 | 0.0452 | TABLETS | | | |
| Supplier IDA | 60 TAB-CAP | 4.78 | 0.0797 | TABLETS | | | |
| Supplier MEG | 60 TAB-CAP | 5.11 | 0.0852 | TABLETS | | | |
| Supplier DURBIN | 60 TAB-CAP | 15.58 | 0.2596 | TABLETS | | | |
| Buyer CAMERWA | 60 TAB-CAP | 2.71 | 0.0452 | Supplier Median Price/tab-cap=0.0825 | High/Low Ratio=5.74 | TABLETS | |
| Buyer GHANA | 60 TAB-CAP | 2.75 | 0.0458 | | | TABLETS | |
| Buyer NAMIBIA | 60 TAB-CAP | 2.83 | 0.0472 | | | TABLETS | |
| Buyer BDS | 60 TAB-CAP | 4.63 | 0.0772 | Buyer Median Price/tab-cap=0.0465 | High/Low Ratio=1.71 | TABLETS | |
| NEVIRAPINE (NVP) 50 mg/5 ml suspen (PO) | | | Price/ml | | 0.4 g | E | J05AG01 |
| Supplier SCMS | 1 BOTT (240 ml) | 2.05 | 0.0085 | WITH SYRINGE | | | |
| Supplier IDA | 1 BOTT (240 ml) | 3.11 | 0.0130 | | | | |
| Supplier MEG | 1 BOTT (100 ml) | 1.84 | 0.0184 | SOLUTION | Supplier Median Price/ml=0.0130 | High/Low Ratio=2.16 | |
| Buyer NAMIBIA | 1 BOTT (240 ml) | 5.52 | 0.0230 | | | | |
| Buyer BDS | 1 BOTT (240 ml) | 57.36 | 0.2390 | Buyer Median Price/ml=0.1310 | High/Low Ratio=10.39 | | |
| NICLOSAMIDE 500 mg tab-cap (PO) | | | Price/tab-cap | | 2 g | E | P02DA01 |
| Buyer SUDANNHIF | 100 TAB-CAP | 9.27 | 0.0927 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| NICLOSAMIDE (CHEWABLE) 500 mg tab-cap (PO) | | | Price/tab-cap | | 2 g | E | P02DA01 |
| Supplier MISSION | 1000 TAB-CAP | 6.13 | 0.0061 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 28.34 | 0.0284 | TABLETS | Supplier Median Price/tab-cap=0.0173 | High/Low Ratio=4.66 | |
| Buyer CAMERWA | 1000 TAB-CAP | 34.35 | 0.0344 | | | | |
| NIFEDIPINE 10 mg tab-cap (PO) | | | Price/tab-cap | | 30 mg | E | C08CA05 |
| Supplier MISSION | 1000 TAB-CAP | 4.27 | 0.0043 | FILM-COATED TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 13.25 | 0.0133 | TABLETS | | | |
| Supplier IMRES | 100 TAB-CAP | 1.75 | 0.0175 | FILM-COATED TABLETS, BLISTER PACK | | | |
| Supplier JMS | 100 TAB-CAP | 3.27 | 0.0327 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.00 | 0.0029 | Supplier Median Price/tab-cap=0.0154 | High/Low Ratio=7.60 | BLISTER PACK TABLETS | |
| Buyer CAMERWA | 100 TAB-CAP | 0.49 | 0.0049 | | | TABLETS | |
| Buyer MEMS | 100 TAB-CAP | 2.90 | 0.0290 | | | TABLETS | |
| Buyer BDS | 100 TAB-CAP | 4.31 | 0.0431 | | | TABLETS | |
| Buyer SUDANNHIF | 100 TAB-CAP | 5.69 | 0.0569 | Buyer Median Price/tab-cap=0.0290 | High/Low Ratio=19.62 | TABLETS, ILLUSTRATIVE PACK SIZE | |
| NIFEDIPINE (SUSTAINED-RELEASE) 20 mg tab-cap (PO) | | | Price/tab-cap | | 30 mg | T | C08CA05 |
| Supplier MEDS | 1000 TAB-CAP | 3.69 | 0.0037 | TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 0.87 | 0.0087 | TABLETS | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 23.32 | 0.0233 | BLISTER PACK TABLETS | | | |
| Supplier IMRES | 100 TAB-CAP | 2.50 | 0.0250 | COATED TABLETS, BLISTER PACK | | | |
| Supplier DURBIN | 100 TAB-CAP | 3.05 | 0.0305 | TABLETS | | | |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 3.46 | 0.0346 | TABLETS | | | |
| Supplier IDA | 100 TAB-CAP | 3.48 | 0.0348 | TABLETS | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 1.50 | 0.0150 | Supplier Median Price/tab-cap=0.0250 | High/Low Ratio=9.41 | TABLETS | |
| Buyer MEMS | 100 TAB-CAP | 1.93 | 0.0193 | | | TABLETS | |
| Buyer BDS | 100 TAB-CAP | 2.12 | 0.0212 | | | TABLETS, 10 X 10 | |
| Buyer SUDANNHIF | 100 TAB-CAP | 9.10 | 0.0910 | | | TABLETS, ILLUSTRATIVE PACK SIZE | |
| Buyer BOTSWANA | 60 TAB-CAP | 7.97 | 0.1328 | Buyer Median Price/tab-cap=0.0212 | High/Low Ratio=8.85 | TABLETS | |
| NIMODIPINE 30 mg tab-cap (PO) | | | Price/tab-cap | | 0.3 g | T | C08CA06 |
| Buyer BDS | 30 TAB-CAP | 8.60 | 0.2867 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-------------------|--------------------------------------|----------------------|---------------------------------|------------------------|------------|-------------|
| NIMODIPINE 30 mg tab-cap (PO) | | Price/tab-cap | | 0.3 g | | T | C08CA06 |
| NITRAZEPAM 5 mg tab-cap (PO) | | Price/tab-cap | | 5 mg | | N | N05CD02 |
| Buyer BDS | 100 TAB-CAP | 3.57 | 0.0357 | TABLETS | | | |
| NITROFURANTOIN 100 mg tab-cap (PO) | | Price/tab-cap | | 0.2 g | | E | J01XE01 |
| Supplier JMS | 1000 TAB-CAP | 4.76 | 0.0048 | TABLETS | | | |
| Supplier MEDS | 1000 TAB-CAP | 5.93 | 0.0059 | TABLETS | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 6.48 | 0.0065 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 8.56 | 0.0086 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 10.21 | 0.0103 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 10.31 | 0.0103 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 12.80 | 0.0128 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 12.85 | 0.0128 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0095 | | High/Low Ratio=2.67 | | | |
| Buyer MEMS | 1000 TAB-CAP | 7.26 | 0.0073 | TABLETS | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 10.78 | 0.0108 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 3.57 | 0.0357 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 4.17 | 0.0417 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0233 | | High/Low Ratio=5.71 | | | |
| NITROFURANTOIN 300 mcg disc (DIAG) | | Price/each | | N | | V07AR | |
| Supplier UNFPA | 250 DISC (1 EACH) | 12.50 | 0.0500 | 5 X 50 DISCS | | | |
| NITROFURANTOIN 50 mcg disc (DIAG) | | Price/each | | N | | V07AR | |
| Supplier JMS | 100 DISC (1 EACH) | 5.62 | 0.0562 | | | | |
| NITROFURAZONE 0.2% ointment (TOP) | | Price/g | | N | | D08AF | |
| Buyer DOMREPUB | 1 TUBE (30 g) | 0.37 | 0.0122 | | | | |
| NITROUS OXIDE gas (INH) | | Price/kg | | E | | N01AX13 | |
| Buyer BOTSWANA | 1 BOTT (1.60 KG) | 8.43 | 5.2710 | | | | |
| NOREpinephrine 1 mg/ml vial (INJ) | | Price/ml | | 6 mg | | N | C01CA03 |
| Buyer BDS | 10 VIAL (4 ml) | 27.79 | 0.6948 | | | | |
| NORETHISTERONE 0.35 mg tab-cap (PO) | | Price/cycle | | P | | G03DC02 | |
| Buyer NAMIBIA | 1 CYCLE | 4.12 | 4.1169 | 28 TABLETS | | | |
| NORETHISTERONE 200 mg/ml ampoule (INJ) | | Price/ml | | E | | G03AC01 | |
| Supplier UNFPA | 1 AMP (1 ml) | 1.36 | 1.3600 | ENANTHATE | | | |
| Buyer NAMIBIA | 100 AMP (1 ml) | 198.46 | 1.9846 | ENANTHATE | | | |
| NORETHISTERONE 5 mg tab-cap (PO) | | Price/tab-cap | | 5 mg | | E | G03DC02 |
| Supplier MEDS | 100 TAB-CAP | 7.88 | 0.0788 | TABLETS | | | |
| Supplier IDA | 30 TAB-CAP | 2.39 | 0.0797 | TABLETS | | | |
| Supplier MISSION | 30 TAB-CAP | 3.04 | 0.1014 | TABLETS, BLISTER 3 X 10 | | | |
| Supplier JMS | 30 TAB-CAP | 3.77 | 0.1257 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0906 | | High/Low Ratio=1.60 | | | |
| Buyer BDS | 1000 TAB-CAP | 31.95 | 0.0320 | TABLETS, 10 X 100 | | | |
| Buyer OECS/PPS | 30 TAB-CAP | 2.25 | 0.0750 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 10.99 | 0.1099 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer MEMS | 30 TAB-CAP | 5.94 | 0.1980 | TABLETS | | | |
| Buyer BOTSWANA | 30 TAB-CAP | 12.21 | 0.4071 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.1099 | | High/Low Ratio=12.72 | | | |
| NORETHISTERONE+ESTRADIOL CYPIONATE (IN OIL) 50mg+5mg/ml vial (INJ) | | Price/ml | | N | | G03AA05 | |
| Supplier UNFPA | 1 AMP (1 ml) | 0.85 | 0.8500 | | | | |
| NORFLOXACIN 400 mg tab-cap (PO) | | Price/tab-cap | | 0.8 g | | T | J01MA06 |
| Supplier MEDS | 100 TAB-CAP | 1.94 | 0.0194 | TABLETS | | | |
| Supplier UNFPA | 1000 TAB-CAP | 23.00 | 0.0230 | FILM-COATED | | | |
| Supplier IDA | 100 TAB-CAP | 7.24 | 0.0724 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0230 | | High/Low Ratio=3.73 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 18.93 | 0.0189 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 4.42 | 0.0442 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-----------------|-------------------------|----------------------|---|------------------------|------------|-------------|
| NORFLOXACIN 400 mg tab-cap (PO) <i>Buyer</i> BDS | 100 TAB-CAP | 9.05 | 0.0905 | Price/tabcap TABLETS Buyer Median Price/tabcap=0.0442 | 0.8 g | T | J01MA06 |
| NOSCAPINE 15 mg tab-cap (PO) <i>Supplier</i> DURBIN | 1000 TAB-CAP | 46.48 | 0.0466 | Price/tabcap TABLETS | 0.125 g | N | R05DA07 |
| <i>Buyer</i> CAMERWA | 1000 TAB-CAP | 28.95 | 0.0290 | TABLETS | | | |
| NYSTATIN 100,000 IU pessary (VAG) <i>Supplier</i> IMRES | 100 PESS | 2.50 | 0.0250 | Price/pessary | 0.1 MU | E | G01AA01 |
| <i>Supplier</i> MEG | 100 PESS | 2.64 | 0.0264 | | | | |
| <i>Supplier</i> UNFPA | 100 PESS | 2.85 | 0.0285 | | | | |
| <i>Supplier</i> IDA | 100 PESS | 3.04 | 0.0304 | | | | |
| <i>Supplier</i> MEDEOR/TZ | 100 PESS | 3.49 | 0.0349 | | | | |
| <i>Supplier</i> MEDEOR/EU | 1000 PESS | 36.51 | 0.0365 | | | | |
| <i>Supplier</i> JMS | 100 PESS | 3.69 | 0.0369 | | | | |
| <i>Supplier</i> MISSION | 100 PESS | 4.64 | 0.0464 | | | | |
| <i>Supplier</i> DURBIN | 100 PESS | 4.82 | 0.0482 | | | | |
| | | | | Supplier Median Price/pessary=0.0349 | | | |
| <i>Buyer</i> CAMERWA | 1000 PESS | 11.91 | 0.0119 | | | | |
| <i>Buyer</i> BUFMAR | 100 PESS | 4.48 | 0.0448 | | | | |
| | | | | Buyer Median Price/pessary=0.0284 | | | |
| | | | | | High/Low Ratio=1.93 | | |
| | | | | | High/Low Ratio=3.76 | | |
| NYSTATIN 100,000 IU tab-cap (PO) <i>Supplier</i> MEG | 100 TAB-CAP | 1.92 | 0.0192 | Price/tabcap TABLETS | 1.5 MU | E | A07AA02 |
| <i>Supplier</i> UNFPA | 500 TAB-CAP | 11.00 | 0.0220 | | | | |
| <i>Supplier</i> IMRES | 500 TAB-CAP | 11.40 | 0.0228 | | | | |
| <i>Supplier</i> MISSION | 100 TAB-CAP | 2.71 | 0.0271 | | | | |
| <i>Supplier</i> MEDEOR/TZ | 100 TAB-CAP | 2.95 | 0.0295 | | | | |
| <i>Supplier</i> IDA | 100 TAB-CAP | 3.04 | 0.0304 | | | | |
| | | | | Supplier Median Price/tabcap=0.0250 | | | |
| | | | | | High/Low Ratio=1.58 | | |
| NYSTATIN 100,000 IU/g cream (TOP) <i>Supplier</i> MISSION | 1 TUBE (30 g) | 1.00 | 0.0333 | Price/g | P | D01AA01 | |
| <i>Buyer</i> NAMIBIA | 1 TUBE (15 g) | 1.20 | 0.0799 | | | | |
| NYSTATIN 100,000 IU/g ointment (TOP) <i>Supplier</i> MEG | 50 TUBE (30 g) | 38.18 | 0.0255 | Price/g | P | D01AA01 | |
| <i>Supplier</i> IDA | 10 TUBE (30 g) | 8.33 | 0.0278 | | | | |
| <i>Supplier</i> DURBIN | 10 TUBE (30 g) | 9.63 | 0.0321 | | | | |
| <i>Supplier</i> IMRES | 50 TUBE (30 g) | 50.00 | 0.0333 | | | | |
| <i>Supplier</i> MISSION | 1 TUBE (30 g) | 1.04 | 0.0348 | | | | |
| <i>Supplier</i> JMS | 1 TUBE (30 g) | 1.09 | 0.0365 | | | | |
| <i>Supplier</i> MEDEOR/EU | 50 TUBE (20 g) | 45.05 | 0.0451 | | | | |
| | | | | Supplier Median Price/g=0.0333 | | | |
| <i>Buyer</i> CAMERWA | 1 TUBE (30 g) | 0.56 | 0.0186 | | | | |
| <i>Buyer</i> SAFRICA | 1 TUBE (15 g) | 1.91 | 0.1274 | | | | |
| | | | | Buyer Median Price/g=0.0730 | | | |
| | | | | | High/Low Ratio=1.77 | | |
| | | | | | High/Low Ratio=6.85 | | |
| NYSTATIN 100000 IU/ml suspen (PO) <i>Supplier</i> JMS | 1 BOTT (30 ml) | 0.47 | 0.0156 | Price/ml | 1.5 MU | P | A07AA02 |
| <i>Supplier</i> MISSION | 1 BOTT (30 ml) | 0.68 | 0.0227 | | | | |
| <i>Supplier</i> IMRES | 1 BOTT (30 ml) | 0.70 | 0.0233 | | | | |
| <i>Supplier</i> IDA | 1 BOTT (30 ml) | 0.72 | 0.0242 | | | | |
| <i>Supplier</i> MEDEOR/TZ | 1 BOTT (30 ml) | 0.86 | 0.0288 | | | | |
| <i>Supplier</i> MEG | 50 BOTT (30 ml) | 53.22 | 0.0355 | | | | |
| <i>Supplier</i> UNFPA | 50 BOTT (30 ml) | 58.50 | 0.0390 | | | | |
| <i>Supplier</i> DURBIN | 10 BOTT (30 ml) | 14.05 | 0.0469 | | | | |
| <i>Supplier</i> MEDEOR/EU | 25 BOTT (30 ml) | 38.39 | 0.0511 | | | | |
| | | | | Supplier Median Price/ml=0.0288 | | | |
| | | | | | High/Low Ratio=3.28 | | |
| <i>Buyer</i> CAMERWA | 1 BOTT (30 ml) | 0.43 | 0.0145 | | | | |
| <i>Buyer</i> DOMREPUB | 1 BOTT (30 ml) | 0.52 | 0.0172 | | | | |
| <i>Buyer</i> MEMS | 1 BOTT (30 ml) | 0.58 | 0.0194 | | | | |
| <i>Buyer</i> SAFRICA | 1 BOTT (50 ml) | 1.01 | 0.0202 | | | | |
| <i>Buyer</i> BDS | 1 BOTT (30 ml) | 1.74 | 0.0579 | | | | |
| <i>Buyer</i> OECS/PPS | 1 BOTT (30 ml) | 2.44 | 0.0813 | | | | |
| <i>Buyer</i> PERU | 1 BOTT (12 ml) | 1.02 | 0.0849 | | | | |
| | | | | Buyer Median Price/ml=0.0202 | | | |
| | | | | | High/Low Ratio=5.86 | | |

WHO EML = <E>sential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|---------------|---|----------------------|--|------------------------|------------|-------------|
| NYSTATIN 500,000 IU tab-cap (PO) | | | | Price/tab-cap | 1.5 MU | E | A07AA02 |
| Supplier JMS | 100 TAB-CAP | 2.49 | 0.0249 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 44.89 | 0.0449 | TABLETS | | | |
| Supplier DURBIN | 100 TAB-CAP | 5.38 | 0.0538 | COATED TABLETS | | | |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 6.48 | 0.0648 | TABLETS | | | |
| Supplier UNFPA | 100 TAB-CAP | 6.50 | 0.0650 | TABLETS | | | |
| Supplier IMRES | 100 TAB-CAP | 7.50 | 0.0750 | TABLETS | | | |
| Supplier IDA | 100 TAB-CAP | 8.76 | 0.0876 | COATED TABLETS | | | |
| Supplier MISSION | 100 TAB-CAP | 13.55 | 0.1355 | COATED TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0649 | | High/Low Ratio=5.44 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 37.80 | 0.0378 | TABLETS | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 40.80 | 0.0408 | TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 5.74 | 0.0574 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 35.33 | 0.3533 | FILM-COATED TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0491 | | High/Low Ratio=9.35 | | | |
| OCTREOTIDE 0.1 mg/ml ampoule (INJ) | | | | Price/ml | 0.7 mg | N | H01CB02 |
| Buyer CRSS | 1 AMP (1 ml) | 9.06 | 9.0600 | | | | |
| Buyer BDS | 5 AMP (1 ml) | 96.97 | 19.3936 | | | | |
| | | Buyer Median Price/ml=14.2268 | | High/Low Ratio=2.14 | | | |
| OFLOXACIN 0.3% oph drop (OPHT) | | | | Price/ml | | P | S01AX11 |
| Buyer NAMIBIA | 1 BOTT (5 ml) | 1.69 | 0.3381 | | | | |
| Buyer BDS | 1 BOTT (5 ml) | 2.90 | 0.5792 | | | | |
| | | Buyer Median Price/ml=0.4587 | | High/Low Ratio=1.71 | | | |
| OFLOXACIN 200 mg tab-cap (PO) | | | | Price/tab-cap | 0.4 g | C | J01MA01 |
| Supplier IDA | 100 TAB-CAP | 4.49 | 0.0449 | TABLETS | | | |
| Supplier GDF | 100 TAB-CAP | 5.00 | 0.0500 | 10 X 10 BLISTER PACK FILM-COATED TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0475 | | High/Low Ratio=1.11 | | | |
| Buyer BDS | 100 TAB-CAP | 10.72 | 0.1072 | TABLETS | | | |
| Buyer SAFRICA | 30 TAB-CAP | 9.67 | 0.3223 | FILM-COATED TABLETS, PATIENT-READY PACK | | | |
| Buyer SAFRICA | 10 TAB-CAP | 3.87 | 0.3868 | FILM-COATED TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.3223 | | High/Low Ratio=3.61 | | | |
| OFLOXACIN 400 mg tab-cap (PO) | | | | Price/tab-cap | 0.4 g | C | J01MA01 |
| Supplier IDA | 100 TAB-CAP | 8.04 | 0.0804 | TABLETS | | | |
| Supplier GDF | 100 TAB-CAP | 9.00 | 0.0900 | 10 X 10 BLISTER PACK FILM-COATED TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0852 | | High/Low Ratio=1.12 | | | |
| Buyer BDS | 100 TAB-CAP | 17.86 | 0.1786 | TABLETS | | | |
| Buyer SAFRICA | 28 TAB-CAP | 21.76 | 0.7773 | FILM-COATED TABLET, PATIENT-READY PACK | | | |
| | | Buyer Median Price/tab-cap=0.4780 | | High/Low Ratio=4.35 | | | |
| OMEPRAZOLE 10 mg tab-cap (PO) | | | | Price/tab-cap | 20 mg | E | A02BC01 |
| Buyer CRSS | 100 TAB-CAP | 5.88 | 0.0588 | CAPSULES | | | |
| OMEPRAZOLE 20 mg tab-cap (PO) | | | | Price/tab-cap | 20 mg | E | A02BC01 |
| Supplier IDA | 1000 TAB-CAP | 11.44 | 0.0114 | CAPSULES | | | |
| Supplier MEDS | 30 TAB-CAP | 0.50 | 0.0167 | TABLETS WITH ENTERIC COATED GRANULES | | | |
| Supplier JMS | 100 TAB-CAP | 1.71 | 0.0171 | CAPSULES | | | |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 1.89 | 0.0189 | CAPSULES | | | |
| Supplier DURBIN | 100 TAB-CAP | 3.21 | 0.0321 | CAPSULES | | | |
| Supplier MEDEOR/EU | 100 TAB-CAP | 7.75 | 0.0775 | CAPSULES | | | |
| Supplier DURBIN | 14 TAB-CAP | 1.61 | 0.1146 | CAPSULES | | | |
| Supplier IMRES | 14 TAB-CAP | 2.00 | 0.1429 | CAPSULES | | | |
| | | Supplier Median Price/tab-cap=0.0255 | | High/Low Ratio=12.54 | | | |
| Buyer OECS/PPS | 300 TAB-CAP | 3.00 | 0.0100 | TABLET | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 10.38 | 0.0104 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0112 | BLISTER PACK CAPSULES | | | |
| Buyer MEMS | 100 TAB-CAP | 1.64 | 0.0164 | CAPSULES | | | |
| Buyer PERU | 100 TAB-CAP | 1.66 | 0.0166 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 15 TAB-CAP | 0.44 | 0.0292 | CAPSULES | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 6.90 | 0.0690 | CAPSULES, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BOTSWANA | 28 TAB-CAP | 2.01 | 0.0719 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0165 | | High/Low Ratio=7.19 | | | |
| OMEPRAZOLE 40 mg tab-cap (PO) | | | | Price/tab-cap | 20 mg | E | A02BC01 |
| Supplier MEDS | 14 TAB-CAP | 1.32 | 0.0939 | TABLETS | | | |
| Buyer BDS | 14 TAB-CAP | 3.27 | 0.2336 | TABLETS | | | |
| ONDANSETRON 2 mg/ml ampoule (INJ) | | | | Price/ml | 16 mg | E | A04AA01 |
| Supplier IDA | 5 AMP (2 ml) | 7.71 | 0.7707 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|---------------------|-------------------------|--|--|-----------------------------|------------|-------------|
| ONDANSETRON 2 mg/ml ampoule (INJ) | | | Price/ml | | 16 mg | E | A04AA01 |
| Buyer PERU | 100 AMP (4 ml) | 23.75 | 0.0594 | ILLUSTRATIVE NUMBER OF AMPS | | | |
| Buyer BDS | 10 AMP (4 ml) | 2.61 | 0.0652 | | | | |
| Buyer OECS/PPS | 10 VIAL (2 ml) | 2.15 | 0.1075 | | | | |
| Buyer NAMIBIA | 5 AMP (4 ml) | 3.75 | 0.1873 | | | | |
| | | | Buyer Median Price/ml=0.0864 | | High/Low Ratio=3.15 | | |
| ONDANSETRON 4 mg tab-cap (PO) | | | Price/tab-cap | | 16 mg | E | A04AA01 |
| Supplier IDA | 30 TAB-CAP | 5.26 | 0.1753 | BLISTER PACK TABLETS | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 1.85 | 0.0185 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 2.28 | 0.0228 | TABLETS | | | |
| | | | Buyer Median Price/tab-cap=0.0207 | | High/Low Ratio=1.23 | | |
| ONDANSETRON 8 mg tab-cap (PO) | | | Price/tab-cap | | 16 mg | E | A04AA01 |
| Buyer PERU | 100 TAB-CAP | 15.69 | 0.1569 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer NAMIBIA | 10 TAB-CAP | 68.57 | 6.8566 | TABLETS | | | |
| | | | Buyer Median Price/tab-cap=3.5068 | | High/Low Ratio=43.70 | | |
| ORAL REHYDRATION SALTS 1 PKT/1 l powder (PO) | | | Price/packet | | | E | A07CA |
| Supplier MEDEOR/TZ | 100 PACKET | 7.36 | 0.0736 | | | | |
| Supplier IMRES | 50 PACKET | 4.60 | 0.0920 | 20.5 G, 2004 WHO FORMULA | | | |
| Supplier MEG | 100 PACKET | 10.43 | 0.1043 | 20.5 G, NEW WHO FORMULA | | | |
| Supplier DURBIN | 100 PACKET | 10.44 | 0.1044 | 20.5 G; NEW 2003 WHO FORMULA | | | |
| Supplier IDA | 100 PACKET | 10.50 | 0.1050 | LOW OSMOLARITY, 20.5 G | | | |
| Supplier MISSION | 100 PACKET | 11.88 | 0.1188 | WHO REDUCED OSMOLARITY FORMULA, 20.5 G | | | |
| Supplier MEDEOR/EU | 100 PACKET | 12.89 | 0.1289 | 20.5 G | | | |
| | | | Supplier Median Price/packet=0.1044 | | High/Low Ratio=1.75 | | |
| Buyer CAMERWA | 100 PACKET | 7.23 | 0.0723 | 20.5 G | | | |
| Buyer DOMREPUB | 1 PACKET | 0.09 | 0.0856 | | | | |
| Buyer MEMS | 1 PACKET | 0.11 | 0.1089 | | | | |
| Buyer NAMIBIA | 100 PACKET | 13.22 | 0.1322 | | | | |
| Buyer PERU | 100 PACKET | 16.68 | 0.1668 | 20.5 G, ILLUSTRATIVE NUMBER OF PACKETS | | | |
| Buyer OECS/PPS | 100 PACKET | 18.60 | 0.1860 | | | | |
| | | | Buyer Median Price/packet=0.1206 | | High/Low Ratio=2.57 | | |
| ORAL REHYDRATION SALTS 1 pkt/500 ml powder (PO) | | | Price/packet | | | E | A07CA |
| Supplier MEDS | 20 PACKET | 0.79 | 0.0394 | FLAVORED | | | |
| OXACILLIN 1 g vial (INJ) | | | Price/vial | | 2 g | T | J01CF04 |
| Buyer PERU | 1 VIAL | 0.30 | 0.2984 | | | | |
| OXACILLIN 1 mcg disc (N/A) | | | Price/each | | | N | V07AR |
| Supplier JMS | 100 DISC (1 EACH) | 4.21 | 0.0421 | | | | |
| Supplier UNFPA | 250 DISC (1 EACH) | 12.50 | 0.0500 | 5 X 50 DISCS | | | |
| | | | Supplier Median Price/each=0.0461 | | High/Low Ratio=1.19 | | |
| Buyer CAMERWA | 200 EACH | 42.56 | 0.2128 | | | | |
| OXALIPLATIN 50 mg vial (INJ) | | | Price/vial | | | T | |
| Buyer CRSS | 1 VIAL | 158.98 | 158.9800 | | | | |
| OXYBUPROCAINE 0.4% opht drop (OPHT) | | | Price/ml | | | N | S01HA02 |
| Buyer NAMIBIA | 1 BOTT (3 ml) | 1.72 | 0.5750 | | | | |
| OXYGEN gas (INH) | | | Price/cubmeter | | | E | V03AN |
| Supplier JMS | 1 BOTT (6.80 CUBME) | 11.55 | 1.6985 | | | | |
| Supplier JMS | 1 BOTT (1.50 CUBME) | 3.23 | 2.1560 | | | | |
| Supplier JMS | 1 BOTT (3.50 CUBME) | 9.24 | 2.6400 | | | | |
| | | | Supplier Median Price/cubmeter=2.1560 | | High/Low Ratio=1.55 | | |
| OXYTOCIN 10 IU ampoule (INJ) | | | Price/ml | | 15 U | E | H01BB02 |
| Supplier JMS | 10 AMP (1 ml) | 0.67 | 0.0666 | | | | |
| Supplier MEDEOR/TZ | 100 AMP (1 ml) | 11.53 | 0.1153 | | | | |
| Supplier IMRES | 100 AMP (1 ml) | 13.20 | 0.1320 | | | | |
| Supplier MISSION | 100 AMP (1 ml) | 14.63 | 0.1463 | | | | |
| Supplier IDA | 100 AMP (1 ml) | 15.14 | 0.1514 | | | | |
| Supplier UNFPA | 100 AMP (1 ml) | 20.00 | 0.2000 | | | | |
| Supplier DURBIN | 100 AMP (1 ml) | 22.08 | 0.2208 | | | | |
| Supplier MEG | 100 AMP (1 ml) | 25.65 | 0.2565 | | | | |
| Supplier MEDEOR/EU | 50 AMP (1 ml) | 13.26 | 0.2651 | | | | |
| | | | Supplier Median Price/ml=0.1514 | | High/Low Ratio=3.98 | | |
| Buyer DOMREPUB | 1 AMP (1 ml) | 0.04 | 0.0368 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|----------------|--------------------------------------|----------------------|--|------------------------|------------|-------------|
| OXYTOCIN 10 IU ampoule (INJ) | | | Price/ml | | 15 U | E | H01BB02 |
| Buyer PERU | 100 AMP (1 ml) | 5.32 | 0.0532 | ILLUSTRATIVE NUMBER OF AMPS | | | |
| Buyer BDS | 100 AMP (1 ml) | 21.84 | 0.2184 | | | | |
| Buyer OECS/PPS | 100 AMP (1 ml) | 29.00 | 0.2900 | | | | |
| Buyer BOTSWANA | 1 AMP (1 ml) | 0.73 | 0.7289 | | | | |
| | | Buyer Median Price/ml=0.2184 | | High/Low Ratio=19.81 | | | |
| OXYTOCIN 5 IU ampoule (INJ) | | | Price/ml | | 15 U | P | H01BB02 |
| Supplier UNFPA | 100 AMP (1 ml) | 10.00 | 0.1000 | | | | |
| Supplier IMRES | 100 AMP (1 ml) | 10.50 | 0.1050 | | | | |
| Supplier MEDEOR/TZ | 10 AMP (1 ml) | 11.16 | 1.1160 | | | | |
| | | Supplier Median Price/ml=0.1050 | | High/Low Ratio=11.16 | | | |
| Buyer MEMS | 1 AMP (1 ml) | 0.26 | 0.2587 | | | | |
| Buyer NAMIBIA | 5 AMP (1 ml) | 2.79 | 0.5577 | | | | |
| | | Buyer Median Price/ml=0.4082 | | High/Low Ratio=2.16 | | | |
| P-AMINOSALICYLIC ACID (PAS) 4 g powder (PO) | | | Price/packet | | 12 g | C | J04AA01 |
| Supplier GDF | 30 PACKET | 46.00 | 1.5333 | ENTERIC-COATED, DELAYED-RELEASE GRANULES | | | |
| P-AMINOSALICYLIC ACID (PAS) 60% w/w granules (PO) | | | Price/g | | | P | |
| Supplier GDF | 1 JAR (100 g) | 16.00 | 0.1600 | ENTERIC-COATED, DELAYED RELEASE | | | |
| P-AMINOSALICYLIC ACID (PAS) (60% W/W) 9.2 g granules (PO) | | | Price/packet | | | P | |
| Supplier GDF | 30 PACKET | 43.50 | 1.4500 | ENTERIC-COATED, DELAYED RELEASE | | | |
| P-AMINOSALICYLIC ACID (PAS) (FOR ORAL SOLUTION) 5.52 g powder (PO) | | | Price/packet | | | P | |
| Supplier GDF | 25 PACKET | 37.50 | 1.5000 | | | | |
| PACLITAXEL 6 mg/ml vial (INJ) | | | Price/ml | | | N | L01CD01 |
| Buyer PERU | 1 VIAL (17 ml) | 13.41 | 0.7889 | | | | |
| Buyer PERU | 1 VIAL (5 ml) | 4.85 | 0.9704 | | | | |
| Buyer BDS | 1 VIAL (5 ml) | 11.64 | 2.3287 | | | | |
| Buyer CRSS | 1 AMP (50 ml) | 144.43 | 2.8886 | | | | |
| | | Buyer Median Price/ml=1.6496 | | High/Low Ratio=3.66 | | | |
| PANCURONIUM BROMIDE 2 mg/ml ampoule (INJ) | | | Price/ml | | | N | M03AC01 |
| Supplier MEG | 100 AMP (2 ml) | 74.16 | 0.3708 | | | | |
| Supplier MEDS | 1 AMP (2 ml) | 0.91 | 0.4551 | | | | |
| Supplier IDA | 100 AMP (2 ml) | 97.06 | 0.4853 | | | | |
| Supplier MISSION | 100 AMP (2 ml) | 128.30 | 0.6415 | | | | |
| Supplier DURBIN | 10 AMP (2 ml) | 12.85 | 0.6423 | | | | |
| Supplier MEDEOR/TZ | 10 AMP (2 ml) | 15.62 | 0.7812 | | | | |
| | | Supplier Median Price/ml=0.5634 | | High/Low Ratio=2.11 | | | |
| Buyer MEMS | 1 AMP (2 ml) | 0.82 | 0.4076 | | | | |
| Buyer OECS/PPS | 10 AMP (2 ml) | 9.00 | 0.4500 | | | | |
| Buyer BDS | 10 AMP (2 ml) | 9.02 | 0.4511 | | | | |
| Buyer NAMIBIA | 10 AMP (2 ml) | 10.37 | 0.5186 | | | | |
| Buyer BOTSWANA | 1 AMP (2 ml) | 13.40 | 6.7017 | | | | |
| | | Buyer Median Price/ml=0.4511 | | High/Low Ratio=16.44 | | | |
| PAPAVERINE 40 mg tab-cap (PO) | | | Price/tab-cap | | | N | A03AD01 |
| Buyer CAMERWA | 10 TAB-CAP | 3.31 | 0.3310 | TABLETS | | | |
| PARACETAMOL 100 mg suppos (RECT) | | | Price/supp | | 3 g | E | N02BE01 |
| Supplier IMRES | 100 SUPP | 6.75 | 0.0675 | | | | |
| PARACETAMOL 100 mg tab-cap (PO) | | | Price/tab-cap | | 3 g | E | N02BE01 |
| Supplier MEDS | 1000 TAB-CAP | 1.12 | 0.0011 | TABLETS | | | |
| Supplier UNFPA | 1000 TAB-CAP | 1.95 | 0.0020 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 2.25 | 0.0023 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 2.33 | 0.0023 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 2.41 | 0.0024 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 2.46 | 0.0025 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 2.78 | 0.0028 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0023 | | High/Low Ratio=2.55 | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|------------------|---|----------------------|---------------------------------------|------------------------|------------|-------------|
| PARACETAMOL 100 mg tab-cap (PO) | | | | Price/tab-cap | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 1.65 | 0.0016 | TABLETS | 3 g | E | N02BE01 |
| Buyer CAMERWA | 1000 TAB-CAP | 1.68 | 0.0017 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0017 | | High/Low Ratio=1.06 | | | |
| PARACETAMOL 100 mg/ml suspen (PO) | | | | Price/ml | | | |
| Supplier UNFPA | 1 BOTT (15 ml) | 0.25 | 0.0167 | DROPS | 3 g | P | N02BE01 |
| Buyer PERU | 100 BOTT (10 ml) | 23.05 | 0.0231 | ILLUSTRATIVE NUMBER OF BOTTLES | | | |
| PARACETAMOL 120 mg/5 ml suspen (PO) | | | | Price/ml | | | |
| Supplier MEDS | 1 BOTT (5000 ml) | 3.64 | 0.0007 | | 3 g | P | N02BE01 |
| Supplier MEDS | 1 BOTT (1000 ml) | 0.99 | 0.0010 | | | | |
| Supplier JMS | 1 BOTT (100 ml) | 0.33 | 0.0033 | SYRUP | | | |
| Supplier MEDEOR/TZ | 1 BOTT (100 ml) | 0.33 | 0.0033 | SYRUP | | | |
| Supplier MEG | 1 BOTT (100 ml) | 0.38 | 0.0038 | SYRUP | | | |
| Supplier IMRES | 10 BOTT (100 ml) | 4.10 | 0.0041 | | | | |
| Supplier MISSION | 1 BOTT (100 ml) | 0.46 | 0.0046 | | | | |
| Supplier DURBIN | 1 BOTT (2000 ml) | 9.79 | 0.0050 | ALCOHOL FREE | | | |
| Supplier UNFPA | 25 BOTT (100 ml) | 21.00 | 0.0084 | | | | |
| Supplier IDA | 140 BOTT (60 ml) | 71.93 | 0.0085 | SOLUTION | | | |
| Supplier MEDEOR/EU | 25 BOTT (100 ml) | 24.34 | 0.0097 | | | | |
| | | Supplier Median Price/ml=0.0041 | | High/Low Ratio=13.86 | | | |
| Buyer DOMREPUB | 1 BOTT (120 ml) | 0.32 | 0.0027 | | | | |
| Buyer NAMIBIA | 1 BOTT (2500 ml) | 7.91 | 0.0032 | ELIXIR | | | |
| Buyer PERU | 100 BOTT (60 ml) | 21.70 | 0.0036 | SYRUP, ILLUSTRATIVE NUMBER OF BOTTLES | | | |
| Buyer MEMS | 1 BOTT (100 ml) | 0.39 | 0.0039 | | | | |
| Buyer BOTSWANA | 1 BOTT (100 ml) | 0.66 | 0.0066 | | | | |
| Buyer OECS/PPS | 1 BOTT (125 ml) | 1.08 | 0.0086 | 125 MG/5 ML | | | |
| | | Buyer Median Price/ml=0.0038 | | High/Low Ratio=3.19 | | | |
| PARACETAMOL 125 mg suppos (RECT) | | | | Price/supp | | | |
| Supplier MEG | 100 SUPP | 6.59 | 0.0659 | | 3 g | P | N02BE01 |
| Supplier MEDEOR/EU | 250 SUPP | 18.62 | 0.0745 | | | | |
| Supplier DURBIN | 100 SUPP | 7.55 | 0.0755 | | | | |
| Supplier MEDS | 10 SUPP | 0.98 | 0.0977 | | | | |
| Supplier IDA | 100 SUPP | 9.85 | 0.0985 | 120 MG | | | |
| Supplier MEDEOR/TZ | 10 SUPP | 2.37 | 0.2370 | | | | |
| | | Supplier Median Price/supp=0.0866 | | High/Low Ratio=3.60 | | | |
| Buyer OECS/PPS | 10 SUPP | 0.86 | 0.0860 | | | | |
| Buyer CAMERWA | 100 SUPP | 9.01 | 0.0901 | | | | |
| Buyer BDS | 100 SUPP | 14.82 | 0.1482 | | | | |
| Buyer SUDANNHIF | 100 SUPP | 15.16 | 0.1516 | ILLUSTRATIVE PACK SIZE | | | |
| Buyer MEMS | 10 SUPP | 2.38 | 0.2376 | | | | |
| | | Buyer Median Price/supp=0.1482 | | High/Low Ratio=2.76 | | | |
| PARACETAMOL 250 mg suppos (RECT) | | | | Price/supp | | | |
| Supplier MEDEOR/EU | 250 SUPP | 20.93 | 0.0837 | | 3 g | P | N02BE01 |
| Supplier MEDS | 10 SUPP | 1.00 | 0.0999 | | | | |
| Supplier MEDEOR/TZ | 10 SUPP | 2.73 | 0.2730 | | | | |
| Supplier JMS | 5 SUPP | 1.43 | 0.2855 | | | | |
| | | Supplier Median Price/supp=0.1865 | | High/Low Ratio=3.41 | | | |
| Buyer SUDANNHIF | 100 SUPP | 22.74 | 0.2274 | ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 10 SUPP | 3.64 | 0.3639 | | | | |
| Buyer OECS/PPS | 10 SUPP | 11.44 | 1.1440 | 240 MG | | | |
| | | Buyer Median Price/supp=0.3639 | | High/Low Ratio=5.03 | | | |
| PARACETAMOL 500 mg suppos (RECT) | | | | Price/supp | | | |
| Buyer OECS/PPS | 500 SUPP | 6.00 | 0.0120 | | 3 g | P | N02BE01 |
| PARACETAMOL 500 mg tab-cap (PO) | | | | Price/tab-cap | | | |
| Supplier JMS | 1000 TAB-CAP | 3.22 | 0.0032 | TABLETS | 3 g | E | N02BE01 |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 3.60 | 0.0036 | TABLETS | | | |
| Supplier MEDS | 1000 TAB-CAP | 3.65 | 0.0037 | TABLETS | | | |
| Supplier UNFPA | 1000 TAB-CAP | 4.10 | 0.0041 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 4.85 | 0.0048 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 5.00 | 0.0050 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 5.07 | 0.0051 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 5.14 | 0.0051 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 7.11 | 0.0071 | TABLETS | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 9.56 | 0.0096 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0049 | | High/Low Ratio=3.00 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 3.46 | 0.0035 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-------------------|-----------------------------------|----------------------|---------------------------------|------------------------|------------|-------------|
| PARACETAMOL 500 mg tab-cap (PO) | | | | Price/tab-cap | 3 g | E | N02BE01 |
| Buyer MEMS | 1000 TAB-CAP | 3.76 | 0.0038 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.00 | 0.0039 | BLISTER PACK TABLETS | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 4.78 | 0.0048 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 0.65 | 0.0065 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer NAMIBIA | 5000 TAB-CAP | 34.79 | 0.0070 | TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 7.83 | 0.0078 | TABLETS | | | |
| Buyer BOTSWANA | 1000 TAB-CAP | 8.15 | 0.0081 | TABLETS | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 9.00 | 0.0090 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 1.12 | 0.0112 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0068 | | High/Low Ratio=3.20 | | | |
| PARAFFIN, LIQUID (MINERAL OIL) liquid (TOP) | | | | Price/ml | | N | V03A |
| Supplier MEDS | 1 BOTT (5000 ml) | 14.49 | 0.0029 | | | | |
| Supplier IDA | 1 BOTT (1000 ml) | 10.36 | 0.0104 | | | | |
| | | Supplier Median Price/ml=0.0067 | | High/Low Ratio=3.59 | | | |
| Buyer BOTSWANA | 1 BOTT (2500 ml) | 17.00 | 0.0068 | | | | |
| Buyer BDS | 1 BOTT (2000 ml) | 25.14 | 0.0126 | | | | |
| Buyer MEMS | 1 BOTT (100 ml) | 2.64 | 0.0264 | | | | |
| | | Buyer Median Price/ml=0.0126 | | High/Low Ratio=3.88 | | | |
| PARAFFIN, WHITE SOFT ointment (TOP) | | | | Price/g | | N | D02AC |
| Supplier IDA | 1 JAR (2500 g) | 23.54 | 0.0094 | PETROLEUM JELLY | | | |
| Supplier DURBIN | 1 JAR (500 g) | 5.22 | 0.0104 | | | | |
| | | Supplier Median Price/g=0.0099 | | High/Low Ratio=1.11 | | | |
| Buyer BOTSWANA | 1 JAR (500 g) | 4.20 | 0.0084 | | | | |
| Buyer BDS | 1 JAR (3000 g) | 26.46 | 0.0088 | | | | |
| | | Buyer Median Price/g=0.0086 | | High/Low Ratio=1.05 | | | |
| PENICILLAMINE 250 mg tab-cap (PO) | | | | Price/tab-cap | 0.5 g | C | M01CC01 |
| Buyer CRSS | 100 TAB-CAP | 19.50 | 0.1950 | CAPSULES | | | |
| PENICILLIN 2 IU disc (N/A) | | | | Price/each | | N | V07AR |
| Supplier JMS | 100 DISC (1 EACH) | 5.62 | 0.0562 | | | | |
| PENICILLIN G 10 units disc (N/A) | | | | Price/each | | N | V07AR |
| Supplier JMS | 100 DISC (1 EACH) | 4.41 | 0.0441 | | | | |
| Supplier UNFPA | 250 DISC (1 EACH) | 12.50 | 0.0500 | 5 X 50 DISCS | | | |
| | | Supplier Median Price/each=0.0471 | | High/Low Ratio=1.13 | | | |
| PENICILLIN, BENZATHINE BENZYL (1.44 G OF PEN. G) 2.4 MU powder (INJ) | | | | Price/vial | 3.6 g | E | J01CE08 |
| Supplier JMS | 10 VIAL | 1.84 | 0.1837 | | | | |
| Supplier UNFPA | 50 VIAL | 9.30 | 0.1860 | | | | |
| Supplier MEG | 50 VIAL | 10.10 | 0.2020 | | | | |
| Supplier MEDS | 1 VIAL | 0.23 | 0.2331 | | | | |
| Supplier MEDEOR/TZ | 50 VIAL | 13.15 | 0.2631 | | | | |
| Supplier MISSION | 50 VIAL | 15.75 | 0.3149 | | | | |
| Supplier DURBIN | 50 VIAL | 16.06 | 0.3211 | | | | |
| Supplier IMRES | 10 VIAL | 3.40 | 0.3400 | | | | |
| Supplier IDA | 50 VIAL | 50.78 | 1.0155 | | | | |
| Supplier MEDEOR/EU | 50 VIAL | 57.15 | 1.1430 | | | | |
| | | Supplier Median Price/vial=0.2890 | | High/Low Ratio=6.22 | | | |
| Buyer CAMERWA | 50 VIAL | 9.14 | 0.1828 | | | | |
| Buyer DOMREPUB | 1 VIAL | 0.20 | 0.1955 | | | | |
| Buyer MEMS | 1 VIAL | 0.25 | 0.2508 | | | | |
| Buyer BUFMAR | 50 VIAL | 14.40 | 0.2880 | | | | |
| Buyer SUDANNHIF | 100 VIAL | 29.85 | 0.2985 | ILLUSTRATIVE NUMBER OF VIALS | | | |
| Buyer OECS/PPS | 50 VIAL | 20.60 | 0.4120 | | | | |
| Buyer BOTSWANA | 1 VIAL | 0.59 | 0.5873 | | | | |
| Buyer BDS | 50 VIAL | 32.01 | 0.6402 | | | | |
| Buyer SAFRICA | 1 VIAL | 0.99 | 0.9866 | | | | |
| Buyer NAMIBIA | 50 VIAL | 53.88 | 1.0776 | | | | |
| | | Buyer Median Price/vial=0.3553 | | High/Low Ratio=5.89 | | | |
| PENICILLIN, BENZATHINE BENZYL (720 MG OF PEN. G) 1.2 MU powder (INJ) | | | | Price/vial | 3.6 g | P | J01CE08 |
| Supplier MEG | 50 VIAL | 5.95 | 0.1190 | | | | |
| Supplier MISSION | 50 VIAL | 8.40 | 0.1680 | | | | |
| Supplier IMRES | 10 VIAL | 2.10 | 0.2100 | | | | |
| Supplier IDA | 50 VIAL | 13.55 | 0.2709 | | | | |
| | | Supplier Median Price/vial=0.1890 | | High/Low Ratio=2.28 | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|------------------|-------------------------|----------------------|--|------------------------|------------|-------------|
| PENICILLIN, BENZATHINE BENZYL (720 MG OF PEN. G) 1.2 MU powder (INJ) | | | Price/vial | | 3.6 g | P | J01CE08 |
| Buyer DOMREPUB | 1 VIAL | 0.10 | 0.1049 | | | | |
| Buyer SUDANNHIF | 100 VIAL | 14.14 | 0.1414 | ILLUSTRATIVE NUMBER OF VIALS | | | |
| Buyer PERU | 100 VIAL | 16.01 | 0.1601 | ILLUSTRATIVE NUMBER OF VIALS | | | |
| Buyer SAFRICA | 1 VIAL | 0.65 | 0.6486 | | | | |
| Buyer Median Price/vial=0.1508 | | | | High/Low Ratio=6.18 | | | |
| PENICILLIN, BENZYL (3 G, PEN. G) 5 MU powder (INJ) | | | Price/vial | | 3.6 g | E | J01CE01 |
| Supplier MEG | 50 VIAL | 9.40 | 0.1880 | | | | |
| Supplier MEDS | 1 VIAL | 0.22 | 0.2220 | | | | |
| Supplier JMS | 50 VIAL | 11.89 | 0.2379 | | | | |
| Supplier IMRES | 50 VIAL | 12.35 | 0.2470 | | | | |
| Supplier MEDEOR/TZ | 50 VIAL | 12.60 | 0.2520 | | | | |
| Supplier MISSION | 50 VIAL | 13.69 | 0.2738 | | | | |
| Supplier IDA | 50 VIAL | 17.89 | 0.3578 | | | | |
| Supplier Median Price/vial=0.2470 | | | | High/Low Ratio=1.90 | | | |
| Buyer DOMREPUB | 1 VIAL | 0.20 | 0.2041 | | | | |
| Buyer MEMS | 1 VIAL | 0.23 | 0.2310 | | | | |
| Buyer CAMERWA | 50 VIAL | 16.89 | 0.3377 | | | | |
| Buyer OECS/PPS | 50 VIAL | 25.90 | 0.5180 | | | | |
| Buyer BOTSWANA | 1 VIAL | 0.59 | 0.5949 | | | | |
| Buyer BDS | 50 VIAL | 37.02 | 0.7405 | | | | |
| Buyer SAFRICA | 1 VIAL | 1.10 | 1.0962 | | | | |
| Buyer Median Price/vial=0.5180 | | | | High/Low Ratio=5.37 | | | |
| PENICILLIN, BENZYL (600 MG, PEN. G) 1 MU powder (INJ) | | | Price/vial | | 3.6 g | E | J01CE01 |
| Supplier UNFPA | 50 VIAL | 2.79 | 0.0558 | | | | |
| Supplier MEG | 50 VIAL | 3.25 | 0.0650 | POTASSIUM | | | |
| Supplier MEDS | 1 VIAL | 0.07 | 0.0666 | | | | |
| Supplier IMRES | 50 VIAL | 3.75 | 0.0750 | | | | |
| Supplier JMS | 50 VIAL | 4.32 | 0.0863 | | | | |
| Supplier IDA | 50 VIAL | 4.35 | 0.0869 | | | | |
| Supplier MISSION | 50 VIAL | 4.93 | 0.0985 | | | | |
| Supplier DURBIN | 50 VIAL | 5.38 | 0.1076 | | | | |
| Supplier MEDEOR/EU | 100 VIAL | 50.85 | 0.5085 | | | | |
| Supplier Median Price/vial=0.0863 | | | | High/Low Ratio=9.11 | | | |
| Buyer PERU | 100 VIAL | 13.05 | 0.1305 | ILLUSTRATIVE NUMBER OF VIALS, WITH DILUENT | | | |
| Buyer OECS/PPS | 50 VIAL | 8.40 | 0.1680 | | | | |
| Buyer BDS | 50 VIAL | 9.83 | 0.1967 | | | | |
| Buyer NAMIBIA | 50 VIAL | 25.02 | 0.5004 | | | | |
| Buyer BOTSWANA | 1 VIAL | 0.59 | 0.5949 | | | | |
| Buyer SAFRICA | 1 VIAL | 0.73 | 0.7282 | | | | |
| Buyer Median Price/vial=0.3486 | | | | High/Low Ratio=5.58 | | | |
| PENICILLIN, PHENOXYMETHYL (PEN. V) 125 mg/5 ml suspen (PO) | | | Price/ml | | 2 g | P | J01CE02 |
| Supplier MEDS | 1 BOTT (100 ml) | 0.44 | 0.0044 | POWDER FOR SYRUP | | | |
| Supplier MEDEOR/TZ | 1 BOTT (100 ml) | 0.53 | 0.0053 | | | | |
| Supplier DURBIN | 1 BOTT (100 ml) | 0.72 | 0.0072 | POWDER FOR SYRUP | | | |
| Supplier MISSION | 1 BOTT (100 ml) | 0.94 | 0.0094 | | | | |
| Supplier IDA | 40 BOTT (100 ml) | 39.63 | 0.0099 | POWDER | | | |
| Supplier IMRES | 1 BOTT (100 ml) | 1.00 | 0.0100 | POWDER | | | |
| Supplier MEDEOR/EU | 40 BOTT (100 ml) | 40.20 | 0.0100 | | | | |
| Supplier Median Price/ml=0.0094 | | | | High/Low Ratio=2.27 | | | |
| Buyer SAFRICA | 1 BOTT (100 ml) | 0.51 | 0.0051 | GRANULES | | | |
| Buyer MEMS | 1 BOTT (100 ml) | 0.57 | 0.0057 | | | | |
| Buyer OECS/PPS | 1 BOTT (100 ml) | 1.25 | 0.0125 | | | | |
| Buyer BDS | 1 BOTT (100 ml) | 1.49 | 0.0149 | | | | |
| Buyer Median Price/ml=0.0091 | | | | High/Low Ratio=2.92 | | | |
| PENICILLIN, PHENOXYMETHYL (PEN. V) 250 mg tab-cap (PO) | | | Price/tab-cap | | 2 g | E | J01CE02 |
| Supplier MEDS | 1000 TAB-CAP | 10.99 | 0.0110 | TABLETS | | | |
| Supplier JMS | 1000 TAB-CAP | 13.28 | 0.0133 | TABLETS | | | |
| Supplier UNFPA | 1000 TAB-CAP | 14.75 | 0.0148 | TABLETS, POTASSIUM | | | |
| Supplier MEG | 1000 TAB-CAP | 14.85 | 0.0149 | SCORED TABLETS | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 15.84 | 0.0158 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 17.42 | 0.0175 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 18.00 | 0.0180 | TABLETS, POTASSIUM | | | |
| Supplier IDA | 1000 TAB-CAP | 18.90 | 0.0189 | TABLETS | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 21.88 | 0.0219 | TABLETS, 400,000 IU | | | |
| Supplier MISSION | 1000 TAB-CAP | 28.18 | 0.0282 | TABLETS | | | |
| Supplier Median Price/tab-cap=0.0167 | | | | High/Low Ratio=2.56 | | | |
| Buyer MEMS | 1000 TAB-CAP | 15.84 | 0.0158 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|---------|-------------------------|----------------------|--|------------------------|------------|-------------|
| PENICILLIN, PHENOXYMETHYL (PEN. V) 250 mg tab-cap (PO) | | | Price/tab-cap | | 2 g | E | J01CE02 |
| Buyer SAFRICA 500 TAB-CAP | | 10.00 | 0.0200 | TABLETS | | | |
| Buyer BUFMAR 1000 TAB-CAP | | 21.57 | 0.0216 | TABLETS | | | |
| Buyer OECS/PPS 1000 TAB-CAP | | 23.00 | 0.0230 | TABLETS | | | |
| Buyer BOTSWANA 1000 TAB-CAP | | 24.09 | 0.0241 | TABLETS | | | |
| Buyer BDS 1000 TAB-CAP | | 37.89 | 0.0379 | TABLETS | | | |
| Buyer NAMIBIA 500 TAB-CAP | | 20.63 | 0.0413 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0230 | | | | High/Low Ratio=2.61 | | | |
| PENICILLIN, PHENOXYMETHYL (PEN. V) 250 mg/5 ml syrup (PO) | | Price/ml | | | 2 g | E | J01CE02 |
| Supplier MEDEOR/EU 50 BOTT (100 ml) | | 78.16 | 0.0156 | | | | |
| Buyer SAFRICA 1 BOTT (100 ml) | | 0.66 | 0.0066 | GRANULES | | | |
| Buyer NAMIBIA 1 BOTT (100 ml) | | 0.95 | 0.0095 | | | | |
| Buyer Median Price/ml=0.0081 | | | | High/Low Ratio=1.44 | | | |
| PENICILLIN, PHENOXYMETHYL (PEN. V) 500 mg tab-cap (PO) | | Price/tab-cap | | | 2 g | P | J01CE02 |
| Supplier IDA 500 TAB-CAP | | 18.23 | 0.0365 | TABLETS | | | |
| PENICILLIN, PROCAINE BENZYL (1.8 G OF PEN. G) 3 MU powder (INJ) | | Price/vial | | | 0.6 g | E | J01CE09 |
| Supplier UNFPA 50 VIAL | | 7.94 | 0.1588 | | | | |
| Supplier MEG 50 VIAL | | 10.72 | 0.2144 | | | | |
| Supplier IMRES 50 VIAL | | 11.60 | 0.2320 | | | | |
| Supplier IDA 50 VIAL | | 13.26 | 0.2651 | | | | |
| Supplier MISSION 50 VIAL | | 15.01 | 0.3002 | | | | |
| Supplier Median Price/vial=0.2320 | | | | High/Low Ratio=1.89 | | | |
| PENICILLIN, PROCAINE BENZYL (2.4 G OF PEN. G) 4 MU powder (INJ) | | Price/vial | | | 0.6 g | P | J01CE09 |
| Supplier JMS 50 VIAL | | 10.00 | 0.2000 | | | | |
| Supplier MEDEOR/TZ 50 VIAL | | 12.91 | 0.2583 | | | | |
| Supplier MEDS 1 VIAL | | 0.27 | 0.2664 | | | | |
| Supplier MISSION 50 VIAL | | 17.46 | 0.3491 | FORTIFIED | | | |
| Supplier Median Price/vial=0.2624 | | | | High/Low Ratio=1.75 | | | |
| Buyer DOMREPUB 1 VIAL | | 0.17 | 0.1717 | | | | |
| Buyer MEMS 1 VIAL | | 0.25 | 0.2508 | | | | |
| Buyer CAMERWA 50 VIAL | | 14.61 | 0.2923 | | | | |
| Buyer Median Price/vial=0.2508 | | | | High/Low Ratio=1.70 | | | |
| PENICILLIN, PROCAINE BENZYL (600 MG OF PEN. G) 1 MU powder (INJ) | | Price/vial | | | 0.6 g | E | J01CE09 |
| Supplier UNFPA 50 VIAL | | 3.62 | 0.0724 | | | | |
| Supplier IDA 50 VIAL | | 4.49 | 0.0898 | | | | |
| Supplier MISSION 50 VIAL | | 6.95 | 0.1391 | | | | |
| Supplier Median Price/vial=0.0898 | | | | High/Low Ratio=1.92 | | | |
| Buyer PERU 100 VIAL | | 16.52 | 0.1652 | ILLUSTRATIVE NUMBER OF VIALS, WITH DILUENT | | | |
| PENICILLIN, PROCAINE+BENZYL 3 MU+1 MU vial (INJ) | | Price/vial | | | 0.6 g | P | J01CE30 |
| Supplier MEG 50 VIAL | | 11.54 | 0.2308 | POWDER | | | |
| Supplier IMRES 50 VIAL | | 13.70 | 0.2740 | | | | |
| Supplier DURBIN 50 VIAL | | 15.66 | 0.3131 | POWDER | | | |
| Supplier IDA 50 VIAL | | 19.63 | 0.3926 | POWDER | | | |
| Supplier MEDEOR/EU 50 VIAL | | 42.30 | 0.8460 | POWDER | | | |
| Supplier Median Price/vial=0.3131 | | | | High/Low Ratio=3.67 | | | |
| Buyer BUFMAR 50 VIAL | | 13.25 | 0.2650 | | | | |
| PENTAZOCINE (IC) 30 mg/ml ampoule (INJ) | | Price/ml | | | 0.2 g | N | N02AD01 |
| Supplier IDA 100 AMP (1 ml) | | 17.72 | 0.1772 | | | | |
| Supplier MISSION 100 AMP (1 ml) | | 23.61 | 0.2361 | | | | |
| Supplier Median Price/ml=0.2067 | | | | High/Low Ratio=1.33 | | | |
| PERINDOPRIL 4 mg tab-cap (PO) | | Price/tab-cap | | | 4 mg | T | C09AA04 |
| Buyer NAMIBIA 28 TAB-CAP | | 1.31 | 0.0466 | TABLETS | | | |
| Buyer BDS 100 TAB-CAP | | 12.44 | 0.1244 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0855 | | | | High/Low Ratio=2.67 | | | |
| PERMETHRIN 1% lotion (TOP) | | Price/ml | | | E | P03AC04 | |
| Supplier IDA 1 BOTT (100 ml) | | 3.31 | 0.0331 | | | | |
| Buyer OECS/PPS 1 BOTT (60 ml) | | 6.50 | 0.1083 | SOLUTION | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE | |
|--|------------------|---|----------------------|-------------------------------|------------------------|------------|-------------|---------|
| PERMETHRIN 2.5% ointment (TOP) | | | | Price/g | | P | P03AC04 | |
| Supplier MEDEOR/EU | 15 TUBE (100 g) | 37.59 | 0.0251 | | | | | |
| Supplier MEDEOR/TZ | 1 TUBE (100 g) | 4.16 | 0.0416 | | | | | |
| | | Supplier Median Price/g=0.0334 | | High/Low Ratio=1.66 | | | | |
| PERMETHRIN (ANTI-SCABIES) 1% ointment (TOP) | | | | Price/g | | P | P03AC04 | |
| Buyer OECS/PPS | 1 BOTT (60 g) | 7.50 | 0.1250 | CREAM | | | | |
| PETHIDINE (IC) 50 mg tab-cap (PO) | | | | Price/tab-cap | | 0.4 g | E | N02AB02 |
| Buyer OECS/PPS | 50 TAB-CAP | 9.45 | 0.1890 | TABLETS | | | | |
| Buyer BDS | 50 TAB-CAP | 13.10 | 0.2620 | TABLETS | | | | |
| | | Buyer Median Price/tab-cap=0.2255 | | High/Low Ratio=1.39 | | | | |
| PETHIDINE HCL (IC) 50 mg/ml ampoule (INJ) | | | | Price/ml | | 0.4 g | E | N02AB02 |
| Supplier JMS | 10 AMP (2 ml) | 4.81 | 0.2403 | | | | | |
| Supplier MEDS | 10 AMP (2 ml) | 5.33 | 0.2664 | | | | | |
| Supplier IDA | 10 AMP (2 ml) | 6.62 | 0.3308 | | | | | |
| Supplier MISSION | 10 AMP (2 ml) | 10.79 | 0.5396 | | | | | |
| | | Supplier Median Price/ml=0.2986 | | High/Low Ratio=2.25 | | | | |
| Buyer OECS/PPS | 10 AMP (2 ml) | 3.92 | 0.1960 | | | | | |
| Buyer NAMIBIA | 10 AMP (2 ml) | 4.00 | 0.2000 | | | | | |
| Buyer OECS/PPS | 10 AMP (1.10 ml) | 3.62 | 0.3291 | | | | | |
| Buyer BDS | 10 AMP (1.10 ml) | 4.91 | 0.4461 | | | | | |
| Buyer CAMERWA | 10 AMP (1 ml) | 5.87 | 0.5874 | | | | | |
| | | Buyer Median Price/ml=0.3291 | | High/Low Ratio=3.00 | | | | |
| PHENOBARBITAL (IC) 100 mg tab-cap (PO) | | | | Price/tab-cap | | 0.1 g | E | N03AA02 |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 4.13 | 0.0041 | TABLETS | | | | |
| Supplier IDA | 1000 TAB-CAP | 11.32 | 0.0113 | TABLETS | | | | |
| Supplier MISSION | 1000 TAB-CAP | 14.78 | 0.0148 | TABLETS | | | | |
| | | Supplier Median Price/tab-cap=0.0113 | | High/Low Ratio=3.61 | | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 8.83 | 0.0088 | TABLETS | | | | |
| PHENOBARBITAL (IC) 100 mg/ml ampoule (INJ) | | | | Price/ml | | 0.1 g | P | N03AA02 |
| Supplier MEDEOR/TZ | 100 AMP (1 ml) | 22.33 | 0.2233 | | | | | |
| Supplier IDA | 100 AMP (2 ml) | 66.17 | 0.3308 | | | | | |
| | | Supplier Median Price/ml=0.2771 | | High/Low Ratio=1.48 | | | | |
| Buyer CAMERWA | 100 AMP (2 ml) | 27.00 | 0.1350 | | | | | |
| Buyer OECS/PPS | 100 AMP (2 ml) | 53.20 | 0.2660 | | | | | |
| Buyer PERU | 10 AMP (2 ml) | 9.78 | 0.4890 | ILLUSTRATIVE NUMBER OF AMPS | | | | |
| Buyer BDS | 100 AMP (2 ml) | 125.71 | 0.6286 | | | | | |
| | | Buyer Median Price/ml=0.3775 | | High/Low Ratio=4.66 | | | | |
| PHENOBARBITAL (IC) 15 mg tab-cap (PO) | | | | Price/tab-cap | | 0.1 g | E | N03AA02 |
| Buyer BDS | 28 TAB-CAP | 2.59 | 0.0925 | TABLETS | | | | |
| PHENOBARBITAL (IC) 15 mg/5 ml elixir (PO) | | | | Price/ml | | 0.1 g | E | N03AA02 |
| Buyer BOTSWANA | 1 BOTT (100 ml) | 2.30 | 0.0230 | | | | | |
| Buyer NAMIBIA | 1 BOTT (100 ml) | 4.38 | 0.0438 | | | | | |
| | | Buyer Median Price/ml=0.0334 | | High/Low Ratio=1.90 | | | | |
| PHENOBARBITAL (IC) 200 mg/ml vial (INJ) | | | | Price/ml | | 0.1 g | E | N03AA02 |
| Supplier MISSION | 100 AMP (1 ml) | 86.66 | 0.8666 | SODIUM | | | | |
| Supplier JMS | 10 AMP (1 ml) | 35.61 | 3.5614 | | | | | |
| | | Supplier Median Price/ml=2.2140 | | High/Low Ratio=4.11 | | | | |
| Buyer CAMERWA | 100 AMP (1 ml) | 23.89 | 0.2389 | | | | | |
| Buyer GHANA | 10 AMP (1 ml) | 5.73 | 0.5730 | | | | | |
| Buyer BDS | 10 VIAL (1 ml) | 15.28 | 1.5282 | | | | | |
| Buyer NAMIBIA | 10 AMP (1 ml) | 61.77 | 6.1770 | | | | | |
| | | Buyer Median Price/ml=1.0506 | | High/Low Ratio=25.86 | | | | |
| PHENOBARBITAL (IC) 30 mg tab-cap (PO) | | | | Price/tab-cap | | 0.1 g | E | N03AA02 |
| Supplier JMS | 1000 TAB-CAP | 2.67 | 0.0027 | TABLETS | | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 3.60 | 0.0036 | TABLETS | | | | |
| Supplier MEDS | 100 TAB-CAP | 0.40 | 0.0040 | TABLETS | | | | |
| Supplier IDA | 1000 TAB-CAP | 4.85 | 0.0049 | TABLETS | | | | |
| Supplier DURBIN | 1000 TAB-CAP | 7.71 | 0.0077 | TABLETS | | | | |
| | | Supplier Median Price/tab-cap=0.0040 | | High/Low Ratio=2.85 | | | | |
| Buyer GHANA | 1000 TAB-CAP | 4.24 | 0.0042 | 10 X 100 BLISTER PACK TABLETS | | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 5.00 | 0.0050 | TABLETS | | | | |
| Buyer MEMS | 1000 TAB-CAP | 5.94 | 0.0059 | TABLETS | | | | |
| Buyer NAMIBIA | 1000 TAB-CAP | 6.17 | 0.0062 | TABLETS | | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 0.88 | 0.0088 | TABLETS | | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 21.00 | 0.0210 | TABLETS | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|------------------|--|----------------------|---|------------------------|------------|-------------|
| PHENOBARBITAL (IC) 30 mg tab-cap (PO) Buyer BDS | 1000 TAB-CAP | 23.82 Buyer Median Price/tab-cap=0.0062 | 0.0238 0.0060 | Price/tab-cap TABLETS High/Low Ratio=5.67 | 0.1 g | E | N03AA02 |
| PHENOBARBITAL (IC) 50-60 mg tab-cap (PO) Supplier IDA | 1000 TAB-CAP | 6.03 | 0.0060 | 50 MG TABLETS | 0.1 g | E | N03AA02 |
| Supplier MISSION | 1000 TAB-CAP | 9.13 | 0.0091 | 50 MG TABLETS | High/Low Ratio=1.52 | | |
| Buyer GHANA | 1000 TAB-CAP | 5.97 | 0.0060 | 60 MG, 10 X 100 BLISTER PACK TABLETS | | | |
| Buyer BDS | 28 TAB-CAP | 2.18 | 0.0780 | 60 MG TABLETS | High/Low Ratio=13.00 | | |
| Buyer Median Price/tab-cap=0.0420 | | | | | | | |
| PHENOLIC DISINFECTANT (PRINSYL) solution () Supplier DURBIN | 1 BOTT (5000 ml) | 7.95 | 0.0016 | Price/ml CONCENTRATE | | N | V07AV |
| PHENYTOIN 100 mg tab-cap (PO) Supplier MEDEOR/TZ | 500 TAB-CAP | 1.25 | 0.0025 | Price/tab-cap TABLETS | 0.3 g | E | N03AB02 |
| Supplier MISSION | 1000 TAB-CAP | 5.36 | 0.0054 | COATED TABLETS, SODIUM | | | |
| Supplier JMS | 1000 TAB-CAP | 5.83 | 0.0058 | TABLETS | | | |
| Supplier MEDS | 1000 TAB-CAP | 6.33 | 0.0063 | SODIUM, FILM-COATED TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 6.98 | 0.0071 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 8.20 | 0.0082 | SODIUM, COATED TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 10.71 | 0.0107 | TABLETS | | | |
| Supplier MEDEOR/EU | 1800 TAB-CAP | 33.90 | 0.0188 | TABLETS, SODIUM | | | |
| Supplier IDA | 1000 TAB-CAP | 47.20 | 0.0472 | TABLETS, SODIUM | High/Low Ratio=18.88 | | |
| Buyer CAMERWA | 1000 TAB-CAP | 6.20 | 0.0062 | TABLETS | | | |
| Buyer GHANA | 1000 TAB-CAP | 7.96 | 0.0080 | 10 X 100 BLISTER PACK TABLETS | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 18.30 | 0.0183 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 2.64 | 0.0264 | CAPSULES, ILLUSTRATIVE PACK SIZE | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 3.41 | 0.0341 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 6.25 | 0.0625 | FILM-COATED TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 13.31 | 0.1331 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.17 | 0.1694 | BLISTER PACK TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 20.18 | 0.2018 | CAPSULES | High/Low Ratio=32.55 | | |
| Buyer Median Price/tab-cap=0.0341 | | | | | | | |
| PHENYTOIN 125 mg/5 ml suspen (PO) Buyer BDS | 1 BOTT (240 ml) | 29.68 | 0.1237 | Price/ml | 0.3 g | P | N03AB02 |
| Buyer NAMIBIA | 1 BOTT (237 ml) | 29.81 | 0.1258 | | | | |
| Buyer BOTSWANA | 1 BOTT (100 ml) | 29.98 | 0.2998 | Buyer Median Price/ml=0.1258 | High/Low Ratio=2.42 | | |
| PHENYTOIN 50 mg tab-cap (PO) Buyer BDS | 100 TAB-CAP | 20.18 | 0.2018 | Price/tab-cap TABLETS | 0.3 g | E | N03AB02 |
| PHENYTOIN 50 mg/ml ampoule (INJ) Supplier IDA | 5 AMP (5 ml) | 18.67 | 0.7470 | Price/ml | 0.3 g | E | N03AB02 |
| Buyer BDS | 25 AMP (5 ml) | 23.82 | 0.1905 | | | | |
| Buyer OECS/PPS | 10 VIAL (5 ml) | 10.00 | 0.2000 | | | | |
| Buyer DOMREPUB | 1 AMP (5 ml) | 2.87 | 0.5731 | | | | |
| Buyer NAMIBIA | 1 AMP (5 ml) | 12.93 | 2.5854 | Buyer Median Price/ml=0.3866 | High/Low Ratio=13.57 | | |
| PILOCARPINE 2% ophth drop (OPHT) Supplier MEDEOR/TZ | 1 BOTT (5 ml) | 1.65 | 0.3306 | Price/ml | 0.4 ML | E | S01EB01 |
| Supplier MEDS | 1 BOTT (5 ml) | 1.78 | 0.3552 | | | | |
| Supplier IDA | 1 BOTT (10 ml) | 4.20 | 0.4201 | | | | |
| Supplier DURBIN | 1 BOTT (10 ml) | 4.58 | 0.4576 | NITRATE OR HYDROCHLORIDE | | | |
| Supplier MISSION | 1 BOTT (10 ml) | 7.39 | 0.7388 | HYDROCHLORIDE | High/Low Ratio=2.23 | | |
| Buyer OECS/PPS | 1 BOTT (10 ml) | 1.50 | 0.1500 | | | | |
| Buyer BOTSWANA | 1 BOTT (15 ml) | 2.53 | 0.1686 | | | | |
| Buyer BDS | 1 BOTT (10 ml) | 2.95 | 0.2950 | | | | |
| Buyer NAMIBIA | 1 BOTT (10 ml) | 5.38 | 0.5384 | Buyer Median Price/ml=0.2318 | High/Low Ratio=3.59 | | |
| PILOCARPINE 4% ophth drop (OPHT) Supplier JMS | 1 BOTT (15 ml) | 0.62 | 0.0416 | Price/ml | 0.4 ML | E | S01EB01 |
| Supplier MISSION | 1 BOTT (10 ml) | 8.40 | 0.8402 | HYDROCHLORIDE | High/Low Ratio=20.20 | | |
| Supplier Median Price/ml=0.4409 | | | | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|------------------|---|----------------------|-----------------------------|------------------------|------------|----------------|
| PILOCARPINE 4% ophr drop (OPHT) | | | Price/ml | | 0.4 ML | E | S01EB01 |
| Buyer OECS/PPS | 1 BOTT (10 ml) | 2.40 | 0.2400 | NITRATE | | | |
| Buyer BOTSWANA | 1 BOTT (15 ml) | 4.06 | 0.2706 | | | | |
| Buyer BDS | 1 BOTT (10 ml) | 4.47 | 0.4474 | | | | |
| | | Buyer Median Price/ml=0.2706 | | High/Low Ratio=1.86 | | | |
| PIPERACILLIN+TAZOBACTAM 4 mg+0.5 mg vial (INJ) | | | Price/vial | | 14 g | N | J01CR05 |
| Buyer NAMIBIA | 12 VIAL | 311.21 | 25.9343 | 50 ML | | | |
| PIROXICAM 20 mg tab-cap (PO) | | | Price/tab-cap | | 20 mg | N | M01AC01 |
| Supplier JMS | 100 TAB-CAP | 1.98 | 0.0198 | CAPSULES | | | |
| Buyer MEMS | 100 TAB-CAP | 1.52 | 0.0152 | | | | |
| PODOPHYLLIN EMOJI RESIN solid (N/A) | | | Price/kg | | | P | D06BB04 |
| Supplier UNFPA | 1 BOTT (1 KG) | 1250.00 | 1250.0000 | | | | |
| PODOPHYLLUM 25% solution (TOP) | | | Price/ml | | | E | D06BB04 |
| Buyer CAMERWA | 1 BOTT (25 ml) | 8.90 | 0.3562 | | | | |
| Buyer CRSS | 1 BOTT (15 ml) | 148.00 | 9.8667 | | | | |
| | | Buyer Median Price/ml=5.1115 | | High/Low Ratio=27.70 | | | |
| POLYGELINE 3.5% solution (INJ) | | | Price/ml | | | N | B05AA |
| Supplier IDA | 10 BOTT (500 ml) | 52.01 | 0.0104 | 4%, GELOFUSIN | | | |
| Supplier IMRES | 1 BOTT (500 ml) | 5.25 | 0.0105 | 4% | | | |
| Supplier JMS | 1 BOTT (500 ml) | 5.58 | 0.0112 | 4% | | | |
| | | Supplier Median Price/ml=0.0105 | | High/Low Ratio=1.08 | | | |
| Buyer CAMERWA | 20 BOTT (500 ml) | 130.09 | 0.0130 | | | | |
| Buyer PERU | 1 BOTT (500 ml) | 6.74 | 0.0135 | | | | |
| Buyer DOMREPUB | 1 BAG (500 ml) | 12.32 | 0.0246 | | | | |
| Buyer OECS/PPS | 1 BOTT (500 ml) | 13.60 | 0.0272 | 35 GMS | | | |
| | | Buyer Median Price/ml=0.0191 | | High/Low Ratio=2.09 | | | |
| POTASSIUM CHLORIDE 15% vial (INJ) | | | Price/ml | | 3 g | P | B05XA01 |
| Supplier MEDS | 1 AMP (10 ml) | 0.31 | 0.0311 | SLOW IV INFUSION | | | |
| Buyer OECS/PPS | 20 AMP (10 ml) | 6.30 | 0.0315 | 2 MEQ/ML | | | |
| Buyer NAMIBIA | 10 VIAL (10 ml) | 3.31 | 0.0331 | | | | |
| | | Buyer Median Price/ml=0.0323 | | High/Low Ratio=1.05 | | | |
| POTASSIUM CHLORIDE 600 mg tab-cap (PO) | | | Price/tab-cap | | 3 g | P | A12BA01 |
| Buyer NAMIBIA | 500 TAB-CAP | 19.46 | 0.0389 | TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 45.26 | 0.0452 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0421 | | High/Low Ratio=1.16 | | | |
| POTASSIUM CHLORIDE (KCL, 20 MEQ/15 ML) 10% vial (INJ) | | | Price/ml | | 3 g | P | B05XA01 |
| Supplier MISSION | 50 AMP (10 ml) | 16.08 | 0.0322 | | | | |
| Supplier IMRES | 100 AMP (10 ml) | 35.00 | 0.0350 | 100 MG/ML | | | |
| Supplier JMS | 1 AMP (10 ml) | 1.04 | 0.1038 | | | | |
| | | Supplier Median Price/ml=0.0350 | | High/Low Ratio=3.22 | | | |
| POTASSIUM CHLORIDE (SUSTAINED-RELEASE) 600 mg tab-cap (PO) | | | Price/tab-cap | | 3 g | P | A12BA01 |
| Supplier DURBIN | 500 TAB-CAP | 14.45 | 0.0289 | TABLETS | | | |
| Supplier MISSION | 500 TAB-CAP | 18.04 | 0.0361 | TABLETS | | | |
| Supplier IDA | 500 TAB-CAP | 19.27 | 0.0385 | TABLETS | | | |
| Supplier JMS | 500 TAB-CAP | 20.77 | 0.0415 | TABLETS | | | |
| Supplier IMRES | 100 TAB-CAP | 14.25 | 0.1425 | FILM-COATED TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0385 | | High/Low Ratio=4.93 | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 30.00 | 0.0300 | TABLETS | | | |
| Buyer BOTSWANA | 1000 TAB-CAP | 49.85 | 0.0499 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0400 | | High/Low Ratio=1.66 | | | |
| POTASSIUM PERMANGANATE powder (TOP) | | | Price/g | | | E | D08AX06 |
| Supplier MEDEOR/TZ | 1 BAG | 1.06 | 0.0212 | | | | |
| POVIDONE IODINE 10% ointment (TOP) | | | Price/g | | | T | D08AG02 |
| Buyer NAMIBIA | 1 JAR (500 g) | 7.75 | 0.0155 | | | | |
| Buyer BOTSWANA | 1 TUBE (25 g) | 1.10 | 0.0439 | | | | |
| | | Buyer Median Price/g=0.0297 | | High/Low Ratio=2.83 | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE | |
|--|------------------|-------------------------|----------------------|---------------------------------|------------------------|------------|-------------|---------|
| POVIDONE IODINE 10% solution (TOP) | | | Price/ml | | | E | D08AG02 | |
| Supplier MEDS | 1 BOTT (5000 ml) | 11.54 | 0.0023 | AQUEOUS, STABILIZED | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (5000 ml) | 21.60 | 0.0043 | | | | | |
| Supplier UNFPA | 1 BOTT (200 ml) | 1.00 | 0.0050 | | | | | |
| Supplier JMS | 1 BOTT (1000 ml) | 5.08 | 0.0051 | | | | | |
| Supplier MEG | 1 BOTT (200 ml) | 1.18 | 0.0059 | | | | | |
| Supplier IMRES | 1 BOTT (200 ml) | 1.40 | 0.0070 | | | | | |
| Supplier IDA | 80 BOTT (200 ml) | 114.23 | 0.0071 | | | | | |
| Supplier DURBIN | 1 BOTT (500 ml) | 4.82 | 0.0096 | AVAILABLE IODINE 1% | | | | |
| Supplier MISSION | 1 BOTT (200 ml) | 1.96 | 0.0099 | | | | | |
| Supplier MEDEOR/EU | 1 BOTT (200 ml) | 2.54 | 0.0127 | | | | | |
| Supplier Median Price/ml=0.0065 | | | | High/Low Ratio=5.52 | | | | |
| Buyer NAMIBIA | 1 BOTT (5000 ml) | 23.92 | 0.0048 | AQUEOUS SOLUTION | | | | |
| Buyer CAMERWA | 1 BOTT (200 ml) | 1.16 | 0.0058 | | | | | |
| Buyer BOTSWANA | 1 BOTT (1000 ml) | 6.14 | 0.0061 | | | | | |
| Buyer BUFMAR | 1 BOTT (1000 ml) | 6.72 | 0.0067 | | | | | |
| Buyer OECS/PPS | 1 BOTT (5000 ml) | 38.22 | 0.0076 | | | | | |
| Buyer Median Price/ml=0.0061 | | | | High/Low Ratio=1.58 | | | | |
| POVIDONE IODINE (SCRUB) 7.5% liquid (TOP) | | | Price/ml | | | P | D08AG02 | |
| Supplier IDA | 1 BOTT (500 ml) | 17.82 | 0.0356 | | | | | |
| Buyer OECS/PPS | 1 BOTT (500 ml) | 5.53 | 0.0111 | | | | | |
| Buyer NAMIBIA | 1 BOTT (1000 ml) | 12.34 | 0.0123 | | | | | |
| Buyer Median Price/ml=0.0117 | | | | High/Low Ratio=1.11 | | | | |
| PRAZIQUANTEL 600 mg tab-cap (PO) | | | Price/tab-cap | | | 3 g | E | P02BA01 |
| Supplier IMRES | 100 TAB-CAP | 8.00 | 0.0800 | FILM-COATED TABLETS | | | | |
| Supplier IDA | 500 TAB-CAP | 41.76 | 0.0835 | TABLETS | | | | |
| Supplier MEG | 1000 TAB-CAP | 85.83 | 0.0858 | TABLETS | | | | |
| Supplier MEDS | 100 TAB-CAP | 9.82 | 0.0982 | TABLETS | | | | |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 12.09 | 0.1209 | TABLETS | | | | |
| Supplier MISSION | 1000 TAB-CAP | 126.69 | 0.1268 | TABLETS | | | | |
| Supplier DURBIN | 1000 TAB-CAP | 128.46 | 0.1285 | TABLETS | | | | |
| Supplier MEDEOR/EU | 250 TAB-CAP | 37.01 | 0.1481 | TABLETS | | | | |
| Supplier Median Price/tab-cap=0.1096 | | | | High/Low Ratio=1.85 | | | | |
| Buyer BOTSWANA | 9 TAB-CAP | 0.68 | 0.0751 | TABLETS | | | | |
| Buyer MEMS | 100 TAB-CAP | 11.98 | 0.1198 | TABLETS | | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 17.06 | 0.1706 | TABLETS, ILLUSTRATIVE PACK SIZE | | | | |
| Buyer Median Price/tab-cap=0.1198 | | | | High/Low Ratio=2.27 | | | | |
| PRAZOSIN 1 mg tab-cap (PO) | | | Price/tab-cap | | | 5 mg | N | C02CA01 |
| Buyer BDS | 30 TAB-CAP | 1.78 | 0.0595 | TABLETS | | | | |
| PREDNISOLONE 1 mg tab-cap (PO) | | | Price/tab-cap | | | P | H02AB06 | |
| Buyer CRSS | 100 TAB-CAP | 9.60 | 0.0960 | TABLETS | | | | |
| PREDNISOLONE 1% opht drop (OPHT) | | | Price/ml | | | P | S01BA04 | |
| Supplier MEDS | 1 BOTT (10 ml) | 0.51 | 0.0511 | | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (5 ml) | 0.58 | 0.1164 | | | | | |
| Supplier Median Price/ml=0.0838 | | | | High/Low Ratio=2.28 | | | | |
| Buyer MEMS | 1 BOTT (5 ml) | 0.48 | 0.0950 | | | | | |
| Buyer BDS | 1 BOTT (5 ml) | 3.18 | 0.6353 | | | | | |
| Buyer NAMIBIA | 1 BOTT (5 ml) | 6.63 | 1.3257 | | | | | |
| Buyer BOTSWANA | 1 BOTT (5 ml) | 7.81 | 1.5614 | | | | | |
| Buyer Median Price/ml=0.9805 | | | | High/Low Ratio=16.44 | | | | |
| PREDNISOLONE 5 mg tab-cap (PO) | | | Price/tab-cap | | | 10 mg | E | H02AB06 |
| Supplier JMS | 1000 TAB-CAP | 4.62 | 0.0046 | TABLETS | | | | |
| Supplier MEDS | 1000 TAB-CAP | 6.38 | 0.0064 | TABLETS | | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 6.48 | 0.0065 | TABLETS | | | | |
| Supplier UNFPA | 1000 TAB-CAP | 7.00 | 0.0070 | TABLETS | | | | |
| Supplier MEG | 1000 TAB-CAP | 8.00 | 0.0080 | TABLETS | | | | |
| Supplier DURBIN | 1000 TAB-CAP | 8.43 | 0.0085 | TABLETS | | | | |
| Supplier IMRES | 1000 TAB-CAP | 9.80 | 0.0098 | TABLETS | | | | |
| Supplier MEDEOR/EU | 3500 TAB-CAP | 42.30 | 0.0120 | TABLETS | | | | |
| Supplier MISSION | 1000 TAB-CAP | 12.68 | 0.0127 | TABLETS | | | | |
| Supplier IDA | 1000 TAB-CAP | 13.38 | 0.0134 | TABLETS | | | | |
| Supplier Median Price/tab-cap=0.0083 | | | | High/Low Ratio=2.91 | | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 5.89 | 0.0059 | TABLETS | | | | |
| Buyer MEMS | 1000 TAB-CAP | 6.01 | 0.0060 | TABLETS | | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 7.18 | 0.0072 | TABLETS | | | | |
| Buyer CRSS | 100 TAB-CAP | 0.99 | 0.0099 | TABLETS | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-----------------|-------------------------|----------------------|---|-----------------------------|------------|----------------|
| PREDNISOLONE 5 mg tab-cap (PO) | | | | Price/tab-cap | 10 mg | E | H02AB06 |
| Buyer BDS | 1000 TAB-CAP | 10.95 | 0.0110 | TABLETS | | | |
| Buyer OECS/PPS | 10 TAB-CAP | 0.14 | 0.0140 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 2.36 | 0.0236 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | | | Buyer Median Price/tab-cap=0.0099 | High/Low Ratio=4.00 | | |
| PREDNISOLONE 5 mg/5 ml suspen (PO) | | | | Price/ml | 10 mg | P | H02AB06 |
| Buyer BDS | 1 BOTT (120 ml) | 3.97 | 0.0331 | ORAL SOLUTION | | | |
| Buyer OECS/PPS | 1 BOTT (125 ml) | 5.80 | 0.0464 | | | | |
| | | | | Buyer Median Price/ml=0.0398 | High/Low Ratio=1.40 | | |
| PREDNISOLONE ACETATE 25 mg/ml ampoule (INJ) | | | | Price/ml | 10 mg | P | H02AB06 |
| Supplier MEDEOR/EU | 100 AMP (1 ml) | 60.27 | 0.6027 | | | | |
| PREDNISONE 5 mg tab-cap (PO) | | | | Price/tab-cap | 10 mg | T | H02AB07 |
| Buyer PERU | 100 TAB-CAP | 0.67 | 0.0067 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0141 | BLISTER PACK TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.0104 | High/Low Ratio=2.10 | | |
| PREDNISONE 50 mg tab-cap (PO) | | | | Price/tab-cap | 10 mg | N | H02AB07 |
| Buyer PERU | 100 TAB-CAP | 5.02 | 0.0502 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| PRIMAQUINE (BASE) 15 mg tab-cap (PO) | | | | Price/tab-cap | 15 mg | E | P01BA03 |
| Supplier MEG | 1000 TAB-CAP | 11.50 | 0.0115 | PHOSPHATE, FILM-COATED TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 12.35 | 0.0124 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 15.92 | 0.0159 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 24.09 | 0.0241 | TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.0142 | High/Low Ratio=2.10 | | |
| PRIMIDONE 250 mg tab-cap (PO) | | | | Price/tab-cap | 1.25 g | N | N03AA03 |
| Buyer CRSS | 100 TAB-CAP | 4.75 | 0.0475 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 26.65 | 0.2665 | TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.1570 | High/Low Ratio=5.61 | | |
| PROBENECID 500 mg tab-cap (PO) | | | | Price/tab-cap | 1 g | N | M04AB01 |
| Supplier UNFPA | 1000 TAB-CAP | 160.00 | 0.1600 | TABLETS | | | |
| PROCAINAMIDE HCL 100 mg/ml vial (INJ) | | | | Price/ml | 3 g | N | C01BA02 |
| Buyer BDS | 1 VIAL (10 ml) | 5.95 | 0.5954 | | | | |
| PROCHLORPERAZINE 12.5 mg/ml ampoule (INJ) | | | | Price/ml | 50 mg | N | N05AB04 |
| Buyer NAMIBIA | 10 AMP (1 ml) | 9.40 | 0.9400 | | | | |
| Buyer BDS | 10 AMP (1 ml) | 13.90 | 1.3895 | | | | |
| Buyer BOTSWANA | 1 AMP (1 ml) | 7.04 | 7.0360 | | | | |
| | | | | Buyer Median Price/ml=1.3895 | High/Low Ratio=7.49 | | |
| PROCHLORPERAZINE 5 mg tab-cap (PO) | | | | Price/tab-cap | 0.1 g | T | N05AB04 |
| Buyer OECS/PPS | 1000 TAB-CAP | 12.26 | 0.0123 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 1.47 | 0.0147 | TABLETS, 10 X 10 | | | |
| Buyer BOTSWANA | 250 TAB-CAP | 5.24 | 0.0210 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 3.75 | 0.0375 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | | | Buyer Median Price/tab-cap=0.0179 | High/Low Ratio=3.05 | | |
| PROGUANIL 100 mg tab-cap (PO) | | | | Price/tab-cap | 0.2 g | E | P01BB01 |
| Supplier MEDS | 56 TAB-CAP | 1.32 | 0.0236 | TABLETS | | | |
| Supplier UNFPA | 500 TAB-CAP | 23.00 | 0.0460 | TABLETS, HYDROCHLORIDE | | | |
| Supplier DURBIN | 500 TAB-CAP | 24.49 | 0.0490 | TABLETS | | | |
| Supplier JMS | 56 TAB-CAP | 15.99 | 0.2856 | TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.0475 | High/Low Ratio=12.10 | | |
| Buyer MEMS | 56 TAB-CAP | 17.16 | 0.3064 | TABLETS | | | |
| PROMETHAZINE HCL 25 mg tab-cap (PO) | | | | Price/tab-cap | 25 mg | T | R06AD02 |
| Supplier MEDS | 1000 TAB-CAP | 1.83 | 0.0018 | TABLETS | | | |
| Supplier JMS | 1000 TAB-CAP | 1.90 | 0.0019 | TABLETS | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 2.72 | 0.0027 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 4.42 | 0.0045 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 4.50 | 0.0045 | FILM-COATED TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 5.50 | 0.0055 | FILM-COATED TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 5.59 | 0.0056 | COATED TABLETS | | | |
| Supplier MEDEOR/EU | 3800 TAB-CAP | 21.51 | 0.0056 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|------------------|-------------------------|--|---|------------------------|------------|----------------|
| PROMETHAZINE HCL 25 mg tab-cap (PO) | | | Price/tab-cap | | 25 mg | T | R06AD02 |
| Supplier MISSION | 1000 TAB-CAP | 6.42 | 0.0064 | COATED TABLETS High/Low Ratio=3.56 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 2.95 | 0.0030 | TABLETS | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 3.25 | 0.0032 | TABLETS | | | |
| Buyer MEMS | 1000 TAB-CAP | 4.17 | 0.0042 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 1.63 | 0.0163 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 7.69 | 0.0769 | FILM-COATED TABLETS High/Low Ratio=25.63 | | | |
| | | | Buyer Median Price/tab-cap=0.0042 | | | | |
| PROMETHAZINE HCL 25 mg/ml ampoule (INJ) | | | Price/ml | | 25 mg | T | R06AD02 |
| Supplier JMS | 10 AMP (2 ml) | 0.44 | 0.0220 | | | | |
| Supplier UNFPA | 100 AMP (2 ml) | 5.75 | 0.0288 | | | | |
| Supplier IMRES | 100 AMP (2 ml) | 7.50 | 0.0375 | | | | |
| Supplier MEDS | 1 AMP (2 ml) | 0.08 | 0.0389 | IM | | | |
| Supplier MEDEOR/TZ | 100 AMP (2 ml) | 18.60 | 0.0930 | | | | |
| Supplier MEG | 100 AMP (2 ml) | 19.25 | 0.0963 | | | | |
| Supplier MEDEOR/EU | 100 AMP (2 ml) | 21.15 | 0.1058 | | | | |
| Supplier DURBIN | 100 AMP (1 ml) | 13.65 | 0.1365 | | | | |
| Supplier MISSION | 100 AMP (2 ml) | 36.36 | 0.1818 | | | | |
| Supplier IDA | 100 AMP (2 ml) | 46.54 | 0.2327 | | | | |
| | | | Supplier Median Price/ml=0.0947 | | | | |
| Buyer CAMERWA | 100 AMP (2 ml) | 3.88 | 0.0194 | High/Low Ratio=10.58 | | | |
| Buyer BUFMAR | 100 AMP (2 ml) | 9.32 | 0.0466 | | | | |
| Buyer MEMS | 1 AMP (2 ml) | 0.13 | 0.0643 | | | | |
| Buyer NAMIBIA | 10 AMP (1 ml) | 4.75 | 0.4747 | | | | |
| Buyer OECS/PPS | 10 AMP (1 ml) | 5.52 | 0.5520 | | | | |
| | | | Buyer Median Price/ml=0.0643 | | | | |
| | | | | High/Low Ratio=28.45 | | | |
| PROMETHAZINE HCL 5 mg/5 ml suspen (PO) | | | Price/ml | | 25 mg | T | R06AD02 |
| Supplier MEDS | 1 BOTT (5000 ml) | 3.04 | 0.0006 | SYRUP | | | |
| Supplier IMRES | 10 BOTT (100 ml) | 4.80 | 0.0048 | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (60 ml) | 0.30 | 0.0050 | SYRUP | | | |
| Supplier MEDEOR/EU | 8 BOTT (100 ml) | 13.47 | 0.0168 | SOLUTION | | | |
| Supplier DURBIN | 1 BOTT (100 ml) | 3.77 | 0.0377 | SYRUP | High/Low Ratio=62.83 | | |
| | | | Supplier Median Price/ml=0.0050 | | | | |
| Buyer CAMERWA | 1 BOTT (100 ml) | 0.46 | 0.0046 | SYRUP | | | |
| Buyer MEMS | 1 BOTT (100 ml) | 0.50 | 0.0050 | SYRUP | High/Low Ratio=1.09 | | |
| | | | Buyer Median Price/ml=0.0048 | | | | |
| PROPANTHELINE BROMIDE 15 mg tab-cap (PO) | | | Price/tab-cap | | 60 mg | N | A03AB05 |
| Buyer BOTSWANA | 100 TAB-CAP | 27.21 | 0.2721 | S/C TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 91.09 | 0.9109 | TABLETS | High/Low Ratio=3.35 | | |
| | | | Buyer Median Price/tab-cap=0.5915 | | | | |
| PROPARACAIN 0.5% opht drop (OPHT) | | | Price/ml | | | T | S01HA04 |
| Buyer BDS | 1 BOTT (15 ml) | 5.29 | 0.3527 | | | | |
| PROPOFOL 10 mg/ml vial (INJ) | | | Price/ml | | | E | N01AX10 |
| Supplier UNFPA | 5 AMP (20 ml) | 19.00 | 0.1900 | | | | |
| Supplier MEDEOR/TZ | 1 VIAL (20 ml) | 5.36 | 0.2679 | | | | |
| | | | Supplier Median Price/ml=0.2290 | | | | |
| Buyer BDS | 1 AMP (20 ml) | 1.60 | 0.0801 | High/Low Ratio=1.41 | | | |
| Buyer DOMREPUB | 1 AMP (20 ml) | 1.71 | 0.0856 | | | | |
| Buyer OECS/PPS | 5 VIAL (20 ml) | 10.00 | 0.1000 | | | | |
| Buyer NAMIBIA | 5 VIAL (20 ml) | 10.44 | 0.1044 | | | | |
| | | | Buyer Median Price/ml=0.0928 | | | | |
| | | | | High/Low Ratio=1.30 | | | |
| PROPRANOLOL 1 mg/ml ampoule (INJ) | | | Price/ml | | 0.16 g | P | C07AA05 |
| Buyer OECS/PPS | 10 VIAL (1 ml) | 30.00 | 3.0000 | | | | |
| Buyer NAMIBIA | 10 AMP (1 ml) | 35.30 | 3.5297 | | | | |
| Buyer BDS | 10 AMP (1 ml) | 76.58 | 7.6577 | | | | |
| | | | Buyer Median Price/ml=3.5297 | | | | |
| | | | | High/Low Ratio=2.55 | | | |
| PROPRANOLOL HCL 10 mg tab-cap (PO) | | | Price/tab-cap | | 0.16 g | P | C07AA05 |
| Buyer BDS | 1000 TAB-CAP | 13.10 | 0.0131 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 1.49 | 0.0149 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 12.94 | 0.1294 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | | Buyer Median Price/tab-cap=0.0149 | | | | |
| | | | | High/Low Ratio=9.88 | | | |
| PROPRANOLOL HCL 40 mg tab-cap (PO) | | | Price/tab-cap | | 0.16 g | E | C07AA05 |
| Supplier MEDS | 1000 TAB-CAP | 3.37 | 0.0034 | TABLETS | | | |
| Supplier JMS | 1000 TAB-CAP | 3.96 | 0.0040 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 5.00 | 0.0050 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|---------------|---|----------------------|---------------------------------|------------------------|------------|-------------|
| PROPRANOLOL HCL 40 mg tab-cap (PO) | | | | Price/tab-cap | 0.16 g | E | C07AA05 |
| Supplier DURBIN | 1000 TAB-CAP | 5.78 | 0.0058 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 5.81 | 0.0058 | TABLETS, BLISTER PACK 100 X 10 | | | |
| Supplier MISSION | 1000 TAB-CAP | 6.08 | 0.0061 | TABLETS | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 11.52 | 0.0115 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0058 | | High/Low Ratio=3.38 | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.00 | 0.0044 | BLISTER PACK TABLETS | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 4.48 | 0.0045 | TABLETS | | | |
| Buyer MEMS | 1000 TAB-CAP | 5.41 | 0.0054 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 1.02 | 0.0102 | TABLETS | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 11.50 | 0.0115 | TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 12.65 | 0.0126 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 3.34 | 0.0334 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0102 | | High/Low Ratio=7.59 | | | |
| PROPRANOLOL HCL 80 mg tab-cap (PO) | | | | Price/tab-cap | 0.16 g | P | C07AA05 |
| Buyer OECS/PPS | 100 TAB-CAP | 2.00 | 0.0200 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 3.57 | 0.0357 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0279 | | High/Low Ratio=1.79 | | | |
| PROPYLTHIOURACIL 50 mg tab-cap (PO) | | | | Price/tab-cap | 0.1 g | C | H03BA02 |
| Buyer OECS/PPS | 100 TAB-CAP | 6.37 | 0.0637 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 8.55 | 0.0855 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0746 | | High/Low Ratio=1.34 | | | |
| PROTAMINE SULFATE 10 mg/ml ampoule (INJ) | | | | Price/ml | | C | V03AB14 |
| Supplier IDA | 10 AMP (5 ml) | 33.32 | 0.6664 | | | | |
| Supplier MISSION | 10 AMP (5 ml) | 72.15 | 1.4429 | | | | |
| | | Supplier Median Price/ml=1.0547 | | High/Low Ratio=2.17 | | | |
| Buyer BDS | 10 AMP (5 ml) | 21.78 | 0.4356 | | | | |
| Buyer CRSS | 1 VIAL (5 ml) | 7.36 | 1.4720 | HCL | | | |
| | | Buyer Median Price/ml=0.9538 | | High/Low Ratio=3.38 | | | |
| PROTIONAMIDE 250 mg tab-cap (PO) | | | | Price/tab-cap | 0.75 mg | N | J04AD01 |
| Supplier GDF | 50 TAB-CAP | 4.07 | 0.0814 | FILM-COATED TABLETS | | | |
| PYRAZINAMIDE 400 mg tab-cap (PO) | | | | Price/tab-cap | 1.5 g | E | J04AK01 |
| Supplier GDF | 672 TAB-CAP | 10.75 | 0.0160 | 28 TABLETS PER BLISTER SHEET | | | |
| Supplier IDA | 1000 TAB-CAP | 22.24 | 0.0223 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0192 | | High/Low Ratio=1.39 | | | |
| PYRAZINAMIDE 500 mg tab-cap (PO) | | | | Price/tab-cap | 1.5 g | P | J04AK01 |
| Supplier IDA | 1000 TAB-CAP | 17.82 | 0.0178 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 24.89 | 0.0249 | TABLETS | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 31.73 | 0.0317 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 32.60 | 0.0326 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0283 | | High/Low Ratio=1.83 | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 22.00 | 0.0220 | TABLETS | | | |
| Buyer SAFRICA | 1000 TAB-CAP | 37.94 | 0.0379 | TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 52.93 | 0.0530 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0379 | | High/Low Ratio=2.41 | | | |
| PYRIDOSTIGMINE BROMIDE 60 mg tab-cap (PO) | | | | Price/tab-cap | 0.18 g | C | N07AA02 |
| Buyer SUDANNHIF | 100 TAB-CAP | 1.36 | 0.0136 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 50 TAB-CAP | 13.33 | 0.2665 | TABLETS | | | |
| Buyer OECS/PPS | 20 TAB-CAP | 6.50 | 0.3250 | TABLETS | | | |
| Buyer PERU | 1 TAB-CAP | 0.51 | 0.5097 | TABLET | | | |
| Buyer BOTSWANA | 150 TAB-CAP | 135.05 | 0.9003 | TABLETS | | | |
| Buyer NAMIBIA | 150 TAB-CAP | 149.78 | 0.9985 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.4174 | | High/Low Ratio=73.42 | | | |
| PYRIMETHAMINE 25 mg tab-cap (PO) | | | | Price/tab-cap | 75 mg | E | P01BD01 |
| Supplier DURBIN | 1000 TAB-CAP | 5.22 | 0.0053 | TABLETS | | | |
| Buyer CAMERWA | 30 TAB-CAP | 8.84 | 0.2946 | TABLETS | | | |
| Buyer CRSS | 100 TAB-CAP | 53.00 | 0.5300 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.4123 | | High/Low Ratio=1.80 | | | |
| QUINIDINE SULFATE 200 mg tab-cap (PO) | | | | Price/tab-cap | 1.2 g | N | C01BA01 |
| Buyer OECS/PPS | 100 TAB-CAP | 12.90 | 0.1290 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|---|---|--|--|------------------------|------------|-------------|
| QUINIDINE SULFATE 200 mg tab-cap (PO) Buyer CRSS | 100 TAB-CAP | 40.32 Buyer Median Price/tab-cap=0.2661 | 0.4032 0.4032 | Scored Tablets High/Low Ratio=3.13 | 1.2 g | N | C01BA01 |
| QUININE BISULFATE 100 mg/5 ml suspen (PO) Buyer MEMS | 1 BOTT (100 ml) | 0.89 | 0.0089 | | 1.5 g | P | P01BC01 |
| QUININE DIHYDROCHLORIDE 100 mg/5 ml syrup (PO) Supplier JMS Supplier MEDS | 1 BOTT (100 ml) 1 BOTT (15 ml) | 0.76 1.27 Supplier Median Price/ml=0.0460 | 0.0076 0.0844 | Price/ml Drops High/Low Ratio=11.11 | 1.5 g | P | P01BC01 |
| QUININE DIHYDROCHLORIDE 250-300mg/ml ampoule (INJ) Supplier MEDS Supplier JMS Supplier UNFPA Supplier MEDEOR/TZ Supplier MEG Supplier IMRES Supplier MEDEOR/EU Supplier IDA Supplier DURBIN Supplier MISSION | 1 AMP (2 ml) 10 AMP (2 ml) 100 AMP (2 ml) | 0.19 1.93 23.75 24.55 24.56 28.40 29.84 29.99 30.43 38.83 Supplier Median Price/ml=0.1324 | 0.0944 0.0966 0.1188 0.1228 0.1228 0.1420 0.1492 0.1499 0.1522 0.1941 | Price/ml 300 MG/ML, IM/IV 300 MG/ML 300 MG/ML 300 MG/ML 300 MG/ML 300 MG/ML 300 MG/ML 300 MG/ML 300 MG/ML High/Low Ratio=2.06 | 0.3 g | E | P01BC01 |
| Buyer MEMS | 1 AMP (2 ml) | 0.20 | 0.0990 | 300 MG/ML | | | |
| QUININE HYDROCHLORIDE 300 mg/ml ampoule (INJ) Buyer NAMIBIA | 10 AMP (2 ml) | 10.27 | 0.5134 | | 1.5 g | P | P01BC01 |
| QUININE SULFATE 100 mg/5 ml syrup (PO) Supplier MEDEOR/TZ | 1 BOTT (100 ml) | 1.01 | 0.0101 | | 1.5 g | P | P01B |
| QUININE SULFATE 200-250 mg tab-cap (PO) Supplier MEDS Supplier DURBIN | 1000 TAB-CAP 1000 TAB-CAP | 29.97 33.72 Supplier Median Price/tab-cap=0.0319 | 0.0300 0.0337 | Price/tab-cap 200 MG FILM-COATED TABLETS 200 MG TABLETS High/Low Ratio=1.12 | 0.3 g | P | P01BC01 |
| QUININE SULFATE 300 mg tab-cap (PO) Supplier JMS Supplier MEDEOR/TZ Supplier MEDS Supplier DURBIN Supplier IDA Supplier UNFPA Supplier IMRES Supplier MEG Supplier MEDEOR/EU Supplier MISSION | 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 1000 TAB-CAP 1800 TAB-CAP 1000 TAB-CAP | 42.87 46.20 47.87 51.38 52.30 52.50 57.00 58.20 119.52 87.57 Supplier Median Price/tab-cap=0.0524 | 0.0429 0.0462 0.0479 0.0514 0.0523 0.0525 0.0570 0.0582 0.0664 0.0876 | Price/tab-cap TABLETS TABLETS TABLETS TABLETS FILM-COATED TABLETS, BLISTER PACK 100X10 FILM-COATED TABLETS COATED TABLETS FILM-COATED TABLETS TABLETS FILM-COATED TABLETS High/Low Ratio=2.04 | 0.3 g | E | P01BC01 |
| Buyer CAMERWA Buyer MEMS Buyer BDS Buyer BOTSWANA Buyer NAMIBIA | 1000 TAB-CAP 1000 TAB-CAP 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP | 39.72 56.10 14.29 17.19 22.97 Buyer Median Price/tab-cap=0.1429 | 0.0397 0.0561 0.1429 0.1719 0.2297 | TABLETS TABLETS CAPSULES FILM-COATED TABLETS TABLETS High/Low Ratio=5.79 | | | |
| RALTEGRAVIR 400 mg tab-cap (PO) Supplier SCMS | 60 TAB-CAP | 96.08 | 1.6013 | Price/tab-cap TABLETS | 0.8 g | N | J05AX08 |
| Buyer CRSS | 100 TAB-CAP | 993.81 | 9.9381 | | | | |
| RANITIDINE 150 mg tab-cap (PO) Supplier MEDS Supplier JMS Supplier UNFPA Supplier IMRES Supplier IDA Supplier MEDEOR/TZ Supplier MEDEOR/EU | 20 TAB-CAP 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP 60 TAB-CAP 100 TAB-CAP 500 TAB-CAP | 0.32 1.89 2.00 2.35 1.52 4.02 27.53 Supplier Median Price/tab-cap=0.0235 | 0.0161 0.0189 0.0200 0.0235 0.0254 0.0402 0.0551 | Price/tab-cap TABLETS TABLETS FILM-COATED TABLETS, BLISTER 10 X 10 TABLETS TABLETS, 6 X 10 BLISTER PACK TABLETS BLISTER PACK TABLETS High/Low Ratio=3.42 | 0.3 g | E | A02BA02 |
| Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0107 | BLISTER PACK TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|----------------|-------------------------|----------------------|---|------------------------|------------|----------------|
| RANITIDINE 150 mg tab-cap (PO) | | | Price/tab-cap | | 0.3 g | E | A02BA02 |
| Buyer CAMERWA | 200 TAB-CAP | 2.40 | 0.0120 | TABLETS | | | |
| Buyer BDS | 200 TAB-CAP | 3.20 | 0.0160 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 1.77 | 0.0177 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer MEMS | 100 TAB-CAP | 1.81 | 0.0182 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 3.41 | 0.0341 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 3.98 | 0.0398 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 6.03 | 0.0603 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0180 | | | | High/Low Ratio=5.64 | | | |
| RANITIDINE 25 mg/ml ampoule (INJ) | | | Price/ml | | 0.3 g | E | A02BA02 |
| Supplier MEDS | 1 AMP (2 ml) | 0.09 | 0.0444 | IM/IV | | | |
| Supplier MISSION | 100 AMP (2 ml) | 10.18 | 0.0510 | | | | |
| Supplier JMS | 10 AMP (2 ml) | 1.59 | 0.0797 | | | | |
| Supplier Median Price/ml=0.0510 | | | | High/Low Ratio=1.80 | | | |
| Buyer DOMREPUB | 1 AMP (2 ml) | 0.03 | 0.0132 | | | | |
| Buyer PERU | 100 AMP (2 ml) | 3.96 | 0.0198 | ILLUSTRATIVE NUMBER OF AMPOULES | | | |
| Buyer OECS/PPS | 100 AMP (2 ml) | 35.70 | 0.1785 | | | | |
| Buyer BDS | 100 AMP (2 ml) | 38.60 | 0.1930 | | | | |
| Buyer Median Price/ml=0.0992 | | | | High/Low Ratio=14.62 | | | |
| RANITIDINE 300 mg tab-cap (PO) | | | Price/tab-cap | | 0.3 mg | P | A02BA02 |
| Supplier MEDS | 100 TAB-CAP | 2.10 | 0.0210 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.01 | 0.0131 | TABLETS | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 1.40 | 0.0140 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 1.69 | 0.0169 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 100 TAB-CAP | 2.43 | 0.0243 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 4.92 | 0.0492 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer Median Price/tab-cap=0.0169 | | | | High/Low Ratio=3.76 | | | |
| RESERPINE 0.25 mg tab-cap (PO) | | | Price/tab-cap | | 0.5 mg | N | C02AA02 |
| Buyer NAMIBIA | 28 TAB-CAP | 1.25 | 0.0446 | TABLETS | | | |
| RIFAMP.+ISONIAZID+PYRAZIN.+ETHAMBUT. (150+75+400+275 MG) tab-cap (PO) | | | Price/tab-cap | | | E | J04AM02 |
| Supplier GDF | 1000 TAB-CAP | 57.29 | 0.0573 | FILM-COATED TABLETS | | | |
| Supplier GDF | 672 TAB-CAP | 43.70 | 0.0650 | 28 FILM-COATED TABLETS PER BLISTER SHEET | | | |
| Supplier IDA | 500 TAB-CAP | 36.29 | 0.0726 | TABLETS | | | |
| Supplier IDA | 672 TAB-CAP | 49.26 | 0.0733 | 24X28 BLISTER PACK TABLETS | | | |
| Supplier MEDEOR/EU | 500 TAB-CAP | 83.01 | 0.1660 | TABLETS | | | |
| Supplier Median Price/tab-cap=0.0726 | | | | High/Low Ratio=2.90 | | | |
| Buyer SAFRICA | 112 TAB-CAP | 8.33 | 0.0744 | TABLETS, PATIENT-READY PACK | | | |
| Buyer NAMIBIA | 672 TAB-CAP | 52.82 | 0.0786 | FILM-COATED, BLISTER PACK TABLETS, 28 X 24 SHEETS | | | |
| Buyer Median Price/tab-cap=0.0765 | | | | High/Low Ratio=1.06 | | | |
| RIFAMPICIN 100 mg/5 ml syrup (PO) | | | Price/ml | | 0.6 g | P | J04AB02 |
| Supplier IDA | 1 BOTT (60 ml) | 77.87 | 1.2977 | POWDER FOR SUSPENSION | | | |
| Buyer CRSS | 1 BOTT (60 ml) | 19.95 | 0.3325 | SUSPENSION | | | |
| RIFAMPICIN 150 mg tab-cap (PO) | | | Price/tab-cap | | 0.6 g | E | J04AB02 |
| Supplier DURBIN | 100 TAB-CAP | 4.01 | 0.0401 | | | | |
| Supplier IDA | 500 TAB-CAP | 89.02 | 0.1780 | BLISTER PACK TABLETS | | | |
| Supplier Median Price/tab-cap=0.1091 | | | | High/Low Ratio=4.44 | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 2.54 | 0.0254 | | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 6.53 | 0.0653 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 16.85 | 0.1685 | CAPSULES | | | |
| Buyer Median Price/tab-cap=0.0653 | | | | High/Low Ratio=6.63 | | | |
| RIFAMPICIN 300 mg tab-cap (PO) | | | Price/tab-cap | | 0.6 g | E | J04AB02 |
| Supplier IDA | 500 TAB-CAP | 17.82 | 0.0356 | BLISTER PACK TABLETS | | | |
| Supplier DURBIN | 100 TAB-CAP | 7.39 | 0.0739 | | | | |
| Supplier MEDEOR/EU | 100 TAB-CAP | 8.47 | 0.0847 | | | | |
| Supplier Median Price/tab-cap=0.0739 | | | | High/Low Ratio=2.38 | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 10.08 | 0.1008 | TABLETS | | | |
| Buyer CRSS | 100 TAB-CAP | 13.60 | 0.1360 | CAPSULES | | | |
| Buyer BDS | 100 TAB-CAP | 23.50 | 0.2350 | CAPSULES | | | |
| Buyer Median Price/tab-cap=0.1360 | | | | High/Low Ratio=2.33 | | | |
| RIFAMPICIN 450 mg tab-cap (PO) | | | Price/tab-cap | | 0.6 g | P | J04AB02 |
| Buyer NAMIBIA | 100 TAB-CAP | 7.05 | 0.0705 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|--------------|--------------------------------------|----------------------|---|------------------------|------------|-------------|
| RIFAMPICIN+ISONIAZID 150+100 mg tab-cap (PO) | | | | Price/tab-cap | 4 TAB | P | J04AM02 |
| Supplier DURBIN | 1000 TAB-CAP | 40.14 | 0.0401 | TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 5.54 | 0.0554 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0478 | | High/Low Ratio=1.38 | | | |
| RIFAMPICIN+ISONIAZID 150+75 mg tab-cap (PO) | | | | Price/tab-cap | | E | J04AM02 |
| Supplier GDF | 1000 TAB-CAP | 24.92 | 0.0249 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 25.57 | 0.0256 | COATED TABLETS | | | |
| Supplier GDF | 672 TAB-CAP | 20.10 | 0.0299 | 28 TABLETS PER BLISTER SHEET | | | |
| | | Supplier Median Price/tab-cap=0.0256 | | High/Low Ratio=1.20 | | | |
| Buyer BOTSWANA | 1000 TAB-CAP | 25.35 | 0.0253 | TABLETS | | | |
| Buyer NAMIBIA | 672 TAB-CAP | 25.65 | 0.0382 | FILM-COATED, BLISTER PACK TABLETS, 28 X 24 SHEETS | | | |
| Buyer SAFRICA | 84 TAB-CAP | 5.21 | 0.0620 | COATED TABLETS, PATIENT-READY PACK | | | |
| | | Buyer Median Price/tab-cap=0.0382 | | High/Low Ratio=2.45 | | | |
| RIFAMPICIN+ISONIAZID 300+150 mg tab-cap (PO) | | | | Price/tab-cap | 2 TAB | E | J04AM02 |
| Supplier IDA | 1000 TAB-CAP | 51.28 | 0.0513 | COATED TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 61.02 | 0.0610 | TABLETS | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 74.68 | 0.0748 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0610 | | High/Low Ratio=1.46 | | | |
| Buyer SAFRICA | 56 TAB-CAP | 5.21 | 0.0930 | COATED TABLETS, PATIENT-READY PACK | | | |
| RIFAMPICIN+ISONIAZID (DISPERSIBLE) 60 mg+30 mg tab-cap (PO) | | | | Price/tab-cap | | E | J04AM02 |
| Supplier GDF | 84 TAB-CAP | 4.00 | 0.0476 | BLISTER PACK OF 28 TABLETS | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 1.85 | 0.0185 | TABLETS | | | |
| RIFAMPICIN+ISONIAZID (DISPERSIBLE) 60 mg+60 mg tab-cap (PO) | | | | Price/tab-cap | | E | J04AM02 |
| Supplier GDF | 84 TAB-CAP | 3.00 | 0.0357 | BLISTER PACK OF 28 TABLETS PER SHEET | | | |
| RIFAMPICIN+ISONIAZID+ETHAMBUTOL 150+75+275mg tab-cap (PO) | | | | Price/tab-cap | | P | J04AM |
| Supplier IDA | 672 TAB-CAP | 34.26 | 0.0510 | 24X28 BLISTER PACK TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 58.02 | 0.0581 | TABLETS | | | |
| Supplier GDF | 1000 TAB-CAP | 77.90 | 0.0779 | FILM-COATED TABLETS | | | |
| Supplier GDF | 672 TAB-CAP | 53.57 | 0.0797 | 28 FILM-COATED TABLETS PER BLISTER SHEET | | | |
| | | Supplier Median Price/tab-cap=0.0680 | | High/Low Ratio=1.56 | | | |
| Buyer NAMIBIA | 672 TAB-CAP | 41.13 | 0.0612 | TABLETS | | | |
| RIFAMPICIN+ISONIAZID+PYRAZINAMIDE (DISPERSIBLE) 60+30+150 mg tab-cap (PO) | | | | Price/tab-cap | | E | J04AM05 |
| Supplier GDF | 84 TAB-CAP | 6.00 | 0.0714 | BLISTER PACK OF 28 TABLETS | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 2.35 | 0.0235 | TABLETS | | | |
| RISPERIDONE 1 mg tab-cap (PO) | | | | Price/tab-cap | 5 mg | N | N05AX08 |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 3.35 | 0.0335 | TABLETS | | | |
| Buyer OECS/PPS | 20 TAB-CAP | 1.24 | 0.0620 | TABLETS | | | |
| RISPERIDONE 2 mg tab-cap (PO) | | | | Price/tab-cap | 5 mg | N | N05AX08 |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 7.14 | 0.0714 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 0.80 | 0.0080 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer GHANA | 100 TAB-CAP | 1.57 | 0.0157 | 10 X 10 BLISTER PACK, SCORED TABLETS | | | |
| Buyer BDS | 50 TAB-CAP | 1.06 | 0.0211 | TABLETS | | | |
| Buyer OECS/PPS | 60 TAB-CAP | 2.80 | 0.0467 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 5.86 | 0.0586 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.07 | 0.0666 | BLISTER PACK TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0339 | | High/Low Ratio=8.33 | | | |
| RITONAVIR (RTV) 100 mg tab-cap (PO) | | | | Price/tab-cap | 1.2 g | E | J05AE03 |
| Supplier SCMS | 60 TAB-CAP | 6.85 | 0.1142 | FILM-COATED TABLETS | | | |
| Supplier SCMS | 336 TAB-CAP | 40.28 | 0.1199 | 4 X 84 CAPSULES | | | |
| Supplier DURBIN | 60 TAB-CAP | 39.98 | 0.6664 | SOFTGEL CAPSULES | | | |
| | | Supplier Median Price/tab-cap=0.1199 | | High/Low Ratio=5.84 | | | |
| Buyer NAMIBIA | 84 TAB-CAP | 11.58 | 0.1379 | CAPSULES | | | |
| Buyer BDS | 30 TAB-CAP | 47.94 | 1.5980 | CAPSULES | | | |
| | | Buyer Median Price/tab-cap=0.8680 | | High/Low Ratio=11.59 | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|----------------------|------------------------------|----------------------|--------------------------------------|----------------------|----------------------|---------|----------|
| RITONAVIR (RTV) 80 mg/ml solution (PO) | | Supplier SCMS 1 BOTT (90 ml) | 8.22 | Price/ml 0.0913 | | 1.2 g | E | J05AE03 |
| Buyer BDS | | 1 BOTT (240 ml) | 224.96 | 0.9373 | | | | |
| SALBUTAMOL 0.5 mg/ml ampoule (INJ) | | | | Price/ml | | 12 mg | E | R03CC02 |
| Supplier IDA | 100 AMP (1 ml) | | 8.62 | 0.0862 | | | | |
| Supplier UNFPA | 100 AMP (1 ml) | | 18.00 | 0.1800 | | | | |
| Supplier IMRES | 100 AMP (1 ml) | | 22.00 | 0.2200 | | | | |
| Supplier MEG | 100 AMP (1 ml) | | 25.37 | 0.2537 | | | | |
| Supplier MISSION | 100 AMP (1 ml) | | 40.71 | 0.4071 | | | | |
| | | | | Supplier Median Price/ml=0.2200 | | High/Low Ratio=4.72 | | |
| SALBUTAMOL 100 mcg/dose inhaler (INH) | | | | Price/dose | | 0.8 mg | E | R03AC02 |
| Supplier MEDS | 1 INHALER (200 DOSE) | | 1.59 | 0.0079 | | | | |
| Supplier DURBIN | 1 INHALER (200 DOSE) | | 1.77 | 0.0088 | | | | |
| Supplier IMRES | 1 INHALER (200 DOSE) | | 1.95 | 0.0098 | | | | |
| Supplier MEDEOR/TZ | 1 INHALER (200 DOSE) | | 2.02 | 0.0101 | | | | |
| Supplier IDA | 1 INHALER (200 DOSE) | | 2.32 | 0.0116 | | | | |
| Supplier MISSION | 1 INHALER (200 DOSE) | | 2.39 | 0.0120 | | | | |
| Supplier MEG | 1 INHALER (200 DOSE) | | 2.40 | 0.0120 | 10 ML | | | |
| Supplier MEDEOR/EU | 1 INHALER (200 DOSE) | | 2.75 | 0.0138 | | | | |
| | | | | Supplier Median Price/dose=0.0109 | | High/Low Ratio=1.75 | | |
| Buyer BDS | 1 INHALER (200 DOSE) | | 1.36 | 0.0068 | CFC-FREE | | | |
| Buyer OECS/PPS | 1 INHALER (200 DOSE) | | 1.40 | 0.0070 | | | | |
| Buyer MEMS | 1 INHALER (200 DOSE) | | 1.85 | 0.0093 | | | | |
| Buyer BOTSWANA | 1 INHALER (200 DOSE) | | 1.93 | 0.0096 | | | | |
| Buyer NAMIBIA | 1 INHALER (200 DOSE) | | 2.22 | 0.0111 | | | | |
| | | | | Buyer Median Price/dose=0.0093 | | High/Low Ratio=1.63 | | |
| SALBUTAMOL 2 mg tab-cap (PO) | | | | Price/tab-cap | | 12 mg | E | R03CC02 |
| Supplier IDA | 1000 TAB-CAP | | 2.39 | 0.0025 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | | 2.93 | 0.0029 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | | 11.80 | 0.0119 | TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.0029 | | High/Low Ratio=4.76 | | |
| Buyer NAMIBIA | 100 TAB-CAP | | 1.30 | 0.0130 | TABLETS | | | |
| SALBUTAMOL 2 mg/5 ml syrup (PO) | | | | Price/ml | | 12 mg | E | R03CC02 |
| Supplier IMRES | 10 BOTT (100 ml) | | 0.70 | 0.0007 | | | | |
| Supplier MEDS | 1 BOTT (100 ml) | | 0.17 | 0.0017 | | | | |
| Supplier DURBIN | 1 BOTT (150 ml) | | 1.20 | 0.0080 | | | | |
| Supplier MISSION | 1 BOTT (100 ml) | | 0.84 | 0.0084 | | | | |
| Supplier IDA | 25 BOTT (100 ml) | | 25.13 | 0.0100 | SOLUTION | | | |
| | | | | Supplier Median Price/ml=0.0080 | | High/Low Ratio=14.29 | | |
| Buyer DOMREPUB | 1 BOTT (120 ml) | | 0.27 | 0.0023 | | | | |
| Buyer OECS/PPS | 1 BOTT (120 ml) | | 0.32 | 0.0027 | | | | |
| Buyer MEMS | 1 BOTT (100 ml) | | 0.46 | 0.0046 | | | | |
| Buyer NAMIBIA | 1 BOTT (150 ml) | | 0.87 | 0.0058 | | | | |
| Buyer BDS | 1 BOTT (120 ml) | | 0.73 | 0.0060 | | | | |
| Buyer CAMERWA | 1 BOTT (100 ml) | | 3.51 | 0.0351 | | | | |
| | | | | Buyer Median Price/ml=0.0052 | | High/Low Ratio=15.26 | | |
| SALBUTAMOL 4 mg tab-cap (PO) | | | | Price/tab-cap | | 12 mg | E | R03CC02 |
| Supplier JMS | 1000 TAB-CAP | | 1.29 | 0.0013 | TABLETS | | | |
| Supplier MEDS | 1000 TAB-CAP | | 1.85 | 0.0019 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | | 2.83 | 0.0029 | TABLETS | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | | 2.84 | 0.0028 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | | 3.21 | 0.0032 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | | 4.00 | 0.0040 | TABLETS | | | |
| Supplier MEDEOR/EU | 3000 TAB-CAP | | 12.68 | 0.0042 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | | 4.82 | 0.0048 | TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.0030 | | High/Low Ratio=3.69 | | |
| Buyer CAMERWA | 1000 TAB-CAP | | 2.19 | 0.0022 | TABLETS | | | |
| Buyer MEMS | 1000 TAB-CAP | | 2.71 | 0.0027 | TABLETS | | | |
| Buyer BUFMAR | 1000 TAB-CAP | | 2.73 | 0.0027 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | | 0.00 | 0.0037 | BLISTER PACK TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | | 0.84 | 0.0084 | TABLETS | | | |
| Buyer OECS/PPS | 100 TAB-CAP | | 1.40 | 0.0140 | TABLETS, SULFATE | | | |
| Buyer CRSS | 100 TAB-CAP | | 1.85 | 0.0185 | SCORED TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.0037 | | High/Low Ratio=8.41 | | |
| SALBUTAMOL 5 mg/ml resp sol (INH) | | | | Price/ml | | 10 mg | E | R03AC02 |
| Supplier IDA | 1 BOTT (30 ml) | | 4.78 | 0.1594 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-----------------|---|----------------------|-------------------------------------|------------------------|------------|----------------|
| SALBUTAMOL 5 mg/ml respsol (INH) | | | Price/ml | | 10 mg | E | R03AC02 |
| Supplier MEDS | 1 BOTT (10 ml) | 8.18 | 0.8181 | | | | |
| Supplier JMS | 1 BOTT (10 ml) | 8.80 | 0.8799 | | | | |
| | | Supplier Median Price/ml=0.8181 | | High/Low Ratio=5.52 | | | |
| Buyer CRSS | 1 BOTT (50 ml) | 0.92 | 0.0184 | | | | |
| Buyer OECS/PPS | 1 BOTT (15 ml) | 0.40 | 0.0267 | | | | |
| Buyer DOMREPUB | 1 BOTT (10 ml) | 0.57 | 0.0574 | | | | |
| Buyer BDS | 1 BOTT (20 ml) | 1.32 | 0.0661 | | | | |
| Buyer BOTSWANA | 1 BOTT (20 ml) | 1.86 | 0.0930 | | | | |
| | | Buyer Median Price/ml=0.0574 | | High/Low Ratio=5.05 | | | |
| SAQUINAVIR (SQV) 200 mg tab-cap (PO) | | | Price/tab-cap | | 1.8 g | E | J05AE01 |
| Supplier SCMS | 270 TAB-CAP | 109.14 | 0.4042 | CAPSULES | | | |
| SAQUINAVIR (SQV) 500 mg tab-cap (PO) | | | Price/tab-cap | | 1.8 g | P | J05AE01 |
| Supplier SCMS | 120 TAB-CAP | 111.32 | 0.9277 | TABLETS | | | |
| Buyer BDS | 120 TAB-CAP | 324.20 | 2.7017 | TABLETS | | | |
| SELENIUM SULPHIDE shampoo (TOP) | | | Price/ml | | | C | D11AC03 |
| Buyer BOTSWANA | 1 BOTT (50 ml) | 5.99 | 0.1198 | 2.5% | | | |
| SENNA (SENNOSIDES) 7.5 mg tab-cap (PO) | | | Price/tab-cap | | 15 mg | E | A06AB06 |
| Supplier MEDS | 50 TAB-CAP | 0.40 | 0.0080 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 9.88 | 0.0100 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0090 | | High/Low Ratio=1.25 | | | |
| SERTRALINE 50 mg tab-cap (PO) | | | Price/tab-cap | | 50 mg | N | |
| Buyer GHANA | 100 TAB-CAP | 1.58 | 0.0158 | 10 X 10 BLISTER PACK TABLETS | | | |
| Buyer BDS | 14 TAB-CAP | 0.69 | 0.0492 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 5.69 | 0.0569 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.07 | 0.0676 | TABLET | | | |
| | | Buyer Median Price/tab-cap=0.0531 | | High/Low Ratio=4.28 | | | |
| SEVOFLURANE solution (INH) | | | Price/ml | | | N | N01AB08 |
| Buyer BDS | 1 BOTT (250 ml) | 132.33 | 0.5293 | | | | |
| Buyer NAMIBIA | 1 BOTT (250 ml) | 176.20 | 0.7048 | | | | |
| Buyer CAMERWA | 1 BOTT (250 ml) | 267.85 | 1.0714 | | | | |
| | | Buyer Median Price/ml=0.7048 | | High/Low Ratio=2.02 | | | |
| SILVER SULFADIAZINE 1% cream (TOP) | | | Price/g | | | E | D06BA01 |
| Supplier MEDS | 1 JAR (250 g) | 1.48 | 0.0059 | | | | |
| Supplier JMS | 1 JAR (200 g) | 2.68 | 0.0134 | | | | |
| Supplier IMRES | 1 TUBE (50 g) | 1.00 | 0.0200 | | | | |
| Supplier MEG | 1 JAR (50 g) | 1.10 | 0.0220 | | | | |
| Supplier DURBIN | 1 JAR (500 g) | 12.20 | 0.0244 | | | | |
| Supplier MEDEOR/TZ | 1 TUBE (15 g) | 0.40 | 0.0264 | | | | |
| Supplier IDA | 10 TUBE (50 g) | 13.91 | 0.0278 | | | | |
| Supplier MISSION | 1 TUBE (50 g) | 1.39 | 0.0278 | | | | |
| Supplier MEDEOR/EU | 25 TUBE (50 g) | 39.51 | 0.0316 | | | | |
| Supplier DURBIN | 1 JAR (50 g) | 1.61 | 0.0321 | | | | |
| | | Supplier Median Price/g=0.0254 | | High/Low Ratio=5.44 | | | |
| Buyer CAMERWA | 1 JAR (500 g) | 5.57 | 0.0111 | OINTMENT | | | |
| Buyer BDS | 1 JAR (400 g) | 6.83 | 0.0171 | | | | |
| Buyer NAMIBIA | 1 JAR (500 g) | 8.99 | 0.0180 | | | | |
| Buyer OECS/PPS | 1 JAR (250 g) | 4.51 | 0.0180 | | | | |
| Buyer DOMREPUB | 1 TUBE (30 g) | 0.57 | 0.0191 | | | | |
| Buyer PERU | 1 TUBE (50 g) | 1.51 | 0.0301 | | | | |
| Buyer MEMS | 1 TUBE (10 g) | 0.43 | 0.0429 | | | | |
| | | Buyer Median Price/g=0.0180 | | High/Low Ratio=3.86 | | | |
| SIMVASTATIN 20 mg tab-cap (PO) | | | Price/tab-cap | | 30 mg | T | C10AA01 |
| Supplier IDA | 28 TAB-CAP | 1.67 | 0.0595 | SCORED, BLISTER-PACK TABLETS, 7 X 4 | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.02 | 0.0206 | BLISTER PACK TABLETS | | | |
| Buyer BDS | 28 TAB-CAP | 0.69 | 0.0246 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 3.65 | 0.0365 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 10.84 | 0.1084 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0306 | | High/Low Ratio=5.26 | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-------------------|--------------------------------------|----------------------|-----------------------------------|------------------------|----------------------|-------------|
| SIMVASTATIN 40 mg tab-cap (PO) | | | | | | | |
| Buyer BDS | 28 TAB-CAP | 1.22 | 0.0436 | TABLETS | 30 mg | E | C10AA01 |
| SODIUM BICARBONATE 8.4% solution (INJ) | | | | | | | |
| Supplier UNFPA | 50 AMP (20 ml) | 32.50 | 0.0325 | | | T | B05XA02 |
| Supplier IMRES | 50 AMP (20 ml) | 33.00 | 0.0330 | | | | |
| Supplier DURBIN | 50 AMP (20 ml) | 36.13 | 0.0361 | EQUIV TO NA+ 1MOL/L, HCO3- 1MOL/L | | | |
| Supplier MEDEOR/TZ | 5 AMP (10 ml) | 4.46 | 0.0893 | | | | |
| Supplier MEDS | 1 VIAL (10 ml) | 0.94 | 0.0944 | | | | |
| Supplier IDA | 10 AMP (10 ml) | 9.63 | 0.0963 | | | | |
| | | Supplier Median Price/ml=0.0627 | | | | High/Low Ratio=2.96 | |
| Buyer NAMIBIA | 10 VIAL (50 ml) | 2.44 | 0.0049 | 8.5% | | | |
| Buyer PERU | 1 BOTT (20 ml) | 0.22 | 0.0111 | | | | |
| Buyer BDS | 1 VIAL (50 ml) | 0.69 | 0.0138 | | | | |
| Buyer CAMERWA | 50 AMP (10 ml) | 8.27 | 0.165 | | | | |
| Buyer OECS/PPS | 25 VIAL (50 ml) | 28.70 | 0.0230 | | | | |
| Buyer CRSS | 1 AMP (10 ml) | 1.41 | 0.1410 | | | | |
| | | Buyer Median Price/ml=0.0152 | | | | High/Low Ratio=28.78 | |
| SODIUM CHLORIDE IN WATER 0.45% solution (INJ) | | | | | | P | B05XA03 |
| Buyer OECS/PPS | 14 BOTT (1000 ml) | 13.44 | 0.0010 | | | | |
| Buyer BDS | 1 BAG (1000 ml) | 1.05 | 0.0010 | | | | |
| Buyer NAMIBIA | 1 BOTT (1000 ml) | 1.53 | 0.0015 | | | | |
| Buyer BDS | 1 BAG (500 ml) | 1.18 | 0.0024 | | | | |
| | | Buyer Median Price/ml=0.0013 | | | | High/Low Ratio=2.40 | |
| SODIUM CHLORIDE IN WATER (NORMAL SALINE) 0.9% solution (IV) | | | | | | E | B05XA03 |
| Supplier UNFPA | 1 BOTT (1000 ml) | 0.61 | 0.0006 | | | | |
| Supplier MEG | 1 BOTT (1000 ml) | 0.62 | 0.0006 | | | | |
| Supplier UNFPA | 1 BOTT (500 ml) | 0.35 | 0.0007 | | | | |
| Supplier MEDS | 1 BOTT (1000 ml) | 0.71 | 0.0007 | | | | |
| Supplier MEDS | 1 BOTT (500 ml) | 0.37 | 0.0007 | | | | |
| Supplier JMS | 1 BOTT (500 ml) | 0.38 | 0.0008 | | | | |
| Supplier IMRES | 1 BOTT (1000 ml) | 0.88 | 0.0009 | NIPPLEHEAD | | | |
| Supplier IDA | 12 BOTT (1000 ml) | 10.87 | 0.0009 | | | | |
| Supplier IMRES | 1 BOTT (500 ml) | 0.57 | 0.0011 | NIPPLEHEAD | | | |
| Supplier IDA | 20 BOTT (500 ml) | 11.88 | 0.0012 | | | | |
| Supplier DURBIN | 10 BOTT (1000 ml) | 12.04 | 0.0013 | + SET | | | |
| Supplier MISSION | 1 BOTT (1000 ml) | 1.30 | 0.0013 | | | | |
| Supplier MISSION | 1 BOTT (500 ml) | 0.72 | 0.0014 | NIPPLEHEAD | | | |
| Supplier DURBIN | 20 BOTT (500 ml) | 14.93 | 0.0014 | | | | |
| Supplier MEG | 1 BOTT (500 ml) | 0.83 | 0.0017 | | | | |
| | | Supplier Median Price/ml=0.0009 | | | | High/Low Ratio=2.83 | |
| Buyer DOMREPUB | 1 BOTT (1000 ml) | 0.57 | 0.0006 | | | | |
| Buyer PERU | 1 BOTT (1000 ml) | 0.61 | 0.0006 | | | | |
| Buyer OECS/PPS | 14 BOTT (1000 ml) | 11.90 | 0.0009 | | | | |
| Buyer MEMS | 1 BOTT (500 ml) | 0.46 | 0.0009 | | | | |
| Buyer BDS | 1 BOTT (1000 ml) | 0.95 | 0.0009 | | | | |
| Buyer CAMERWA | 24 BOTT (500 ml) | 11.62 | 0.0010 | | | | |
| Buyer DOMREPUB | 1 BOTT (500 ml) | 0.50 | 0.0010 | | | | |
| Buyer BUFMAR | 1 BOTT (500 ml) | 0.55 | 0.0011 | | | | |
| Buyer NAMIBIA | 1 BOTT (1000 ml) | 1.22 | 0.0012 | | | | |
| Buyer PERU | 1 BOTT (500 ml) | 0.71 | 0.0014 | | | | |
| Buyer BDS | 1 BOTT (500 ml) | 0.84 | 0.0017 | | | | |
| Buyer OECS/PPS | 1 BOTT (500 ml) | 0.97 | 0.0019 | | | | |
| | | Buyer Median Price/ml=0.0010 | | | | High/Low Ratio=3.17 | |
| SODIUM DICHLOROISOCYANURATE (NADCC) 1.67 g tab-cap (N/A) | | | | | | N | V07A |
| Supplier IMRES | 200 TAB-CAP | 10.00 | 0.0500 | TABLETS | | | |
| Supplier IDA | 200 TAB-CAP | 11.01 | 0.0551 | TABLETS | | | |
| Supplier MEDEOR/EU | 200 TAB-CAP | 12.75 | 0.0637 | TABLETS, 1 TAB FOR 200 LITERS | | | |
| Supplier DURBIN | 200 TAB-CAP | 19.67 | 0.0984 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0594 | | | | High/Low Ratio=1.97 | |
| SODIUM DICHLOROISOCYANURATE (NADCC) 8.5 mg tab-cap (N/A) | | | | | | N | V07A |
| Supplier MEDEOR/EU | 5000 TAB-CAP | 52.66 | 0.0106 | TABLETS, 1 TAB FOR 1 LITER | | | |
| Supplier IMRES | 10 TAB-CAP | 0.15 | 0.0150 | TABLETS | | | |
| Supplier IDA | 50 TAB-CAP | 2.03 | 0.0406 | 5 X 10 BLISTER PACK TABLETS | | | |
| Supplier DURBIN | 50 TAB-CAP | 2.41 | 0.0482 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0278 | | | | High/Low Ratio=4.55 | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-------------------|-------------------------|----------------------|---------------------------------------|------------------------|------------|-------------|
| SODIUM LACTATE COMPOUND (RINGER'S/HARTMANN'S SOL.) solution (IV) | | | Price/ml | | | E | B05BB02 |
| Supplier UNFPA | 1 BOTT (1000 ml) | 0.61 | 0.0006 | | | | |
| Supplier UNFPA | 1 BOTT (500 ml) | 0.35 | 0.0007 | | | | |
| Supplier MEDS | 1 BOTT (1000 ml) | 0.74 | 0.0007 | | | | |
| Supplier JMS | 1 BOTT (500 ml) | 0.39 | 0.0008 | | | | |
| Supplier MEDS | 1 BOTT (500 ml) | 0.40 | 0.0008 | | | | |
| Supplier MEG | 1 BOTT (1000 ml) | 0.80 | 0.0008 | | | | |
| Supplier IMRES | 1 BOTT (1000 ml) | 0.88 | 0.0009 | | | | |
| Supplier IDA | 12 BOTT (1000 ml) | 10.87 | 0.0009 | | | | |
| Supplier MEG | 1 BOTT (500 ml) | 0.55 | 0.0011 | | | | |
| Supplier DURBIN | 10 BOTT (1000 ml) | 11.24 | 0.0011 | | | | |
| Supplier IMRES | 1 BOTT (500 ml) | 0.57 | 0.0011 | | | | |
| Supplier IDA | 20 BOTT (500 ml) | 11.88 | 0.0012 | | | | |
| Supplier MISSION | 1 BOTT (1000 ml) | 1.30 | 0.0013 | NIPPLEHEAD | | | |
| Supplier MISSION | 1 BOTT (500 ml) | 0.72 | 0.0014 | NIPPLEHEAD | | | |
| Supplier DURBIN | 20 BOTT (500 ml) | 14.85 | 0.0014 | | | | |
| Supplier MEDEOR/EU | 10 BOTT (500 ml) | 12.46 | 0.0025 | | | | |
| Supplier Median Price/ml=0.0010 | | | | High/Low Ratio=4.17 | | | |
| Buyer DOMREPUB | 1 BOTT (1000 ml) | 0.55 | 0.0006 | | | | |
| Buyer MEMS | 1 BOTT (500 ml) | 0.46 | 0.0009 | | | | |
| Buyer OECS/PPS | 1 BOTT (1000 ml) | 0.92 | 0.0009 | | | | |
| Buyer BDS | 1 BOTT (1000 ml) | 0.94 | 0.0009 | | | | |
| Buyer CAMERWA | 1 BOTT (500 ml) | 0.52 | 0.0010 | | | | |
| Buyer BUFMAR | 1 BOTT (500 ml) | 0.66 | 0.0013 | | | | |
| Buyer NAMIBIA | 1 BOTT (1000 ml) | 1.35 | 0.0014 | | | | |
| Buyer BDS | 1 BOTT (500 ml) | 0.86 | 0.0017 | | | | |
| Buyer Median Price/ml=0.0010 | | | | High/Low Ratio=2.83 | | | |
| SODIUM STIBOGLUCONATE (10% SB) 33% vial (INJ) | | | Price/ml | | 0.85 g | E | P01CB02 |
| Supplier IDA | 1 VIAL (30 ml) | 7.46 | 0.2487 | 10% ANTIMONY | | | |
| Supplier MISSION | 1 VIAL (30 ml) | 14.97 | 0.4988 | 100 MG/ML | | | |
| Supplier Median Price/ml=0.3738 | | | | High/Low Ratio=2.01 | | | |
| SODIUM VALPROATE 200 mg tab-cap (PO) | | | Price/tab-cap | | 1.5 g | E | N03AG01 |
| Supplier MEDS | 100 TAB-CAP | 2.97 | 0.0297 | ENTERIC-COATED TABLETS | | | |
| Supplier IDA | 100 TAB-CAP | 7.03 | 0.0703 | ENTERIC COATED-TABLETS | | | |
| Supplier DURBIN | 100 TAB-CAP | 7.23 | 0.0723 | ENTERIC COATED TABLETS | | | |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 9.67 | 0.0967 | TABLETS | | | |
| Supplier MISSION | 100 TAB-CAP | 14.21 | 0.1421 | ENTERIC-COATED TABLETS, STRIP 10 X 10 | | | |
| Supplier MEDEOR/EU | 400 TAB-CAP | 58.17 | 0.1454 | ENTERIC-COATED, BLISTER PACK TABLETS | | | |
| Supplier Median Price/tab-cap=0.0845 | | | | High/Low Ratio=4.90 | | | |
| Buyer CAMERWA | 100 TAB-CAP | 3.82 | 0.0382 | TABLETS | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 9.15 | 0.0915 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 13.26 | 0.1326 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer Median Price/tab-cap=0.0915 | | | | High/Low Ratio=3.47 | | | |
| SODIUM VALPROATE 500 mg tab-cap (PO) | | | Price/tab-cap | | 1.5 g | E | N03AG01 |
| Supplier IDA | 100 TAB-CAP | 14.34 | 0.1434 | ENTERIC COATED-TABLET | | | |
| Buyer CAMERWA | 100 TAB-CAP | 5.35 | 0.0535 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 23.44 | 0.2344 | TABLET, ILLUSTRATIVE PACK SIZE | | | |
| Buyer Median Price/tab-cap=0.1440 | | | | High/Low Ratio=4.38 | | | |
| SPECTINOMYCIN 2 g vial (INJ) | | | Price/vial | | 3 g | E | J01XX04 |
| Supplier UNFPA | 100 VIAL | 390.00 | 3.9000 | HYDROCHLORIDE | | | |
| Supplier IDA | 1 VIAL | 4.56 | 4.5634 | POWDER+SOLVENT | | | |
| Supplier IMRES | 1 VIAL | 4.70 | 4.7000 | WITH SOLVENT | | | |
| Supplier MISSION | 1 VIAL | 7.53 | 7.5332 | WITH SOLVENT | | | |
| Supplier Median Price/vial=4.6317 | | | | High/Low Ratio=1.93 | | | |
| Buyer CAMERWA | 10 VIAL | 12.98 | 1.2982 | | | | |
| SPIRONOLACTONE 100 mg tab-cap (PO) | | | Price/tab-cap | | 75 mg | CP | C03DA01 |
| Buyer PERU | 100 TAB-CAP | 8.68 | 0.0868 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.11 | 0.1060 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 15.22 | 0.1522 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.1060 | | | | High/Low Ratio=1.75 | | | |
| SPIRONOLACTONE 25 mg tab-cap (PO) | | | Price/tab-cap | | 75 mg | C | C03DA01 |
| Supplier IDA | 1000 TAB-CAP | 22.02 | 0.0220 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 32.02 | 0.0320 | TABLETS | | | |
| Supplier MEDS | 1000 TAB-CAP | 36.41 | 0.0364 | TABLETS | | | |
| Supplier DURBIN | 500 TAB-CAP | 19.67 | 0.0393 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-----------------|--------------------------------------|----------------------|---------------------------------|------------------------|------------|-------------|
| SPIRONOLACTONE 25 mg tab-cap (PO) | | | | Price/tab-cap | 75 mg | C | C03DA01 |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 4.54 | 0.0454 | TABLETS | | | |
| Supplier JMS | 30 TAB-CAP | 2.64 | 0.0881 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0379 | | High/Low Ratio=4.00 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 18.24 | 0.0182 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 2.61 | 0.0261 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 29.91 | 0.0299 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 3.31 | 0.0331 | TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 43.67 | 0.0437 | TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 5.15 | 0.0515 | TABLETS | | | |
| Buyer NAMIBIA | 200 TAB-CAP | 11.69 | 0.0585 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 9.59 | 0.0959 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0384 | | High/Low Ratio=5.27 | | | |
| SPIRONOLACTONE 50 mg tab-cap (PO) | | | | Price/tab-cap | 75 mg | CP | C03DA01 |
| Buyer SUDANNHIF | 100 TAB-CAP | 37.91 | 0.3791 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| STAVUDINE (D4T) 1 mg/ml solution (PO) | | | | Price/ml | 80 mg | E | J05AF04 |
| Supplier SCMS | 1 BOTT (200 ml) | 1.41 | 0.0070 | POWDER; WITH SYRINGE | | | |
| Supplier IDA | 1 BOTT (200 ml) | 2.96 | 0.0148 | | | | |
| | | Supplier Median Price/ml=0.0109 | | High/Low Ratio=2.11 | | | |
| STAVUDINE (D4T) 15 mg tab-cap (PO) | | | | Price/tab-cap | 80 mg | E | J05AF04 |
| Supplier SCMS | 60 TAB-CAP | 1.39 | 0.0231 | CAPSULES | | | |
| Supplier IDA | 60 TAB-CAP | 2.39 | 0.0398 | CAPSULES | | | |
| | | Supplier Median Price/tab-cap=0.0315 | | High/Low Ratio=1.72 | | | |
| STAVUDINE (D4T) 20 mg tab-cap (PO) | | | | Price/tab-cap | 80 mg | E | J05AF04 |
| Supplier SCMS | 60 TAB-CAP | 1.45 | 0.0242 | CAPSULES | | | |
| Supplier IDA | 60 TAB-CAP | 2.48 | 0.0413 | CAPSULES | | | |
| | | Supplier Median Price/tab-cap=0.0328 | | High/Low Ratio=1.71 | | | |
| STAVUDINE (D4T) 30 mg tab-cap (PO) | | | | Price/tab-cap | 80 mg | E | J05AF04 |
| Supplier SCMS | 60 TAB-CAP | 1.47 | 0.0245 | CAPSULES | | | |
| Supplier IDA | 60 TAB-CAP | 3.07 | 0.0511 | CAPSULES | | | |
| Supplier DURBIN | 60 TAB-CAP | 4.74 | 0.0790 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0511 | | High/Low Ratio=3.22 | | | |
| Buyer PERU | 100 TAB-CAP | 3.65 | 0.0365 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 60 TAB-CAP | 2.65 | 0.0441 | CAPSULES | | | |
| | | Buyer Median Price/tab-cap=0.0403 | | High/Low Ratio=1.21 | | | |
| STAVUDINE (D4T) 40 mg tab-cap (PO) | | | | Price/tab-cap | 80 mg | E | J05AF04 |
| Supplier DURBIN | 60 TAB-CAP | 5.06 | 0.0843 | TABLETS | | | |
| STREPTOKINASE (POWDER) 1,500,000 IU vial (INJ) | | | | Price/vial | 1.5 MU | C | B01AD01 |
| Buyer CRSS | 1 VIAL | 60.00 | 60.0000 | | | | |
| STREPTOMYCIN SULFATE 1 g vial (INJ) | | | | Price/vial | 1 g | E | J01GA01 |
| Supplier UNFPA | 50 VIAL | 3.50 | 0.0700 | | | | |
| Supplier JMS | 50 VIAL | 8.31 | 0.1662 | | | | |
| Supplier MISSION | 50 VIAL | 12.02 | 0.2405 | | | | |
| Supplier DURBIN | 50 VIAL | 17.42 | 0.3484 | POWDER | | | |
| Supplier IMRES | 50 VIAL | 19.00 | 0.3800 | | | | |
| Supplier GDF | 100 VIAL | 68.00 | 0.6800 | | | | |
| Supplier MEDEOR/EU | 25 VIAL | 39.11 | 1.5646 | | | | |
| Supplier IDA | 50 VIAL | 88.73 | 1.7747 | POWDER | | | |
| | | Supplier Median Price/vial=0.3642 | | High/Low Ratio=25.35 | | | |
| Buyer NAMIBIA | 50 VIAL | 11.32 | 0.2263 | POWDER | | | |
| Buyer PERU | 1 VIAL | 1.94 | 1.9414 | | | | |
| Buyer OECS/PPS | 1 VIAL | 2.50 | 2.5000 | | | | |
| Buyer CRSS | 1 VIAL | 5.00 | 5.0000 | | | | |
| | | Buyer Median Price/vial=2.2207 | | High/Low Ratio=22.09 | | | |
| SULFADIAZINE 500 mg tab-cap (PO) | | | | Price/tab-cap | 0.6 g | E | J01EC02 |
| Supplier IDA | 56 TAB-CAP | 2.61 | 0.0465 | BLISTER PACK TABLETS | | | |
| Buyer CRSS | 100 TAB-CAP | 10.89 | 0.1089 | TABLETS | | | |
| SULFADOXINE+PYRIMETHAMINE 500 mg+25 mg tab-cap (PO) | | | | Price/tab-cap | | C | P01BD51 |
| Supplier IMRES | 1000 TAB-CAP | 23.00 | 0.0230 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 23.90 | 0.0239 | TABLETS | | | |
| Supplier MEDS | 1000 TAB-CAP | 25.70 | 0.0257 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE | |
|---|-------------------|--------------------------------------|----------------------|---|------------------------|------------|-------------|---------|
| SULFADOXINE+PYRIMETHAMINE 500 mg+25 mg tab-cap (PO) | | | | Price/tab-cap | | C | P01BD51 | |
| Supplier MEG | 1000 TAB-CAP | 27.30 | 0.0273 | TABLETS | | | | |
| Supplier DURBIN | 1000 TAB-CAP | 29.63 | 0.0297 | TABLETS | | | | |
| Supplier UNFPA | 1000 TAB-CAP | 30.00 | 0.0300 | TABLETS | | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 33.10 | 0.0332 | TABLETS | | | | |
| Supplier MISSION | 1000 TAB-CAP | 35.39 | 0.0353 | TABLETS | | | | |
| Supplier JMS | 100 TAB-CAP | 3.93 | 0.0393 | TABLETS | | | | |
| Supplier MEDEOR/TZ | 90 TAB-CAP | 7.11 | 0.0790 | 30 X 3 TABLETS | | | | |
| | | Supplier Median Price/tab-cap=0.0299 | | High/Low Ratio=3.43 | | | | |
| Buyer MEMS | 90 TAB-CAP | 7.03 | 0.0781 | TABLETS | | | | |
| Buyer NAMIBIA | 3 TAB-CAP | 0.47 | 0.1552 | TABLETS | | | | |
| | | Buyer Median Price/tab-cap=0.1167 | | High/Low Ratio=1.99 | | | | |
| SULFADOXINE+PYRIMETHAMINE (250 MG+12.5 MG/5 ML) 250+12mg/5ml suspen (PO) | | | | Price/ml | | 75 mg | CP | P01BD51 |
| Buyer MEMS | 1 BOTT (15 ml) | 0.63 | 0.0418 | | | | | |
| SULFAMETHOXAZOLE+TRIMETHOPRIM (CO-TRIMOXAZOLE) 100 mg+20 mg tab-cap (PO) | | | | Price/tab-cap | | E | J01EE01 | |
| Supplier JMS | 1000 TAB-CAP | 3.44 | 0.0034 | TABLETS | | | | |
| Supplier MEG | 1000 TAB-CAP | 3.75 | 0.0038 | TABLETS | | | | |
| Supplier IMRES | 1000 TAB-CAP | 4.20 | 0.0042 | TABLETS | | | | |
| Supplier IDA | 1000 TAB-CAP | 4.27 | 0.0043 | TABLETS | | | | |
| Supplier DURBIN | 1000 TAB-CAP | 4.42 | 0.0045 | TABLETS | | | | |
| Supplier MISSION | 1000 TAB-CAP | 5.87 | 0.0059 | TABLETS | | | | |
| | | Supplier Median Price/tab-cap=0.0043 | | High/Low Ratio=1.74 | | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 3.18 | 0.0032 | TABLETS | | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 6.61 | 0.0066 | TABLETS | | | | |
| | | Buyer Median Price/tab-cap=0.0049 | | High/Low Ratio=2.06 | | | | |
| SULFAMETHOXAZOLE+TRIMETHOPRIM (CO-TRIMOXAZOLE) 200 mg+40 mg tab-cap (PO) | | | | Price/tab-cap | | P | J01EE01 | |
| Supplier MEDS | 100 TAB-CAP | 1.19 | 0.0119 | DISPERSIBLE, FLAVORED TABLETS; BLISTER PACK | | | | |
| SULFAMETHOXAZOLE+TRIMETHOPRIM (CO-TRIMOXAZOLE) 200+40mg/5ml suspen (PO) | | | | Price/ml | | E | J01EE01 | |
| Supplier MEDS | 1 BOTT (100 ml) | 0.24 | 0.0024 | | | | | |
| Supplier UNFPA | 10 BOTT (100 ml) | 2.80 | 0.0028 | | | | | |
| Supplier JMS | 1 BOTT (100 ml) | 0.33 | 0.0033 | | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (100 ml) | 0.41 | 0.0041 | POWDER | | | | |
| Supplier IDA | 100 BOTT (100 ml) | 50.34 | 0.0051 | | | | | |
| Supplier MISSION | 1 BOTT (100 ml) | 0.56 | 0.0056 | | | | | |
| Supplier IMRES | 10 BOTT (100 ml) | 6.25 | 0.0063 | POWDER | | | | |
| Supplier DURBIN | 1 BOTT (100 ml) | 0.64 | 0.0064 | POWDER | | | | |
| Supplier MEDEOR/EU | 12 BOTT (100 ml) | 12.68 | 0.0106 | POWDER | | | | |
| | | Supplier Median Price/ml=0.0051 | | High/Low Ratio=4.42 | | | | |
| Buyer DOMREPUB | 1 BOTT (120 ml) | 0.38 | 0.0032 | | | | | |
| Buyer CAMERWA | 1 BOTT (100 ml) | 0.40 | 0.0040 | SYRUP | | | | |
| Buyer MEMS | 1 BOTT (100 ml) | 0.41 | 0.0041 | | | | | |
| Buyer PERU | 1 BOTT (60 ml) | 0.27 | 0.0046 | | | | | |
| Buyer BUFMAR | 1 BOTT (100 ml) | 0.54 | 0.0054 | | | | | |
| Buyer OECS/PPS | 1 BOTT (100 ml) | 0.56 | 0.0056 | | | | | |
| Buyer NAMIBIA | 1 BOTT (100 ml) | 0.76 | 0.0076 | | | | | |
| | | Buyer Median Price/ml=0.0046 | | High/Low Ratio=2.38 | | | | |
| SULFAMETHOXAZOLE+TRIMETHOPRIM (CO-TRIMOXAZOLE) 25 mcg disc (DIAG) | | | | Price/each | | N | V07AR | |
| Supplier JMS | 100 DISC (1 EACH) | 4.21 | 0.0421 | | | | | |
| SULFAMETHOXAZOLE+TRIMETHOPRIM (CO-TRIMOXAZOLE) 400 mg+80 mg tab-cap (PO) | | | | Price/tab-cap | | E | J01EE01 | |
| Supplier MEDS | 1000 TAB-CAP | 7.71 | 0.0077 | TABLETS | | | | |
| Supplier JMS | 1000 TAB-CAP | 8.13 | 0.0081 | TABLETS | | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 9.72 | 0.0097 | TABLETS | | | | |
| Supplier MEG | 1000 TAB-CAP | 9.90 | 0.0099 | TABLETS | | | | |
| Supplier IMRES | 1000 TAB-CAP | 11.00 | 0.0110 | TABLETS | | | | |
| Supplier UNFPA | 1000 TAB-CAP | 11.05 | 0.0111 | TABLETS | | | | |
| Supplier IDA | 1000 TAB-CAP | 11.08 | 0.0112 | TABLETS | | | | |
| Supplier DURBIN | 1000 TAB-CAP | 11.64 | 0.0117 | TABLETS | | | | |
| Supplier MISSION | 1000 TAB-CAP | 15.82 | 0.0158 | TABLETS | | | | |
| Supplier MISSION | 1000 TAB-CAP | 17.63 | 0.0177 | TABLETS, BLISTER 100 X 10 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE | |
|---|----------------|--------------------------------------|----------------------|---------------------------------|------------------------|------------|-------------|---------|
| SULFAMETHOXAZOLE+TRIMETHOPRIM (CO-TRIMOXAZOLE) 400 mg+80 mg tab-cap (PO) | | | | Price/tab-cap | | E | J01EE01 | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 28.18 | 0.0282 | TABLETS | | | | |
| | | Supplier Median Price/tab-cap=0.0111 | | High/Low Ratio=3.66 | | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 8.94 | 0.0089 | TABLETS | | | | |
| Buyer MEMS | 1000 TAB-CAP | 9.90 | 0.0099 | TABLETS | | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 10.40 | 0.0104 | TABLETS | | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 12.00 | 0.0120 | TABLETS | | | | |
| Buyer BOTSWANA | 1000 TAB-CAP | 13.83 | 0.0138 | TABLETS | | | | |
| Buyer PERU | 100 TAB-CAP | 1.43 | 0.0143 | TABLETS, ILLUSTRATIVE PACK SIZE | | | | |
| Buyer BDS | 1000 TAB-CAP | 19.40 | 0.0194 | TABLETS | | | | |
| Buyer NAMIBIA | 500 TAB-CAP | 9.70 | 0.0194 | | | | | |
| | | Buyer Median Price/tab-cap=0.0129 | | High/Low Ratio=2.18 | | | | |
| SULFAMETHOXAZOLE+TRIMETHOPRIM (CO-TRIMOXAZOLE) 80+16 mg/ml ampoule (INJ) | | | | Price/ml | | E | J01EE01 | |
| Supplier IDA | 10 AMP (5 ml) | 23.18 | 0.4636 | | | | | |
| Supplier MISSION | 10 AMP (5 ml) | 32.41 | 0.6481 | | | | | |
| | | Supplier Median Price/ml=0.5559 | | High/Low Ratio=1.40 | | | | |
| Buyer CAMERWA | 10 AMP (10 ml) | 14.68 | 0.1468 | | | | | |
| Buyer BOTSWANA | 1 AMP (5 ml) | 0.86 | 0.1726 | | | | | |
| Buyer BDS | 10 AMP (5 ml) | 33.07 | 0.6613 | | | | | |
| Buyer OECS/PPS | 10 VIAL (5 ml) | 33.65 | 0.6730 | | | | | |
| | | Buyer Median Price/ml=0.4170 | | High/Low Ratio=4.58 | | | | |
| SULFAMETHOXAZOLE+TRIMETHOPRIM (CO-TRIMOXAZOLE) 800 mg+160mg tab-cap (PO) | | | | Price/tab-cap | | P | J01EE01 | |
| Supplier JMS | 1000 TAB-CAP | 16.21 | 0.0162 | TABLETS | | | | |
| Supplier MEG | 1000 TAB-CAP | 19.80 | 0.0198 | TABLETS | | | | |
| Supplier IMRES | 500 TAB-CAP | 10.70 | 0.0214 | TABLETS | | | | |
| Supplier IDA | 500 TAB-CAP | 10.79 | 0.0216 | TABLETS | | | | |
| Supplier MEDS | 100 TAB-CAP | 2.21 | 0.0221 | TABLETS | | | | |
| Supplier MISSION | 1000 TAB-CAP | 28.47 | 0.0285 | TABLETS | | | | |
| | | Supplier Median Price/tab-cap=0.0215 | | High/Low Ratio=1.76 | | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 19.85 | 0.0198 | TABLETS | | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.02 | 0.0240 | | | | | |
| Buyer PERU | 100 TAB-CAP | 2.81 | 0.0281 | TABLETS, ILLUSTRATIVE PACK SIZE | | | | |
| Buyer BDS | 10 TAB-CAP | 5.03 | 0.0503 | TABLETS | | | | |
| | | Buyer Median Price/tab-cap=0.0261 | | High/Low Ratio=25.40 | | | | |
| SULFASALAZINE 500 mg tab-cap (PO) | | | | Price/tab-cap | | 2 g | C | A07EC01 |
| Buyer BDS | 500 TAB-CAP | 54.68 | 0.1094 | TABLETS | | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 40.13 | 0.4013 | TABLETS | | | | |
| Buyer OECS/PPS | 240 TAB-CAP | 110.70 | 0.4613 | TABLETS | | | | |
| | | Buyer Median Price/tab-cap=0.4013 | | High/Low Ratio=4.22 | | | | |
| SULPHAMETOPYRAZINE-PYRIMETHAMINE 500+25 mg tab-cap (PO) | | | | Price/tab-cap | | 75 mg | N | P01BD51 |
| Buyer MEMS | 60 TAB-CAP | 14.19 | 0.2365 | TABLETS | | | | |
| SUXAMETHONIUM CL 20 mg/ml vial (INJ) | | | | Price/ml | | | P | M03AB01 |
| Buyer OECS/PPS | 1 VIAL (20 ml) | 3.50 | 0.1750 | | | | | |
| SUXAMETHONIUM CL (SUCCINYLCHOLINE) 50 mg/ml ampoule (INJ) | | | | Price/ml | | | E | M03AB01 |
| Supplier UNFPA | 10 AMP (2 ml) | 3.25 | 0.1625 | | | | | |
| Supplier MEDEOR/TZ | 100 AMP (2 ml) | 37.16 | 0.1858 | | | | | |
| Supplier IDA | 100 AMP (2 ml) | 45.42 | 0.2272 | | | | | |
| Supplier JMS | 10 AMP (2 ml) | 5.12 | 0.2559 | | | | | |
| Supplier DURBIN | 10 AMP (2 ml) | 5.38 | 0.2690 | | | | | |
| Supplier MISSION | 100 AMP (2 ml) | 63.25 | 0.3163 | | | | | |
| | | Supplier Median Price/ml=0.2416 | | High/Low Ratio=1.95 | | | | |
| Buyer CRSS | 1 VIAL (10 ml) | 3.25 | 0.3250 | | | | | |
| Buyer BDS | 100 AMP (2 ml) | 65.25 | 0.3262 | | | | | |
| Buyer NAMIBIA | 10 AMP (2 ml) | 7.83 | 0.3915 | | | | | |
| Buyer MEMS | 1 VIAL (2 ml) | 0.99 | 0.4950 | | | | | |
| | | Buyer Median Price/ml=0.3589 | | High/Low Ratio=1.52 | | | | |
| TAMOXIFEN CITRATE 10 mg tab-cap (PO) | | | | Price/tab-cap | | 20 mg | C | L02BA01 |
| Supplier JMS | 30 TAB-CAP | 1.72 | 0.0574 | TABLETS | | | | |
| Supplier DURBIN | 30 TAB-CAP | 2.57 | 0.0856 | TABLETS | | | | |
| Supplier IDA | 30 TAB-CAP | 2.75 | 0.0917 | TABLETS | | | | |
| | | Supplier Median Price/tab-cap=0.0856 | | High/Low Ratio=1.60 | | | | |
| Buyer BOTSWANA | 30 TAB-CAP | 4.35 | 0.1449 | TABLETS | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|------------------|---|----------------------|-------------------------------|------------------------|------------|----------------|
| TAMOXIFEN CITRATE 20 mg tab-cap (PO) | | | Price/tab-cap | | 20 mg | C | L02BA01 |
| Supplier JMS | 30 TAB-CAP | 2.40 | 0.0801 | TABLETS | | | |
| Supplier DURBIN | 30 TAB-CAP | 3.85 | 0.1285 | TABLETS | | | |
| Supplier IDA | 30 TAB-CAP | 5.43 | 0.1811 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.1285 | | High/Low Ratio=2.26 | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 0.90 | 0.0090 | TABLETS | | | |
| Buyer NAMIBIA | 250 TAB-CAP | 36.33 | 0.1453 | TABLETS | | | |
| Buyer CRSS | 100 TAB-CAP | 23.27 | 0.2327 | TABLETS | | | |
| Buyer BDS | 30 TAB-CAP | 9.63 | 0.3211 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.1890 | | High/Low Ratio=35.68 | | | |
| TENOFOVIR DF+EMTRICITABINE (TDF+FTC) 300 mg+200mg tab-cap (PO) | | | Price/tab-cap | | 1 tab | E | J05AR03 |
| Supplier SCMS | 30 TAB-CAP | 9.42 | 0.3140 | TABLETS | | | |
| Supplier IDA | 30 TAB-CAP | 14.75 | 0.4915 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.4028 | | High/Low Ratio=1.57 | | | |
| Buyer BDS | 30 TAB-CAP | 14.55 | 0.4852 | TABLETS | | | |
| Buyer CAMERWA | 30 TAB-CAP | 16.49 | 0.5498 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.5175 | | High/Low Ratio=1.13 | | | |
| TENOFOVIR DF+LAMIVUDINE 300mg+300mg tab-cap (PO) | | | Price/tab-cap | | | P | |
| Supplier SCMS | 30 TAB-CAP | 7.82 | 0.2607 | TABLETS | | | |
| TENOFOVIR DISOPROXIL FUMERATE (TDF) (EQUIV.245MG TENOFOVIR DISOPRO) 300 mg tab-cap (PO) | | | Price/tab-cap | | 0.245 g | E | J05AF07 |
| Supplier SCMS | 30 TAB-CAP | 6.74 | 0.2247 | TABLETS | | | |
| Supplier IDA | 30 TAB-CAP | 10.46 | 0.3487 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.2867 | | High/Low Ratio=1.55 | | | |
| Buyer GHANA | 30 TAB-CAP | 5.99 | 0.1997 | TABLETS | | | |
| Buyer CAMERWA | 30 TAB-CAP | 9.79 | 0.3263 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.2630 | | High/Low Ratio=1.63 | | | |
| TERIZIDONE 250 mg tab-cap (PO) | | | Price/tab-cap | | | N | |
| Supplier GDF | 50 TAB-CAP | 85.47 | 1.7094 | BLISTER PACK CAPSULES, 10 X 5 | | | |
| TEST, BLOODGROUP ANTI-A, MONOCLONAL test (DIAG) | | | Price/ml | | | N | |
| Supplier IDA | 10 VIAL (10 ml) | 30.35 | 0.3035 | 200 TESTS | | | |
| TEST, BLOODGROUP ANTI-A/B, MONOCLONAL test (DIAG) | | | Price/ml | | | N | |
| Supplier IDA | 10 VIAL (10 ml) | 41.39 | 0.4139 | 200 TESTS | | | |
| TEST, BLOODGROUP, ANTI-B, MONOCLONAL test (DIAG) | | | Price/ml | | | N | |
| Supplier IDA | 10 VIAL (10 ml) | 30.81 | 0.3081 | 200 TESTS | | | |
| TEST, BLOODGROUP, ANTI-D, MONOCLONAL test (DIAG) | | | Price/ml | | | N | |
| Supplier IDA | 10 VIAL (10 ml) | 53.23 | 0.5323 | 200 TESTS | | | |
| TEST, BRUCELLA MELITENSIS ANTIGEN (RAPID) test (DIAG) | | | Price/test | | | N | |
| Supplier JMS | 10 TEST | 481.89 | 48.1895 | | | | |
| TEST, CHLAMYDIA (RAPID TEST) test (N/A) | | | Price/each | | | N | V04CX |
| Supplier UNFPA | 50 TEST (1 EACH) | 50.00 | 1.0000 | | | | |
| Supplier JMS | 25 EACH | 76.05 | 3.0419 | | | | |
| | | Supplier Median Price/each=2.0210 | | High/Low Ratio=3.04 | | | |
| TEST, HEPATITIS B HBSAG ELISA (VERSION 3) test (DIAG) | | | Price/test | | | N | |
| Supplier IDA | 96 TEST | 212.92 | 2.2179 | | | | |
| TEST, HEPATITIS BSAG test (N/A) | | | Price/test | | | N | V04CX |
| Supplier MEDS | 50 TEST | 13.43 | 0.2686 | SINGLE, SEALED DIPSTICKS | | | |
| Supplier UNFPA | 50 TEST | 22.50 | 0.4500 | | | | |
| Supplier IMRES | 50 TEST | 35.00 | 0.7000 | TESTSTRIP | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|---------------------|--|----------------------|---|------------------------|------------|-------------|
| TEST, HEPATITIS BSAG test (N/A) | | | Price/test | | | N | V04CX |
| Supplier JMS | 50 TEST | 35.51 | 0.7102 | 2 X 25 TESTS, DIPSTICK | | | |
| Supplier MEDEOR/TZ | 50 TEST | 37.20 | 0.7440 | RAPID TEST, KIT | | | |
| Supplier IDA | 100 TEST | 146.10 | 1.4610 | DETERMINE | | | |
| Supplier UNFPA | 96 TEST | 160.00 | 1.6667 | KIT, ELISA, BIORAD MONOLISA HBSAG ULTRA | | | |
| | | Supplier Median Price/test=0.7102 | | High/Low Ratio=6.21 | | | |
| Buyer MEMS | 100 TEST | 25.41 | 0.2541 | KIT | | | |
| TEST, HEPATITIS C ELISA test (DIAG) | | | Price/test | | | N | |
| Supplier IDA | 96 TEST | 349.08 | 3.6363 | | | | |
| TEST, HEPATITIS C, HCVSCAN (TM) (RAPID TEST) test (N/A) | | | Price/test | | | N | V04CX |
| Supplier MEDEOR/TZ | 50 TAB-CAP (1 TEST) | 49.10 | 0.9821 | | | | |
| Supplier IDA | 100 TEST | 436.64 | 4.3664 | | | | |
| | | Supplier Median Price/test=2.6743 | | High/Low Ratio=4.45 | | | |
| TEST, HEPATITIS C, HEXAGON HCV (TM) (RAPID TEST) test (N/A) | | | Price/test | | | N | V04CX |
| Buyer CAMERWA | 40 TEST | 82.47 | 2.0618 | KIT | | | |
| TEST, HIV 1 NEW LAV BLOT (TM) test (N/A) | | | Price/test | | | N | V04CX |
| Supplier IDA | 18 TEST | 535.80 | 29.7667 | | | | |
| TEST, HIV 1&2 BIONOR (TM) test (N/A) | | | Price/test | | | N | V04CX |
| Supplier MEDS | 25 TEST | 34.47 | 1.3786 | | | | |
| TEST, HIV 1&2 FIRST RESPONSE (TM) test (N/A) | | | Price/test | | | N | V04CX |
| Supplier SCMS | 30 TEST | 23.63 | 0.7875 | V 3.0, CARDS, KIT | | | |
| TEST, HIV 1&2 GENIE (TM) test (N/A) | | | Price/test | | | N | V04CX |
| Supplier MEG | 40 TEST | 180.00 | 4.5000 | | | | |
| TEST, HIV 1&2 ORAQUICK (TM) test (N/A) | | | Price/test | | | N | V04CX |
| Supplier MEG | 25 TEST | 9.00 | 0.3600 | | | | |
| Supplier SCMS | 100 TEST | 327.00 | 3.2700 | RAPID ANTIBODY KIT | | | |
| Supplier IDA | 25 TEST | 241.79 | 9.6715 | | | | |
| | | Supplier Median Price/test=3.2700 | | High/Low Ratio=26.87 | | | |
| TEST, HIV 1+2 ANTIBODY DIAGNOS. KIT (COLLOIDAL GOLD) test (N/A) | | | Price/test | | | N | V04CX |
| Supplier IDA | 50 TEST | 47.52 | 0.9503 | | | | |
| TEST, HIV 1+2 COLLOIDAL GOLD test (DIAG) | | | Price/test | | | N | |
| Supplier SCMS | 50 TEST | 25.20 | 0.5040 | KIT | | | |
| TEST, HIV 1+2 IMMUNOCOMB II BI-SPOT ((TM)) test (N/A) | | | Price/test | | | N | V04CX |
| Supplier IDA | 36 TEST | 105.03 | 2.9175 | | | | |
| TEST, HIV 1+2 RETROCHECK (TM) test (N/A) | | | Price/test | | | N | V04CX |
| Supplier MISSION | 25 TEST | 24.48 | 0.9793 | KIT | | | |
| TEST, HIV 1+2 SD BIOLINE 3.0 (TM) test (N/A) | | | Price/test | | | N | V04CX |
| Supplier SCMS | 25 TEST | 20.50 | 0.8200 | KIT | | | |
| Supplier IDA | 25 TEST | 29.41 | 1.1763 | | | | |
| | | Supplier Median Price/test=0.9982 | | High/Low Ratio=1.43 | | | |
| TEST, HIV 1+2 STAT PAK (TM) test (N/A) | | | Price/test | | | N | V04CX |
| Supplier JMS | 30 TAB-CAP (1 TEST) | 34.52 | 1.1508 | DIPSTICK | | | |
| Supplier SCMS | 20 TEST | 31.60 | 1.5800 | KIT | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|----------------------|-------------------------|----------------------|-----------------------------------|------------------------|------------|-------------|
| TEST, HIV 1+2 STAT PAK (TM) test (N/A) Supplier IDA | 20 TEST | 59.03 | 2.9517 | Supplier Median Price/test=1.5800 | Price/test | N | V04CX |
| | | | | | High/Low Ratio=2.56 | | |
| TEST, HIV 1+2 WESTERN BLOT 2.2 MPD (CONFIRMATION) test (DIAG) Supplier IDA | 36 TEST | 1022.39 | 28.3997 | | Price/test | N | |
| TEST, HIV 1+2+O AG/AB MUREX (TM) test (N/A) Supplier MEG | 96 TEST | 297.22 | 3.0960 | Supplier Median Price/test=1.5800 | Price/test | N | V04CX |
| TEST, HIV 1+2+O ANTIBODIES ELISA test (N/A) Supplier IDA | 96 TEST | 188.69 | 1.9656 | | Price/test | N | V04CX |
| TEST, HIV 1+2+O ENZYGNOST (TM) test (N/A) Supplier IDA | 192 TAB-CAP (1 TEST) | 458.73 | 2.3892 | Supplier Median Price/test=1.5800 | Price/test | N | V04CX |
| TEST, HIV 1+2+O FIRST RESPONSE CARD ((TM)) test (N/A) Supplier IDA | 30 TEST | 24.05 | 0.8016 | | Price/test | N | V04CX |
| TEST, HIV 1+2+O GENSCREEN + AG/AB ((TM)) test (N/A) Supplier IDA | 480 TEST | 516.46 | 1.0759 | Supplier Median Price/test=1.5800 | Price/test | N | V04CX |
| Supplier MEG | 96 TEST | 308.72 | 3.2158 | | High/Low Ratio=2.99 | | |
| TEST, HIV 1+2, DOUBLECHECK GOLD (TM) test (N/A) Supplier IDA | 100 TEST | 145.59 | 1.4559 | Supplier Median Price/test=1.5800 | Price/test | N | V04CX |
| Supplier MEG | 100 TEST | 203.97 | 2.0397 | | High/Low Ratio=1.40 | | |
| TEST, HIV 1+2, DOUBLECHECK, RAPID ((TM)) test (N/A) Supplier MISSION | 100 TEST | 190.07 | 1.9007 | KIT | Price/test | N | V04CX |
| TEST, HIV 1+2, INTEC test (N/A) Supplier MISSION | 25 TEST | 21.15 | 0.8460 | KIT | Price/test | N | V04CX |
| TEST, HIV 2 NEW LAV BLOT (TM) test (N/A) Supplier IDA | 18 TEST | 535.80 | 29.7667 | Supplier Median Price/test=1.5800 | Price/test | N | V04CX |
| TEST, HIV, CAPILLUS HIV-1/2 (TM) test (N/A) Buyer MEMS | 100 TEST | 92.40 | 0.9240 | | Price/test | N | V04CX |
| TEST, HIV, DETERMINE HIV-1/2 (TM) test (N/A) Supplier SCMS | 100 TEST | 80.00 | 0.8000 | Supplier Median Price/test=1.5800 | Price/test | N | V04CX |
| Supplier SCMS | 100 TEST | 86.10 | 0.8610 | KIT WITHOUT LANCETS | High/Low Ratio=1.91 | | |
| Supplier JMS | 100 TEST | 92.40 | 0.9240 | COMPLETE KIT | | | |
| Supplier MEDS | 100 TEST | 94.63 | 0.9463 | | | | |
| Supplier IDA | 100 TEST | 107.49 | 1.0749 | | | | |
| Supplier IMRES | 100 TEST | 110.00 | 1.1000 | | | | |
| Supplier MEG | 100 TEST | 114.20 | 1.1420 | KIT W/ CHASE BUFFER | | | |
| Supplier UNFPA | 100 TAB-CAP (1 TEST) | 120.00 | 1.2000 | LATERAL FLOW QUICKTEST | | | |
| Supplier MISSION | 100 TEST | 152.69 | 1.5269 | WITHOUT CHASE BUFFER, KIT | | | |
| Buyer CAMERWA | 100 TEST | 89.04 | 0.8904 | KIT | High/Low Ratio=1.91 | | |
| TEST, HIV, UNIGOLD I/II (TM) test (N/A) Supplier SCMS | 20 TEST | 34.02 | 1.7010 | Supplier Median Price/test=1.5800 | Price/test | N | V04CX |
| Supplier MEDS | 20 TEST | 42.62 | 2.1312 | | High/Low Ratio=1.91 | | |
| Supplier JMS | 20 TEST | 48.52 | 2.4262 | KIT | | | |
| Supplier MEG | 20 TEST | 49.84 | 2.4920 | KIT | | | |
| Supplier IDA | 20 TEST | 61.93 | 3.0966 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|---|---|--|---|------------------------|------------|-------------|
| TEST, HIV, UNIGOLD I/II (TM) test (N/A) Supplier MISSION Buyer CAMERWA | 20 TEST | 69.54 Supplier Median Price/test=2.4591 81.70 | 3.4769 4.0848 | Price/test KIT High/Low Ratio=2.04 | | N | V04CX |
| TEST, HIV, VIRONOSTIKA UNI-FORM II (AG/AB (TM)) test (N/A) Supplier MEG | 192 TEST | 611.44 | 3.1846 | Price/test | | N | V04CX |
| TEST, MALARIA P. FALCIPARUM+P. PAN (PARASCREEN, RAPID) test (N/A) | | | | Price/test | | N | V04CX |
| Supplier IDA Supplier IDA | 25 TAB-CAP (1 TEST) 25 TEST | 22.31 30.42 | 0.8924 1.2169 | FIRST RESPONSE AG Supplier Median Price/test=1.0547 High/Low Ratio=1.36 | | | |
| TEST, MALARIA P.FALCIPARUM,PARACHECK test (N/A) | | | | Price/test | | N | V07A |
| Supplier MEG Supplier IDA Supplier IMRES Supplier MISSION | 25 TEST 25 TEST 25 TEST 25 TEST | 15.72 16.52 18.00 24.63 | 0.6288 0.6606 0.7200 0.9851 | KIT KIT, CASSETTE DEVICE Supplier Median Price/test=0.6903 High/Low Ratio=1.57 | | | |
| TEST, MALARIA SD-BIOLINE test (DIAG) | | | | Price/test | | N | V07AR |
| Supplier MEG Supplier IMRES Supplier MEDEOR/TZ | 25 TEST 25 TEST 25 TEST | 16.60 21.00 25.11 | 0.6640 0.8400 1.0044 | KIT KIT Supplier Median Price/test=0.8400 High/Low Ratio=1.51 | | | |
| TEST, MALARIA, INTEC test (N/A) | | | | Price/test | | N | V04CX |
| Supplier MISSION | 25 TEST | 20.93 | 0.8373 | KIT, INCLUDING DILUENTS | | | |
| TEST, MALARIA, P.FALCIPARUM, P.VIVAX test (N/A) | | | | Price/test | | N | V04CX |
| Supplier IDA | 25 TEST | 20.28 | 0.8113 | SD BIOLINE AG | | | |
| TEST, MALARIA, PARAMAX 3, RAPID (TM) (P.FALCIPARUM+P.VIVAX+P.PAN) test (N/A) | | | | Price/test | | N | V04CX |
| Supplier IDA | 25 TEST | 45.63 | 1.8254 | | | | |
| TEST, PREGNANCY test (N/A) | | | | Price/test | | N | V04CX |
| Supplier MEDS Supplier UNFPA Supplier IDA Supplier IMRES Supplier MEG Supplier JMS Supplier MEDS Buyer MEMS Buyer CAMERWA Buyer NAMIBIA | 50 TEST 1 TEST 100 TEST 1 TEST 50 TEST 100 TEST 100 TEST 50 TEST 100 TEST 100 TEST | 3.77 0.09 11.54 0.12 7.18 15.61 27.20 3.30 11.44 13.12 | 0.0755 0.0900 0.1154 0.1200 0.1436 0.1561 0.2720 0.0660 0.1144 0.1312 | RAPID TEST STRIP URINE TEST STRIP HCG, 2.5 MM STRIP DIP STRIP URINE STRIPS, 2.5 MM HCG LATEX DIRECT METHOD STRIP KIT Supplier Median Price/test=0.1200 Buyer Median Price/test=0.1144 High/Low Ratio=3.60 High/Low Ratio=1.99 | | | |
| TEST, RUBELLA VIRUS IGG/IGM (RAPID) test (DIAG) | | | | Price/test | | N | |
| Supplier JMS | 25 TEST | 81.69 | 3.2674 | TEST STRIPS | | | |
| TEST, SALMONELLA TYPHI IGG/IGM (RAPID) test (DIAG) | | | | Price/test | | N | |
| Supplier JMS | 25 TEST | 55.52 | 2.2210 | TEST STRIPS | | | |
| TEST, SYPHILIS DETERMINE (TM) test (N/A) | | | | Price/test | | N | V04CX |
| Supplier IMRES Supplier IDA Supplier MEG | 100 TEST 100 TEST 100 TEST | 155.00 166.75 168.00 | 1.5500 1.6675 1.6800 | 10 X 10 W/ CHASE BUFFER Supplier Median Price/test=1.6675 High/Low Ratio=1.08 | | | |
| TEST, SYPHILIS RPR (TM) test (N/A) | | | | Price/test | | N | V04CX |
| Supplier MEDEOR/TZ | 125 TEST | 9.00 | 0.0720 | KIT | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE | |
|---|-----------------------|-------------------------|----------------------|-----------------------------|------------------------|------------|-------------|---------|
| TEST, SYPHILIS RPR (TM) test (N/A) | | | Price/test | | | N | V04CX | |
| Supplier IDA | 500 TEST | 41.14 | 0.0823 | BIOTEC | | | | |
| Supplier MEG | 500 TEST | 42.47 | 0.0849 | KIT | | | | |
| Supplier IDA | 100 TEST | 12.60 | 0.1260 | BIOTEC | | | | |
| Supplier IMRES | 100 TEST | 14.00 | 0.1400 | | | | | |
| Supplier MISSION | 500 TEST | 140.52 | 0.2810 | KIT | | | | |
| Supplier Median Price/test=0.1055 | | | | High/Low Ratio=3.90 | | | | |
| TEST, SYPHILIS SD BIOLINE 3.0 (TM) (RAPID TEST) test (N/A) | | | Price/test | | | N | V04CX | |
| Supplier IDA | 30 TEST | 25.28 | 0.8427 | | | | | |
| TEST, SYPHILIS TPHA, BSM test (DIAG) | | | Price/test | | | N | | |
| Supplier IDA | 100 TEST | 74.70 | 0.7470 | | | | | |
| TEST, TOXOPLASMA GONDII IgG, ELISA test (DIAG) | | | Price/test | | | N | | |
| Buyer CAMERWA | 96 TEST | 96.14 | 1.0015 | | | | | |
| TETANUS ANTITOXIN 1500 IU ampoule (INJ) | | | Price/ampoule | | | N | J06AA02 | |
| Supplier IDA | 50 AMP | 52.15 | 1.0431 | 1 ML | | | | |
| Supplier IMRES | 50 AMP | 52.50 | 1.0500 | 1 ML | | | | |
| Supplier MISSION | 50 AMP | 67.36 | 1.3473 | 1 ML | | | | |
| Supplier JMS | 1 AMP | 1.45 | 1.4492 | 1 ML | | | | |
| Supplier Median Price/ampoule=1.987 | | | | High/Low Ratio=1.39 | | | | |
| Buyer CAMERWA | 20 AMP | 40.20 | 2.0102 | | | | | |
| Buyer BDS | 1 SYRINGE (1 AMPOULE) | 7.41 | 7.4099 | 1 DOSE | | | | |
| Buyer Median Price/ampoule=4.7101 | | | | High/Low Ratio=3.69 | | | | |
| TETRACAIN 0.5% opht drop (OPHT) | | | Price/ml | | | E | S01HA03 | |
| Supplier DURBIN | 1 BOTT (10 ml) | 1.53 | 0.1525 | AMETHOCAIN | | | | |
| Supplier IDA | 20 BOTT (0.50 ml) | 24.77 | 2.4773 | | | | | |
| Supplier Median Price/ml=1.3149 | | | | High/Low Ratio=16.24 | | | | |
| TETRACYCLINE 10 mcg disc (DIAG) | | | Price/each | | | N | V07AR | |
| Supplier JMS | 100 DISC (1 EACH) | 5.62 | 0.0562 | | | | | |
| TETRACYCLINE 3% ointment (TOP) | | | Price/g | | | P | D06AA04 | |
| Supplier IMRES | 1 TUBE (15 g) | 0.35 | 0.0233 | | | | | |
| Supplier IDA | 10 TUBE (15 g) | 3.69 | 0.0246 | HCL | | | | |
| Supplier MISSION | 1 TUBE (15 g) | 0.43 | 0.0290 | HCL | | | | |
| Supplier MEG | 50 TUBE (15 g) | 32.65 | 0.0435 | | | | | |
| Supplier DURBIN | 10 TUBE (15 g) | 7.23 | 0.0482 | | | | | |
| Supplier Median Price/g=0.0290 | | | | High/Low Ratio=2.07 | | | | |
| TETRACYCLINE HCL 1% opht oint (OPHT) | | | Price/g | | | E | S01AA09 | |
| Supplier MEG | 50 TUBE (5 g) | 8.85 | 0.0354 | | | | | |
| Supplier IMRES | 25 TUBE (5 g) | 4.50 | 0.0360 | | | | | |
| Supplier DURBIN | 50 TUBE (5 g) | 11.64 | 0.0466 | | | | | |
| Supplier MEDS | 1 TUBE (3.50 g) | 0.17 | 0.0476 | | | | | |
| Supplier IDA | 50 TUBE (5 g) | 12.60 | 0.0504 | | | | | |
| Supplier MEDEOR/TZ | 1 TUBE (3.50 g) | 0.18 | 0.0514 | | | | | |
| Supplier MISSION | 50 TUBE (5 g) | 16.66 | 0.0666 | | | | | |
| Supplier JMS | 1 TUBE (3.50 g) | 0.24 | 0.0691 | | | | | |
| Supplier UNFPA | 50 TUBE (5 g) | 22.25 | 0.0890 | | | | | |
| Supplier MEDEOR/EU | 50 TUBE (5 g) | 31.73 | 0.1269 | | | | | |
| Supplier Median Price/g=0.0509 | | | | High/Low Ratio=3.58 | | | | |
| Buyer BUFMAR | 1 TUBE (5 g) | 0.15 | 0.0304 | | | | | |
| Buyer MEMS | 1 TUBE (3.50 g) | 0.16 | 0.0453 | | | | | |
| Buyer NAMIBIA | 1 TUBE (5 g) | 0.30 | 0.0608 | | | | | |
| Buyer PERU | 1 TUBE (6 g) | 1.34 | 0.2235 | | | | | |
| Buyer Median Price/g=0.0531 | | | | High/Low Ratio=7.35 | | | | |
| TETRACYCLINE HCL 250 mg tab-cap (PO) | | | Price/tab-cap | | | 1 g | P | J01AA07 |
| Supplier UNFPA | 1000 TAB-CAP | 7.00 | 0.0070 | CAPSULES | | | | |
| Supplier MEG | 1000 TAB-CAP | 12.98 | 0.0130 | CAPSULES | | | | |
| Supplier IMRES | 1000 TAB-CAP | 13.50 | 0.0135 | CAPSULES | | | | |
| Supplier DURBIN | 1000 TAB-CAP | 13.65 | 0.0136 | CAPSULES | | | | |
| Supplier MISSION | 1000 TAB-CAP | 21.44 | 0.0214 | CAPSULES | | | | |
| Supplier Median Price/tab-cap=0.0135 | | | | High/Low Ratio=3.06 | | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 7.85 | 0.0079 | CAPSULES | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-----------------|--|----------------------|----------------------------------|------------------------|------------|----------------|
| TETRACYCLINE HCL 250 mg tab-cap (PO) | | | Price/tab-cap | | 1 g | P | J01AA07 |
| Buyer MEMS | 1000 TAB-CAP | 10.49 | 0.0105 | CAPSULES | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 3.08 | 0.0308 | CAPSULES, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 100 TAB-CAP | 4.48 | 0.0448 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0207 | | High/Low Ratio=5.67 | | | |
| THALIDOMIDE 100 mg tab-cap (PO) | | | Price/tab-cap | | 0.1 g | N | L04AX02 |
| Buyer BDS | 30 TAB-CAP | 48.25 | 1.6082 | CAPSULES | | | |
| THEOPHYLLINE (SUSTAINED-RELEASE) 200 mg tab-cap (PO) | | | Price/tab-cap | | 0.4 g | N | R03DA04 |
| Buyer OECS/PPS | 100 TAB-CAP | 2.00 | 0.0200 | TABLETS | | | |
| THIOPENTAL SODIUM 1 g vial (INJ) | | | Price/vial | | | E | N01AF03 |
| Supplier UNFPA | 50 VIAL | 50.00 | 1.0000 | | | | |
| Supplier MEDEOR/TZ | 1 VIAL | 1.08 | 1.0800 | POWDER | | | |
| Supplier MEG | 50 VIAL | 60.48 | 1.2096 | | | | |
| Supplier DURBIN | 50 AMP (1 VIAL) | 70.65 | 1.4130 | POWDER | | | |
| Supplier IDA | 50 VIAL | 76.42 | 1.5284 | POWDER | | | |
| Supplier MISSION | 50 VIAL | 105.76 | 2.1151 | | | | |
| | | Supplier Median Price/vial=1.3113 | | High/Low Ratio=2.12 | | | |
| Buyer BDS | 25 VIAL | 36.88 | 1.4751 | | | | |
| Buyer OECS/PPS | 50 VIAL | 80.00 | 1.6000 | POWDER | | | |
| Buyer PERU | 1 VIAL | 10.86 | 10.8637 | | | | |
| | | Buyer Median Price/vial=1.6000 | | High/Low Ratio=7.36 | | | |
| THIOPENTAL SODIUM 500 mg vial (INJ) | | | Price/vial | | | E | N01AF03 |
| Supplier MEG | 50 VIAL | 46.35 | 0.9270 | | | | |
| Supplier DURBIN | 50 AMP (1 VIAL) | 48.17 | 0.9634 | POWDER | | | |
| Supplier MEDS | 1 VIAL | 1.00 | 0.9990 | | | | |
| Supplier MEDEOR/EU | 50 VIAL | 50.78 | 1.0155 | | | | |
| Supplier JMS | 1 VIAL | 1.04 | 1.0396 | | | | |
| Supplier IDA | 50 VIAL | 54.54 | 1.0909 | POWDER | | | |
| Supplier IMRES | 50 VIAL | 55.00 | 1.1000 | | | | |
| Supplier MEDEOR/TZ | 1 VIAL | 1.50 | 1.5000 | | | | |
| Supplier MISSION | 50 VIAL | 75.77 | 1.5153 | | | | |
| | | Supplier Median Price/vial=1.0396 | | High/Low Ratio=1.63 | | | |
| Buyer CAMERWA | 25 VIAL | 15.03 | 0.6013 | | | | |
| Buyer MEMS | 1 VIAL | 1.32 | 1.3200 | | | | |
| Buyer GHANA | 10 VIAL | 15.50 | 1.5500 | POWDER | | | |
| Buyer CRSS | 1 VIAL | 1.89 | 1.8900 | | | | |
| Buyer NAMIBIA | 25 VIAL | 52.19 | 2.0878 | 20 ML VIAL, WITH DILUENT | | | |
| | | Buyer Median Price/vial=1.5500 | | High/Low Ratio=3.47 | | | |
| THIORIDAZINE 100 mg tab-cap (PO) | | | Price/tab-cap | | 0.3 g | T | N05AC02 |
| Buyer BDS | 30 TAB-CAP | 2.91 | 0.0970 | TABLETS | | | |
| Buyer NAMIBIA | 500 TAB-CAP | 85.05 | 0.1701 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.1336 | | High/Low Ratio=1.75 | | | |
| THIORIDAZINE 25 mg tab-cap (PO) | | | Price/tab-cap | | 0.3 g | T | N05AC02 |
| Buyer NAMIBIA | 500 TAB-CAP | 27.65 | 0.0553 | TABLETS | | | |
| Buyer BDS | 30 TAB-CAP | 1.72 | 0.0574 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0564 | | High/Low Ratio=1.04 | | | |
| THIORIDAZINE 50 mg tab-cap (PO) | | | Price/tab-cap | | 0.3 g | T | N05AC02 |
| Buyer BOTSWANA | 100 TAB-CAP | 8.75 | 0.0875 | FILM-COATED TABLETS | | | |
| TIABENDAZOLE 500 mg tab-cap (PO) | | | Price/tab-cap | | 3 g | N | P02CA02 |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 10.66 | 0.1066 | TABLETS | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 64.70 | 0.0647 | TABLETS | | | |
| TIABENDAZOLE (CHEWABLE) 500 mg tab-cap (PO) | | | Price/tab-cap | | 3 g | N | P02CA02 |
| Supplier DURBIN | 1000 TAB-CAP | 99.55 | 0.0996 | TABLETS | | | |
| | | Supplier Median Price/ml=0.3012 | | High/Low Ratio=2.50 | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-----------------|---|----------------------|---------------------------------|------------------------|------------|-------------|
| TIMOLOL MALEATE 0.5% opht drop (OPHT) | | | Price/ml | | 0.2 ML | E | S01ED01 |
| Supplier MEDEOR/TZ | 1 BOTT (5 ml) | 1.12 | 0.2232 | | | | |
| Supplier IDA | 1 BOTT (5 ml) | 2.68 | 0.5360 | | | | |
| | | Supplier Median Price/ml=0.3796 | | High/Low Ratio=2.40 | | | |
| Buyer OECS/PPS | 1 BOTT (5 ml) | 0.65 | 0.1300 | | | | |
| Buyer MEMS | 1 BOTT (5 ml) | 0.67 | 0.1333 | | | | |
| Buyer BDS | 1 BOTT (10 ml) | 1.95 | 0.1947 | | | | |
| Buyer CAMERWA | 1 BOTT (5 ml) | 2.98 | 0.5952 | | | | |
| | | Buyer Median Price/ml=0.1640 | | High/Low Ratio=4.58 | | | |
| TINIDAZOLE 500 mg tab-cap (PO) | | | Price/tab-cap | | 1.5 g | T | P01AB02 |
| Supplier MEDS | 500 TAB-CAP | 5.53 | 0.0111 | TABLETS | | | |
| Supplier IDA | 100 TAB-CAP | 2.54 | 0.0254 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 35.71 | 0.0357 | TABLETS | | | |
| Supplier MEDEOR/TZ | 80 TAB-CAP | 3.41 | 0.0427 | TABLETS, STRIP PACK 20 X 4 TABS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 44.16 | 0.0442 | TABLETS | | | |
| Supplier IMRES | 500 TAB-CAP | 47.00 | 0.0940 | FILM-COATED TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0392 | | High/Low Ratio=8.47 | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 14.70 | 0.0147 | TABLETS | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 14.79 | 0.0148 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.03 | 0.0269 | TABLETS | | | |
| Buyer MEMS | 100 TAB-CAP | 3.55 | 0.0355 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 5.69 | 0.0569 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BDS | 40 TAB-CAP | 5.16 | 0.1291 | TABLETS, 10 X 4 | | | |
| | | Buyer Median Price/tab-cap=0.0312 | | High/Low Ratio=8.78 | | | |
| TIOGUANINE 40 mg tab-cap (PO) | | | Price/tab-cap | | N | L01BB03 | |
| Buyer NAMIBIA | 25 TAB-CAP | 107.69 | 4.3076 | TABLETS | | | |
| TOLBUTAMIDE 500 mg tab-cap (PO) | | | Price/tab-cap | | 1.5 g | T | A10BB03 |
| Buyer BDS | 100 TAB-CAP | 5.95 | 0.0595 | TABLETS | | | |
| TRAMADOL 100 mg/ml solution (PO) | | | Price/ml | | 0.3 g | N | N02AX02 |
| Supplier MEDEOR/EU | 24 BOTT (10 ml) | 51.79 | 0.2159 | | | | |
| TRAMADOL HYDROCHLORIDE 50 mg tab-cap (PO) | | | Price/tab-cap | | 0.3 g | E | N02AX02 |
| Supplier MEDS | 20 TAB-CAP | 0.64 | 0.0322 | TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 5.66 | 0.0566 | CAPSULES | | | |
| Supplier MEDEOR/TZ | 100 TAB-CAP | 7.07 | 0.0707 | CAPSULES | | | |
| Supplier IDA | 100 TAB-CAP | 28.83 | 0.2883 | CAPSULES | | | |
| Supplier MISSION | 100 TAB-CAP | 39.84 | 0.3984 | CAPSULES | | | |
| | | Supplier Median Price/tab-cap=0.0707 | | High/Low Ratio=12.37 | | | |
| Buyer PERU | 100 TAB-CAP | 1.93 | 0.0193 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 1.95 | 0.0195 | CAPSULES | | | |
| Buyer BDS | 100 TAB-CAP | 3.64 | 0.0364 | CAPSULES | | | |
| Buyer MEMS | 100 TAB-CAP | 5.28 | 0.0528 | CAPSULES | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.06 | 0.0579 | BLISTER PACK | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 6.24 | 0.0624 | CAPSULES | | | |
| Buyer CAMERWA | 100 TAB-CAP | 8.67 | 0.0867 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0528 | | High/Low Ratio=4.49 | | | |
| TRAMADOL HYDROCHLORIDE 50 mg/ml ampoule (INJ) | | | Price/ml | | 0.3 g | E | N02AX02 |
| Supplier UNFPA | 100 AMP (2 ml) | 9.00 | 0.0450 | | | | |
| Supplier IMRES | 100 AMP (2 ml) | 10.80 | 0.0540 | | | | |
| Supplier IDA | 100 AMP (2 ml) | 11.37 | 0.0569 | | | | |
| Supplier JMS | 5 AMP (2 ml) | 1.39 | 0.1394 | | | | |
| Supplier MEDEOR/TZ | 10 AMP (2 ml) | 2.93 | 0.1464 | | | | |
| Supplier MISSION | 100 AMP (2 ml) | 35.93 | 0.1796 | | | | |
| Supplier MEG | 5 AMP (2 ml) | 2.75 | 0.2750 | | | | |
| | | Supplier Median Price/ml=0.1394 | | High/Low Ratio=6.11 | | | |
| Buyer CAMERWA | 100 AMP (2 ml) | 6.86 | 0.0343 | | | | |
| Buyer DOMREPUB | 1 AMP (2 ml) | 0.11 | 0.0573 | | | | |
| Buyer MEMS | 1 AMP (2 ml) | 0.25 | 0.1254 | | | | |
| Buyer OECS/PPS | 100 AMP (2 ml) | 38.00 | 0.1900 | | | | |
| Buyer BDS | 1 VIAL (2 ml) | 0.40 | 0.1991 | | | | |
| Buyer NAMIBIA | 5 AMP (2 ml) | 10.11 | 1.0111 | | | | |
| | | Buyer Median Price/ml=0.1577 | | High/Low Ratio=29.48 | | | |
| TRANEXAMIC ACID 100 mg/ml ampoule (INJ) | | | Price/ml | | 2 g | E | B02AA02 |
| Buyer NAMIBIA | 5 AMP (5 ml) | 34.44 | 1.3775 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-------------------|-------------------------|-------------------------|--|------------------------|------------|-------------|
| TRIAMCINOLONE ACETONIDE 10 mg/ml ampoule (INJ) Buyer PERU | 1 AMP (5 ml) | 5.00 | Price/ml 1.0005 | | 7.5 mg | N | H02AB08 |
| TRIAMCINOLONE ACETONIDE 40 mg/ml vial (INJ) Buyer OECS/PPS | 1 AMP (1 ml) | 2.25 | Price/ml 2.2500 | | 7.5 mg | N | H02AB08 |
| TRIFLUOPERAZINE 5 mg tab-cap (PO) Buyer GHANA | 1000 TAB-CAP | 4.00 | Price/tab-cap 0.0040 | 10 X 100 BLISTER PACK TABLETS | 20 mg | T | N05AB06 |
| Buyer OECS/PPS | 1000 TAB-CAP | 12.70 | 0.0127 | TABLETS | | | |
| Buyer BDS | 1000 TAB-CAP | 20.84 | 0.0208 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 2.87 | 0.0287 | FILM-COATED TABLETS | | | |
| Buyer CRSS | 100 TAB-CAP | 7.23 | 0.0723 | COATED TABLETS | | | |
| Buyer Median Price/tab-cap=0.0208 | | | | High/Low Ratio=18.07 | | | |
| TRIHEXYPHENIDYL (BENZHEXOL) 2 mg tab-cap (PO) Supplier JMS | 500 TAB-CAP | 7.15 | Price/tab-cap 0.0143 | TABLETS | 10 mg | T | N04AA01 |
| Buyer OECS/PPS | 100 TAB-CAP | 1.25 | 0.0125 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 2.38 | 0.0238 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 3.63 | 0.0363 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 12.58 | 0.1258 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0301 | | | | High/Low Ratio=10.06 | | | |
| TRIHEXYPHENIDYL (BENZHEXOL) 5 mg tab-cap (PO) Supplier MEDS | 1000 TAB-CAP | 3.29 | Price/tab-cap 0.0033 | TABLETS | 10 mg | T | N04AA01 |
| Supplier JMS | 100 TAB-CAP | 1.75 | 0.0175 | TABLETS | | | |
| Supplier Median Price/tab-cap=0.0104 | | | | High/Low Ratio=5.30 | | | |
| Buyer GHANA | 1000 TAB-CAP | 2.79 | 0.0028 | 10 X 100 BLISTER PACK TABLETS | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 1.30 | 0.0130 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 2.20 | 0.0220 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 2.61 | 0.0261 | TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 3.04 | 0.0304 | TABLETS | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 20.13 | 0.2013 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0241 | | | | High/Low Ratio=71.89 | | | |
| TRIMIPRAMINE MALEATE 25 mg tab-cap (PO) Buyer BDS | 500 TAB-CAP | 13.10 | Price/tab-cap 0.0262 | TABLETS | 0.15 g | N | N06AA06 |
| Buyer NAMIBIA | 50 TAB-CAP | 5.05 | 0.1010 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0636 | | | | High/Low Ratio=3.85 | | | |
| TROPICAMIDE 0.5% opht drop (OPHT) Supplier IDA | 1 BOTT (5 ml) | 3.98 | Price/ml 0.7968 | | E | S01FA06 | |
| TROPICAMIDE 1% opht drop (OPHT) Supplier DURBIN | 1 BOTT (5 ml) | 3.21 | Price/ml 0.6423 | | P | S01FA06 | |
| Buyer OECS/PPS | 1 BOTT (5 ml) | 0.97 | 0.1940 | | | | |
| Buyer BDS | 1 BOTT (10 ml) | 3.40 | 0.3403 | | | | |
| Buyer Median Price/ml=0.2672 | | | | High/Low Ratio=1.75 | | | |
| TROPISETRON 1 mg/ml ampoule (INJ) Buyer BDS | 1 VIAL (5 ml) | 22.00 | Price/ml 4.4007 | | 5 mg | N | A04AA03 |
| TUBERCULIN, MONTOUX (PPD) 20 IU vial (INJ) Buyer BOTSWANA | 1 VIAL (10 DOSE) | 84.03 | Price/dose 8.4030 | | E | | |
| UROGRAPHIN 76% solution (INJ) Buyer MEMS | 1 VIAL (20 ml) | 10.30 | Price/ml 0.5148 | | | | N |
| Buyer CAMERWA | 1 VIAL (20 ml) | 16.14 | 0.8069 | | | | |
| Buyer Median Price/ml=0.6609 | | | | High/Low Ratio=1.57 | | | |
| VACCINE, BCG (DRIED) powder (INJ) Supplier IDA | 10 VIAL (10 DOSE) | 111.26 | Price/dose 1.1126 | | E | L03AX03 | |
| Buyer NAMIBIA | 50 VIAL (10 DOSE) | 184.58 | 0.3692 | FREEZE-DRIED, LIVE, WITH DILUENT, WITH VVM | | | |
| VACCINE, DIPHTHERIA-TETANUS vial (INJ) Buyer CRSS | 1 AMP (10 DOSE) | 0.12 | Price/dose 0.0120 | | E | J07AM51 | |
| Buyer BDS | 1 VIAL (10 DOSE) | 10.19 | 1.0188 | | | | |
| Buyer Median Price/dose=0.5154 | | | | High/Low Ratio=84.90 | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|--------------------|-------------------------|------------------------------------|---|------------------------|------------|-------------|
| VACCINE, DPT+HB+HIB (PENTAVALENT) vial (INJ) Buyer BOTSWANA | 1 VIAL (1 DOSE) | 5.10 | Price/dose 5.1000 | | | P | |
| VACCINE, HEPATITIS B vial (INJ) Supplier MEDS | 1 VIAL | 3.23 | Price/vial 3.2301 | 20 MCG/ML, 1 ML, ADULT | E | J07BC01 | |
| Supplier JMS | 1 VIAL | 5.32 | 5.3220 | ONE DOSE, 1 ML | | | |
| | | | Supplier Median Price/vial=4.2761 | High/Low Ratio=1.65 | | | |
| Buyer CRSS | 100 VIAL | 57.46 | 0.5746 | 20 MCG/ML, 1 ML, ILLUSTRATIVE NUMBER OF VIALS | | | |
| VACCINE, INFLUENZA 0.25 ml vial (INJ) Buyer CRSS | 1 AMP (1 VIAL) | 5.80 | Price/vial 5.8000 | | | E | |
| VACCINE, MEASLES vial (INJ) Buyer NAMIBIA | 50 VIAL (10 DOSE) | 255.75 | Price/dose 0.5115 | LIVE, WITH DILUENT AND VVM | E | J07BJ01 | |
| VACCINE, MEASLES-MUMPS-RUBELLA vial (INJ) Buyer CRSS | 1 VIAL (10 DOSE) | 1.00 | Price/dose 0.1000 | | E | J07BD52 | |
| VACCINE, PNEUMOCOCCAL vial (INJ) Buyer CRSS | 1 VIAL (1 DOSE) | 20.00 | Price/dose 20.0000 | HEPTA-VALENT | E | | |
| Buyer BDS | 1 SYRINGE (1 DOSE) | 24.08 | 24.0835 | | | | |
| | | | Buyer Median Price/dose=22.0418 | High/Low Ratio=1.20 | | | |
| VACCINE, POLIO (ORAL) vial (PO) Buyer NAMIBIA | 10 VIAL (10 DOSE) | 45.24 | Price/dose 0.4524 | TRIVALENT, LIVE, DROPPER, WITH VVM | E | J07BF01 | |
| VACCINE, RABIES vial (INJ) Supplier MEDS | 1 VIAL | 7.64 | Price/vial 7.6368 | 0.5 ML, 5 DOSES REQ. FOR FULL TX, W/ SYRINGE DILUENT | E | J07BD01 | |
| Supplier JMS | 1 VIAL | 10.48 | 10.4756 | ONE DOSE | | | |
| Supplier IDA | 1 VIAL | 28.03 | 28.0323 | VERO CELLS+0.5 ML SOLVENT | | | |
| | | | Supplier Median Price/vial=10.4756 | High/Low Ratio=3.67 | | | |
| Buyer CRSS | 1 VIAL | 17.22 | 17.2200 | POWDER | | | |
| VACCINE, RABIES (DIPLOID CELLS) vial (INJ) Buyer NAMIBIA | 5 VIAL | 72.25 | Price/vial 14.4509 | SINGLE-DOSE VIAL, HUMAN DIPLOID OR INACTIV. RAB., VVM | E | J07BD01 | |
| VACCINE, ROTAVIRUS vial (PO) Supplier MEDS | 1 VIAL (1 DOSE) | 21.22 | Price/dose 21.2232 | 1 ML | E | J07BH | |
| VACCINE, TETANUS TOXOID vial (INJ) Supplier MEDS | 1 VIAL (20 DOSE) | 1.65 | Price/dose 0.0827 | 10 ML | E | J07AM01 | |
| Supplier IDA | 25 VIAL (20 DOSE) | 59.61 | 0.1192 | | | | |
| Supplier MISSION | 1 VIAL (20 DOSE) | 3.19 | 0.1594 | | | | |
| | | | Supplier Median Price/dose=0.1192 | High/Low Ratio=1.93 | | | |
| Buyer BDS | 1 VIAL (10 DOSE) | 9.82 | 0.9819 | | | | |
| VACCINE, TYPHOID vial (INJ) Supplier MEDS | 1 VIAL (20 DOSE) | 79.63 | Price/dose 3.9816 | 10 ML | E | J07AP | |
| Buyer BDS | 1 SYRINGE (1 DOSE) | 20.38 | 20.3760 | | | | |
| VACCINE, YELLOW FEVER vial (INJ) Buyer BDS | 1 SYRINGE (1 DOSE) | 27.79 | Price/dose 27.7909 | | E | J07BL01 | |
| Buyer NAMIBIA | 1 VIAL (1 DOSE) | 36.04 | 36.0437 | LIVE, VVM | | | |
| | | | Buyer Median Price/dose=31.9173 | High/Low Ratio=1.30 | | | |
| VACCINE,DIPHTHERIA-PERTUSSIS-TETANUS vial (INJ) Buyer BDS | 1 VIAL (10 DOSE) | 11.30 | Price/dose 1.1299 | | E | J07CA | |
| VALACICLOVIR 500 mg tab-cap (PO) Buyer OECS/PPS | 8 TAB-CAP | 9.00 | Price/tab-cap 1.1250 | TABLETS | 3 g | T | J05AB11 |
| VALGANCICLOVIR 450 mg tab-cap (PO) Supplier IDA | 60 TAB-CAP | 723.84 | Price/tab-cap 12.0640 | TABLETS | 0.9 g | N | J05AB14 |
| VALPROIC ACID 150 mg tab-cap (PO) Buyer CAMERWA | 100 TAB-CAP | 2.60 | Price/tab-cap 0.0260 | TABLETS | 1.5 g | P | N03AG01 |
| VALPROIC ACID 500 mg tab-cap (PO) Buyer BDS | 100 TAB-CAP | 31.76 | Price/tab-cap 0.3176 | TABLETS | 1.5 g | E | N03AG01 |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|--|---|---|---|------------------------|------------|-------------|
| VALPROIC ACID 500 mg tab-cap (PO) | | | | Price/tab-cap | 1.5 g | E | N03AG01 |
| VALPROIC ACID (SLOW RELEASE) 200 mg tab-cap (PO) Buyer OECS/PPS | 100 TAB-CAP | 17.55 | 0.1755 | Price/tab-cap E.C. TABLETS | 1.5 g | P | N03AG01 |
| VALPROIC ACID (SODIUM VALPROATE) 200 mg/5 ml syrup (PO) Buyer CAMERWA Buyer NAMIBIA Buyer BDS | 1 BOTT (200 ml) 1 BOTT (300 ml) 1 BOTT (300 ml) | 2.23 4.31 17.86 | 0.0111 0.0144 0.0595 | Price/ml SUSPENSION | 1.5 g | E | N03AG01 |
| | | | | Buyer Median Price/ml=0.0144 | High/Low Ratio=5.36 | | |
| VANCOMYCIN 30 mcg disc (DIAG) Supplier UNFPA | 250 DISC (1 EACH) | 12.50 | 0.0500 | Price/each 5 X 50 DISCS | | N | V07AR |
| VANCOMYCIN 500 mg vial (INJ) | | | | Price/vial | 2 g | N | J01XA01 |
| Buyer PERU Buyer CRSS Buyer DOMREPUB Buyer BDS Buyer OECS/PPS Buyer SAFRICA Buyer BOTSWANA | 100 VIAL 1 VIAL 1 VIAL 1 VIAL 10 AMP (1 VIAL) 1 VIAL 10 VIAL | 133.95 1.68 1.69 3.96 41.64 5.89 147.41 | 1.3395 1.6800 1.6908 3.9582 4.1640 5.8908 14.7409 | ILLUSTRATIVE NUMBER OF VIALS 10 ML POWDER | | | |
| | | | | Buyer Median Price/vial=3.9582 | High/Low Ratio=11.00 | | |
| VDRL CARBON ANTIGEN (VD24) solution (N/A) | | | | Price/ml | | N | V07AZ |
| Supplier UNFPA Supplier IMRES | 1 BOTT (5 ml) 1 BOTT (5 ml) | 6.00 14.00 | 1.2000 2.8000 | 250 TESTS VD24, 250 TESTS | | | |
| | | | | Supplier Median Price/ml=2.0000 | High/Low Ratio=2.33 | | |
| VECURONIUM 10 mg vial (INJ) Supplier MISSION | 10 VIAL | 51.43 | 5.1429 | Price/vial | | E | M03AC03 |
| Buyer BDS | 10 VIAL | 83.58 | 8.3579 | | | | |
| VECURONIUM 4 mg ampoule (INJ) | | | | Price/ampoule | | P | M03AC03 |
| Supplier IDA Supplier MISSION | 25 VIAL (1 AMPOULE) 50 AMP | 62.66 133.43 | 2.5063 2.6685 | POWDER; BROMIDE BROMIDE, W/ SOLVENT | | | |
| | | | | Supplier Median Price/ampoule=2.5874 | High/Low Ratio=1.06 | | |
| Buyer PERU Buyer CAMERWA | 1 AMP 10 VIAL (1 AMPOULE) | 0.95 49.24 | 0.9455 4.9243 | | | | |
| | | | | Buyer Median Price/ampoule=2.9349 | High/Low Ratio=5.21 | | |
| VERAPAMIL HCL 2.5 mg/ml vial (INJ) | | | | Price/ml | 0.24 g | E | C08DA01 |
| Buyer OECS/PPS Buyer BDS | 10 AMP (2 ml) 5 VIAL (2 ml) | 8.40 4.30 | 0.4200 0.4302 | Buyer Median Price/ml=0.4251 | | | |
| | | | | | High/Low Ratio=1.02 | | |
| VERAPAMIL HCL 40 mg tab-cap (PO) | | | | Price/tab-cap | 0.24 g | E | C08DA01 |
| Supplier DURBIN Supplier MISSION Supplier IDA | 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP | 2.33 4.27 4.71 | 0.0233 0.0427 0.0471 | TABLETS COATED TABLETS COATED TABLETS | | | |
| | | | | Supplier Median Price/tab-cap=0.0427 | High/Low Ratio=2.02 | | |
| Buyer BDS Buyer OECS/PPS Buyer MEMS Buyer NAMIBIA | 84 TAB-CAP 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP | 3.12 3.80 4.62 5.90 | 0.0372 0.0380 0.0462 0.0590 | TABLETS TABLETS TABLETS TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.0421 | High/Low Ratio=1.59 | | |
| VERAPAMIL HCL 80 mg tab-cap (PO) | | | | Price/tab-cap | 0.24 g | E | C08DA01 |
| Buyer DOMREPUB Buyer BDS Buyer NAMIBIA | 1 TAB-CAP 84 TAB-CAP 1000 TAB-CAP | 0.02 4.15 106.90 | 0.0240 0.0495 0.1069 | BLISTER PACK TABLETS TABLETS TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.0495 | High/Low Ratio=4.45 | | |
| VERAPAMIL HCL (SLOW-RELEASE) 240 mg tab-cap (PO) | | | | Price/tab-cap | 0.24 g | P | C08DA01 |
| Buyer BDS Buyer OECS/PPS | 100 TAB-CAP 28 TAB-CAP | 9.53 2.84 | 0.0953 0.1014 | TABLETS TABLETS | | | |
| | | | | Buyer Median Price/tab-cap=0.0984 | High/Low Ratio=1.06 | | |
| VINBLASTINE 10 mg vial (INJ) Buyer BDS | 1 VIAL | 8.33 | 8.3343 | Price/vial 10 ML | | C | L01CA01 |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|----------------|--|-------------------------|--|------------------------|------------|-------------|
| VINBLASTINE 10 mg vial (INJ) <i>Buyer NAMIBIA</i> | 1 VIAL | 18.84 Buyer Median Price/vial=13.5863 | Price/vial 18.8382 | | C | L01CA01 | |
| VINCRISTINE 1 mg vial (INJ) <i>Supplier MEDS</i> | 1 VIAL | 1.44 | Price/vial 1.4430 | 10 ML | C | L01CA02 | |
| <i>Supplier JMS</i> | 1 AMP (1 VIAL) | 2.15 | 2.1512 | SULFATE | | | |
| <i>Supplier IDA</i> | 5 VIAL | 52.52 | 10.5031 | | | | |
| | | Supplier Median Price/vial=2.1512 | | High/Low Ratio=7.28 | | | |
| <i>Buyer OECS/PPS</i> | 1 VIAL | 2.69 | 2.6900 | | | | |
| <i>Buyer BDS</i> | 1 VIAL | 4.33 | 4.3270 | | | | |
| | | Buyer Median Price/vial=3.5085 | | High/Low Ratio=1.61 | | | |
| VINCRISTINE 2 mg ampoule (INJ) <i>Supplier JMS</i> | 1 AMP | 2.50 | Price/ampoule 2.4984 | | CP | | |
| VITAMIN A (RETINOL) 50,000 IU/ml drops (PO) <i>Buyer CRSS</i> | 1 BOTT (30 ml) | 1.78 | Price/ml 0.0593 | | 50 TU | P | A11CA01 |
| VITAMIN A (RETINOL (10,000 IU)) 3 mg tab-cap (PO) <i>Supplier MEDEOR/EU</i> | 3000 TAB-CAP | 34.48 | Price/tab-cap 0.0114 | TABLETS | 50 TU | E | A11CA01 |
| VITAMIN A (RETINOL (100,000 IU)) 30 mg tab-cap (PO) <i>Supplier IMRES</i> | 500 TAB-CAP | 9.50 | Price/tab-cap 0.0190 | CAPSULES, PALMITATE | 50 TU | E | A11CA01 |
| <i>Supplier UNFPA</i> | 1000 TAB-CAP | 20.00 | 0.0200 | RETINOL PALMITATE, CAPSULES | | | |
| <i>Supplier MEG</i> | 1000 TAB-CAP | 26.60 | 0.0266 | CAPSULES | | | |
| <i>Supplier IDA</i> | 1000 TAB-CAP | 28.76 | 0.0288 | CAPSULES | | | |
| | | Supplier Median Price/tab-cap=0.0233 | | High/Low Ratio=1.52 | | | |
| <i>Buyer CAMERWA</i> | 1000 TAB-CAP | 15.91 | 0.0159 | CAPSULES | | | |
| <i>Buyer BOTSWANA</i> | 250 TAB-CAP | 8.50 | 0.0340 | SOFT GEL CAPS | | | |
| | | Buyer Median Price/tab-cap=0.0250 | | High/Low Ratio=2.14 | | | |
| VITAMIN A (RETINOL (200,000 IU)) 60 mg tab-cap (PO) <i>Supplier IMRES</i> | 500 TAB-CAP | 12.50 | Price/tab-cap 0.0250 | CAPSULES, PALMITATE | 50 TU | E | A11CA01 |
| <i>Supplier IDA</i> | 1000 TAB-CAP | 32.23 | 0.0323 | CAPSULES | | | |
| <i>Supplier JMS</i> | 1000 TAB-CAP | 33.96 | 0.0340 | CAPSULES | | | |
| <i>Supplier MEG</i> | 1000 TAB-CAP | 35.30 | 0.0353 | CAPSULES | | | |
| <i>Supplier MISSION</i> | 1000 TAB-CAP | 36.30 | 0.0364 | CAPSULES | | | |
| <i>Supplier DURBIN</i> | 1000 TAB-CAP | 36.93 | 0.0369 | CAPSULES | | | |
| | | Supplier Median Price/tab-cap=0.0347 | | High/Low Ratio=1.48 | | | |
| <i>Buyer CAMERWA</i> | 1000 TAB-CAP | 21.37 | 0.0214 | CAPSULES | | | |
| <i>Buyer BOTSWANA</i> | 1000 TAB-CAP | 56.76 | 0.0568 | SOFT CAPSULES | | | |
| | | Buyer Median Price/tab-cap=0.0391 | | High/Low Ratio=2.65 | | | |
| VITAMIN A (RETINOL (25,000 IU)) 7.5 mg tab-cap (PO) <i>Buyer CRSS</i> | 100 TAB-CAP | 3.61 | Price/tab-cap 0.0361 | CAPSULES | 50 TU | P | A11CA01 |
| <i>Buyer BDS</i> | 100 TAB-CAP | 11.55 | 0.1155 | CAPSULES | | | |
| | | Buyer Median Price/tab-cap=0.0758 | | High/Low Ratio=3.20 | | | |
| VITAMIN A (RETINOL (50,000 IU)) 15 mg tab-cap (PO) <i>Supplier UNFPA</i> | 1000 TAB-CAP | 15.85 | Price/tab-cap 0.0159 | RETINOL PALMITATE, CAPSULES | 50 TU | E | A11CA01 |
| <i>Supplier IMRES</i> | 1000 TAB-CAP | 19.20 | 0.0192 | CAPSULES, PALMITATE | | | |
| <i>Supplier IDA</i> | 1000 TAB-CAP | 21.15 | 0.0212 | CAPSULES | | | |
| <i>Supplier MISSION</i> | 1000 TAB-CAP | 23.83 | 0.0239 | CAPSULES | | | |
| | | Supplier Median Price/tab-cap=0.0202 | | High/Low Ratio=1.50 | | | |
| <i>Buyer DOMREPUB</i> | 1 TAB-CAP | 0.01 | 0.0112 | BLISTER PACK PEARLS | | | |
| <i>Buyer MEMS</i> | 50 TAB-CAP | 2.77 | 0.0554 | CAPSULES | | | |
| | | Buyer Median Price/tab-cap=0.0333 | | High/Low Ratio=4.95 | | | |
| VITAMIN B COMPLEX ampoule (INJ) <i>Supplier MEDEOR/TZ</i> | 1 VIAL (10 ml) | 0.18 | Price/ml 0.0177 | | N | A11EA | |
| <i>Supplier MEDS</i> | 1 VIAL (10 ml) | 0.22 | 0.0222 | | | | |
| <i>Supplier JMS</i> | 10 AMP (2 ml) | 1.00 | 0.0501 | | | | |
| <i>Supplier IMRES</i> | 100 AMP (2 ml) | 20.00 | 0.1000 | | | | |
| <i>Supplier DURBIN</i> | 100 AMP (2 ml) | 26.49 | 0.1325 | TABLETS, NIC. 40 MG, PAN. 6 MG, B6 4 MG, B2 4 MG, B1 10 MG | | | |
| <i>Supplier IDA</i> | 100 AMP (2 ml) | 29.55 | 0.1478 | | | | |
| <i>Supplier MISSION</i> | 100 AMP (2 ml) | 66.77 | 0.3339 | | | | |
| | | Supplier Median Price/ml=0.1000 | | High/Low Ratio=18.86 | | | |
| <i>Buyer MEMS</i> | 1 VIAL (10 ml) | 0.05 | 0.0053 | | | | |
| <i>Buyer DOMREPUB</i> | 1 VIAL (10 ml) | 0.18 | 0.0183 | 100 MG B2, 10 MG B2, 10 MG B6, 100 MG NICOTINAMIDE | | | |
| <i>Buyer CAMERWA</i> | 100 AMP (2 ml) | 5.99 | 0.0300 | | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|-----------------|--------------------------------------|----------------------|--|------------------------|------------|-------------|
| VITAMIN B COMPLEX ampoule (INJ) | | | Price/ml | | | N | A11EA |
| Buyer BDS | 1 AMP (10 ml) | 0.69 | 0.0688 | | | | |
| | | Buyer Median Price/ml=0.0242 | | High/Low Ratio=12.98 | | | |
| VITAMIN B COMPLEX syrup (PO) | | | Price/ml | | | N | A11EA |
| Supplier MEDEOR/TZ | 1 BOTT (100 ml) | 0.46 | 0.0046 | | | | |
| Supplier JMS | 1 BOTT (100 ml) | 0.52 | 0.0052 | | | | |
| Supplier UNFPA | 1 BOTT (100 ml) | 0.60 | 0.0060 | | | | |
| | | Supplier Median Price/ml=0.0052 | | High/Low Ratio=1.30 | | | |
| Buyer DOMREPUB | 1 BOTT (120 ml) | 0.33 | 0.0028 | 50 MG B1, 50 MG B6, 200 MCG B12/15 ML | | | |
| Buyer MEMS | 1 BOTT (100 ml) | 0.43 | 0.0043 | | | | |
| Buyer OECS/PPS | 1 BOTT (250 ml) | 2.28 | 0.0091 | | | | |
| Buyer BDS | 1 BOTT (250 ml) | 5.68 | 0.0227 | | | | |
| | | Buyer Median Price/ml=0.0067 | | High/Low Ratio=8.11 | | | |
| VITAMIN B COMPLEX tab-cap (PO) | | | Price/tab-cap | | | N | A11EA |
| Supplier JMS | 1000 TAB-CAP | 1.03 | 0.0010 | TABLETS | | | |
| Supplier MEDS | 1000 TAB-CAP | 1.40 | 0.0014 | THIAMINE HCL, RIBOFLAVIN, NICOTINAMIDE TABLETS | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 2.02 | 0.0020 | TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 2.38 | 0.0024 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 3.70 | 0.0037 | TABLETS, SUGAR-COATED | | | |
| Supplier MEDEOR/EU | 5000 TAB-CAP | 22.96 | 0.0046 | TABLETS; NICOTINAMIDE 15 MG, B2 1 MG, B1 1 MG | | | |
| Supplier MISSION | 1000 TAB-CAP | 5.29 | 0.0054 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 6.01 | 0.0061 | B3 15 MG, B2 1 MG, B1 1 MG TAB | | | |
| Supplier DURBIN | 1000 TAB-CAP | 6.42 | 0.0064 | TABLETS, NICOTINAMIDE 15MG, RIBOFLAVIN 1MG, THIAMINE 1MG | | | |
| | | Supplier Median Price/tab-cap=0.0037 | | High/Low Ratio=6.40 | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 1.78 | 0.0018 | TABLETS | | | |
| Buyer DOMREPUB | 1 TAB-CAP | 0.00 | 0.0037 | 15 MG B1, 1 MG B2, 2.6 MG B6, 2 MCG B12, 10 MG NICOTIN. | | | |
| Buyer BDS | 2500 TAB-CAP | 14.70 | 0.0059 | TABLETS | | | |
| Buyer OECS/PPS | 500 TAB-CAP | 17.56 | 0.0351 | CAPSULES | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 4.08 | 0.0408 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| | | Buyer Median Price/tab-cap=0.0059 | | High/Low Ratio=22.67 | | | |
| VITAMIN B1 (THIAMINE HCL) 100 mg tab-cap (PO) | | | Price/tab-cap | | 50 mg | P | A11DA01 |
| Buyer BUFMAR | 1000 TAB-CAP | 17.92 | 0.0179 | TABLETS | | | |
| Buyer PERU | 100 TAB-CAP | 2.01 | 0.0201 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer CRSS | 100 TAB-CAP | 2.98 | 0.0298 | TABLETS | | | |
| Buyer OECS/PPS | 60 TAB-CAP | 5.55 | 0.0925 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0250 | | High/Low Ratio=5.17 | | | |
| VITAMIN B1 (THIAMINE HCL) 50 mg tab-cap (PO) | | | Price/tab-cap | | 50 mg | E | A11DA01 |
| Supplier MEG | 1000 TAB-CAP | 6.08 | 0.0061 | TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 7.71 | 0.0077 | TABLETS | | | |
| Supplier MEDEOR/EU | 2400 TAB-CAP | 24.27 | 0.0101 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0077 | | High/Low Ratio=1.66 | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 3.86 | 0.0039 | TABLETS | | | |
| VITAMIN B12 (CYANOCOBALAMIN) 1 mg/ml ampoule (INJ) | | | Price/ml | | 0.02 mg | N | B03BA01 |
| Supplier IDA | 100 AMP (1 ml) | 9.05 | 0.0905 | | | | |
| Supplier JMS | 10 AMP (1 ml) | 0.95 | 0.0945 | | | | |
| Supplier MISSION | 100 AMP (1 ml) | 10.43 | 0.1043 | | | | |
| Supplier MEDEOR/EU | 100 AMP (1 ml) | 21.59 | 0.2159 | | | | |
| | | Supplier Median Price/ml=0.0994 | | High/Low Ratio=2.39 | | | |
| Buyer OECS/PPS | 100 AMP (1 ml) | 60.00 | 0.6000 | HYDROXOCOBALAMIN | | | |
| VITAMIN B6 (PYRIDOXINE) 25 mg tab-cap (PO) | | | Price/tab-cap | | 0.16 g | E | A11HA02 |
| Supplier JMS | 1000 TAB-CAP | 2.12 | 0.0021 | TABLETS | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 2.23 | 0.0022 | TABLETS | | | |
| Buyer NAMIBIA | 500 TAB-CAP | 2.32 | 0.0046 | TABLETS | | | |
| | | Buyer Median Price/tab-cap=0.0034 | | High/Low Ratio=2.09 | | | |
| VITAMIN B6 (PYRIDOXINE) 50 mg tab-cap (PO) | | | Price/tab-cap | | 0.16 g | P | A11HA02 |
| Supplier MEG | 1000 TAB-CAP | 4.15 | 0.0042 | TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 4.93 | 0.0049 | TABLETS; HCL | | | |
| Supplier IMRES | 1000 TAB-CAP | 6.10 | 0.0061 | TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 7.24 | 0.0072 | TABLETS | | | |
| Supplier MEDS | 100 TAB-CAP | 0.92 | 0.0092 | TABLETS | | | |
| Supplier DURBIN | 500 TAB-CAP | 6.42 | 0.0128 | TABLETS | | | |
| | | Supplier Median Price/tab-cap=0.0067 | | High/Low Ratio=3.05 | | | |
| Buyer OECS/PPS | 28 TAB-CAP | 0.50 | 0.0179 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|------------------|-------------------------|---|---|------------------------|------------|-------------|
| VITAMIN B6 (PYRIDOXINE) 50 mg tab-cap (PO) Buyer BDS | 28 TAB-CAP | 0.54 | Price/tab-cap Buyer Median Price/tab-cap=0.0186 | 0.0193 TABLETS | 0.16 g | P | A11HA02 |
| VITAMIN B6 (PYRIDOXINE) 50 mg/ml ampoule (INJ) Supplier UNFPA | 100 AMP (2 ml) | 27.50 | Price/ml Supplier Median Price/ml=0.1375 | | 0.16 g | P | A11HA02 |
| VITAMIN C (ASCORBIC ACID) 100 mg tab-cap (PO) Supplier JMS | 1000 TAB-CAP | 4.80 | Price/tab-cap Supplier Median Price/tab-cap=0.0053 | 0.0048 TABLETS | 0.2 g | P | A11GA01 |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 5.76 | | 0.0058 TABLETS | High/Low Ratio=1.21 | | |
| Buyer NAMIBIA | 5000 TAB-CAP | 29.01 | | 0.0058 TABLETS | | | |
| Buyer MEMS | 1000 TAB-CAP | 6.60 | Buyer Median Price/tab-cap=0.0062 | 0.0066 TABLETS | High/Low Ratio=1.14 | | |
| VITAMIN C (ASCORBIC ACID) 250 mg tab-cap (PO) Supplier IMRES | 1000 TAB-CAP | 9.50 | Price/tab-cap Supplier Median Price/tab-cap=0.0115 | 0.0095 TABLETS | 0.2 g | P | A11GA01 |
| Supplier UNFPA | 1000 TAB-CAP | 10.00 | | 0.0100 TABLETS | | | |
| Supplier DURBIN | 1000 TAB-CAP | 11.16 | | 0.0112 TABLETS | | | |
| Supplier MEG | 1000 TAB-CAP | 11.50 | | 0.0115 TABLETS | | | |
| Supplier IDA | 1000 TAB-CAP | 13.11 | | 0.0132 TABLETS | | | |
| Supplier MEDEOR/EU | 1000 TAB-CAP | 14.78 | | 0.0148 TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 18.25 | | 0.0183 TABLETS | | | |
| Buyer BDS | 500 TAB-CAP | 19.78 | | 0.0396 TABLETS | High/Low Ratio=1.93 | | |
| VITAMIN C (ASCORBIC ACID) 500 mg tab-cap (PO) Buyer CAMERWA | 1000 TAB-CAP | 9.61 | Price/tab-cap Buyer Median Price/tab-cap=0.0194 | 0.0096 TABLETS | 0.2 g | P | A11GA01 |
| Buyer DOMREPUB | 1 TAB-CAP | 0.02 | | 0.0177 TABLETS | | | |
| Buyer OECS/PPS | 1000 TAB-CAP | 21.00 | | 0.0210 TABLETS | | | |
| Buyer BDS | 100 TAB-CAP | 3.22 | | 0.0322 TABLETS | High/Low Ratio=3.35 | | |
| VITAMIN D (ALFACALCIDOL) 0.25 mcg tab-cap (PO) Buyer SUDANNHIF | 100 TAB-CAP | 7.10 | Price/tab-cap Buyer Median Price/tab-cap=0.1405 | 0.0710 ILLUSTRATIVE PACK SIZE | 1 mcg | T | A11CC03 |
| Buyer OECS/PPS | 100 TAB-CAP | 21.00 | | 0.2100 TABLETS | High/Low Ratio=2.96 | | |
| VITAMIN K1 (PHYTOMENADIONE) 1 mg/0.5 ml ampoule (INJ) Buyer OECS/PPS | 25 AMP (0.50 ml) | 81.00 | Price/ml Buyer Median Price/ml=0.4800 | | 20 mg | P | B02BA01 |
| VITAMIN K1 (PHYTOMENADIONE) 1 mg/ml ampoule (INJ) Supplier UNFPA | 100 AMP (1 ml) | 17.73 | Price/ml Supplier Median Price/ml=0.2911 | 0.1773 | 20 mg | P | B02BA01 |
| Supplier IDA | 100 AMP (1 ml) | 29.11 | | 0.2911 | | | |
| Supplier JMS | 10 AMP (1 ml) | 3.01 | | 0.3006 | High/Low Ratio=1.70 | | |
| Buyer CAMERWA | 5 AMP (1 ml) | 10.31 | | 2.0614 | | | |
| VITAMIN K1 (PHYTOMENADIONE) 10 mg tab-cap (PO) Buyer OECS/PPS | 60 TAB-CAP | 36.88 | Price/tab-cap Buyer Median Price/tab-cap=0.4800 | 0.6147 TABLETS | 20 mg | E | B02BA01 |
| VITAMIN K1 (PHYTOMENADIONE) 10 mg/ml ampoule (INJ) Supplier MEG | 100 AMP (1 ml) | 21.55 | Price/ml Supplier Median Price/ml=0.2993 | 0.2155 | 20 mg | E | B02BA01 |
| Supplier DURBIN | 100 AMP (1 ml) | 22.40 | | 0.2240 | | | |
| Supplier IMRES | 100 AMP (1 ml) | 24.00 | | 0.2400 | | | |
| Supplier MEDEOR/EU | 100 AMP (1 ml) | 24.34 | | 0.2434 | | | |
| Supplier MEDEOR/TZ | 5 AMP (1 ml) | 1.78 | | 0.3552 | | | |
| Supplier JMS | 10 AMP (1 ml) | 3.58 | | 0.3576 | | | |
| Supplier IDA | 100 AMP (1 ml) | 36.91 | | 0.3691 | | | |
| Supplier MISSION | 100 AMP (1 ml) | 45.27 | | 0.4527 | | | |
| Buyer PERU | 100 AMP (1 ml) | 7.70 | Supplier Median Price/ml=0.4800 | 0.0770 ILLUSTRATIVE NUMBER OF AMPS | High/Low Ratio=2.10 | | |
| Buyer DOMREPUB | 1 AMP (1 ml) | 0.14 | | 0.1404 | | | |
| Buyer MEMS | 1 AMP (1 ml) | 0.32 | | 0.3181 | | | |
| Buyer OECS/PPS | 100 AMP (1 ml) | 48.00 | | 0.4800 | | | |
| Buyer BDS | 100 AMP (1 ml) | 49.22 | | 0.4922 | | | |
| Buyer BOTSWANA | 1 AMP (1 ml) | 2.67 | | 2.6671 | | | |
| Buyer NAMIBIA | 10 AMP (1 ml) | 27.36 | | 2.7356 | High/Low Ratio=35.53 | | |
| VITAMIN, MULTI syrup (PO) Supplier MEDS | 1 BOTT (5000 ml) | 3.95 | Price/ml Supplier Median Price/ml=0.4800 | 0.0008 VITS A,B1,B2,B6,B12,D3,NIACINAMIDE,D-PANTHENOL | | N | A11BA |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|--------------------|-------------------------|----------------------|--|------------------------|------------|----------------|
| VITAMIN, MULTI syrup (PO) | | | Price/ml | | | N | A11BA |
| Supplier MEDEOR/EU | 10 PACKET (500 ml) | 16.80 | 0.0033 | PWDR;C 30MG,D3 600IU,NICOT.15MG,A 5000IU,B2 1MG,B1 2MG/5ML | | | |
| Supplier JMS | 1 BOTT (100 ml) | 0.41 | 0.0041 | | | | |
| Supplier MEDEOR/TZ | 1 BOTT (100 ml) | 0.47 | 0.0047 | | | | |
| Supplier IMRES | 1 BOTT (100 ml) | 0.85 | 0.0085 | | | | |
| Supplier MISSION | 1 BOTT (100 ml) | 0.94 | 0.0094 | | | | |
| Supplier DURBIN | 1 BOTT (100 ml) | 1.36 | 0.0136 | 50 MG/5 ML | | | |
| Supplier Median Price/ml=0.0047 | | | | | | | |
| Buyer NAMIBIA | 1 BOTT (2500 ml) | 4.78 | 0.0019 | A 3000U,B1 1.5MG,B2 1.2MG,B6 1 MG,C50MG,D400U,NIC 10MG/5ML | | | |
| Buyer MEMS | 1 BOTT (100 ml) | 0.43 | 0.0043 | | | | |
| Buyer CAMERWA | 1 BOTT (60 ml) | 0.26 | 0.0043 | | | | |
| Buyer OECS/PPS | 1 BOTT (250 ml) | 3.14 | 0.0126 | WITH IRON | | | |
| Buyer OECS/PPS | 1 BOTT (50 ml) | 4.80 | 0.0960 | WITH IRON, PEDIATRIC DROPS | | | |
| Buyer Median Price/ml=0.0043 | | | | | | | |
| High/Low Ratio=17.00 | | | | | | | |
| VITAMIN, MULTI tab-cap (PO) | | | Price/tab-cap | | | N | A11BA |
| Supplier JMS | 1000 TAB-CAP | 2.19 | 0.0022 | TABLETS | | | |
| Supplier IMRES | 1000 TAB-CAP | 3.20 | 0.0032 | COATED TABLETS | | | |
| Supplier MEDS | 1000 TAB-CAP | 4.00 | 0.0040 | VITS A, B1, B2, D3, C, NICOTINAMIDE, TABLETS | | | |
| Supplier IDA | 5000 TAB-CAP | 22.09 | 0.0045 | C 15MG,D3 300IU,B3 7.5MG,A 2500IU,B2 0.5MG,B1 1MG COAT TAB | | | |
| Supplier DURBIN | 1000 TAB-CAP | 4.50 | 0.0045 | TABLETS; D3 300IU,NIC. 7.5MG, A 2500IU, B2 0.5MG, B1 1MG | | | |
| Supplier MEG | 1000 TAB-CAP | 4.98 | 0.0050 | SC TABS:C 15MG,D3 300IU,B3 7.5MG,A 2500IU,B2 0.5MG,B1 1MG | | | |
| Supplier MEDEOR/TZ | 1000 TAB-CAP | 6.76 | 0.0068 | TABLETS | | | |
| Supplier MEDEOR/EU | 10000 TAB-CAP | 69.25 | 0.0070 | DRGES,C15MG,D3 300IU,A 2500IU,B2 0.5MG,B1 1MG,NICOT 7.5MG | | | |
| Supplier UNFPA | 5000 TAB-CAP | 35.00 | 0.0070 | COATED TABLETS | | | |
| Supplier MISSION | 1000 TAB-CAP | 7.19 | 0.0072 | TABLETS | | | |
| Supplier Median Price/tab-cap=0.0048 | | | | | | | |
| High/Low Ratio=3.27 | | | | | | | |
| Buyer CAMERWA | 1000 TAB-CAP | 2.18 | 0.0022 | TABLETS | | | |
| Buyer BUFMAR | 1000 TAB-CAP | 4.72 | 0.0047 | TABLETS | | | |
| Buyer MEMS | 1000 TAB-CAP | 7.26 | 0.0073 | TABLETS | | | |
| Buyer BDS | 5000 TAB-CAP | 71.48 | 0.0143 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0060 | | | | | | | |
| High/Low Ratio=6.50 | | | | | | | |
| VITAMIN, MULTI + IRON tab-cap (PO) | | | Price/tab-cap | | | N | A11AA01 |
| Buyer OECS/PPS | 400 TAB-CAP | 21.88 | 0.0547 | CAPSULES | | | |
| VITAMIN, MULTI + MINERALS tab-cap (PO) | | | Price/tab-cap | | | N | A11AA04 |
| Buyer DOMREPUB | 1 TAB-CAP | 0.02 | 0.0240 | TABLETS | | | |
| Buyer BDS | 50 TAB-CAP | 3.93 | 0.0787 | | | | |
| Buyer Median Price/tab-cap=0.0514 | | | | | | | |
| High/Low Ratio=3.28 | | | | | | | |
| WARFARIN SODIUM 1 mg tab-cap (PO) | | | Price/tab-cap | | 7.5 mg | C | B01AA03 |
| Buyer SUDANNHIF | 100 TAB-CAP | 3.14 | 0.0314 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 4.16 | 0.0416 | TABLETS, CRYSTALLINE | | | |
| Buyer BDS | 100 TAB-CAP | 4.62 | 0.0462 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 8.01 | 0.0801 | TABLETS | | | |
| Buyer CRSS | 100 TAB-CAP | 11.00 | 0.1100 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0462 | | | | | | | |
| High/Low Ratio=3.50 | | | | | | | |
| WARFARIN SODIUM 2 mg tab-cap (PO) | | | Price/tab-cap | | 7.5 mg | C | B01AA03 |
| Buyer OECS/PPS | 100 TAB-CAP | 4.23 | 0.0423 | TABLET, CRYSTALLINE | | | |
| Buyer BDS | 100 TAB-CAP | 4.69 | 0.0469 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0446 | | | | | | | |
| High/Low Ratio=1.11 | | | | | | | |
| WARFARIN SODIUM 3 mg tab-cap (PO) | | | Price/tab-cap | | 7.5 mg | P | B01AA03 |
| Buyer SUDANNHIF | 100 TAB-CAP | 2.96 | 0.0296 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 8.01 | 0.0801 | TABLETS | | | |
| Buyer Median Price/tab-cap=0.0549 | | | | | | | |
| High/Low Ratio=2.71 | | | | | | | |
| WARFARIN SODIUM 5 mg tab-cap (PO) | | | Price/tab-cap | | 7.5 mg | C | B01AA03 |
| Supplier MEDS | 100 TAB-CAP | 3.04 | 0.0304 | TABLETS | | | |
| Supplier JMS | 100 TAB-CAP | 3.19 | 0.0319 | TABLETS | | | |
| Supplier IDA | 100 TAB-CAP | 3.84 | 0.0384 | BLISTER PACK TABLETS | | | |
| Supplier Median Price/tab-cap=0.0319 | | | | | | | |
| High/Low Ratio=1.26 | | | | | | | |
| Buyer OECS/PPS | 100 TAB-CAP | 4.42 | 0.0442 | SCORED TABLETS, CRYSTALLINE | | | |
| Buyer PERU | 1 TAB-CAP | 0.05 | 0.0469 | TABLET | | | |
| Buyer BDS | 100 TAB-CAP | 4.90 | 0.0490 | TABLETS | | | |
| Buyer MEMS | 30 TAB-CAP | 1.49 | 0.0495 | TABLETS | | | |
| Buyer BOTSWANA | 100 TAB-CAP | 5.32 | 0.0532 | TABLETS | | | |
| Buyer SUDANNHIF | 100 TAB-CAP | 6.52 | 0.0652 | TABLETS, ILLUSTRATIVE PACK SIZE | | | |
| Buyer NAMIBIA | 100 TAB-CAP | 10.67 | 0.1067 | TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|--|-------------|---|--|---|--|------------|-------------|
| WARFARIN SODIUM 5 mg tab-cap (PO) <i>Buyer CRSS</i> | 100 TAB-CAP | 16.97 | 0.1697 | TABLETS Buyer Median Price/tab-cap=0.0514 | 7.5 mg High/Low Ratio=3.84 | C | B01AA03 |
| WATER FOR INJECTION 10 ml ampoule (INJ) <i>Supplier JMS</i> 50 VIAL (1 AMPOULE) <i>Supplier MEG</i> 100 AMP <i>Supplier MEDS</i> 1 VIAL (1 AMPOULE) <i>Supplier MEDEOR/TZ</i> 100 VIAL (1 AMPOULE) <i>Supplier IDA</i> 50 AMP <i>Supplier UNFPA</i> 100 VIAL (1 AMPOULE) <i>Supplier IMRES</i> 10 AMP <i>Supplier MISSION</i> 50 AMP <i>Supplier DURBIN</i> 100 AMP <i>Supplier MEDEOR/EU</i> 100 AMP | | 1.29 2.90 0.03 3.96 2.46 5.25 0.65 3.48 8.03 13.33 | 0.0257 0.0290 0.0333 0.0396 0.0493 0.0525 0.0650 0.0695 0.0803 0.1333 | Price/ampoule PLASTIC WITHOUT PRESERVATIVE PLASTIC VIALS | | E | V07AB |
| | | | | Supplier Median Price/ampoule=0.0509 | High/Low Ratio=5.19 | | |
| <i>Buyer MEMS</i> 1 AMP <i>Buyer CAMERWA</i> 100 AMP <i>Buyer BUFMAR</i> 50 AMP <i>Buyer DOMREPUB</i> 1 AMP <i>Buyer NAMIBIA</i> 100 AMP <i>Buyer BDS</i> 20 AMP <i>Buyer OECS/PPS</i> 100 AMP | | 0.04 4.64 2.32 0.05 8.52 2.42 12.90 | 0.0429 0.0464 0.0464 0.0470 0.0852 0.1210 0.1290 | | Buyer Median Price/ampoule=0.0470 High/Low Ratio=3.01 | | |
| WATER FOR INJECTION 100 ml vial (INJ) <i>Supplier MEDS</i> 1 VIAL <i>Buyer OECS/PPS</i> 1 VIAL <i>Buyer BDS</i> 1 VIAL | | 0.32 | 0.3219 | Price/vial WITH PRESERVATIVE | | P | V07AB |
| | | | | Buyer Median Price/vial=0.7213 | High/Low Ratio=1.06 | | |
| WATER FOR INJECTION 1000 ml bott (INJ) <i>Buyer PERU</i> 100 BOTT | | 81.44 | 0.8144 | Price/bott ILLUSTRATIVE NUMBER OF BOTTLES | | P | V07AB |
| WATER FOR INJECTION 5 ml ampoule (INJ) <i>Supplier MEG</i> 100 AMP <i>Supplier IDA</i> 50 AMP <i>Supplier UNFPA</i> 100 AMP <i>Supplier MISSION</i> 50 AMP <i>Supplier IMRES</i> 10 AMP <i>Supplier DURBIN</i> 100 AMP <i>Supplier GDF</i> 100 AMP | | 2.80 2.10 4.50 3.00 0.60 6.82 10.60 | 0.0280 0.0420 0.0450 0.0600 0.0600 0.0682 0.1060 | Price/ampoule PLASTIC PLASTIC AMPS | | E | V07AB |
| | | | | Supplier Median Price/ampoule=0.0600 | High/Low Ratio=3.79 | | |
| <i>Buyer DOMREPUB</i> 1 AMP <i>Buyer PERU</i> 100 AMP <i>Buyer NAMIBIA</i> 100 AMP | | 0.04 5.41 11.63 | 0.0378 0.0541 0.1163 | | ILLUSTRATIVE NUMBER OF AMPS | | |
| | | | | Buyer Median Price/ampoule=0.0541 | High/Low Ratio=3.08 | | |
| ZIDOVUDINE (AZT) 10 mg/ml vial (INJ) <i>Supplier SCMS</i> 5 VIAL (20 ml) | | 14.12 | 0.1412 | Price/ml | 0.6 g | E | J05AF01 |
| <i>Buyer BDS</i> 5 VIAL (20 ml) | | 228.98 | 2.2898 | | | | |
| ZIDOVUDINE (AZT) 100 mg tab-cap (PO) <i>Supplier SCMS</i> 100 TAB-CAP <i>Supplier IDA</i> 100 TAB-CAP <i>Supplier DURBIN</i> 60 TAB-CAP | | 5.00 8.37 6.10 | 0.0500 0.0837 0.1016 | Price/tab-cap CAPSULES CAPSULES TABLETS | 0.6 g High/Low Ratio=2.03 | E | J05AF01 |
| | | | | Supplier Median Price/tab-cap=0.0837 | | | |
| ZIDOVUDINE (AZT) 250 mg tab-cap (PO) <i>Supplier SCMS</i> 40 TAB-CAP | | 13.93 | 0.3483 | Price/tab-cap CAPSULES | 0.6 g | E | J05AF01 |
| ZIDOVUDINE (AZT) 300 mg tab-cap (PO) <i>Supplier SCMS</i> 60 TAB-CAP <i>Supplier MEG</i> 60 TAB-CAP <i>Supplier IDA</i> 60 TAB-CAP <i>Supplier DURBIN</i> 60 TAB-CAP | | 7.37 9.83 12.36 17.26 | 0.1229 0.1638 0.2060 0.2877 | Price/tab-cap TABLETS TABLETS TABLETS | 0.6 g High/Low Ratio=2.34 | E | J05AF01 |
| | | | | Supplier Median Price/tab-cap=0.1849 | | | |
| <i>Buyer BDS</i> 60 TAB-CAP <i>Buyer CAMERWA</i> 60 TAB-CAP | | 10.92 15.70 | 0.1819 0.2617 | TABLETS TABLETS | | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List I: Products Sorted Alphabetically

| ITEM DESCRIPTION SOURCE | PACKAGE | PACKAGE PRICE (US\$) | UNIT PRICE (US\$) | COMMENTS | DEFINED DAILY DOSE* | WHO EML | ATC CODE |
|---|---|---|--|---|---|------------|-------------|
| ZIDOVUDINE (AZT) 300 mg tab-cap (PO) Buyer PERU | 100 TAB-CAP | 28.80 | 0.2880 | Price/tab-cap TABLETS, ILLUSTRATIVE PACK SIZE High/Low Ratio=1.58 | 0.6 g | E | J05AF01 |
| ZIDOVUDINE (AZT) 50 mg/5 ml solution (PO) Supplier SCMS Supplier MEG Supplier IDA Buyer PERU Buyer GHANA Buyer BDS | 1 BOTT (240 ml) 1 BOTT (240 ml) 1 BOTT (240 ml) 1 BOTT (240 ml) 1 BOTT (240 ml) | 2.21 3.71 4.43 2.46 4.01 23.14 | 0.0092 0.0155 0.0185 0.0103 0.0167 0.0964 | Price/ml Supplier Median Price/ml=0.0155 Buyer Median Price/ml=0.0167 | 0.6 g WITH SYRINGE High/Low Ratio=2.01 High/Low Ratio=9.36 | E | J05AF01 |
| ZINC OXIDE 10% ointment (TOP) Supplier IDA Supplier MEG Supplier MISSION Supplier IMRES Supplier DURBIN Buyer BUFMAR | 1 JAR (800 g) 1 JAR (500 g) 1 JAR (800 g) 1 TUBE (100 g) 1 JAR (500 g) 1 JAR (750 g) | 7.17 4.94 8.84 1.15 6.39 3.60 | 0.0090 0.0099 0.0110 0.0115 0.0128 0.0048 | Price/g Supplier Median Price/g=0.0110 | N | D02AB | |
| ZINC SULFATE (DISPERSIBLE) 20 mg tab-cap (PO) Supplier MEDEOR/TZ Supplier MEG Supplier IMRES Supplier IDA Supplier JMS Supplier MISSION | 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP 100 TAB-CAP | 2.30 2.68 3.70 3.84 4.16 4.49 | 0.0230 0.0268 0.0370 0.0384 0.0416 0.0449 | Price/tab-cap BLISTER PACK DISPERSIBLE TABLETS, 10 X 10 TABLETS, BLISTER PACK 10 X 10 | 0.6 g High/Low Ratio=1.95 | P | A12CB01 |
| ZUCLOPENTHIXOL 10 mg tab-cap (PO) Buyer OECS/PPS | 100 TAB-CAP | 13.47 | 0.1347 | Price/tab-cap TABLETS | 30 mg | T | N05AF05 |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on list

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category



Lista II: Productos Clasificados por Categoría Terapéutica



Liste II : Produits Pharmaceutiques Classés par Classe Thérapeutique

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | WHO EML | DEFINED DAILY DOSE* |
|---|---|--|---------------------|
| WHO ESSENTIAL MEDICINES LIST CATEGORIES | | | |
| 1.1. GENERAL ANAESTHETICS AND OXYGEN | | | |
| | | | |
| DROPERIDOL 2.5 mg/ml ampoule (INJ) Buyer Number of Prices=1 | | Price=0.5000/ml | N |
| ENFLURANE liquid (INH) Buyer Number of Prices=1 | | Price=0.3240/ml | N |
| ETHER, ANAESTHETIC solution (INH) Supplier Number of Prices=2 | High/Low Ratio=1.04 | Median Price=0.0168/ml | E |
| ETOMIDATE 2 mg/ml ampoule (INJ) Buyer Number of Prices=2 | High/Low Ratio=5.81 | Median Price=0.5532/ml | N |
| FENTANYL CITRATE (IC) 50 mcg/ml vial (INJ) Supplier Number of Prices=5 Buyer Number of Prices=7 | High/Low Ratio=3.27 High/Low Ratio=15.12 | Median Price=0.3854/ml Median Price=0.2641/ml | N |
| SEVOFLURANE solution (INH) Buyer Number of Prices=3 | High/Low Ratio=2.02 | Median Price=0.7048/ml | N |
| THIOPENTAL SODIUM 1 g vial (INJ) Supplier Number of Prices=6 Buyer Number of Prices=3 | High/Low Ratio=2.12 High/Low Ratio=7.36 | Median Price=1.3113/vial Median Price=1.6000/vial | E |
| THIOPENTAL SODIUM 500 mg vial (INJ) Supplier Number of Prices=9 Buyer Number of Prices=5 | High/Low Ratio=1.63 High/Low Ratio=3.47 | Median Price=1.0396/vial Median Price=1.5500/vial | E |
| 1.1.1. INHALATIONAL MEDICINES | | | |
| | | | |
| HALOTHANE liquid (INH) Supplier Number of Prices=8 Buyer Number of Prices=6 | High/Low Ratio=1.82 High/Low Ratio=2.09 | Median Price=0.1208/ml Median Price=0.2029/ml | E |
| ISOFLURANE liquid (INH) Supplier Number of Prices=3 Buyer Number of Prices=4 | High/Low Ratio=6.23 High/Low Ratio=3.56 | Median Price=0.3000/ml Median Price=0.2253/ml | E |
| NITROUS OXIDE gas (INH) Buyer Number of Prices=1 | | Price=5.2710/kg | E |
| OXYGEN gas (INH) Supplier Number of Prices=3 | High/Low Ratio=1.55 | Median Price=2.1560/cubmeter | E |
| 1.1.2. INJECTABLE MEDICINES | | | |
| | | | |
| KETAMINE 10 mg/ml vial (INJ) Buyer Number of Prices=2 | High/Low Ratio=1.09 | Median Price=0.2603/ml | P |
| KETAMINE 50 mg/ml vial (INJ) Supplier Number of Prices=10 Buyer Number of Prices=5 | High/Low Ratio=1.71 High/Low Ratio=2.69 | Median Price=0.1032/ml Median Price=0.1920/ml | E |
| PROPOFOL 10 mg/ml vial (INJ) Supplier Number of Prices=2 Buyer Number of Prices=4 | High/Low Ratio=1.41 High/Low Ratio=1.30 | Median Price=0.2290/ml Median Price=0.0928/ml | E |
| 1.2. LOCAL ANAESTHETICS | | | |
| | | | |
| BUPIVACAINE HCL 0.25% ampoule (INJ) Buyer Number of Prices=2 | High/Low Ratio=1.20 | Median Price=0.1010/ml | E |
| BUPIVACAINE HCL 0.5% ampoule (INJ) Supplier Number of Prices=8 Buyer Number of Prices=4 | High/Low Ratio=7.48 High/Low Ratio=5.88 | Median Price=0.1011/ml Median Price=0.0556/ml | E |
| BUPIVACAINE HCL + DEXTROSE 0.5% + 8% ampoule (INJ) Supplier Number of Prices=4 Buyer Number of Prices=1 | High/Low Ratio=5.23 | Median Price=0.5603/ml Price=0.1339/ml | E |
| BUPIVACAINE HCL + EPINEPHRINE (0.5% + 1:200,000) vial (INJ) Supplier Number of Prices=1 | | Price=0.1050/ml | N |
| EPHEDRINE 30 mg/ml vial (INJ) | | | P 50 mg |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | | WHO EML | DEFINED DAILY DOSE* |
|--|---|--|---------|---------------------|
| Supplier Number of Prices=5 | High/Low Ratio=1.62 | Median Price=0.7026/ml | | |
| ETHYL CHLORIDE spray (TOP) Buyer Number of Prices=3 | High/Low Ratio=4.53 | Median Price=0.1474/ml | N | |
| LIDOCAINE 10% spray (TOP) Buyer Number of Prices=1 | | Price=0.1494/ml | P | |
| LIDOCAINE HCL 1% vial (INJ) Supplier Number of Prices=7 Buyer Number of Prices=5 | High/Low Ratio=4.47 High/Low Ratio=8.29 | Median Price=0.0254/ml Median Price=0.0181/ml | E | |
| LIDOCAINE HCL 2% ointment (TOP) Supplier Number of Prices=2 Buyer Number of Prices=3 | High/Low Ratio=6.89 High/Low Ratio=3.01 | Median Price=0.1290/g Median Price=0.1352/g | E | |
| LIDOCAINE HCL 2% vial (INJ) Supplier Number of Prices=9 Buyer Number of Prices=9 | High/Low Ratio=4.96 High/Low Ratio=20.77 | Median Price=0.0238/ml Median Price=0.0193/ml | E | 3 g |
| LIDOCAINE HCL 5% vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.0328/ml Price=2.1000/ml | P | |
| LIDOCAINE HCL + EPINEPHRINE DENTAL 2%+1:80000 crtdgs (INJ) Supplier Number of Prices=4 Buyer Number of Prices=1 | High/Low Ratio=1.27 | Median Price=0.2287/ml Price=0.1662/ml | E | |
| LIDOCAINE HCL 5% (IN DEXTROSE 7.5%) vial (INJ) Supplier Number of Prices=7 | High/Low Ratio=9.62 | Median Price=0.0750/ml | E | |
| LIDOCAINE+EPINEPHRINE 1%+1:100000 vial (INJ) Buyer Number of Prices=1 | | Price=0.0297/ml | P | |
| LIDOCAINE+EPINEPHRINE 2%+1:100000 vial (INJ) Buyer Number of Prices=3 | High/Low Ratio=4.04 | Median Price=0.0297/ml | P | |
| MEPIVACAIN 3% vial (INJ) Buyer Number of Prices=1 | | Price=0.0944/ml | N | |

1.3. PREOPERATIVE MEDICATION

| | | | | |
|--|--|--|---|--------|
| ATROPINE SULFATE 0.5 mg/ml ampoule (INJ) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=1.58 | Price=0.2637/ml Median Price=0.3297/ml | P | 1.5 mg |
| ATROPINE SULFATE 0.6 mg/ml ampoule (INJ) Buyer Number of Prices=2 | High/Low Ratio=1.47 | Median Price=0.3680/ml | P | 1.5 mg |
| ATROPINE SULFATE 1 mg/ml ampoule (INJ) Supplier Number of Prices=9 Buyer Number of Prices=2 | High/Low Ratio=15.73 High/Low Ratio=1.17 | Median Price=0.1000/ml Median Price=0.0714/ml | E | 1.5 mg |
| CISATRACURIUM 2 mg/ml ampoule (INJ) Buyer Number of Prices=2 | High/Low Ratio=2.76 | Median Price=3.2638/ml | N | |
| DIAZEPAM (IC) 5 mg/ml ampoule (INJ) Supplier Number of Prices=9 Buyer Number of Prices=7 | High/Low Ratio=4.80 High/Low Ratio=4.76 | Median Price=0.0776/ml Median Price=0.0875/ml | P | 10 mg |
| MIDAZOLAM 7.5 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.1875/tab-cap | E | 15 mg |
| MIDAZOLAM (IC) 5 mg/ml ampoule (INJ) Supplier Number of Prices=1 Buyer Number of Prices=5 | High/Low Ratio=7.00 | Price=1.5000/ml Median Price=0.7560/ml | N | 15 mg |
| MORPHINE SULFATE (IC) 10 mg/ml ampoule (INJ) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=12.48 | Price=0.5795/ml Median Price=0.3564/ml | E | 0.1 g |
| MORPHINE SULFATE (IC) 15 mg/ml ampoule (INJ) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=1.42 | Price=0.5436/ml Median Price=0.3691/ml | P | 0.1 g |
| PROMETHAZINE HCL 25 mg/ml ampoule (INJ) Supplier Number of Prices=10 Buyer Number of Prices=5 | High/Low Ratio=10.58 High/Low Ratio=28.45 | Median Price=0.0947/ml Median Price=0.0643/ml | T | 25 mg |
| PROMETHAZINE HCL 5 mg/5 ml suspen (PO) Supplier Number of Prices=5 Buyer Number of Prices=2 | High/Low Ratio=62.83 High/Low Ratio=1.09 | Median Price=0.0050/ml Median Price=0.0048/ml | T | 25 mg |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|---|---|---------------------|
| 2.1. NON-OPIOID ANALGESICS & NSAISMS | | |
| ACETYLSALICYLIC ACID 100 mg tab-cap (PO) Supplier Number of Prices=5 Buyer Number of Prices=5 | High/Low Ratio=3.00 Median Price=0.0020/tab-cap High/Low Ratio=6.33 Median Price=0.0043/tab-cap | E 3 g |
| ACETYLSALICYLIC ACID 300 mg tab-cap (PO) Supplier Number of Prices=9 Buyer Number of Prices=5 | High/Low Ratio=2.55 Median Price=0.0026/tab-cap High/Low Ratio=9.72 Median Price=0.0045/tab-cap | E 3 g |
| ACETYLSALICYLIC ACID 500 mg tab-cap (PO) Supplier Number of Prices=7 Buyer Number of Prices=2 | High/Low Ratio=3.11 Median Price=0.0041/tab-cap High/Low Ratio=1.71 Median Price=0.0042/tab-cap | E 3 g |
| ACETYLSALICYLIC ACID 75 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=1 | High/Low Ratio=4.25 Median Price=0.0143/tab-cap Price=0.0123/tab-cap | P 3 g |
| DICLOFENAC 100 mg suppos (RECT) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=1.76 Median Price=0.1036/supp Price=0.1745/supp | N 0.1 g |
| DICLOFENAC SODIUM 25 mg tab-cap (PO) Supplier Number of Prices=5 Buyer Number of Prices=3 | High/Low Ratio=1.37 Median Price=0.0046/tab-cap High/Low Ratio=2.35 Median Price=0.0185/tab-cap | N 0.1 g |
| DICLOFENAC SODIUM 25 mg/ml ampoule (INJ) Supplier Number of Prices=10 Buyer Number of Prices=8 | High/Low Ratio=6.21 Median Price=0.0397/ml High/Low Ratio=7.94 Median Price=0.0255/ml | N 0.1 g |
| DICLOFENAC SODIUM 50 mg tab-cap (PO) Supplier Number of Prices=7 Buyer Number of Prices=6 | High/Low Ratio=3.64 Median Price=0.0056/tab-cap High/Low Ratio=50.58 Median Price=0.0040/tab-cap | N 0.1 g |
| DICLOFENAC SODIUM (sustained-release) 75 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.86 Median Price=0.0275/tab-cap | N 0.1 g |
| IBUPROFEN 100 mg/5 ml suspen (PO) Supplier Number of Prices=3 Buyer Number of Prices=7 | High/Low Ratio=7.57 Median Price=0.0075/ml High/Low Ratio=5.52 Median Price=0.0062/ml | P 1.2 g |
| IBUPROFEN 200 mg tab-cap (PO) Supplier Number of Prices=10 Buyer Number of Prices=6 | High/Low Ratio=2.61 Median Price=0.0056/tab-cap High/Low Ratio=27.92 Median Price=0.0073/tab-cap | E 1.2 g |
| IBUPROFEN 400 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=6 | High/Low Ratio=2.37 Median Price=0.0103/tab-cap High/Low Ratio=11.35 Median Price=0.0141/tab-cap | E 1.2 g |
| INDOMETACIN 100 mg suppos (RECT) Buyer Number of Prices=4 | High/Low Ratio=7.07 Median Price=0.1891/supp | N 0.1 g |
| INDOMETACIN 25 mg tab-cap (PO) Supplier Number of Prices=9 Buyer Number of Prices=8 | High/Low Ratio=2.26 Median Price=0.0043/tab-cap High/Low Ratio=6.46 Median Price=0.0110/tab-cap | N 0.1 g |
| MEFENAMIC ACID 250 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=8.57 Median Price=0.0335/tab-cap High/Low Ratio=1.13 Median Price=0.0194/tab-cap | N 1 g |
| MEFENAMIC ACID 500 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=9.45 Median Price=0.0280/tab-cap | N 1 g |
| MELOXICAM 7.5 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=11.38 Median Price=0.0675/tab-cap Price=0.0357/tab-cap | N 15 mg |
| METAMIZOL 500 mg/ml ampoule (INJ) Buyer Number of Prices=3 | High/Low Ratio=12.72 Median Price=0.1280/ml | N 3 g |
| NAPROXEN 250 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=1.87 Price=0.0245/tab-cap Median Price=0.0335/tab-cap | E 0.5 g |
| NAPROXEN 500 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.73 Median Price=0.0517/tab-cap | N 0.5 g |
| PARACETAMOL 100 mg suppos (RECT) Supplier Number of Prices=1 | Price=0.0675/supp | E 3 g |
| PARACETAMOL 100 mg tab-cap (PO) Supplier Number of Prices=7 | High/Low Ratio=2.55 Median Price=0.0023/tab-cap | E 3 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* | |
|--|---|--|---------|
| Buyer Number of Prices=2 | | High/Low Ratio=1.06 | |
| PARACETAMOL 100 mg/ml suspen (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | Price=0.0167/ml Price=0.0231/ml | P 3 g | |
| PARACETAMOL 120 mg/5 ml suspen (PO) Supplier Number of Prices=11 Buyer Number of Prices=6 | High/Low Ratio=13.86 High/Low Ratio=3.19 | Median Price=0.0041/ml Median Price=0.0038/ml | P 3 g |
| PARACETAMOL 125 mg suppos (RECT) Supplier Number of Prices=6 Buyer Number of Prices=5 | High/Low Ratio=3.60 High/Low Ratio=2.76 | Median Price=0.0866/supp Median Price=0.1482/supp | P 3 g |
| PARACETAMOL 250 mg suppos (RECT) Supplier Number of Prices=4 Buyer Number of Prices=3 | High/Low Ratio=3.41 High/Low Ratio=5.03 | Median Price=0.1865/supp Median Price=0.3639/supp | P 3 g |
| PARACETAMOL 500 mg suppos (RECT) Buyer Number of Prices=1 | | Price=0.0120/supp | P 3 g |
| PARACETAMOL 500 mg tab-cap (PO) Supplier Number of Prices=10 Buyer Number of Prices=10 | High/Low Ratio=3.00 High/Low Ratio=3.20 | Median Price=0.0049/tab-cap Median Price=0.0068/tab-cap | E 3 g |
| PIROXICAM 20 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.0198/tab-cap Price=0.0152/tab-cap | N 20 mg |
| PROBENECID 500 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.1600/tab-cap | N 1 g |
| TRAMADOL 100 mg/ml solution (PO) Supplier Number of Prices=1 | | Price=0.2159/ml | N 0.3 g |

2.2. OPIOID ANALGESICS

| | | | |
|---|--|--|----------|
| CODEINE (IC) 15 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.0827/tab-cap Price=0.0743/tab-cap | P 0.1 g |
| CODEINE (IC) 30 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=3 | High/Low Ratio=3.59 High/Low Ratio=6.32 | Median Price=0.0696/tab-cap Median Price=0.1822/tab-cap | E 0.1 g |
| DIHYDROCODEINE (IC) 30 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.0788/tab-cap Price=0.3116/tab-cap | N 0.15 g |
| MORPHINE (IC, sustained-release) 10 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.1851/tab-cap | E 0.1 g |
| MORPHINE SULFATE (IC) 10 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.4764/tab-cap | E 0.1 g |
| MORPHINE SULFATE (IC) 10 mg/ml ampoule (INJ) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=12.48 | Price=0.5795/ml Median Price=0.3564/ml | E 0.1 g |
| MORPHINE SULFATE (IC) 15 mg/ml ampoule (INJ) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=1.42 | Price=0.5436/ml Median Price=0.3691/ml | P 0.1 g |
| MORPHINE SULFATE (IC, sustained-release) 30 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=2.26 | Price=0.4516/tab-cap Median Price=0.8336/tab-cap | P 0.1 g |
| NALBUFINE CHLORHYDRATE 10 mg/ml vial (INJ) Buyer Number of Prices=1 | | Price=1.6078/ml | N 80 mg |
| PENTAZOCINE (IC) 30 mg/ml ampoule (INJ) Supplier Number of Prices=2 | High/Low Ratio=1.33 | Median Price=0.2067/ml | N 0.2 g |
| PETHIDINE (IC) 50 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.39 | Median Price=0.2255/tab-cap | E 0.4 g |
| PETHIDINE HCL (IC) 50 mg/ml ampoule (INJ) Supplier Number of Prices=4 Buyer Number of Prices=5 | High/Low Ratio=2.25 High/Low Ratio=3.00 | Median Price=0.2986/ml Median Price=0.3291/ml | E 0.4 g |
| TRAMADOL HYDROCHLORIDE 50 mg tab-cap (PO) Supplier Number of Prices=5 | High/Low Ratio=12.37 | Median Price=0.0707/tab-cap | E 0.3 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | | WHO EML | DEFINED DAILY DOSE* |
|--|--------------------|----------------------|-----------------------------|---------------------|
| Buyer | Number of Prices=7 | High/Low Ratio=4.49 | Median Price=0.0528/tab-cap | |
| TRAMADOL HYDROCHLORIDE 50 mg/ml ampoule (INJ) | | | E | 0.3 g |
| Supplier | Number of Prices=7 | High/Low Ratio=6.11 | Median Price=0.1394/ml | |
| Buyer | Number of Prices=6 | High/Low Ratio=29.48 | Median Price=0.1577/ml | |

2.3. MEDICINES USED TO TREAT GOUT

| | | | | |
|---|--------------------|---------------------|-----------------------------|-------|
| ALLOPURINOL 100 mg tab-cap (PO) | | | E | 0.4 g |
| Supplier | Number of Prices=4 | High/Low Ratio=2.52 | Median Price=0.0417/tab-cap | |
| Buyer | Number of Prices=6 | High/Low Ratio=5.75 | Median Price=0.0211/tab-cap | |
| ALLOPURINOL 300 mg tab-cap (PO) | | | C | 0.4 g |
| Supplier | Number of Prices=1 | | Price=0.1436/tab-cap | |
| Buyer | Number of Prices=3 | High/Low Ratio=4.04 | Median Price=0.0321/tab-cap | |
| COLCHICINE 0.5-0.6 mg tab-cap (PO) | | | N | 1 mg |
| Buyer | Number of Prices=3 | High/Low Ratio=2.23 | Median Price=0.0588/tab-cap | |

2.4. DISEASE MODIFYING AGENTS USED IN RHEUMATIC DISORDERS

| | | | | |
|--|--------------------|----------------------|-----------------------------|--------|
| AZATHIOPRINE 50 mg tab-cap (PO) | | | C | 0.15 g |
| Supplier | Number of Prices=1 | | Price=0.2168/tab-cap | |
| Buyer | Number of Prices=3 | High/Low Ratio=10.17 | Median Price=0.2774/tab-cap | |
| CHLOROQUINE (BASE) 100 mg tab-cap (PO) | | | E | 0.5 g |
| Supplier | Number of Prices=1 | | Price=0.0088/tab-cap | |
| CHLOROQUINE (BASE) 150 mg tab-cap (PO) | | | E | 0.5 g |
| Supplier | Number of Prices=6 | High/Low Ratio=1.63 | Median Price=0.0110/tab-cap | |
| Buyer | Number of Prices=2 | High/Low Ratio=1.14 | Median Price=0.0196/tab-cap | |
| METHOTREXATE SODIUM 2.5 mg tab-cap (PO) | | | C | 2.5 mg |
| Supplier | Number of Prices=3 | High/Low Ratio=2.38 | Median Price=0.0739/tab-cap | |
| Buyer | Number of Prices=5 | High/Low Ratio=9.36 | Median Price=0.1304/tab-cap | |
| PENICILLAMINE 250 mg tab-cap (PO) | | | C | 0.5 g |
| Buyer | Number of Prices=1 | | Price=0.1950/tab-cap | |
| SULFASALAZINE 500 mg tab-cap (PO) | | | C | 2 g |
| Buyer | Number of Prices=3 | High/Low Ratio=4.22 | Median Price=0.4013/tab-cap | |

3. ANTIALLERGICS AND MEDICINES USED IN ANAPHYLAXIS

| | | | | |
|--|---------------------|----------------------|-----------------------------|--------|
| CHLORPHENAMINE MALEATE 10 mg/ml ampoule (INJ) | | | E | 12 mg |
| Supplier | Number of Prices=4 | High/Low Ratio=2.02 | Median Price=0.1230/ml | |
| Buyer | Number of Prices=5 | High/Low Ratio=25.22 | Median Price=0.0479/ml | |
| CHLORPHENAMINE MALEATE 2 mg/5 ml elixir (PO) | | | P | 6 mg |
| Supplier | Number of Prices=2 | High/Low Ratio=17.75 | Median Price=0.0038/ml | |
| Buyer | Number of Prices=6 | High/Low Ratio=3.20 | Median Price=0.0047/ml | |
| CHLORPHENAMINE MALEATE 4 mg tab-cap (PO) | | | E | 12 mg |
| Supplier | Number of Prices=9 | High/Low Ratio=7.00 | Median Price=0.0018/tab-cap | |
| Buyer | Number of Prices=10 | High/Low Ratio=25.83 | Median Price=0.0066/tab-cap | |
| DEXAMETHASONE 0.5 mg tab-cap (PO) | | | E | 1.5 mg |
| Supplier | Number of Prices=6 | High/Low Ratio=9.63 | Median Price=0.0049/tab-cap | |
| Buyer | Number of Prices=4 | High/Low Ratio=11.82 | Median Price=0.0295/tab-cap | |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) | | | E | 1.5 mg |
| Supplier | Number of Prices=8 | High/Low Ratio=3.08 | Median Price=0.1111/ml | |
| Buyer | Number of Prices=6 | High/Low Ratio=17.76 | Median Price=0.1480/ml | |
| DEXAMETHASONE 5 mg/ml ampoule (INJ) | | | P | 1.5 mg |
| Supplier | Number of Prices=1 | | Price=0.1108/ml | |
| DIPHENHYDRAMINE 25 mg tab-cap (PO) | | | T | 0.3 g |
| Buyer | Number of Prices=1 | | Price=0.0112/tab-cap | |
| EPINEPHRINE (adrenaline) 1 mg/ml ampoule (INJ) | | | E | 0.5 mg |
| Supplier | Number of Prices=10 | High/Low Ratio=6.80 | Median Price=0.1707/ml | |
| Buyer | Number of Prices=8 | High/Low Ratio=8.38 | Median Price=0.1662/ml | |
| HYDROCORTISONE (sodium succinate) 100 mg vial (INJ) | | | E | 30 mg |
| Supplier | Number of Prices=10 | High/Low Ratio=2.36 | Median Price=0.4015/vial | |
| Buyer | Number of Prices=6 | High/Low Ratio=3.43 | Median Price=0.3023/vial | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* | |
|--|--|--|---------|
| HYDROCORTISONE (sodium succinate) 500 mg vial (INJ) Buyer Number of Prices=1 | Price=3.5452/vial | P 30 mg | |
| HYDROXYZINE 10 mg/5 ml syrup (PO) Buyer Number of Prices=1 | Price=0.0232/ml | N 75 mg | |
| HYDROXYZINE 25 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.86 | Median Price=0.0682/tab-cap | N 75 mg |
| LORATADINE 10 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=5 | High/Low Ratio=7.23 | Price=0.0616/tab-cap Median Price=0.0225/tab-cap | N 10 mg |
| LORATADINE 5 mg/5 ml syrup (PO) Buyer Number of Prices=3 | High/Low Ratio=4.98 | Median Price=0.0094/ml | N 10 mg |
| METHYLREDNISOLONE (sodium succinate) 1 g vial (INJ) Buyer Number of Prices=2 | High/Low Ratio=22.07 | Median Price=17.4918/vial | N 20 mg |
| METHYLREDNISOLONE (sodium succinate) 500 mg vial (INJ) Buyer Number of Prices=3 | High/Low Ratio=1.72 | Median Price=9.0363/vial | N 20 mg |
| PREDNISOLONE 1 mg tab-cap (PO) Buyer Number of Prices=1 | Price=0.0960/tab-cap | P | |
| PREDNISOLONE 5 mg tab-cap (PO) Supplier Number of Prices=10 Buyer Number of Prices=7 | High/Low Ratio=2.91 High/Low Ratio=4.00 | Median Price=0.0083/tab-cap Median Price=0.0099/tab-cap | E 10 mg |
| PREDNISOLONE 5 mg/5 ml suspen (PO) Buyer Number of Prices=2 | High/Low Ratio=1.40 | Median Price=0.0398/ml | P 10 mg |
| PREDNISOLONE ACETATE 25 mg/ml ampoule (INJ) Supplier Number of Prices=1 | Price=0.6027/ml | P 10 mg | |
| PREDNISONE 5 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=2.10 | Median Price=0.0104/tab-cap | T 10 mg |
| PREDNISONE 50 mg tab-cap (PO) Buyer Number of Prices=1 | Price=0.0502/tab-cap | N 10 mg | |
| PROMETHAZINE HCL 25 mg tab-cap (PO) Supplier Number of Prices=9 Buyer Number of Prices=5 | High/Low Ratio=3.56 High/Low Ratio=25.63 | Median Price=0.0045/tab-cap Median Price=0.0042/tab-cap | T 25 mg |
| PROMETHAZINE HCL 25 mg/ml ampoule (INJ) Supplier Number of Prices=10 Buyer Number of Prices=5 | High/Low Ratio=10.58 High/Low Ratio=28.45 | Median Price=0.0947/ml Median Price=0.0643/ml | T 25 mg |
| PROMETHAZINE HCL 5 mg/5 ml suspen (PO) Supplier Number of Prices=5 Buyer Number of Prices=2 | High/Low Ratio=62.83 High/Low Ratio=1.09 | Median Price=0.0050/ml Median Price=0.0048/ml | T 25 mg |
| TRIAMCINOLONE ACETONIDE 10 mg/ml ampoule (INJ) Buyer Number of Prices=1 | Price=1.0005/ml | N 7.5 mg | |
| TRIAMCINOLONE ACETONIDE 40 mg/ml vial (INJ) Buyer Number of Prices=1 | Price=2.2500/ml | N 7.5 mg | |

4.1. GENERAL ANTIDOTES

| | | | | |
|---|---------------------|---|---|-----|
| CHARCOAL, ACTIVATED 125 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=1 | High/Low Ratio=1.53 | Median Price=0.0134/tab-cap Price=0.0067/tab-cap | P | 5 g |
| CHARCOAL, ACTIVATED 250 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.0224/tab-cap | P | 5 g |

4.2. SPECIFIC ANTIDOTES

| | | | | |
|--|---|--|---|--------|
| ATROPINE SULFATE 1 mg/ml ampoule (INJ) Supplier Number of Prices=9 Buyer Number of Prices=2 | High/Low Ratio=15.73 High/Low Ratio=1.17 | Median Price=0.1000/ml Median Price=0.0714/ml | E | 1.5 mg |
| DEFEROXAMINE MESILATE 500 mg ampoule (INJ) Buyer Number of Prices=2 | High/Low Ratio=3.89 | Median Price=25.3945/ampoule | E | |
| DIMERCAVROL 50 mg/ml vial (INJ) Buyer Number of Prices=1 | | Price=48.7029/ml | E | |
| EDROPHONIUM CHLORIDE 10 mg/ml vial (INJ) | | | N | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|--|--|---|
| Buyer Number of Prices=1 | | Price=3.1600/ml |
| FLUMAZENIL 0.1 mg/ml vial (INJ) Buyer Number of Prices=4 | High/Low Ratio=7.40 | Median Price=2.9282/ml N |
| NALOXONE HCL 0.02 mg/ml vial (INJ) Buyer Number of Prices=1 | | Price=0.5655/ml P |
| NALOXONE HCL 0.4 mg/ml ampoule (INJ) Supplier Number of Prices=6 Buyer Number of Prices=4 | High/Low Ratio=2.58 High/Low Ratio=1.77 | Median Price=1.1209/ml Median Price=0.7327/ml E |
| PENICILLAMINE 250 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.1950/tab-cap C 0.5 g |

5. ANTICONVULSANTS/ANTIEPILEPTICS

| | | |
|--|---|---|
| CARBAMAZEPINE 100 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0394/tab-cap E 1 g |
| CARBAMAZEPINE 100 mg/5 ml suspen (PO) Buyer Number of Prices=3 | High/Low Ratio=3.87 | Median Price=0.0356/ml E 1 g |
| CARBAMAZEPINE 200 mg tab-cap (PO) Supplier Number of Prices=9 Buyer Number of Prices=9 | High/Low Ratio=3.08 High/Low Ratio=12.63 | Median Price=0.0192/tab-cap Median Price=0.0265/tab-cap E 1 g |
| CARBAMAZEPINE (sustained-release) 200 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.01 | Median Price=0.1653/tab-cap E 1 g |
| CARBAMAZEPINE (sustained-release) 400 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=2.79 | Median Price=0.2371/tab-cap P 1 g |
| CLONAZEPAM 0.5 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=24.91 | Median Price=0.0285/tab-cap N 8 mg |
| CLONAZEPAM 2 mg tab-cap (PO) Buyer Number of Prices=5 | High/Low Ratio=44.51 | Median Price=0.1657/tab-cap N 8 mg |
| CLONAZEPAM 2.5 mg/ml drops (PO) Buyer Number of Prices=1 | | Price=1.6782/ml N 8 mg |
| DIAZEPAM (IC) 5 mg/ml ampoule (INJ) Supplier Number of Prices=9 Buyer Number of Prices=7 | High/Low Ratio=4.80 High/Low Ratio=4.76 | Median Price=0.0776/ml Median Price=0.0875/ml P 10 mg |
| DROPERIDOL 2.5 mg/ml ampoule (INJ) Buyer Number of Prices=1 | | Price=0.5000/ml N |
| GABAPENTIN 300 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.49 | Median Price=0.0872/tab-cap N 1.8 g |
| GABAPENTIN 400 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.1146/tab-cap N 1.8 g |
| LAMOTRIGINE 25 mg tab-cap (PO) Buyer Number of Prices=4 | High/Low Ratio=11.74 | Median Price=0.1463/tab-cap N 0.3 g |
| LORAZEPAM 1 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=3.95 | Median Price=0.0458/tab-cap P 2.5 mg |
| LORAZEPAM 2 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0069/tab-cap P 2.5 mg |
| MAGNESIUM SULFATE 500 mg/ml vial (INJ) Supplier Number of Prices=6 Buyer Number of Prices=4 | High/Low Ratio=3.22 High/Low Ratio=8.91 | Median Price=0.0891/ml Median Price=0.1962/ml E 3 g |
| PHENOBARBITAL (IC) 100 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=1 | High/Low Ratio=3.61 | Median Price=0.0113/tab-cap Price=0.0088/tab-cap E 0.1 g |
| PHENOBARBITAL (IC) 100 mg/ml ampoule (INJ) Supplier Number of Prices=2 Buyer Number of Prices=4 | High/Low Ratio=1.48 High/Low Ratio=4.66 | Median Price=0.2771/ml Median Price=0.3775/ml P 0.1 g |
| PHENOBARBITAL (IC) 15 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0925/tab-cap E 0.1 g |
| PHENOBARBITAL (IC) 15 mg/5 ml elixir (PO) Buyer Number of Prices=2 | High/Low Ratio=1.90 | Median Price=0.0334/ml E 0.1 g |
| PHENOBARBITAL (IC) 200 mg/ml vial (INJ) | | E 0.1 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|--|--|--|
| Supplier Number of Prices=2 Buyer Number of Prices=4 | High/Low Ratio=4.11 High/Low Ratio=25.86 | Median Price=2.2140/ml Median Price=1.0506/ml |
| PHENOBARBITAL (IC) 30 mg tab-cap (PO) Supplier Number of Prices=5 Buyer Number of Prices=7 | High/Low Ratio=2.85 High/Low Ratio=5.67 | Median Price=0.0040/tab-cap Median Price=0.0062/tab-cap |
| PHENOBARBITAL (IC) 50-60 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=1.52 High/Low Ratio=13.00 | Median Price=0.0076/tab-cap Median Price=0.0420/tab-cap |
| PHENYTOIN 100 mg tab-cap (PO) Supplier Number of Prices=9 Buyer Number of Prices=9 | High/Low Ratio=18.88 High/Low Ratio=32.55 | Median Price=0.0071/tab-cap Median Price=0.0341/tab-cap |
| PHENYTOIN 125 mg/5 ml suspen (PO) Buyer Number of Prices=3 | High/Low Ratio=2.42 | Median Price=0.1258/ml |
| PHENYTOIN 50 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.2018/tab-cap |
| PHENYTOIN 50 mg/ml ampoule (INJ) Supplier Number of Prices=1 Buyer Number of Prices=4 | High/Low Ratio=13.57 | Price=0.7470/ml Median Price=0.3866/ml |
| PRIMIDONE 250 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=5.61 | Median Price=0.1570/tab-cap |
| SODIUM VALPROATE 200 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=3 | High/Low Ratio=4.90 High/Low Ratio=3.47 | Median Price=0.0845/tab-cap Median Price=0.0915/tab-cap |
| VALPROIC ACID 150 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0260/tab-cap |
| VALPROIC ACID 500 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.3176/tab-cap |
| VALPROIC ACID (slow release) 200 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.1755/tab-cap |
| VALPROIC ACID (sodium valproate) 200 mg/5 ml syrup (PO) Buyer Number of Prices=3 | High/Low Ratio=5.36 | Median Price=0.0144/ml |

6.1.1. INTESTINAL ANTHELMINTHICS

| | | | | |
|--|--|--|---|--------|
| ALBENDAZOLE 100 mg/5 ml suspen (PO) Buyer Number of Prices=6 | High/Low Ratio=6.79 | Median Price=0.0182/ml | P | 0.4 g |
| ALBENDAZOLE 200 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=8 | High/Low Ratio=3.17 High/Low Ratio=53.91 | Median Price=0.0265/tab-cap Median Price=0.0646/tab-cap | P | 0.4 g |
| ALBENDAZOLE 200 mg/5 ml suspen (PO) Supplier Number of Prices=4 Buyer Number of Prices=2 | High/Low Ratio=1.40 High/Low Ratio=3.23 | Median Price=0.0317/ml Median Price=0.0210/ml | P | 0.4 g |
| ALBENDAZOLE 400 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=3 | High/Low Ratio=2.27 High/Low Ratio=11.88 | Median Price=0.0336/tab-cap Median Price=0.0188/tab-cap | P | 0.4 g |
| ALBENDAZOLE (chewable) 200 mg tab-cap (PO) Supplier Number of Prices=3 | High/Low Ratio=2.47 | Median Price=0.0167/tab-cap | P | 0.4 g |
| ALBENDAZOLE (chewable) 400 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=1 | High/Low Ratio=2.82 | Median Price=0.0203/tab-cap Price=0.0165/tab-cap | E | 0.4 g |
| LEVAMISOLE 40 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=1.68 High/Low Ratio=4.56 | Median Price=0.0034/tab-cap Median Price=0.0070/tab-cap | P | 0.15 g |
| LEVAMISOLE 40 mg/5 ml syrup (PO) Supplier Number of Prices=1 | | Price=0.0013/ml | P | 0.15 g |
| LEVAMISOLE 50 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.51 | Median Price=0.0091/tab-cap | E | 0.15 g |
| MEBENDAZOLE 100 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=6 | High/Low Ratio=5.95 High/Low Ratio=136.79 | Median Price=0.0063/tab-cap Median Price=0.0065/tab-cap | E | 0.2 g |
| MEBENDAZOLE 100 mg/5 ml suspen (PO) | | | P | 0.2 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|--|---|--|
| Supplier Number of Prices=6 Buyer Number of Prices=5 | High/Low Ratio=16.40 High/Low Ratio=3.75 | Median Price=0.0102/ml Median Price=0.0086/ml |
| MEBENDAZOLE 500 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.0200/tab-cap Price=0.0190/tab-cap |
| MEBENDAZOLE (chewable) 100 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=1.05 | Median Price=0.0078/tab-cap Price=0.0845/tab-cap |
| MEBENDAZOLE (chewable) 500 mg tab-cap (PO) Supplier Number of Prices=3 | High/Low Ratio=2.17 | Median Price=0.0265/tab-cap |
| NICLOSAMIDE 500 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0927/tab-cap |
| NICLOSAMIDE (chewable) 500 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=4.66 | Median Price=0.0173/tab-cap Price=0.0344/tab-cap |
| PRAZIQUANTEL 600 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=3 | High/Low Ratio=1.85 High/Low Ratio=2.27 | Median Price=0.1096/tab-cap Median Price=0.1198/tab-cap |
| TIABENDAZOLE 500 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.1066/tab-cap Price=0.0647/tab-cap |
| TIABENDAZOLE (chewable) 500 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.0996/tab-cap |

6.1.2. ANTIFILARIALS

| | | | | |
|---|---------------------|---|---|-------|
| DIETHYLCARBAMAZINE CITRATE 50 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=1 | High/Low Ratio=2.36 | Median Price=0.0054/tab-cap Price=0.0056/tab-cap | C | 0.4 g |
| IVERMECTIN 6 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0510/tab-cap | E | 12 mg |

6.1.3. ANTISCHISTOSOMALS AND ANTITREMATODE MEDICINES

| | | | | |
|--|--|--|---|-----|
| PRAZIQUANTEL 600 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=3 | High/Low Ratio=1.85 High/Low Ratio=2.27 | Median Price=0.1096/tab-cap Median Price=0.1198/tab-cap | E | 3 g |
|--|--|--|---|-----|

6.2.1. BETA LACTAM MEDICINES

| | | | | |
|--|---|--|---|-----|
| AMOXICILLIN 125 mg/5 ml suspen (PO) Supplier Number of Prices=11 Buyer Number of Prices=8 | High/Low Ratio=3.96 High/Low Ratio=3.22 | Median Price=0.0045/ml Median Price=0.0056/ml | E | 1 g |
| AMOXICILLIN 250 mg tab-cap (PO) Supplier Number of Prices=11 Buyer Number of Prices=10 | High/Low Ratio=2.10 High/Low Ratio=2.34 | Median Price=0.0161/tab-cap Median Price=0.0218/tab-cap | E | 1 g |
| AMOXICILLIN 250 mg/5 ml suspen (PO) Supplier Number of Prices=6 Buyer Number of Prices=5 | High/Low Ratio=2.11 High/Low Ratio=3.64 | Median Price=0.0065/ml Median Price=0.0068/ml | P | 1 g |
| AMOXICILLIN 500 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=7 | High/Low Ratio=2.03 High/Low Ratio=1.68 | Median Price=0.0319/tab-cap Median Price=0.0374/tab-cap | E | 1 g |
| AMOXICILLIN+CLAVULANIC ACID 1000+200 mg vial (INJ) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=1.00 High/Low Ratio=1.10 | Median Price=2.2536/vial Median Price=1.8712/vial | P | 1 g |
| AMOXICILLIN+CLAVULANIC ACID 250mg+125mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=4 | High/Low Ratio=2.66 High/Low Ratio=13.19 | Median Price=0.1426/tab-cap Median Price=0.1749/tab-cap | P | 1 g |
| AMOXICILLIN+CLAVULANIC ACID 500mg+100mg vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=1.90 | Price=2.1513/vial Median Price=0.8570/vial | P | 1 g |
| AMOXICILLIN+CLAVULANIC ACID 500mg+125mg tab-cap (PO) | | | E | 1 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|---|--|---|
| Supplier Number of Prices=9 Buyer Number of Prices=7 | High/Low Ratio=4.15 High/Low Ratio=1.87 | Median Price=0.2244/tab-cap Median Price=0.1656/tab-cap |
| AMOXICILLIN+CLAVULANIC ACID 875mg+125mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.3600/tab-cap Price=0.4219/tab-cap |
| AMOXICILLIN+CLAVULANIC ACID (125+31.25 mg/5ml) 125+31mg/5ml suspen (PO) Supplier Number of Prices=4 Buyer Number of Prices=2 | High/Low Ratio=1.74 High/Low Ratio=2.80 | Median Price=0.0215/ml Median Price=0.0285/ml |
| AMOXICILLIN+CLAVULANIC ACID (250+62.5 mg/5ml) suspen (PO) Supplier Number of Prices=3 Buyer Number of Prices=4 | High/Low Ratio=1.65 High/Low Ratio=1.33 | Median Price=0.0397/ml Median Price=0.0271/ml |
| AMPICILLIN 1 g vial (INJ) Supplier Number of Prices=6 Buyer Number of Prices=4 | High/Low Ratio=1.75 High/Low Ratio=3.12 | E Median Price=0.1933/vial Median Price=0.2076/vial |
| AMPICILLIN 125 mg/5 ml suspen (PO) Supplier Number of Prices=1 | | P Price=0.0072/ml |
| AMPICILLIN 250 mg tab-cap (PO) Supplier Number of Prices=4 | High/Low Ratio=1.27 | P Median Price=0.0189/tabcap |
| AMPICILLIN 250 mg vial (INJ) Buyer Number of Prices=4 | High/Low Ratio=12.12 | P Median Price=0.4997/vial |
| AMPICILLIN 500 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=1 | High/Low Ratio=1.76 | P Median Price=0.0430/tabcap Price=0.0279/tabcap |
| AMPICILLIN 500 mg vial (INJ) Supplier Number of Prices=9 Buyer Number of Prices=6 | High/Low Ratio=4.46 High/Low Ratio=3.32 | E Median Price=0.1470/vial Median Price=0.1830/vial |
| CEFADROXIL 250 mg/5 ml suspen (PO) Buyer Number of Prices=1 | | N Price=0.0218/ml |
| CEFADROXIL MONOHYDRATE 125 mg/5 ml suspen (PO) Buyer Number of Prices=2 | High/Low Ratio=1.18 | N Median Price=0.0130/ml |
| CEFADROXIL MONOHYDRATE 500 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=1.60 | N Median Price=0.1030/tabcap |
| CEFALEXIN 125 mg/5 ml suspen (PO) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=1.68 High/Low Ratio=1.05 | E Median Price=0.0288/ml Median Price=0.0095/ml |
| CEFALEXIN 125 mg/ml suspen (PO) Supplier Number of Prices=1 | | P Price=0.0050/ml |
| CEFALEXIN 250 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=3 | High/Low Ratio=2.19 High/Low Ratio=1.55 | E Median Price=0.0398/tabcap Median Price=0.0481/tabcap |
| CEFALEXIN 250 mg/5 ml suspen (PO) Buyer Number of Prices=2 | High/Low Ratio=1.65 | E Median Price=0.0094/ml |
| CEFALEXIN 500 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=4 | High/Low Ratio=1.92 High/Low Ratio=2.39 | P Median Price=0.0836/tabcap Median Price=0.0659/tabcap |
| CEFAZOLIN 1 g vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=3.64 | E Price=1.6000/vial Median Price=0.6381/vial |
| CEFAZOLIN 500 mg ampoule (INJ) Buyer Number of Prices=2 | High/Low Ratio=1.51 | P Median Price=0.4901/vial |
| CEFEPIME 1 g vial (INJ) Buyer Number of Prices=3 | High/Low Ratio=2.48 | T Median Price=2.9258/vial |
| CEFIXIME 100 mg/5 ml suspen (PO) Supplier Number of Prices=1 | | P Price=0.0333/ml |
| CEFIXIME 200 mg tab-cap (PO) Supplier Number of Prices=5 Buyer Number of Prices=1 | High/Low Ratio=5.02 | P Median Price=0.1869/tabcap Price=0.3139/tabcap |
| CEFIXIME 400 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=2 | High/Low Ratio=1.66 High/Low Ratio=4.36 | E Median Price=0.2950/tabcap Median Price=1.8393/tabcap |
| CEFOTAXIME 1 g vial (INJ) | | CP 4 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|--|---|--|
| CEFOTAXIME 500 mg vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=7 | High/Low Ratio=3.36 | Price=5.0705/vial Median Price=0.7800/vial |
| CEFOXITIN 1 g vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=4 | High/Low Ratio=2.02 | Median Price=0.7573/vial |
| CEFTAZIDIME 1 g vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=5 | High/Low Ratio=10.71 | Price=3.0498/vial Price=3.8196/vial Median Price=1.6800/vial |
| CEFTRIAXONE 1 g vial (INJ) Supplier Number of Prices=10 Buyer Number of Prices=9 | High/Low Ratio=5.45 High/Low Ratio=6.48 | Median Price=0.6586/vial Median Price=0.6316/vial |
| CEFTRIAXONE 250 mg vial (INJ) Supplier Number of Prices=7 Buyer Number of Prices=5 | High/Low Ratio=4.01 High/Low Ratio=2.32 | Median Price=0.4218/vial Median Price=0.3900/vial |
| CEFTRIAXONE 500 mg vial (INJ) Supplier Number of Prices=5 Buyer Number of Prices=3 | High/Low Ratio=3.75 High/Low Ratio=12.85 | Median Price=0.7678/vial Median Price=1.5341/vial |
| CEFUROXIME 1.5 g vial (INJ) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=1.29 | Median Price=2.3976/vial |
| CEFUROXIME 125 mg/5 ml suspen (PO) Supplier Number of Prices=1 Buyer Number of Prices=4 | High/Low Ratio=1.56 | Price=0.0291/ml Median Price=0.0868/ml |
| CEFUROXIME 250 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=5 | High/Low Ratio=3.08 | Price=0.1598/tab-cap Median Price=0.2187/tab-cap |
| CEFUROXIME 250 mg vial (INJ) Supplier Number of Prices=1 | | Price=0.7164/vial |
| CEFUROXIME 500 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=1.39 High/Low Ratio=1.46 | Median Price=0.3871/tab-cap Median Price=0.4689/tab-cap |
| CEFUROXIME 750 mg vial (INJ) Supplier Number of Prices=2 Buyer Number of Prices=5 | High/Low Ratio=1.77 High/Low Ratio=1.83 | Median Price=1.2891/vial Median Price=1.2789/vial |
| CLOXACILLIN SODIUM 125 mg/5 ml suspen (PO) Supplier Number of Prices=8 Buyer Number of Prices=5 | High/Low Ratio=5.27 High/Low Ratio=3.98 | Median Price=0.0076/ml Median Price=0.0105/ml |
| CLOXACILLIN SODIUM 250 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=6 | High/Low Ratio=2.01 High/Low Ratio=3.19 | Median Price=0.0178/tab-cap Median Price=0.0263/tab-cap |
| CLOXACILLIN SODIUM 250 mg vial (INJ) Supplier Number of Prices=3 | High/Low Ratio=71.84 | Median Price=0.6512/vial |
| CLOXACILLIN SODIUM 500 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=2 | High/Low Ratio=2.57 High/Low Ratio=1.85 | Median Price=0.0364/tab-cap Median Price=0.0489/tab-cap |
| CLOXACILLIN SODIUM 500 mg vial (INJ) Supplier Number of Prices=8 Buyer Number of Prices=7 | High/Low Ratio=5.59 High/Low Ratio=7.01 | Median Price=0.1707/vial Median Price=0.3300/vial |
| DICLOXAСILLIN 125 mg/5 ml suspen (PO) Supplier Number of Prices=1 | | Price=0.0120/ml |
| DICLOXAСILLIN 250 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.0769/tab-cap |
| DICLOXAСILLIN 500 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.1200/tab-cap Price=0.0731/tab-cap |
| FLUCLOXAСILLIN 250 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=1.43 | Median Price=0.0710/tab-cap Price=0.0424/tab-cap |
| IMIPENEM+CILASTATIN 500mg+500mg vial (INJ) Supplier Number of Prices=3 | High/Low Ratio=2.66 | Median Price=11.0246/vial |
| MEROPENEM 1 g vial (INJ) Supplier Number of Prices=3 | High/Low Ratio=2.37 | Median Price=23.8179/vial |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|--|---------|---------------------|
| MEROPENEM 500 mg vial (INJ) Buyer Number of Prices=3 | N | 2 g |
| OXACILLIN 1 g vial (INJ) Buyer Number of Prices=1 | T | 2 g |
| PENICILLIN, BENZATHINE BENZYL (1.44 g of pen. G) 2.4 MU powder (INJ) Supplier Number of Prices=10 Buyer Number of Prices=10 | E | 3.6 g |
| PENICILLIN, BENZATHINE BENZYL (720 mg of pen. G) 1.2 MU powder (INJ) Supplier Number of Prices=4 Buyer Number of Prices=4 | P | 3.6 g |
| PENICILLIN, BENZYL (3 g, pen. G) 5 MU powder (INJ) Supplier Number of Prices=7 Buyer Number of Prices=7 | E | 3.6 g |
| PENICILLIN, BENZYL (600 mg, pen. G) 1 MU powder (INJ) Supplier Number of Prices=9 Buyer Number of Prices=6 | E | 3.6 g |
| PENICILLIN, PHENOXYMETHYL (pen. V) 125 mg/5 ml suspen (PO) Supplier Number of Prices=7 Buyer Number of Prices=4 | P | 2 g |
| PENICILLIN, PHENOXYMETHYL (pen. V) 250 mg tab-cap (PO) Supplier Number of Prices=10 Buyer Number of Prices=7 | E | 2 g |
| PENICILLIN, PHENOXYMETHYL (pen. V) 250 mg/5 ml syrup (PO) Supplier Number of Prices=1 Buyer Number of Prices=2 | E | 2 g |
| PENICILLIN, PHENOXYMETHYL (pen. V) 500 mg tab-cap (PO) Supplier Number of Prices=1 | P | 2 g |
| PENICILLIN, PROCAINE BENZYL (1.8 g of pen. G) 3 MU powder (INJ) Supplier Number of Prices=5 | E | 0.6 g |
| PENICILLIN, PROCAINE BENZYL (2.4 g of pen. G) 4 MU powder (INJ) Supplier Number of Prices=4 Buyer Number of Prices=3 | P | 0.6 g |
| PENICILLIN, PROCAINE BENZYL (600 mg of pen. G) 1 MU powder (INJ) Supplier Number of Prices=3 Buyer Number of Prices=1 | E | 0.6 g |
| PENICILLIN, PROCAINE+BENZYL 3 MU+1 MU vial (INJ) Supplier Number of Prices=5 Buyer Number of Prices=1 | P | 0.6 g |
| PIPERACILLIN+TAZOBACTAM 4 mg+0.5 mg vial (INJ) Buyer Number of Prices=1 | N | 14 g |

6.2.2. OTHER ANTIBACTERIALS

| | | |
|--|---|-------|
| AMIKACIN SULFATE 50 mg/ml ampoule (INJ) Buyer Number of Prices=2 | P | 1 g |
| AZITHROMYCIN 200 mg/5 ml suspen (PO) Supplier Number of Prices=5 Buyer Number of Prices=5 | E | 0.3 g |
| AZITHROMYCIN 250 mg tab-cap (PO) Supplier Number of Prices=7 Buyer Number of Prices=3 | E | 0.3 g |
| AZITHROMYCIN 500 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=6 | E | 0.3 g |
| CHLORAMPHENICOL 125 mg/5 ml suspen (PO) Supplier Number of Prices=10 Buyer Number of Prices=3 | P | 3 g |
| CHLORAMPHENICOL 250 mg tab-cap (PO) Supplier Number of Prices=10 Buyer Number of Prices=4 | E | 3 g |
| CHLORAMPHENICOL 5% otic drop (OTIC) Buyer Number of Prices=2 | P | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* | | |
|--|--|--|---|--------|
| CHLORAMPHENICOL 500 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.40 | Median Price=0.0341/tab-cap | P | 3 g |
| CHLORAMPHENICOL (base) 1 g vial (INJ) Supplier Number of Prices=9 Buyer Number of Prices=7 | High/Low Ratio=1.55 High/Low Ratio=4.35 | Median Price=0.3770/vial Median Price=0.3841/vial | E | 3 g |
| CIPROFLOXACIN 2 mg/ml vial (INJ) Supplier Number of Prices=5 Buyer Number of Prices=6 | High/Low Ratio=32.96 High/Low Ratio=10.59 | Median Price=0.0054/ml Median Price=0.0043/ml | P | 0.5 g |
| CIPROFLOXACIN 250 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=4 | High/Low Ratio=5.88 High/Low Ratio=2.82 | Median Price=0.0153/tab-cap Median Price=0.0288/tab-cap | E | 1 g |
| CIPROFLOXACIN 500 mg tab-cap (PO) Supplier Number of Prices=10 Buyer Number of Prices=8 | High/Low Ratio=1.88 High/Low Ratio=2.97 | Median Price=0.0328/tab-cap Median Price=0.0364/tab-cap | P | 1 g |
| CLARITHROMYCIN 125 mg/5 ml suspen (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.0532/ml Price=0.0426/ml | N | 0.5 g |
| CLARITHROMYCIN 250 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.11 | Median Price=0.1811/tab-cap | N | 0.5 g |
| CLARITHROMYCIN 250 mg/5 ml suspen (PO) Buyer Number of Prices=1 | | Price=0.0777/ml | N | 0.5 g |
| CLARITHROMYCIN 500 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=5 | High/Low Ratio=1.22 High/Low Ratio=2.69 | Median Price=0.4286/tab-cap Median Price=0.2797/tab-cap | N | 0.5 g |
| CLINDAMYCIN 300 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=4 | High/Low Ratio=1.05 High/Low Ratio=3.77 | Median Price=0.1792/tab-cap Median Price=0.1130/tab-cap | P | 1.2 g |
| CLINDAMYCIN 75 mg/5 ml solution (PO) Buyer Number of Prices=1 | | Price=0.1916/ml | P | 1.2 g |
| CLINDAMYCIN (BASE) 150 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=4 | High/Low Ratio=1.04 High/Low Ratio=2.04 | Median Price=0.1272/tab-cap Median Price=0.1434/tab-cap | C | 0.1 g |
| CLINDAMYCIN (BASE) 150 mg/ml vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=6 | High/Low Ratio=12.30 | Price=4.4083/ml Median Price=0.3827/ml | C | 1.8 g |
| DOXYCYCLINE 100 mg tab-cap (PO) Supplier Number of Prices=10 Buyer Number of Prices=9 | High/Low Ratio=2.29 High/Low Ratio=15.49 | Median Price=0.0123/tab-cap Median Price=0.0201/tab-cap | C | 0.1 g |
| ERYTHROMYCIN (base) 125 mg/5 ml suspen (PO) Supplier Number of Prices=10 Buyer Number of Prices=6 | High/Low Ratio=4.11 High/Low Ratio=2.94 | Median Price=0.0111/ml Median Price=0.0109/ml | E | 1 g |
| ERYTHROMYCIN (base) 200 mg/5 ml suspen (PO) Buyer Number of Prices=1 | | Price=0.0200/ml | P | 1 g |
| ERYTHROMYCIN (base) 250 mg tab-cap (PO) Supplier Number of Prices=10 Buyer Number of Prices=9 | High/Low Ratio=3.39 High/Low Ratio=2.71 | Median Price=0.0358/tab-cap Median Price=0.0514/tab-cap | E | 1 g |
| ERYTHROMYCIN (base) 250 mg/5 ml suspen (PO) Supplier Number of Prices=2 Buyer Number of Prices=4 | High/Low Ratio=1.76 High/Low Ratio=4.75 | Median Price=0.0173/ml Median Price=0.0153/ml | P | 1 g |
| ERYTHROMYCIN (base) 500 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=2 | High/Low Ratio=1.61 High/Low Ratio=2.54 | Median Price=0.0710/tab-cap Median Price=0.1644/tab-cap | P | 1 g |
| ERYTHROMYCIN LACTOBIONATE 500 mg vial (INJ) Buyer Number of Prices=2 | High/Low Ratio=2.00 | Median Price=4.4251/vial | E | 1 g |
| GENTAMICIN SULFATE 10 mg/ml ampoule (INJ) Supplier Number of Prices=5 Buyer Number of Prices=4 | High/Low Ratio=1.38 High/Low Ratio=4.58 | Median Price=0.0444/ml Median Price=0.1321/ml | E | 0.24 g |
| GENTAMICIN SULFATE 40 mg/ml ampoule (INJ) Supplier Number of Prices=10 Buyer Number of Prices=6 | High/Low Ratio=5.05 High/Low Ratio=7.01 | Median Price=0.0535/ml Median Price=0.0457/ml | E | 0.24 g |
| KANAMYCIN SULFATE 1 g vial (INJ) Supplier Number of Prices=2 | High/Low Ratio=3.66 | Median Price=1.6425/vial | C | 1 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|---|---|---------------------|
| METRONIDAZOLE 1 g suppos (RECT) Buyer Number of Prices=1 | Price=0.3944/supp | E 2 g |
| METRONIDAZOLE 100 mg pessary (VAG) Supplier Number of Prices=1 | Price=0.0214/pessary | P 0.5 g |
| METRONIDAZOLE 125 mg/5 ml syrup (PO) Supplier Number of Prices=6 Buyer Number of Prices=1 | High/Low Ratio=2.14 Median Price=0.0063/ml Price=0.0173/ml | P 1.5 g |
| METRONIDAZOLE 200 mg/5 ml syrup (PO) Supplier Number of Prices=3 Buyer Number of Prices=4 | High/Low Ratio=3.71 High/Low Ratio=10.83 Median Price=0.0031/ml Median Price=0.0118/ml | E 1.5 g |
| METRONIDAZOLE 200-250 mg tab-cap (PO) Supplier Number of Prices=13 Buyer Number of Prices=6 | High/Low Ratio=2.96 High/Low Ratio=3.42 Median Price=0.0059/tab-cap Median Price=0.0099/tab-cap | E 1.5 g |
| METRONIDAZOLE 400-500 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=6 | High/Low Ratio=1.76 High/Low Ratio=16.45 Median Price=0.0091/tab-cap Median Price=0.0265/tab-cap | E 1.5 g |
| METRONIDAZOLE 5 mg/ml vial (INJ) Supplier Number of Prices=10 Buyer Number of Prices=8 | High/Low Ratio=5.00 High/Low Ratio=4.06 Median Price=0.0047/ml Median Price=0.0041/ml | E 1.5 g |
| METRONIDAZOLE 500 mg pessary (VAG) Supplier Number of Prices=4 Buyer Number of Prices=1 | High/Low Ratio=1.64 Median Price=0.0351/pessary Price=0.0521/pessary | P 0.5 g |
| MOXIFLOXACIN 400 mg tab-cap (PO) Supplier Number of Prices=1 | Price=1.6800/tab-cap | N 0.4 g |
| NALIDIXIC ACID 250 mg/5 ml suspen (PO) Buyer Number of Prices=1 | Price=0.0368/ml | N 4 g |
| NALIDIXIC ACID 500 mg tab-cap (PO) Supplier Number of Prices=7 Buyer Number of Prices=4 | High/Low Ratio=1.91 High/Low Ratio=4.08 Median Price=0.0450/tab-cap Median Price=0.1137/tab-cap | N 4 g |
| NITROFURANTOIN 100 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=4 | High/Low Ratio=2.67 High/Low Ratio=5.71 Median Price=0.0095/tab-cap Median Price=0.0233/tab-cap | E 0.2 g |
| NORFLOXACIN 400 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=3 | High/Low Ratio=3.73 High/Low Ratio=4.79 Median Price=0.0230/tab-cap Median Price=0.0442/tab-cap | T 0.8 g |
| SPECTINOMYCIN 2 g vial (INJ) Supplier Number of Prices=4 Buyer Number of Prices=1 | High/Low Ratio=1.93 Median Price=4.6317/vial Price=1.2982/vial | E 3 g |
| SULFAMETHOXAZOLE+TRIMETHOPRIM (co-trimoxazole) 100 mg+20 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=2 | High/Low Ratio=1.74 High/Low Ratio=2.06 Median Price=0.0043/tab-cap Median Price=0.0049/tab-cap | E |
| SULFAMETHOXAZOLE+TRIMETHOPRIM (co-trimoxazole) 200 mg+40 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.0119/tab-cap | P |
| SULFAMETHOXAZOLE+TRIMETHOPRIM (co-trimoxazole) 200+40mg/5ml suspen (PO) Supplier Number of Prices=9 Buyer Number of Prices=7 | High/Low Ratio=4.42 High/Low Ratio=2.38 Median Price=0.0051/ml Median Price=0.0046/ml | E |
| SULFAMETHOXAZOLE+TRIMETHOPRIM (co-trimoxazole) 400 mg+80 mg tab-cap (PO) Supplier Number of Prices=11 Buyer Number of Prices=8 | High/Low Ratio=3.66 High/Low Ratio=2.18 Median Price=0.0111/tab-cap Median Price=0.0129/tab-cap | E |
| SULFAMETHOXAZOLE+TRIMETHOPRIM (co-trimoxazole) 80+16 mg/ml ampoule (INJ) Supplier Number of Prices=2 Buyer Number of Prices=4 | High/Low Ratio=1.40 High/Low Ratio=4.58 Median Price=0.5559/ml Median Price=0.4170/ml | E |
| SULFAMETHOXAZOLE+TRIMETHOPRIM (co-trimoxazole) 800 mg+160mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=4 | High/Low Ratio=1.76 High/Low Ratio=25.40 Median Price=0.0215/tab-cap Median Price=0.0261/tab-cap | P |
| TETRACYCLINE HCL 250 mg tab-cap (PO) Supplier Number of Prices=5 Buyer Number of Prices=4 | High/Low Ratio=3.06 High/Low Ratio=5.67 Median Price=0.0135/tab-cap Median Price=0.0207/tab-cap | P 1 g |
| VANCOMYCIN 500 mg vial (INJ) Buyer Number of Prices=7 | High/Low Ratio=11.00 Median Price=3.9582/vial | N 2 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* | |
|--|---|--|----------|
| 6.2.3. ANTILEPROSY MEDICINES | | | |
| CLOFAZIMINE (Iamprene) 100 mg tab-cap (PO) Buyer Number of Prices=1 | Price=3.9772/tab-cap | E 0.1 g | |
| DAPSONE 100 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=6 | High/Low Ratio=3.62 High/Low Ratio=52.65 | Median Price=0.0148/tab-cap Median Price=0.1969/tab-cap | E 50 mg |
| RIFAMPICIN 100 mg/5 ml syrup (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=1.2977/ml Price=0.3325/ml | P 0.6 g |
| RIFAMPICIN 150 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=3 | High/Low Ratio=4.44 High/Low Ratio=6.63 | Median Price=0.1091/tab-cap Median Price=0.0653/tab-cap | E 0.6 g |
| RIFAMPICIN 300 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=3 | High/Low Ratio=2.38 High/Low Ratio=2.33 | Median Price=0.0739/tab-cap Median Price=0.1360/tab-cap | E 0.6 g |
| 6.2.4. ANTITUBERCULOSIS MEDICINES | | | |
| AMIKACIN SULFATE 250 mg/ml vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=4 | High/Low Ratio=3.83 | Price=0.5525/ml Median Price=0.2261/ml | P 1 g |
| CAPREOMYCIN 1 g vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=8.0000/vial Price=14.8626/vial | C 1 g |
| CYCLOCERINE 250 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=2 | High/Low Ratio=1.64 | Price=0.5909/tab-cap Median Price=0.9339/tab-cap | C 0.75 g |
| ETHAMBUTOL 400 mg tab-cap (PO) Supplier Number of Prices=5 Buyer Number of Prices=4 | High/Low Ratio=1.84 High/Low Ratio=33.77 | Median Price=0.0338/tab-cap Median Price=0.0491/tab-cap | E 1.2 g |
| ETHAMBUTOL (dispersible) 100 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.0326/tab-cap Price=0.0166/tab-cap | E 1.2 g |
| ETHAMBUTOL+ISONIAZID 400mg+150 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.0310/tab-cap | E |
| ETHIONAMIDE 250 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=21.78 | Price=0.0825/tab-cap Median Price=0.2237/tab-cap | C 0.75 g |
| ISONIAZID (INH) 100 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=2 | High/Low Ratio=3.42 High/Low Ratio=8.60 | Median Price=0.0087/tab-cap Median Price=0.0250/tab-cap | E 0.3 g |
| ISONIAZID (INH) 300 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=5 | High/Low Ratio=2.14 High/Low Ratio=9.38 | Median Price=0.0198/tab-cap Median Price=0.0480/tab-cap | E 0.3 g |
| LEVOFLOXACIN 250 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.46 | Median Price=0.0677/tab-cap | T 0.5 g |
| LEVOFLOXACIN 5 mg/ml vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=2 | High/Low Ratio=2.84 | Price=0.0187/ml Median Price=0.0436/ml | T 0.5 g |
| LEVOFLOXACIN 500 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=1 | High/Low Ratio=13.03 | Median Price=0.1524/tab-cap Price=0.1986/tab-cap | C 0.5 g |
| OFLOXACIN 200 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=3 | High/Low Ratio=1.11 High/Low Ratio=3.61 | Median Price=0.0475/tab-cap Median Price=0.3223/tab-cap | C 0.4 g |
| OFLOXACIN 400 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=1.12 High/Low Ratio=4.35 | Median Price=0.0852/tab-cap Median Price=0.4780/tab-cap | C 0.4 g |
| P-AMINOSALICYLIC ACID (PAS) 4 g powder (PO) Supplier Number of Prices=1 | | Price=1.5333/packet | C 12 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|--|--|---------------------|
| P-AMINOSALICYLIC ACID (PAS) 60% w/w granules (PO) Supplier Number of Prices=1 | Price=0.1600/g | P |
| P-AMINOSALICYLIC ACID (PAS) (60% w/w) 9.2 g granules (PO) Supplier Number of Prices=1 | Price=1.4500/packet | P |
| P-AMINOSALICYLIC ACID (PAS) (for oral solution) 5.52 g powder (PO) Supplier Number of Prices=1 | Price=1.5000/packet | P |
| PROTIONAMIDE 250 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.0814/tab-cap | N 0.75 mg |
| PYRAZINAMIDE 400 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.39 Median Price=0.0192/tab-cap | E 1.5 g |
| PYRAZINAMIDE 500 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=3 | High/Low Ratio=1.83 High/Low Ratio=2.41 Median Price=0.0283/tab-cap Median Price=0.0379/tab-cap | P 1.5 g |
| RIFAMP.+ISONIAZID+PYRAZIN.+ETHAMBUT. (150+75+400+275 mg) tab-cap (PO) Supplier Number of Prices=5 Buyer Number of Prices=2 | High/Low Ratio=2.90 High/Low Ratio=1.06 Median Price=0.0726/tab-cap Median Price=0.0765/tab-cap | E |
| RIFAMPICIN 100 mg/5 ml syrup (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | Price=1.2977/ml Price=0.3325/ml | P 0.6 g |
| RIFAMPICIN 150 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=3 | High/Low Ratio=4.44 High/Low Ratio=6.63 Median Price=0.1091/tab-cap Median Price=0.0653/tab-cap | E 0.6 g |
| RIFAMPICIN 300 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=3 | High/Low Ratio=2.38 High/Low Ratio=2.33 Median Price=0.0739/tab-cap Median Price=0.1360/tab-cap | E 0.6 g |
| RIFAMPICIN 450 mg tab-cap (PO) Buyer Number of Prices=1 | Price=0.0705/tab-cap | P 0.6 g |
| RIFAMPICIN+ISONIAZID 150+100 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.38 Median Price=0.0478/tab-cap | P 4 tab |
| RIFAMPICIN+ISONIAZID 150+75 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=3 | High/Low Ratio=1.20 High/Low Ratio=2.45 Median Price=0.0256/tab-cap Median Price=0.0382/tab-cap | E |
| RIFAMPICIN+ISONIAZID 300+150 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=1 | High/Low Ratio=1.46 Median Price=0.0610/tab-cap Price=0.0930/tab-cap | E 2 tab |
| RIFAMPICIN+ISONIAZID (dispersible) 60 mg+60 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.0357/tab-cap | E |
| RIFAMPICIN+ISONIAZID+ETHAMBUTOL 150+75+275mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=1 | High/Low Ratio=1.56 Median Price=0.0680/tab-cap Price=0.0612/tab-cap | P |
| RIFAMPICIN+ISONIAZID+PYRAZINAMIDE (dispersible) 60+30+150 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | Price=0.0714/tab-cap Price=0.0235/tab-cap | E |
| STREPTOMYCIN SULFATE 1 g vial (INJ) Supplier Number of Prices=8 Buyer Number of Prices=4 | High/Low Ratio=25.35 High/Low Ratio=22.09 Median Price=0.3642/vial Median Price=2.2207/vial | E 1 g |
| TERIZIDONE 250 mg tab-cap (PO) Supplier Number of Prices=1 | Price=1.7094/tab-cap | N |

6.3. ANTIFUNGAL MEDICINES

| | | |
|--|--|---------|
| AMPHOTERICIN B 50 mg vial (INJ) Supplier Number of Prices=4 Buyer Number of Prices=5 | High/Low Ratio=3.40 High/Low Ratio=4.44 Median Price=6.6041/vial Median Price=7.6560/vial | E 35 mg |
| CLOTRIMAZOLE 1% cream (TOP) Supplier Number of Prices=9 Buyer Number of Prices=7 | High/Low Ratio=6.23 High/Low Ratio=3.36 Median Price=0.0145/g Median Price=0.0160/g | E |
| CLOTRIMAZOLE 1% cream (VAG) Buyer Number of Prices=3 | High/Low Ratio=2.97 Median Price=0.0782/g | E 0.1 g |
| CLOTRIMAZOLE 100 mg pessary (VAG) Supplier Number of Prices=7 | High/Low Ratio=37.15 Median Price=0.0720/pessary | E 0.1 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | | | WHO EML | DEFINED DAILY DOSE* |
|---|--------------------|----------------------|-----------------------------|---------|---------------------|
| Buyer | Number of Prices=5 | High/Low Ratio=13.03 | Median Price=0.1660/pessary | | |
| CLOTRIMAZOLE 500 mg pessary (VAG) | | | | E | 0.1 g |
| Supplier | Number of Prices=3 | High/Low Ratio=2.98 | Median Price=0.0700/pessary | | |
| Buyer | Number of Prices=2 | High/Low Ratio=1.71 | Median Price=1.5598/pessary | | |
| FLUCONAZOLE 100 mg tab-cap (PO) | | | | P | 0.2 g |
| Supplier | Number of Prices=3 | High/Low Ratio=2.17 | Median Price=0.0819/tab-cap | | |
| Buyer | Number of Prices=1 | | Price=0.6907/tab-cap | | |
| FLUCONAZOLE 150 mg tab-cap (PO) | | | | P | 0.2 g |
| Supplier | Number of Prices=6 | High/Low Ratio=4.75 | Median Price=0.0613/tab-cap | | |
| Buyer | Number of Prices=4 | High/Low Ratio=4.05 | Median Price=0.0747/tab-cap | | |
| FLUCONAZOLE 2 mg/ml vial (INJ) | | | | E | 0.2 g |
| Supplier | Number of Prices=2 | High/Low Ratio=1.21 | Median Price=0.0207/ml | | |
| Buyer | Number of Prices=3 | High/Low Ratio=5.08 | Median Price=0.0165/ml | | |
| FLUCONAZOLE 200 mg tab-cap (PO) | | | | P | 0.2 g |
| Supplier | Number of Prices=4 | High/Low Ratio=2.00 | Median Price=0.0913/tab-cap | | |
| Buyer | Number of Prices=2 | High/Low Ratio=2.09 | Median Price=0.2363/tab-cap | | |
| FLUCONAZOLE 50 mg tab-cap (PO) | | | | E | 0.2 g |
| Supplier | Number of Prices=3 | High/Low Ratio=5.85 | Median Price=0.0529/tab-cap | | |
| Buyer | Number of Prices=1 | | Price=0.0730/tab-cap | | |
| FLUCONAZOLE 50 mg/5 ml suspen (PO) | | | | E | 0.2 g |
| Supplier | Number of Prices=2 | High/Low Ratio=1.26 | Median Price=0.0455/ml | | |
| Buyer | Number of Prices=1 | | Price=0.5600/ml | | |
| GRISEOFULVIN 125 mg tab-cap (PO) | | | | E | 0.5 g |
| Supplier | Number of Prices=8 | High/Low Ratio=1.94 | Median Price=0.0179/tab-cap | | |
| Buyer | Number of Prices=6 | High/Low Ratio=8.42 | Median Price=0.0482/tab-cap | | |
| GRISEOFULVIN 125 mg/5 ml suspen (PO) | | | | P | 0.5 g |
| Buyer | Number of Prices=2 | High/Low Ratio=1.17 | Median Price=0.0854/ml | | |
| GRISEOFULVIN 250 mg tab-cap (PO) | | | | E | 0.5 g |
| Supplier | Number of Prices=1 | | Price=0.0344/tab-cap | | |
| GRISEOFULVIN 500 mg tab-cap (PO) | | | | P | 0.5 g |
| Supplier | Number of Prices=9 | High/Low Ratio=1.68 | Median Price=0.0610/tab-cap | | |
| Buyer | Number of Prices=7 | High/Low Ratio=6.37 | Median Price=0.0777/tab-cap | | |
| ITRACONAZOLE 100 mg tab-cap (PO) | | | | N | 0.2 g |
| Supplier | Number of Prices=2 | High/Low Ratio=3.61 | Median Price=0.6384/tab-cap | | |
| Buyer | Number of Prices=4 | High/Low Ratio=16.78 | Median Price=0.9060/tab-cap | | |
| KETOCONAZOLE 100 mg/5 ml suspen (PO) | | | | N | 0.2 g |
| Buyer | Number of Prices=1 | | Price=0.1368/ml | | |
| KETOCONAZOLE 200 mg tab-cap (PO) | | | | T | 0.2 g |
| Supplier | Number of Prices=9 | High/Low Ratio=5.92 | Median Price=0.0630/tab-cap | | |
| Buyer | Number of Prices=8 | High/Low Ratio=7.27 | Median Price=0.0500/tab-cap | | |
| MICONAZOLE NITRATE (buccal muco-adhesive) 10 mg tab-cap (PO) | | | | N | 0.2 g |
| Supplier | Number of Prices=6 | High/Low Ratio=4.89 | Median Price=0.2651/tab-cap | | |
| NYSTATIN 100,000 IU pessary (VAG) | | | | E | 0.1 mu |
| Supplier | Number of Prices=9 | High/Low Ratio=1.93 | Median Price=0.0349/pessary | | |
| Buyer | Number of Prices=2 | High/Low Ratio=3.76 | Median Price=0.0284/pessary | | |
| NYSTATIN 100,000 IU tab-cap (PO) | | | | E | 1.5 mu |
| Supplier | Number of Prices=6 | High/Low Ratio=1.58 | Median Price=0.0250/tab-cap | | |
| NYSTATIN 100000 IU/ml suspen (PO) | | | | P | 1.5 mu |
| Supplier | Number of Prices=9 | High/Low Ratio=3.28 | Median Price=0.0288/ml | | |
| Buyer | Number of Prices=7 | High/Low Ratio=5.86 | Median Price=0.0202/ml | | |
| NYSTATIN 500,000 IU tab-cap (PO) | | | | E | 1.5 mu |
| Supplier | Number of Prices=8 | High/Low Ratio=5.44 | Median Price=0.0649/tab-cap | | |
| Buyer | Number of Prices=4 | High/Low Ratio=9.35 | Median Price=0.0491/tab-cap | | |

6.4. ANTIVIRAL MEDICINES

| | | | | | |
|---|--------------------|---------------------|------------------------|---|-------|
| ACICLOVIR 200 mg/5 ml suspen (PO) | | | | P | 4 g |
| Buyer | Number of Prices=2 | High/Low Ratio=1.29 | Median Price=0.1973/ml | | |
| GANCICLOVIR 500 mg vial (INJ) | | | | N | 0.5 g |
| Supplier | Number of Prices=1 | | Price=49.5455/vial | | |
| VALGANCICLOVIR 450 mg tab-cap (PO) | | | | N | 0.9 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|---|--|---------------------|
| Supplier Number of Prices=1 | Price=12.0640/tab-cap | |
| 6.4.1. ANTIHERPES MEDICINES | | |
| ACICLOVIR 200 mg tab-cap (PO) Supplier Number of Prices=9 Buyer Number of Prices=6 | High/Low Ratio=4.08 Median Price=0.0350/tab-cap Median Price=0.0563/tab-cap | E 4 g |
| ACICLOVIR 400 mg tab-cap (PO) Supplier Number of Prices=5 Buyer Number of Prices=5 | High/Low Ratio=2.12 Median Price=0.0675/tab-cap Median Price=0.1043/tab-cap | P 4 g |
| ACICLOVIR 5% cream (TOP) Supplier Number of Prices=4 Buyer Number of Prices=3 | High/Low Ratio=8.75 Median Price=0.1758/g High/Low Ratio=8.57 Median Price=0.1534/g | N |
| ACICLOVIR 500 mg ampoule (INJ) Buyer Number of Prices=1 | Price=2.5696/ml | P 4 g |
| ACICLOVIR 800 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=5.53 Price=0.2587/tab-cap Median Price=0.1125/tab-cap | P 4 g |
| ACICLOVIR (powder) 250 mg vial (INJ) Buyer Number of Prices=1 | Price=4.6500/vial | E 4 g |
| VALACICLOVIR 500 mg tab-cap (PO) Buyer Number of Prices=1 | Price=1.1250/tab-cap | T 3 g |
| 6.4.2. ANTIRETROVIRALS | | |
| LAMIVUDINE+STAVUDINE+NEVIRAPINE (3TC+d4T+NVP) 150+30+200mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=1 | High/Low Ratio=4.32 Median Price=0.1543/tab-cap Price=0.0996/tab-cap | E |
| LAMIVUDINE+STAVUDINE+NEVIRAPINE (3TC+d4T+NVP) 150+40+200mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.4282/tab-cap | P |
| LAMIVUDINE+STAVUDINE+NEVIRAPINE (3TC+d4T+NVP) 30+6+50 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.58 Median Price=0.0564/tab-cap | P |
| LAMIVUDINE+STAVUDINE+NEVIRAPINE (3TC+d4T+NVP) 60+12+100 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.54 Median Price=0.1008/tab-cap | P |
| LAMIVUDINE+ZIDOVUDINE+ABACAVIR (3TC/AZT/ABC) 30+60+60 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.2789/tab-cap | N |
| LAMIVUDINE/ZIDOVUDINE + EFAVIRENZ (2 tab l/z.+ 1 tab ef. co-pack) 150/300+600m tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.26 Median Price=0.2378/tab-cap | P |
| LAMIVUDINE/ZIDOVUDINE + NEVIRAPINE (1 tab l/z. + 1 tab n. co-pack) 150/300+200m tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=2.02 Median Price=0.2247/tab-cap | E |
| 6.4.2.1 NUCLEOSIDE/NUCLEOTIDE REVERSE TRANSCRIPTASE INHIBITORS | | |
| ABACAVIR (ABC) 20 mg/ml solution (PO) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=1.35 Median Price=0.0644/ml High/Low Ratio=6.13 Median Price=0.1116/ml | E 0.6 g |
| ABACAVIR (ABC) 300 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=4 | High/Low Ratio=1.95 Median Price=0.4750/tab-cap High/Low Ratio=2.31 Median Price=0.3392/tab-cap | E 0.6 g |
| ABACAVIR SULFATE 60 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.35 Median Price=0.1273/tab-cap | P 0.6 g |
| ABACAVIR+LAMIVUDINE 60+30 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.32 Median Price=0.1520/tab-cap | P |
| ABACAVIR+LAMIVUDINE (ABC/3TC) 600 mg+300mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.55 Median Price=1.0046/tab-cap | P 1 tab |
| DIDANOSINE 10 mg/ml powder (PO) Supplier Number of Prices=2 | High/Low Ratio=1.00 Median Price=2.1000/g | E 0.4 g |
| DIDANOSINE (ddI) 100 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.1351/tab-cap | E 0.4 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | | WHO EML | DEFINED DAILY DOSE* |
|--|--|--|---------|---------------------|
| DIDANOSINE (ddI) 150 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.2013/tab-cap | E | 0.4 g |
| DIDANOSINE (ddI) 200 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=2.33 | Median Price=0.4367/tab-cap | E | 0.4 g |
| DIDANOSINE (ddI) 250 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.5649/tab-cap | P | 0.4 g |
| DIDANOSINE (ddI) 400 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=1.1430/tab-cap Price=0.9579/tab-cap | E | 0.4 g |
| DIDANOSINE (ddI, chewable) 25 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.1167/tab-cap | E | 0.4 g |
| DIDANOSINE (ddI, chewable) 50 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.1583/tab-cap | E | 0.4 g |
| DIDANOSINE (ddI, delayed-release) 125 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.2975/tab-cap | P | 0.4 g |
| DIDANOSINE (ddI, delayed-release) 200 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.3850/tab-cap | P | 0.4 g |
| DIDANOSINE (ddI, delayed-release) 250 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.4550/tab-cap Price=0.6179/tab-cap | P | 0.4 g |
| DIDANOSINE (ddI, delayed-release) 400 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.7000/tab-cap Price=0.9267/tab-cap | P | 0.4 g |
| EMTRICITABINE 200 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.1680/tab-cap | E | 0.2 g |
| LAMIVUDINE (3TC) 10 mg/ml solution (PO) Supplier Number of Prices=2 Buyer Number of Prices=3 | High/Low Ratio=2.07 High/Low Ratio=6.99 | Median Price=0.0125/ml Median Price=0.0152/ml | E | 0.3 g |
| LAMIVUDINE (3TC) 150 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=3 | High/Low Ratio=3.87 High/Low Ratio=1.78 | Median Price=0.0727/tab-cap Median Price=0.0693/tab-cap | E | 0.3 g |
| LAMIVUDINE (3TC) 300 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.1005/tab-cap | P | 0.3 g |
| LAMIVUDINE+STAVUDINE (3TC+d4T) 150 mg+30 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=1 | High/Low Ratio=4.30 | Median Price=0.0820/tab-cap Price=0.0568/tab-cap | P | |
| LAMIVUDINE+STAVUDINE (3TC+d4T) 150 mg+40 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.2288/tab-cap | P | |
| LAMIVUDINE+STAVUDINE (3TC+d4T) 30 mg + 6 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.56 | Median Price=0.0273/tab-cap | P | |
| LAMIVUDINE+STAVUDINE (tablet for oral suspension) 60+12 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.97 | Median Price=0.0436/tab-cap | N | |
| LAMIVUDINE+TENOFOVIR DF (3TC+TDF) 300+300 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.3926/tab-cap Price=0.3483/tab-cap | P | |
| LAMIVUDINE+ZIDOVUDINE+ABACAVIR (150+300+300 mg) tab-cap (PO) Supplier Number of Prices=1 | | Price=0.5250/tab-cap | P | |
| LAMIVUDINE/ZIDOVUDINE+ABACAVIR (150/300+300 mg co-pack) tab-cap (PO) Supplier Number of Prices=1 | | Price=0.3894/tab-cap | P | |
| STAVUDINE (d4T) 1 mg/ml solution (PO) Supplier Number of Prices=2 | High/Low Ratio=2.11 | Median Price=0.0109/ml | E | 80 mg |
| STAVUDINE (d4T) 15 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.72 | Median Price=0.0315/tab-cap | E | 80 mg |
| STAVUDINE (d4T) 20 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.71 | Median Price=0.0328/tab-cap | E | 80 mg |
| STAVUDINE (d4T) 30 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=2 | High/Low Ratio=3.22 High/Low Ratio=1.21 | Median Price=0.0511/tab-cap Median Price=0.0403/tab-cap | E | 80 mg |
| STAVUDINE (d4T) 40 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.0843/tab-cap | E | 80 mg |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|---|--|---------------------|
| TENOFOVIR DF+LAMIVUDINE 300mg+300mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | Price=0.2607/tab-cap | P |
| TENOFOVIR DISOPROXIL FUMERATE (TDF) (equiv.245mg tenofovir disopro) 300 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=1.55 Median Price=0.2867/tab-cap High/Low Ratio=1.63 Median Price=0.2630/tab-cap | E 0.245 g |
| ZIDOVUDINE (AZT) 10 mg/ml vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=1 | Price=0.1412/ml Price=2.2898/ml | E 0.6 g |
| ZIDOVUDINE (AZT) 100 mg tab-cap (PO) Supplier Number of Prices=3 | High/Low Ratio=2.03 Median Price=0.0837/tab-cap | E 0.6 g |
| ZIDOVUDINE (AZT) 250 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.3483/tab-cap | E 0.6 g |
| ZIDOVUDINE (AZT) 300 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=3 | High/Low Ratio=2.34 Median Price=0.1849/tab-cap High/Low Ratio=1.58 Median Price=0.2617/tab-cap | E 0.6 g |
| ZIDOVUDINE (AZT) 50 mg/5 ml solution (PO) Supplier Number of Prices=3 Buyer Number of Prices=3 | High/Low Ratio=2.01 Median Price=0.0155/ml High/Low Ratio=9.36 Median Price=0.0167/ml | E 0.6 g |

6.4.2.2 NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS

| | | |
|---|--|------------|
| EFAVIRENZ (EFV) 100 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.1540/tab-cap | E 0.6 g |
| EFAVIRENZ (EFV) 200 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=1.59 Median Price=0.1341/tab-cap Price=0.2872/tab-cap | E 0.6 g |
| EFAVIRENZ (EFV) 30 mg/ml syrup (PO) Supplier Number of Prices=1 | Price=0.0989/ml | P 0.6 g |
| EFAVIRENZ (EFV) 50 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=1.69 Median Price=0.1056/tab-cap Price=0.0767/tab-cap | E 0.6 g |
| EFAVIRENZ (EFV) 600 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=4 | High/Low Ratio=2.02 Median Price=0.2450/tab-cap High/Low Ratio=1.49 Median Price=0.2330/tab-cap | P 0.6 g |
| ETRAVIRINE 100 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.6250/tab-cap | N 0.4 g |
| NEVIRAPINE (for oral suspension) 50 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.0438/tab-cap | P 0.4 g |
| NEVIRAPINE (NVP) 200 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=4 | High/Low Ratio=5.74 Median Price=0.0825/tab-cap High/Low Ratio=1.71 Median Price=0.0465/tab-cap | E 0.4 g |
| NEVIRAPINE (NVP) 50 mg/5 ml suspen (PO) Supplier Number of Prices=3 Buyer Number of Prices=2 | High/Low Ratio=2.16 Median Price=0.0130/ml High/Low Ratio=10.39 Median Price=0.1310/ml | E 0.4 g |

6.4.2.3 PROTEASE INHIBITORS

| | | |
|--|--|------------|
| ATAZANAVIR 100 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.3106/tab-cap | E 0.3 g |
| ATAZANAVIR 150 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.4566/tab-cap | E 0.3 g |
| ATAZANAVIR 200 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.5899/tab-cap | P 0.3 g |
| ATAZANAVIR 300 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | Price=0.7333/tab-cap Price=0.9462/tab-cap | E 0.3 g |
| DARUNAVIR 300 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | Price=0.7875/tab-cap Price=4.7177/tab-cap | N 1.2 g |
| EFAVIRENZ+EMTRICITABINE+TENOFOVIR DF (600+200+300 mg) tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.26 Median Price=0.7869/tab-cap | E |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | | WHO EML | DEFINED DAILY DOSE* |
|--|---|---|---------|---------------------|
| Buyer Number of Prices=1 | Price=0.7675/tab-cap | | | |
| EFAVIRENZ+LAMIVUDINE+TENOFOVIR DISOP. (600+300+300 mg) tab-cap (PO) Supplier Number of Prices=1 | Price=0.5978/tab-cap | P | | |
| INDINAVIR (IDV) 400 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=1 | High/Low Ratio=1.43 Median Price=0.4067/tab-cap Price=0.3950/tab-cap | E | 2.4 g | |
| LAMIVUDINE+ZIDOVUDINE (3TC+AZT) 150mg+300mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=3 | High/Low Ratio=3.20 High/Low Ratio=1.71 Median Price=0.2132/tab-cap Median Price=0.2051/tab-cap | E | 2 tab | |
| LAMIVUDINE+ZIDOVUDINE (3TC+AZT) 30+60 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.59 Median Price=0.0677/tab-cap | E | | |
| LAMIVUDINE+ZIDOVUDINE+NEVIRAPINE (150+300+200 mg) 3TC+AZT+NVP tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=1.60 High/Low Ratio=1.15 Median Price=0.2500/tab-cap Median Price=0.1823/tab-cap | E | | |
| LAMIVUDINE+ZIDOVUDINE+NEVIRAPINE (3TC/AZT/NVP) 30+60+50 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.1130/tab-cap | E | | |
| LAMIVUDINE+ZIDOVUDINE+NEVIRAPINE (3TC/AZT/NVP, dispersible) 30+60+50 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.0744/tab-cap | E | | |
| LOPINAVIR+RITONAVIR (LPV/r) 100 mg+25 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=1.72 Median Price=0.2149/tab-cap Price=1.9500/tab-cap | P | | |
| LOPINAVIR+RITONAVIR (LPV/r) 133.3+33.3mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.2283/tab-cap | E | | |
| LOPINAVIR+RITONAVIR (LPV/r) 200 mg+50 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=5 | High/Low Ratio=1.69 High/Low Ratio=26.52 Median Price=0.3949/tab-cap Median Price=0.3274/tab-cap | P | | |
| LOPINAVIR+RITONAVIR (LPV/r) 80+20 mg/ml solution (PO) Supplier Number of Prices=1 | Price=0.1370/ml | E | | |
| NELFINAVIR (NFV) 250 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.5196/tab-cap | E | 2.25 g | |
| NELFINAVIR (NFV) 50 mg/g powder (PO) Supplier Number of Prices=1 | Price=0.2956/g | E | 2.25 g | |
| RITONAVIR (RTV) 100 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=2 | High/Low Ratio=5.84 High/Low Ratio=11.59 Median Price=0.1199/tab-cap Median Price=0.8680/tab-cap | E | 1.2 g | |
| RITONAVIR (RTV) 80 mg/ml solution (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | Price=0.0913/ml Price=0.9373/ml | E | 1.2 g | |
| SAQUINAVIR (SQV) 200 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.4042/tab-cap | E | 1.8 g | |
| SAQUINAVIR (SQV) 500 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | Price=0.9277/tab-cap Price=2.7017/tab-cap | P | 1.8 g | |
| TENOFOVIR DF+EMTRICITABINE (TDF+FTC) 300 mg+200mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=1.57 High/Low Ratio=1.13 Median Price=0.4028/tab-cap Median Price=0.5175/tab-cap | E | 1 tab | |

6.4.3. OTHER ANTIVIRALS

| | | | |
|---|--|---|-------|
| RALTEGRAVIR 400 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | Price=1.6013/tab-cap Price=9.9381/tab-cap | N | 0.8 g |
|---|--|---|-------|

6.5.1. ANTIAMOEBIC AND ANTIIGIARDIASIS MEDICINES

| | | | |
|--|---|---|-------|
| METRONIDAZOLE 125 mg/5 ml syrup (PO) Supplier Number of Prices=6 Buyer Number of Prices=1 | High/Low Ratio=2.14 Median Price=0.0063/ml Price=0.0173/ml | P | 1.5 g |
| METRONIDAZOLE 200 mg/5 ml syrup (PO) Supplier Number of Prices=3 Buyer Number of Prices=4 | High/Low Ratio=3.71 High/Low Ratio=10.83 Median Price=0.0031/ml Median Price=0.0118/ml | E | 1.5 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|--|---|---------------------|
| METRONIDAZOLE 200-250 mg tab-cap (PO) Supplier Number of Prices=13 Buyer Number of Prices=6 | High/Low Ratio=2.96 Median Price=0.0059/tab-cap High/Low Ratio=3.42 Median Price=0.0099/tab-cap | E 1.5 g |
| METRONIDAZOLE 400-500 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=6 | High/Low Ratio=1.76 Median Price=0.0091/tab-cap High/Low Ratio=16.45 Median Price=0.0265/tab-cap | E 1.5 g |
| METRONIDAZOLE 5 mg/ml vial (INJ) Supplier Number of Prices=10 Buyer Number of Prices=8 | High/Low Ratio=5.00 Median Price=0.0047/ml High/Low Ratio=4.06 Median Price=0.0041/ml | E 1.5 g |
| TINIDAZOLE 500 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=6 | High/Low Ratio=8.47 Median Price=0.0392/tab-cap High/Low Ratio=8.78 Median Price=0.0312/tab-cap | T 1.5 g |

6.5.2. ANTILEISHMANIASIS MEDICINES

| | | |
|---|--|----------|
| AMPHOTERICIN B 50 mg vial (INJ) Supplier Number of Prices=4 Buyer Number of Prices=5 | High/Low Ratio=3.40 Median Price=6.6041/vial High/Low Ratio=4.44 Median Price=7.6560/vial | E 35 mg |
| SODIUM STIBOGLUCONATE (10% Sb) 33% vial (INJ) Supplier Number of Prices=2 | High/Low Ratio=2.01 Median Price=0.3738/ml | E 0.85 g |

6.5.3.1 ANTIMALARIAL MEDICINES, FOR CURATIVE TREATMENT

| | | |
|---|---|-----------|
| AMODIAQUINE 150-200 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=1.43 Median Price=0.0134/tab-cap Price=0.0183/tab-cap | E 0.5 g |
| AMODIAQUINE 50 mg/5 ml suspen (PO) Buyer Number of Prices=1 | Price=0.0065/ml | P 0.5 g |
| ARTEMETHER 15 mg/5 ml suspen (PO) Supplier Number of Prices=1 | Price=0.0400/ml | CP 0.28 g |
| ARTEMETHER 20 mg/ml ampoule (INJ) Supplier Number of Prices=5 | High/Low Ratio=3.03 Median Price=0.5580/ml | P 120 mg |
| ARTEMETHER 80 mg/ml ampoule (INJ) Supplier Number of Prices=7 | High/Low Ratio=4.47 Median Price=1.1900/ml | C 120 mg |
| ARTEMETHER+LUMEFANTRINE 15+90mg/5ml suspen (PO) Supplier Number of Prices=1 | Price=0.0750/ml | P |
| ARTEMETHER+LUMEFANTRINE 20 mg+120 mg tab-cap (PO) Supplier Number of Prices=5 Buyer Number of Prices=1 | High/Low Ratio=43.63 Median Price=0.1292/tab-cap Price=0.0968/tab-cap | E |
| ARTEMETHER+LUMEFANTRINE 40 mg+240 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.2963/tab-cap | P |
| ARTEMETHER+LUMEFANTRINE 80 mg+480 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.7110/tab-cap | P |
| ARTEMETHER+LUMEFANTRINE (6 x 1 tablets co-pack) 20 mg+120 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=1.30 Median Price=0.5621/pack Price=0.1136/pack | E |
| ARTEMETHER+LUMEFANTRINE (6 x 2 tablets co-pack) 20 mg+120 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.45 Median Price=1.1964/pack | E |
| ARTEMETHER+LUMEFANTRINE (6 x 3 tablets co-pack) 20 mg+120 mg tab-cap (PO) Supplier Number of Prices=3 | High/Low Ratio=1.47 Median Price=1.4534/pack | E |
| ARTEMETHER+LUMEFANTRINE (6 x 4 tablets co-pack) 20 mg+120 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=1 | High/Low Ratio=4.49 Median Price=1.6524/pack Price=0.0887/pack | E |
| ARTEMETHER+LUMEFANTRINE (dispersible) 20 mg+120 mg tab-cap (PO) Supplier Number of Prices=3 | High/Low Ratio=2.38 Median Price=0.0719/tab-cap | E |
| ARTESUNATE 100 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=2.45 Median Price=0.2347/tab-cap | P 0.28 g |
| ARTESUNATE 200 mg suppos (RECT) Supplier Number of Prices=1 | Price=1.0068/supp | P |
| ARTESUNATE 50 mg suppos (RECT) | | P |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | WHO EML | DEFINED DAILY DOSE* |
|--|---|---------|---------------------|
| Supplier Number of Prices=1 | Price=0.5408/supp | | |
| ARTESUNATE 50 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.1667/tab-cap | C | 0.28 g |
| ARTESUNATE 60 mg vial (INJ) Supplier Number of Prices=1 | Price=1.9851/vial | E | |
| ARTESUNATE+AMODIAQUINE (12 x 12 tablets co-pack) 50 mg+153 mg tab-cap (PO) Supplier Number of Prices=4 | High/Low Ratio=2.76 Median Price=1.0747/pack | E | |
| ARTESUNATE+AMODIAQUINE (3 fixed dose combo tabs) 100mg+270mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=2.23 Median Price=0.7342/treatmen | P | |
| ARTESUNATE+AMODIAQUINE (3 fixed dose combo tabs) 25mg+67.5mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=1.91 Median Price=0.3758/treatmen | P | |
| ARTESUNATE+AMODIAQUINE (3 fixed dose combo tabs) 50 mg+135 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=2.10 Median Price=0.5123/treatmen | P | |
| ARTESUNATE+AMODIAQUINE (3 x 3 tablets co-pack) 50 mg+153 mg tab-cap (PO) Supplier Number of Prices=3 | High/Low Ratio=1.69 Median Price=0.3760/pack | E | |
| ARTESUNATE+AMODIAQUINE (6 fixed-dose combo tabs) 100mg+270mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=2.11 Median Price=1.2103/treatmen | P | |
| ARTESUNATE+AMODIAQUINE (6 x 6 tablets co-pack) 50 mg+153 mg tab-cap (PO) Supplier Number of Prices=3 | High/Low Ratio=1.53 Median Price=0.7200/pack | E | |
| ARTESUNATE+AMODIAQUINE (FDC) 50 mg+153 mg tab-cap (PO) Supplier Number of Prices=4 | High/Low Ratio=2.79 Median Price=0.0898/tab-cap | P | |
| ARTESUNATE+SULFADOXINE/PYRIMETHAMINE (6 tab artes.+2 tab SP co-pack) 50+500/25mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.5147/pack | E | |
| ARTESUNATE+SULFADOXINE/PYRIMETHAMINE (6 tab artes.+3 tab SP co-pack) 100+500/25mg tab-cap (PO) Supplier Number of Prices=1 | Price=1.1763/pack | E | |
| CHLOROQUINE (BASE) 100 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.0088/tab-cap | E | 0.5 g |
| CHLOROQUINE (BASE) 150 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=2 | High/Low Ratio=1.63 High/Low Ratio=1.14 Median Price=0.0110/tab-cap Median Price=0.0196/tab-cap | E | 0.5 g |
| CHLOROQUINE (BASE) 250 mg tab-cap (PO) Buyer Number of Prices=1 | Price=0.0265/tab-cap | P | 0.5 g |
| CHLOROQUINE (BASE) 40 mg/ml ampoule (INJ) Supplier Number of Prices=1 | Price=0.0329/ml | P | 0.5 g |
| CHLOROQUINE (BASE) 50 mg/5 ml syrup (PO) Supplier Number of Prices=6 | High/Low Ratio=3.07 Median Price=0.0115/ml | E | 0.5 g |
| DIHYDROARTEMISININ + PIPERAQUINE 40 + 320 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.5940/tab-cap | N | |
| DOXYCYCLINE 100 mg tab-cap (PO) Supplier Number of Prices=10 Buyer Number of Prices=9 | High/Low Ratio=2.29 High/Low Ratio=15.49 Median Price=0.0123/tab-cap Median Price=0.0201/tab-cap | C | 0.1 g |
| HYDROXYCHLOROQUINE 300 mg tab-cap (PO) Buyer Number of Prices=1 | Price=0.0980/tab-cap | N | 0.516 g |
| HYDROXYCHLOROQUINE SULFATE 200 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.26 Median Price=0.0897/tab-cap | N | 0.516 g |
| MEFLOQUINE 250 mg tab-cap (PO) Supplier Number of Prices=5 Buyer Number of Prices=1 | High/Low Ratio=34.86 Median Price=0.6824/tab-cap Price=1.1911/tab-cap | E | 1 g |
| PRIMAQUINE (base) 15 mg tab-cap (PO) Supplier Number of Prices=4 | High/Low Ratio=2.10 Median Price=0.0142/tab-cap | E | 15 mg |
| QUININE BISULFATE 100 mg/5 ml suspen (PO) Buyer Number of Prices=1 | Price=0.0089/ml | P | 1.5 g |
| QUININE DIHYDROCHLORIDE 100 mg/5 ml syrup (PO) Supplier Number of Prices=2 | High/Low Ratio=11.11 Median Price=0.0460/ml | P | 1.5 g |
| QUININE DIHYDROCHLORIDE 250-300mg/ml ampoule (INJ) Supplier Number of Prices=10 Buyer Number of Prices=1 | High/Low Ratio=2.06 Median Price=0.1324/ml Price=0.0990/ml | E | 0.3 g |
| QUININE HYDROCHLORIDE 300 mg/ml ampoule (INJ) | | P | 1.5 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | | WHO EML | DEFINED DAILY DOSE* |
|--|---------------------|----------------------|-----------------------------|---------------------|
| Buyer | Number of Prices=1 | Price=0.5134/ml | | |
| QUININE SULFATE 100 mg/5 ml syrup (PO) Supplier | Number of Prices=1 | Price=0.0101/ml | P | 1.5 g |
| QUININE SULFATE 200-250 mg tab-cap (PO) Supplier | Number of Prices=2 | High/Low Ratio=1.12 | Median Price=0.0319/tab-cap | P 0.3 g |
| QUININE SULFATE 300 mg tab-cap (PO) Supplier | Number of Prices=10 | High/Low Ratio=2.04 | Median Price=0.0524/tab-cap | E 0.3 g |
| Buyer | Number of Prices=5 | High/Low Ratio=5.79 | Median Price=0.1429/tab-cap | |
| SULFADOXINE+PYRIMETHAMINE 500 mg+25 mg tab-cap (PO) Supplier | Number of Prices=10 | High/Low Ratio=3.43 | Median Price=0.0299/tab-cap | C |
| Buyer | Number of Prices=2 | High/Low Ratio=1.99 | Median Price=0.1167/tab-cap | |
| SULFADOXINE+PYRIMETHAMINE (250 mg+12.5 mg/5 ml) 250+12mg/5ml suspen (PO) Buyer | Number of Prices=1 | Price=0.0418/ml | CP | 75 mg |
| SULPHAMETOPYRAZINE-PYRIMETHAMINE 500+25 mg tab-cap (PO) Buyer | Number of Prices=1 | Price=0.2365/tab-cap | N | 75 mg |
| TETRACYCLINE HCL 250 mg tab-cap (PO) Supplier | Number of Prices=5 | High/Low Ratio=3.06 | Median Price=0.0135/tab-cap | P 1 g |
| Buyer | Number of Prices=4 | High/Low Ratio=5.67 | Median Price=0.0207/tab-cap | |

6.5.3.2 ANTIMALARIAL MEDICINES, FOR PROPHYLAXIS

| | | | | |
|--|---------------------|----------------------|-----------------------------|---------|
| ATOVAQUONE+PROGUANIL 250mg+100mg tab-cap (PO) Supplier | Number of Prices=2 | High/Low Ratio=2.81 | Median Price=2.9035/tab-cap | N 4 tab |
| CHLOROQUINE (BASE) 100 mg tab-cap (PO) Supplier | Number of Prices=1 | Price=0.0088/tab-cap | E | 0.5 g |
| CHLOROQUINE (BASE) 150 mg tab-cap (PO) Supplier | Number of Prices=6 | High/Low Ratio=1.63 | Median Price=0.0110/tab-cap | E 0.5 g |
| Buyer | Number of Prices=2 | High/Low Ratio=1.14 | Median Price=0.0196/tab-cap | |
| CHLOROQUINE (BASE) 250 mg tab-cap (PO) Buyer | Number of Prices=1 | Price=0.0265/tab-cap | P | 0.5 g |
| CHLOROQUINE (BASE) 50 mg/5 ml syrup (PO) Supplier | Number of Prices=6 | High/Low Ratio=3.07 | Median Price=0.0115/ml | E 0.5 g |
| HYDROXYCHLOROQUINE 300 mg tab-cap (PO) Buyer | Number of Prices=1 | Price=0.0980/tab-cap | N | 0.516 g |
| MEFLOQUINE 250 mg tab-cap (PO) Supplier | Number of Prices=5 | High/Low Ratio=34.86 | Median Price=0.6824/tab-cap | E 1 g |
| Buyer | Number of Prices=1 | Price=1.1911/tab-cap | | |
| PROGUANIL 100 mg tab-cap (PO) Supplier | Number of Prices=4 | High/Low Ratio=12.10 | Median Price=0.0475/tab-cap | E 0.2 g |
| Buyer | Number of Prices=1 | Price=0.3064/tab-cap | | |
| SULFADOXINE+PYRIMETHAMINE 500 mg+25 mg tab-cap (PO) Supplier | Number of Prices=10 | High/Low Ratio=3.43 | Median Price=0.0299/tab-cap | C |
| Buyer | Number of Prices=2 | High/Low Ratio=1.99 | Median Price=0.1167/tab-cap | |

6.5.4. ANTI-PNEUMOCYSTOSIS AND ANTITOXOPLASMOSIS MEDICINES

| | | | | |
|--|---------------------|--|---|---------|
| PYRIMETHAMINE 25 mg tab-cap (PO) Supplier | Number of Prices=1 | High/Low Ratio=1.80 | Price=0.0053/tab-cap Median Price=0.4123/tab-cap | E 75 mg |
| Buyer | Number of Prices=2 | | | |
| SULFADIAZINE 500 mg tab-cap (PO) Supplier | Number of Prices=1 | Price=0.0465/tab-cap Price=0.1089/tab-cap | E | 0.6 g |
| Buyer | Number of Prices=1 | | | |
| SULFADOXINE+PYRIMETHAMINE 500 mg+25 mg tab-cap (PO) Supplier | Number of Prices=10 | High/Low Ratio=3.43 | Median Price=0.0299/tab-cap | C |
| Buyer | Number of Prices=2 | High/Low Ratio=1.99 | Median Price=0.1167/tab-cap | |

7. ANTIMIGRAINE MEDICINES

| | | | | |
|---|--------------------|---------------------|-----------------------------|----------|
| PROPRANOLOL HCL 40 mg tab-cap (PO) Supplier | Number of Prices=7 | High/Low Ratio=3.38 | Median Price=0.0058/tab-cap | E 0.16 g |
| Buyer | Number of Prices=7 | High/Low Ratio=7.59 | Median Price=0.0102/tab-cap | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | | WHO EML | DEFINED DAILY DOSE* |
|--|---|--|---------|---------------------|
| 7.1. FOR TREATMENT OF ACUTE MIGRAINE ATTACK | | | | |
| ACETYLSALICYLIC ACID 300 mg tab-cap (PO) | | | E | 3 g |
| Supplier Number of Prices=9 Buyer Number of Prices=5 | High/Low Ratio=2.55 High/Low Ratio=9.72 | Median Price=0.0026/tab-cap Median Price=0.0045/tab-cap | | |
| ACETYLSALICYLIC ACID 500 mg tab-cap (PO) | | | E | 3 g |
| Supplier Number of Prices=7 Buyer Number of Prices=2 | High/Low Ratio=3.11 High/Low Ratio=1.71 | Median Price=0.0041/tab-cap Median Price=0.0042/tab-cap | | |
| ERGOTAMINE+CAFFEINE 1+100 mg tab-cap (PO) | | | N | |
| Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.4563/tab-cap Price=0.0686/tab-cap | | |
| IBUPROFEN 200 mg tab-cap (PO) | | | E | 1.2 g |
| Supplier Number of Prices=10 Buyer Number of Prices=6 | High/Low Ratio=2.61 High/Low Ratio=27.92 | Median Price=0.0056/tab-cap Median Price=0.0073/tab-cap | | |
| IBUPROFEN 400 mg tab-cap (PO) | | | E | 1.2 g |
| Supplier Number of Prices=8 Buyer Number of Prices=6 | High/Low Ratio=2.37 High/Low Ratio=11.35 | Median Price=0.0103/tab-cap Median Price=0.0141/tab-cap | | |
| PARACETAMOL 500 mg tab-cap (PO) | | | E | 3 g |
| Supplier Number of Prices=10 Buyer Number of Prices=10 | High/Low Ratio=3.00 High/Low Ratio=3.20 | Median Price=0.0049/tab-cap Median Price=0.0068/tab-cap | | |
| 7.2. FOR MIGRAINE PROPHYLAXIS | | | | |
| PROPRANOLOL HCL 10 mg tab-cap (PO) | | | P | 0.16 g |
| Buyer Number of Prices=3 | High/Low Ratio=9.88 | Median Price=0.0149/tab-cap | | |
| 8. ANTINEOPLASTIC, IMMUNOSUPPRESSIVES AND MEDICINES USED IN PALLIATIVE CARE | | | | |
| BUSULFAN 2 mg tab-cap (PO) | | | N | |
| Buyer Number of Prices=3 | High/Low Ratio=1.77 | Median Price=0.8172/tab-cap | | |
| TIOGUANINE 40 mg tab-cap (PO) | | | N | |
| Buyer Number of Prices=1 | | Price=4.3076/tab-cap | | |
| 8.1. IMMUNOSUPPRESSIVE MEDICINES | | | | |
| AZATHIOPRINE 50 mg tab-cap (PO) | | | C | 0.15 g |
| Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=10.17 | Price=0.2168/tab-cap Median Price=0.2774/tab-cap | | |
| CICLOSPORIN 100 mg tab-cap (PO) | | | P | 0.25 g |
| Buyer Number of Prices=2 | High/Low Ratio=1.23 | Median Price=2.3579/tab-cap | | |
| CICLOSPORIN 100 mg/ml solution (PO) | | | CP | 0.25 g |
| Buyer Number of Prices=1 | | Price=2.8357/ml | | |
| CICLOSPORIN 25 mg tab-cap (PO) | | | C | 0.25 g |
| Buyer Number of Prices=2 | High/Low Ratio=2.47 | Median Price=0.9194/tab-cap | | |
| MYCOPHENOLATE MOFETIL 250 mg tab-cap (PO) | | | N | |
| Buyer Number of Prices=2 | High/Low Ratio=3.32 | Median Price=1.0335/tab-cap | | |
| 8.2. CYTOTOXIC AND ADJUVANT MEDICINES | | | | |
| ALLOPURINOL 100 mg tab-cap (PO) | | | E | 0.4 g |
| Supplier Number of Prices=4 Buyer Number of Prices=6 | High/Low Ratio=2.52 High/Low Ratio=5.75 | Median Price=0.0417/tab-cap Median Price=0.0211/tab-cap | | |
| ALLOPURINOL 300 mg tab-cap (PO) | | | C | 0.4 g |
| Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=4.04 | Price=0.1436/tab-cap Median Price=0.0321/tab-cap | | |
| ASPARAGINASE 10,000 IU/ml vial (INJ) | | | C | |
| Buyer Number of Prices=1 | | Price=47.4291/ml | | |
| BLEOMYCIN 15 mg vial (INJ) | | | C | |
| Supplier Number of Prices=4 Buyer Number of Prices=4 | High/Low Ratio=2.00 High/Low Ratio=2.00 | Median Price=21.4782/vial Median Price=20.9515/vial | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* | | |
|---|--|--|--------|-------|
| CALCIUM FOLINATE 15 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=3.95 | Median Price=0.9000/tab-cap Price=2.0356/vial | C P | 60 mg |
| CALCIUM FOLINATE 50 mg vial (INJ) Buyer Number of Prices=1 | | | | |
| CAPECITABINE 500 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=5.35 | Median Price=3.5607/tab-cap | N | |
| CARBOPLATIN 150 mg vial (INJ) Buyer Number of Prices=4 | High/Low Ratio=1.52 | Median Price=18.2428/vial | C | |
| CARBOPLATIN 450 mg vial (INJ) Buyer Number of Prices=4 | High/Low Ratio=1.48 | Median Price=37.6785/vial | C | |
| CHLORAMBUCIL 2 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=3.56 | Median Price=1.0039/tab-cap | C | |
| CISPLATIN 1 mg/ml vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.1594/ml Price=0.2281/ml | N | |
| CYCLOPHOSPHAMIDE 1 g vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=3.34 | Price=2.3400/vial Median Price=6.3921/vial | P | |
| CYCLOPHOSPHAMIDE 200 mg vial (INJ) Buyer Number of Prices=3 | High/Low Ratio=9.85 | Median Price=5.2907/vial | P | |
| CYCLOPHOSPHAMIDE 50 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=6 | High/Low Ratio=2.02 | Price=0.2011/tab-cap Median Price=0.3054/tab-cap | P | |
| CYCLOPHOSPHAMIDE 500 mg vial (INJ) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=3.12 High/Low Ratio=1.34 | Median Price=7.8254/vial Median Price=9.4894/vial | C | |
| CYTARABINE 100 mg vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=4 | High/Low Ratio=1.96 | Price=5.1680/vial Median Price=3.4304/vial | C | |
| CYTARABINE 500 mg vial (INJ) Buyer Number of Prices=1 | | Price=3.7520/vial | C | |
| DACARBAZINE 10 mg/ml vial (INJ) Buyer Number of Prices=1 | | Price=0.9450/ml | P | |
| DACARBAZINE 200 mg vial (INJ) Buyer Number of Prices=4 | High/Low Ratio=3.42 | Median Price=13.6388/vial | P | |
| DACTINOMYCIN 500 mcg vial (INJ) Buyer Number of Prices=2 | High/Low Ratio=6.57 | Median Price=115.2127/vial | C | |
| DAUNORUBICIN 20 mg vial (INJ) Buyer Number of Prices=1 | | Price=79.7144/vial | CP | |
| DOCETAXEL 20 mg vial (INJ) Buyer Number of Prices=2 | High/Low Ratio=1.54 | Median Price=44.4022/vial | E | |
| DOCETAXEL 80 mg vial (INJ) Buyer Number of Prices=3 | High/Low Ratio=5.98 | Median Price=102.3277/vial | E | |
| DOXORUBICIN HCL 10 mg vial (INJ) Supplier Number of Prices=2 | High/Low Ratio=1.31 | Median Price=6.2421/vial | C | |
| DOXORUBICIN HCL 50 mg vial (INJ) Supplier Number of Prices=3 Buyer Number of Prices=5 | High/Low Ratio=2.43 High/Low Ratio=2.02 | Median Price=19.4040/vial Median Price=16.8000/vial | C | |
| EPIRUBICIN 10 mg vial (INJ) Buyer Number of Prices=2 | High/Low Ratio=1.28 | Median Price=10.5245/vial | N | |
| EPIRUBICIN 50 mg vial (INJ) Buyer Number of Prices=2 | High/Low Ratio=1.21 | Median Price=41.0248/vial | N | |
| ETOPOSIDE 20 mg/ml vial (INJ) Buyer Number of Prices=3 | High/Low Ratio=1.10 | Median Price=0.9916/ml | C | |
| FLUDARABINE PHOSPHATE 50 mg vial (INJ) Buyer Number of Prices=1 | | Price=105.7843/vial | N | |
| FLUOROURACIL 25 mg/ml vial (INJ) Buyer Number of Prices=2 | High/Low Ratio=1.22 | Median Price=0.0877/ml | P | |
| FLUOROURACIL 50 mg/ml ampoule (INJ) | | | C | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|---|---|--|
| Supplier Buyer Number of Prices=3 Number of Prices=1 | High/Low Ratio=2.25 | Median Price=0.4998/ml Price=0.1441/ml |
| FLUTAMIDE 250 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.28 | Median Price=0.1009/tab-cap |
| HYDROXYCARBAMIDE (hydroxyurea) 500 mg tab-cap (PO) Buyer Number of Prices=5 | High/Low Ratio=6.37 | Median Price=0.1780/tab-cap |
| IDARUBICIN 5 mg vial (INJ) Buyer Number of Prices=1 | | Price=180.7500/vial |
| IMATINIB 100 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=2.52 | Median Price=5.6947/tab-cap |
| IMATINIB 400 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=62.5000/tab-cap |
| MELPHALAN 2 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=2.04 | Median Price=1.4996/tab-cap |
| MERCAPTOPURINE 50 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=3.93 | Median Price=2.2760/tab-cap |
| METHOTREXATE SODIUM 2.5 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=5 | High/Low Ratio=2.38 High/Low Ratio=9.36 | Median Price=0.0739/tab-cap Median Price=0.1304/tab-cap |
| METHOTREXATE SODIUM 2.5 mg/ml ampoule (INJ) Supplier Number of Prices=2 | High/Low Ratio=1.51 | Median Price=1.6643/ml |
| METHOTREXATE SODIUM 25 mg/ml vial (INJ) Supplier Number of Prices=3 Buyer Number of Prices=3 | High/Low Ratio=2.81 High/Low Ratio=10.98 | Median Price=2.2662/ml Median Price=1.3250/ml |
| MITOMYCIN 5 mg vial (INJ) Buyer Number of Prices=1 | | Price=83.8939/vial |
| OXALIPLATIN 50 mg vial (INJ) Buyer Number of Prices=1 | | Price=158.9800/vial |
| PACLITAXEL 6 mg/ml vial (INJ) Buyer Number of Prices=4 | High/Low Ratio=3.66 | Median Price=1.6496/ml |
| THALIDOMIDE 100 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=1.6082/tab-cap |
| VINBLASTINE 10 mg vial (INJ) Buyer Number of Prices=2 | High/Low Ratio=2.26 | Median Price=13.5863/vial |
| VINCRISTINE 1 mg vial (INJ) Supplier Number of Prices=3 Buyer Number of Prices=2 | High/Low Ratio=7.28 High/Low Ratio=1.61 | Median Price=2.1512/vial Median Price=3.5085/vial |
| VINCRISTINE 2 mg ampoule (INJ) Supplier Number of Prices=1 | | Price=2.4984/ampoule |

8.3. HORMONES AND ANTIHORMONES

| | | | | |
|---|---|--|---|--------|
| ANASTROZOLE 1 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=2.18 | Median Price=0.1545/tab-cap | N | 1 mg |
| CYPROTERONE ACETATE 50 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=4.39 | Median Price=0.2177/tab-cap | N | 0.1 g |
| DEXAMETHASONE 0.5 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=4 | High/Low Ratio=9.63 High/Low Ratio=11.82 | Median Price=0.0049/tab-cap Median Price=0.0295/tab-cap | E | 1.5 mg |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) Supplier Number of Prices=8 Buyer Number of Prices=6 | High/Low Ratio=3.08 High/Low Ratio=17.76 | Median Price=0.1111/ml Median Price=0.1480/ml | E | 1.5 mg |
| DEXAMETHASONE 5 mg/ml ampoule (INJ) Supplier Number of Prices=1 | | Price=0.1108/ml | P | 1.5 mg |
| MEGESTROL ACETATE 40 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.1191/tab-cap | N | 5 mg |
| METHYLPREDNISOLONE (sodium succinate) 1 g vial (INJ) Buyer Number of Prices=2 | High/Low Ratio=22.07 | Median Price=17.4918/vial | N | 20 mg |
| METHYLPREDNISOLONE (sodium succinate) 500 mg vial (INJ) | | | N | 20 mg |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | | | WHO EML | DEFINED DAILY DOSE* |
|---|---|---|--|---------|---------------------|
| Buyer | Number of Prices=3 | High/Low Ratio=1.72 | Median Price=9.0363/vial | | |
| PREDNISOLONE 1 mg tab-cap (PO) Buyer | Number of Prices=1 | | Price=0.0960/tab-cap | P | |
| PREDNISOLONE 5 mg tab-cap (PO) Supplier Buyer | Number of Prices=10 Number of Prices=7 | High/Low Ratio=2.91 High/Low Ratio=4.00 | Median Price=0.0083/tab-cap Median Price=0.0099/tab-cap | E | 10 mg |
| PREDNISOLONE 5 mg/5 ml suspen (PO) Buyer | Number of Prices=2 | High/Low Ratio=1.40 | Median Price=0.0398/ml | P | 10 mg |
| PREDNISOLONE ACETATE 25 mg/ml ampoule (INJ) Supplier | Number of Prices=1 | | Price=0.6027/ml | P | 10 mg |
| TAMOXIFEN CITRATE 10 mg tab-cap (PO) Supplier Buyer | Number of Prices=3 Number of Prices=1 | High/Low Ratio=1.60 | Median Price=0.0856/tab-cap Price=0.1449/tab-cap | C | 20 mg |
| TAMOXIFEN CITRATE 20 mg tab-cap (PO) Supplier Buyer | Number of Prices=3 Number of Prices=4 | High/Low Ratio=2.26 High/Low Ratio=35.68 | Median Price=0.1285/tab-cap Median Price=0.1890/tab-cap | C | 20 mg |
| TRIAMCINOLONE ACETONIDE 40 mg/ml vial (INJ) Buyer | Number of Prices=1 | | Price=2.2500/ml | N | 7.5 mg |

8.4. MEDICINES USED IN PALLIATIVE CARE

| | | | | | |
|--|---|---|--|---|--------|
| ACETYLSALICYLIC ACID 100 mg tab-cap (PO) Supplier Buyer | Number of Prices=5 Number of Prices=5 | High/Low Ratio=3.00 High/Low Ratio=6.33 | Median Price=0.0020/tab-cap Median Price=0.0043/tab-cap | E | 3 g |
| ACETYLSALICYLIC ACID 300 mg tab-cap (PO) Supplier Buyer | Number of Prices=9 Number of Prices=5 | High/Low Ratio=2.55 High/Low Ratio=9.72 | Median Price=0.0026/tab-cap Median Price=0.0045/tab-cap | E | 3 g |
| ACETYLSALICYLIC ACID 500 mg tab-cap (PO) Supplier Buyer | Number of Prices=7 Number of Prices=2 | High/Low Ratio=3.11 High/Low Ratio=1.71 | Median Price=0.0041/tab-cap Median Price=0.0042/tab-cap | E | 3 g |
| AMITRIPTYLINE 10 mg tab-cap (PO) Buyer | Number of Prices=2 | High/Low Ratio=2.71 | Median Price=0.0221/tab-cap | P | 75 mg |
| AMITRIPTYLINE 25 mg tab-cap (PO) Supplier Buyer | Number of Prices=9 Number of Prices=10 | High/Low Ratio=8.56 High/Low Ratio=17.75 | Median Price=0.0060/tab-cap Median Price=0.0135/tab-cap | E | 75 mg |
| CARBAMAZEPINE 100 mg/5 ml suspen (PO) Buyer | Number of Prices=3 | High/Low Ratio=3.87 | Median Price=0.0356/ml | E | 1 g |
| CARBAMAZEPINE 200 mg tab-cap (PO) Supplier Buyer | Number of Prices=9 Number of Prices=9 | High/Low Ratio=3.08 High/Low Ratio=12.63 | Median Price=0.0192/tab-cap Median Price=0.0265/tab-cap | E | 1 g |
| CARBAMAZEPINE (sustained-release) 200 mg tab-cap (PO) Buyer | Number of Prices=2 | High/Low Ratio=1.01 | Median Price=0.1653/tab-cap | E | 1 g |
| CARBAMAZEPINE (sustained-release) 400 mg tab-cap (PO) Buyer | Number of Prices=2 | High/Low Ratio=2.79 | Median Price=0.2371/tab-cap | P | 1 g |
| CODEINE (IC) 30 mg tab-cap (PO) Supplier Buyer | Number of Prices=4 Number of Prices=3 | High/Low Ratio=3.59 High/Low Ratio=6.32 | Median Price=0.0696/tab-cap Median Price=0.1822/tab-cap | E | 0.1 g |
| DEXAMETHASONE 0.5 mg tab-cap (PO) Supplier Buyer | Number of Prices=6 Number of Prices=4 | High/Low Ratio=9.63 High/Low Ratio=11.82 | Median Price=0.0049/tab-cap Median Price=0.0295/tab-cap | E | 1.5 mg |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) Supplier Buyer | Number of Prices=8 Number of Prices=6 | High/Low Ratio=3.08 High/Low Ratio=17.76 | Median Price=0.1111/ml Median Price=0.1480/ml | E | 1.5 mg |
| DEXAMETHASONE 5 mg/ml ampoule (INJ) Supplier | Number of Prices=1 | | Price=0.1108/ml | P | 1.5 mg |
| DICLOFENAC 100 mg suppos (RECT) Supplier Buyer | Number of Prices=2 Number of Prices=1 | High/Low Ratio=1.76 | Median Price=0.1036/supp Price=0.1745/supp | N | 0.1 g |
| DICLOFENAC SODIUM 25 mg tab-cap (PO) Supplier Buyer | Number of Prices=5 Number of Prices=3 | High/Low Ratio=1.37 High/Low Ratio=2.35 | Median Price=0.0046/tab-cap Median Price=0.0185/tab-cap | N | 0.1 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* | | |
|---|---|--|---|-------|
| DICLOFENAC SODIUM 25 mg/ml ampoule (INJ) Supplier Number of Prices=10 Buyer Number of Prices=8 | High/Low Ratio=6.21 High/Low Ratio=7.94 | Median Price=0.0397/ml Median Price=0.0255/ml | N | 0.1 g |
| DICLOFENAC SODIUM 50 mg tab-cap (PO) Supplier Number of Prices=7 Buyer Number of Prices=6 | High/Low Ratio=3.64 High/Low Ratio=50.58 | Median Price=0.0056/tab-cap Median Price=0.0040/tab-cap | N | 0.1 g |
| DICLOFENAC SODIUM (sustained-release) 75 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.86 | Median Price=0.0275/tab-cap | N | 0.1 g |
| IBUPROFEN 100 mg/5 ml suspen (PO) Supplier Number of Prices=3 Buyer Number of Prices=7 | High/Low Ratio=7.57 High/Low Ratio=5.52 | Median Price=0.0075/ml Median Price=0.0062/ml | P | 1.2 g |
| IBUPROFEN 200 mg tab-cap (PO) Supplier Number of Prices=10 Buyer Number of Prices=6 | High/Low Ratio=2.61 High/Low Ratio=27.92 | Median Price=0.0056/tab-cap Median Price=0.0073/tab-cap | E | 1.2 g |
| IBUPROFEN 400 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=6 | High/Low Ratio=2.37 High/Low Ratio=11.35 | Median Price=0.0103/tab-cap Median Price=0.0141/tab-cap | E | 1.2 g |
| IBUPROFEN 600 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=8.58 | Median Price=0.0575/tab-cap | E | 1.2 g |
| INDOMETACIN 100 mg suppos (RECT) Buyer Number of Prices=4 | High/Low Ratio=7.07 | Median Price=0.1891/supp | N | 0.1 g |
| INDOMETACIN 25 mg tab-cap (PO) Supplier Number of Prices=9 Buyer Number of Prices=8 | High/Low Ratio=2.26 High/Low Ratio=6.46 | Median Price=0.0043/tab-cap Median Price=0.0110/tab-cap | N | 0.1 g |
| MEFENAMIC ACID 500 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=9.45 | Median Price=0.0280/tab-cap | N | 1 g |
| MELOXICAM 7.5 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=11.38 | Median Price=0.0675/tab-cap Price=0.0357/tab-cap | N | 15 mg |
| MIDAZOLAM 7.5 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.1875/tab-cap | E | 15 mg |
| MORPHINE SULFATE (IC) 10 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.4764/tab-cap | E | 0.1 g |
| MORPHINE SULFATE (IC) 10 mg/ml ampoule (INJ) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=12.48 | Price=0.5795/ml Median Price=0.3564/ml | E | 0.1 g |
| MORPHINE SULFATE (IC) 15 mg/ml ampoule (INJ) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=1.42 | Price=0.5436/ml Median Price=0.3691/ml | P | 0.1 g |
| MORPHINE SULFATE (IC, sustained-release) 30 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=2.26 | Price=0.4516/tab-cap Median Price=0.8336/tab-cap | P | 0.1 g |
| NALOXONE HCL 0.02 mg/ml vial (INJ) Buyer Number of Prices=1 | | Price=0.5655/ml | P | |
| NALOXONE HCL 0.4 mg/ml ampoule (INJ) Supplier Number of Prices=6 Buyer Number of Prices=4 | High/Low Ratio=2.58 High/Low Ratio=1.77 | Median Price=1.1209/ml Median Price=0.7327/ml | E | |
| NAPROXEN 250 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=1.87 | Price=0.0245/tab-cap Median Price=0.0335/tab-cap | E | 0.5 g |
| PARACETAMOL 100 mg suppos (RECT) Supplier Number of Prices=1 | | Price=0.0675/supp | E | 3 g |
| PARACETAMOL 100 mg tab-cap (PO) Supplier Number of Prices=7 Buyer Number of Prices=2 | High/Low Ratio=2.55 High/Low Ratio=1.06 | Median Price=0.0023/tab-cap Median Price=0.0017/tab-cap | E | 3 g |
| PARACETAMOL 100 mg/ml suspen (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.0167/ml Price=0.0231/ml | P | 3 g |
| PARACETAMOL 120 mg/5 ml suspen (PO) Supplier Number of Prices=11 Buyer Number of Prices=6 | High/Low Ratio=13.86 High/Low Ratio=3.19 | Median Price=0.0041/ml Median Price=0.0038/ml | P | 3 g |
| PARACETAMOL 125 mg suppos (RECT) | | | P | 3 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | | WHO EML | DEFINED DAILY DOSE* |
|---|--|---|--|---------------------|
| Supplier Buyer | Number of Prices=6 Number of Prices=5 | High/Low Ratio=3.60 High/Low Ratio=2.76 | Median Price=0.0866/supp Median Price=0.1482/supp | |
| PARACETAMOL 250 mg suppos (RECT) Supplier Buyer | Number of Prices=4 Number of Prices=3 | High/Low Ratio=3.41 High/Low Ratio=5.03 | Median Price=0.1865/supp Median Price=0.3639/supp | P 3 g |
| PARACETAMOL 500 mg suppos (RECT) Buyer | Number of Prices=1 | | Price=0.0120/supp | P 3 g |
| PARACETAMOL 500 mg tab-cap (PO) Supplier Buyer | Number of Prices=10 Number of Prices=10 | High/Low Ratio=3.00 High/Low Ratio=3.20 | Median Price=0.0049/tab-cap Median Price=0.0068/tab-cap | E 3 g |
| PETHIDINE (IC) 50 mg tab-cap (PO) Buyer | Number of Prices=2 | High/Low Ratio=1.39 | Median Price=0.2255/tab-cap | E 0.4 g |
| PETHIDINE HCL (IC) 50 mg/ml ampoule (INJ) Supplier Buyer | Number of Prices=4 Number of Prices=5 | High/Low Ratio=2.25 High/Low Ratio=3.00 | Median Price=0.2986/ml Median Price=0.3291/ml | E 0.4 g |
| PREDNISOLONE 1 mg tab-cap (PO) Buyer | Number of Prices=1 | | Price=0.0960/tab-cap | P |
| PREDNISOLONE 5 mg tab-cap (PO) Supplier Buyer | Number of Prices=10 Number of Prices=7 | High/Low Ratio=2.91 High/Low Ratio=4.00 | Median Price=0.0083/tab-cap Median Price=0.0099/tab-cap | E 10 mg |
| PREDNISOLONE 5 mg/5 ml suspen (PO) Buyer | Number of Prices=2 | High/Low Ratio=1.40 | Median Price=0.0398/ml | P 10 mg |
| PREDNISOLONE ACETATE 25 mg/ml ampoule (INJ) Supplier | Number of Prices=1 | | Price=0.6027/ml | P 10 mg |
| TRAMADOL HYDROCHLORIDE 50 mg tab-cap (PO) Supplier Buyer | Number of Prices=5 Number of Prices=7 | High/Low Ratio=12.37 High/Low Ratio=4.49 | Median Price=0.0707/tab-cap Median Price=0.0528/tab-cap | E 0.3 g |
| TRAMADOL HYDROCHLORIDE 50 mg/ml ampoule (INJ) Supplier Buyer | Number of Prices=7 Number of Prices=6 | High/Low Ratio=6.11 High/Low Ratio=29.48 | Median Price=0.1394/ml Median Price=0.1577/ml | E 0.3 g |

9. ANTIPARKINSONISM MEDICINES

| | | | | |
|---|--|---|--|---------|
| BENZATROPINE MESILATE 1 mg/ml ampoule (INJ) Buyer | Number of Prices=3 | High/Low Ratio=1.20 | Median Price=2.5505/ml | N 2 mg |
| BENZATROPINE MESILATE 2 mg tab-cap (PO) Buyer | Number of Prices=3 | High/Low Ratio=2.12 | Median Price=0.0155/tab-cap | N 2 mg |
| BIPERIDEN 2 mg tab-cap (PO) Supplier Buyer | Number of Prices=2 Number of Prices=3 | High/Low Ratio=1.21 High/Low Ratio=7.43 | Median Price=0.0834/tab-cap Median Price=0.0790/tab-cap | E 10 mg |
| BROMOCRIPTINE MESILATE 2.5 mg tab-cap (PO) Supplier Buyer | Number of Prices=2 Number of Prices=5 | High/Low Ratio=2.28 High/Low Ratio=3.83 | Median Price=0.4314/tab-cap Median Price=0.2047/tab-cap | N 40 mg |
| LEVODOPA+CARBIDOPA 100+10 mg tab-cap (PO) Buyer | Number of Prices=1 | | Price=0.0714/tab-cap | E 0.6 g |
| LEVODOPA+CARBIDOPA 100+25 mg tab-cap (PO) Buyer | Number of Prices=2 | High/Low Ratio=1.76 | Median Price=0.1389/tab-cap | P 0.6 g |
| LEVODOPA+CARBIDOPA 250+25 mg tab-cap (PO) Supplier Buyer | Number of Prices=1 Number of Prices=5 | High/Low Ratio=10.73 | Price=0.1420/tab-cap Median Price=0.1183/tab-cap | E 0.6 g |
| TRIHEXYPHENIDYL (benzhexol) 2 mg tab-cap (PO) Supplier Buyer | Number of Prices=1 Number of Prices=4 | High/Low Ratio=10.06 | Price=0.0143/tab-cap Median Price=0.0301/tab-cap | T 10 mg |
| TRIHEXYPHENIDYL (benzhexol) 5 mg tab-cap (PO) Supplier Buyer | Number of Prices=2 Number of Prices=6 | High/Low Ratio=5.30 High/Low Ratio=71.89 | Median Price=0.0104/tab-cap Median Price=0.0241/tab-cap | T 10 mg |

10.1. ANTI-ANAEMIA MEDICINES

| | | | | |
|--|--------------------|---------------------|---------------------------|---|
| EPOETIN ALPHA 2000 IU vial (INJ) Buyer | Number of Prices=4 | High/Low Ratio=7.87 | Median Price=10.6852/vial | N |
|--|--------------------|---------------------|---------------------------|---|

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|--|---------|---------------------|
| EPOETIN ALPHA 4000 IU vial (INJ) Buyer Number of Prices=2 | N | |
| FERROUS SALT 20 mg/ml suspen (PO) Supplier Number of Prices=1 | P | 0.2 g |
| FERROUS SALT (iron=60-65 mg) 200 mg tab-cap (PO) Supplier Number of Prices=9 Buyer Number of Prices=6 | E | 0.2 g |
| FERROUS SALT+FOLIC ACID (iron=60 mg) 200 mg+0.4mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=2 | E | 0.2 g |
| FERROUS SALT+FOLIC ACID (iron=60 mg) 200+0.25 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=4 | P | 0.2 g |
| FOLIC ACID 1 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=2 | E | 0.4 mg |
| FOLIC ACID 5 mg tab-cap (PO) Supplier Number of Prices=10 Buyer Number of Prices=7 | E | 0.4 mg |
| IRON DEXTRAN 50 mg/ml ampoule (INJ) Supplier Number of Prices=4 Buyer Number of Prices=1 | N | 0.1 g |
| VITAMIN B12 (cyanocobalamin) 1 mg/ml ampoule (INJ) Supplier Number of Prices=4 Buyer Number of Prices=1 | N | 0.02 mg |

10.2. MEDICINES AFFECTING COAGULATION

| | | | | |
|---|--|--|---|--------|
| ACETYLSALICYLIC ACID 100 mg tab-cap (PO) Supplier Number of Prices=5 Buyer Number of Prices=5 | High/Low Ratio=3.00 High/Low Ratio=6.33 | Median Price=0.0020/tab-cap Median Price=0.0043/tab-cap | E | 3 g |
| ACETYLSALICYLIC ACID 75 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=1 | High/Low Ratio=4.25 | Median Price=0.0143/tab-cap Price=0.0123/tab-cap | P | 3 g |
| CLOPIDOGREL BISULFATE 75 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=15.52 | Median Price=0.2177/tab-cap | N | 75 mg |
| DESMOPRESSIN ACETATE 4 mcg/ml vial (INJ) Buyer Number of Prices=1 | | Price=6.0872/ml | N | 0.4 mg |
| ENOXAPARIN 20 mg syringe (INJ) Buyer Number of Prices=2 | High/Low Ratio=1.02 | Median Price=4.3450/syringe | N | 2 tu |
| ENOXAPARIN 40 mg syringe (INJ) Buyer Number of Prices=6 | High/Low Ratio=2.74 | Median Price=4.6517/syringe | N | 2 tu |
| ENOXAPARIN 60 mg syringe (INJ) Buyer Number of Prices=2 | High/Low Ratio=1.02 | Median Price=7.8866/syringe | N | 2 tu |
| HEPARIN 1000 IU/ml ampoule (INJ) Buyer Number of Prices=2 | High/Low Ratio=2.05 | Median Price=0.5822/ml | C | 10 tu |
| HEPARIN 5000 IU/ml ampoule (INJ) Supplier Number of Prices=6 Buyer Number of Prices=5 | High/Low Ratio=2.75 High/Low Ratio=1.54 | Median Price=0.7623/ml Median Price=0.7840/ml | C | 10 tu |
| PROTAMINE SULFATE 10 mg/ml ampoule (INJ) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=2.17 High/Low Ratio=3.38 | Median Price=1.0547/ml Median Price=0.9538/ml | C | |
| TRANEXAMIC ACID 100 mg/ml ampoule (INJ) Buyer Number of Prices=1 | | Price=1.3775/ml | E | 2 g |
| VITAMIN K1 (phytomenadione) 1 mg/0.5 ml ampoule (INJ) Buyer Number of Prices=1 | | Price=6.4800/ml | P | 20 mg |
| VITAMIN K1 (phytomenadione) 1 mg/ml ampoule (INJ) Supplier Number of Prices=3 Buyer Number of Prices=1 | High/Low Ratio=1.70 | Median Price=0.2911/ml Price=2.0614/ml | P | 20 mg |
| VITAMIN K1 (phytomenadione) 10 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.6147/tab-cap | E | 20 mg |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | | WHO EML | DEFINED DAILY DOSE* |
|---|---|--|--|---------------------|
| VITAMIN K1 (phytomenadione) 10 mg/ml ampoule (INJ) | | | E | 20 mg |
| Supplier Number of Prices=8 Buyer Number of Prices=7 | High/Low Ratio=2.10 High/Low Ratio=35.53 | Median Price=0.2993/ml Median Price=0.4800/ml | | |
| WARFARIN SODIUM 1 mg tab-cap (PO) | Buyer Number of Prices=5 | High/Low Ratio=3.50 | Median Price=0.0462/tab-cap | C 7.5 mg |
| WARFARIN SODIUM 2 mg tab-cap (PO) | Buyer Number of Prices=2 | High/Low Ratio=1.11 | Median Price=0.0446/tab-cap | C 7.5 mg |
| WARFARIN SODIUM 3 mg tab-cap (PO) | Buyer Number of Prices=2 | High/Low Ratio=2.71 | Median Price=0.0549/tab-cap | P 7.5 mg |
| WARFARIN SODIUM 5 mg tab-cap (PO) | Supplier Number of Prices=3 Buyer Number of Prices=8 | High/Low Ratio=1.26 High/Low Ratio=3.84 | Median Price=0.0319/tab-cap Median Price=0.0514/tab-cap | C 7.5 mg |

10.3 OTHER MEDICINES FOR HAEMOGLOBINOPATHIES

| | | | | |
|---|--------------------------|---------------------|------------------------------|---|
| DEFEROXAMINE MESILATE 500 mg ampoule (INJ) | Buyer Number of Prices=2 | High/Low Ratio=3.89 | Median Price=25.3945/ampoule | E |
| HYDROXYCARBAMIDE (hydroxyurea) 500 mg tab-cap (PO) | Buyer Number of Prices=5 | High/Low Ratio=6.37 | Median Price=0.1780/tab-cap | C |

11.1 PLASMA SUBSTITUTES

| | | | | |
|--|---|--|--|---|
| DEXTRAN 70 6% IN SOD. CHLORIDE 0.9% solution (IV) | Supplier Number of Prices=3 | High/Low Ratio=1.17 | Median Price=0.0106/ml | E |
| POLYGELINE 3.5% solution (INJ) | Supplier Number of Prices=3 Buyer Number of Prices=4 | High/Low Ratio=1.08 High/Low Ratio=2.09 | Median Price=0.0105/ml Median Price=0.0191/ml | N |

11.2 PLASMA FRACTIONS FOR SPECIFIC USE

| | | | | |
|---|---|---------------------|---|---------|
| ALBUMIN, HUMAN NORMAL 20-25% vial (INJ) | Supplier Number of Prices=1 Buyer Number of Prices=2 | High/Low Ratio=1.85 | Price=0.7500/ml Median Price=0.7131/ml | N |
| ANTIHEMOPHILIC FACTOR (Factor VIII, human) 250 IU vial (INJ) | Buyer Number of Prices=2 | High/Low Ratio=1.17 | Median Price=79.9012/vial | C 500 u |
| ANTIHEMOPHILIC FACTOR (Factor VIII, human) 500 IU vial (INJ) | Buyer Number of Prices=1 | | Price=172.1048/vial | C 500 u |
| FACTOR IX 500 IU vial (INJ) | Buyer Number of Prices=1 | | Price=100.5700/vial | N 350 u |

12.1 ANTIANGINAL MEDICINES

| | | | | |
|---|---|---|--|-----------|
| AMLODIPINE 10 mg tab-cap (PO) | Supplier Number of Prices=1 Buyer Number of Prices=4 | High/Low Ratio=20.77 | Price=0.0175/tab-cap Median Price=0.0102/tab-cap | N 5 mg |
| AMLODIPINE 5 mg tab-cap (PO) | Supplier Number of Prices=4 Buyer Number of Prices=5 | High/Low Ratio=7.73 High/Low Ratio=22.41 | Median Price=0.0360/tab-cap Median Price=0.0091/tab-cap | T 5 mg |
| ATENOLOL 100 mg tab-cap (PO) | Supplier Number of Prices=6 Buyer Number of Prices=5 | High/Low Ratio=3.05 High/Low Ratio=11.00 | Median Price=0.0169/tab-cap Median Price=0.0144/tab-cap | E 75 mg |
| ATENOLOL 50 mg tab-cap (PO) | Supplier Number of Prices=8 Buyer Number of Prices=7 | High/Low Ratio=4.21 High/Low Ratio=5.77 | Median Price=0.0102/tab-cap Median Price=0.0139/tab-cap | E 75 mg |
| CARVEDILOL 12.5 mg tab-cap (PO) | Buyer Number of Prices=3 | High/Low Ratio=3.97 | Median Price=0.1669/tab-cap | T 37.5 mg |
| CARVEDILOL 25 mg tab-cap (PO) | Buyer Number of Prices=2 | High/Low Ratio=4.28 | Median Price=0.2041/tab-cap | T 37.5 mg |
| DILTIAZEM HCL 60 mg tab-cap (PO) | Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=6.68 | Price=0.0210/tab-cap Median Price=0.0817/tab-cap | N 0.24 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|---|---|---------------------|
| GLYCERYL TRINITRATE (nitroglycerin) 0.5 mg tab-cap (SL) Supplier Number of Prices=5 Buyer Number of Prices=2 | High/Low Ratio=3.23 Median Price=0.0675/tab-cap Median Price=0.0519/tab-cap | E 5 mg |
| GLYCERYL TRINITRATE (nitroglycerin) 1 mg/ml ampoule (INJ) Buyer Number of Prices=1 | Price=0.6000/ml | P 5 mg |
| GLYCERYL TRINITRATE (nitroglycerin) 5 mg patch (TOP) Buyer Number of Prices=1 | Price=0.9436/patch | P 5 mg |
| GLYCERYL TRINITRATE (nitroglycerin) 5 mg/ml ampoule (INJ) Buyer Number of Prices=1 | Price=0.7649/ml | P |
| ISOSORBIDE DINITRATE 10 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=5 | High/Low Ratio=4.08 Price=0.0463/tab-cap Median Price=0.0220/tab-cap | P 60 mg |
| ISOSORBIDE DINITRATE 20 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=2.09 Median Price=0.0614/tab-cap | P 60 mg |
| ISOSORBIDE DINITRATE 5 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=2 | High/Low Ratio=2.14 Price=0.0700/tab-cap Median Price=0.0394/tab-cap | E 60 mg |
| ISOSORBIDE MONONITRATE 20 mg tab-cap (PO) Buyer Number of Prices=1 | Price=0.0943/tab-cap | N 40 mg |
| NIFEDIPINE 10 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=5 | High/Low Ratio=7.60 High/Low Ratio=19.62 Median Price=0.0154/tab-cap Median Price=0.0290/tab-cap | E 30 mg |
| PROPRANOLOL HCL 10 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=9.88 Median Price=0.0149/tab-cap | P 0.16 g |
| PROPRANOLOL HCL 40 mg tab-cap (PO) Supplier Number of Prices=7 Buyer Number of Prices=7 | High/Low Ratio=3.38 High/Low Ratio=7.59 Median Price=0.0058/tab-cap Median Price=0.0102/tab-cap | E 0.16 g |
| VERAPAMIL HCL (slow-release) 240 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.06 Median Price=0.0984/tab-cap | P 0.24 g |

12.2. ANTIARRHYTHMIC MEDICINES

| | | |
|---|---|-----------|
| ADENOSINE 3 mg/ml ampoule (INJ) Buyer Number of Prices=3 | High/Low Ratio=1.39 Median Price=1.6078/ml | N 15 mg |
| AMIODARONE 200 mg tab-cap (PO) Buyer Number of Prices=5 | High/Low Ratio=24.56 Median Price=0.1043/tab-cap | C 0.2 g |
| AMIODARONE 50 mg/ml vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=1 | Price=1.0000/ml Price=0.3529/ml | C 0.2 g |
| ATENOLOL 100 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=5 | High/Low Ratio=3.05 High/Low Ratio=11.00 Median Price=0.0169/tab-cap Median Price=0.0144/tab-cap | E 75 mg |
| ATENOLOL 50 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=7 | High/Low Ratio=4.21 High/Low Ratio=5.77 Median Price=0.0102/tab-cap Median Price=0.0139/tab-cap | E 75 mg |
| CARVEDILOL 12.5 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=3.97 Median Price=0.1669/tab-cap | T 37.5 mg |
| CARVEDILOL 25 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=4.28 Median Price=0.2041/tab-cap | T 37.5 mg |
| EPINEPHRINE (adrenaline) 1 mg/ml ampoule (INJ) Supplier Number of Prices=10 Buyer Number of Prices=8 | High/Low Ratio=6.80 High/Low Ratio=8.38 Median Price=0.1707/ml Median Price=0.1662/ml | E 0.5 mg |
| LIDOCAINE HCL 2% vial (INJ) Supplier Number of Prices=9 Buyer Number of Prices=9 | High/Low Ratio=4.96 High/Low Ratio=20.77 Median Price=0.0238/ml Median Price=0.0193/ml | E 3 g |
| PROCAINAMIDE HCL 100 mg/ml vial (INJ) Buyer Number of Prices=1 | Price=0.5954/ml | N 3 g |
| PROPRANOLOL 1 mg/ml ampoule (INJ) Buyer Number of Prices=3 | High/Low Ratio=2.55 Median Price=3.5297/ml | P 0.16 g |
| PROPRANOLOL HCL 10 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=9.88 Median Price=0.0149/tab-cap | P 0.16 g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* | | |
|--|--|--|---|--------|
| PROPRANOLOL HCL 40 mg tab-cap (PO) Supplier Number of Prices=7 Buyer Number of Prices=7 | High/Low Ratio=3.38 High/Low Ratio=7.59 | Median Price=0.0058/tab-cap Median Price=0.0102/tab-cap | E | 0.16 g |
| QUINIDINE SULFATE 200 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=3.13 | Median Price=0.2661/tab-cap | N | 1.2 g |
| VERAPAMIL HCL 2.5 mg/ml vial (INJ) Buyer Number of Prices=2 | High/Low Ratio=1.02 | Median Price=0.4251/ml | E | 0.24 g |
| VERAPAMIL HCL 40 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=4 | High/Low Ratio=2.02 High/Low Ratio=1.59 | Median Price=0.0427/tab-cap Median Price=0.0421/tab-cap | E | 0.24 g |
| VERAPAMIL HCL 80 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=4.45 | Median Price=0.0495/tab-cap | E | 0.24 g |

12.3. ANTIHYPERTENSIVE MEDICINES

| | | | | |
|---|--|--|---|---------|
| ATENOLOL 100 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=5 | High/Low Ratio=3.05 High/Low Ratio=11.00 | Median Price=0.0169/tab-cap Median Price=0.0144/tab-cap | E | 75 mg |
| ATENOLOL 50 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=7 | High/Low Ratio=4.21 High/Low Ratio=5.77 | Median Price=0.0102/tab-cap Median Price=0.0139/tab-cap | E | 75 mg |
| BENDROFLUMETHIAZIDE 5 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=2 | High/Low Ratio=3.11 High/Low Ratio=15.82 | Median Price=0.0074/tab-cap Median Price=0.0093/tab-cap | T | 2.5 mg |
| CAPTOPRIL 12.5 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.04 | Median Price=0.0173/tab-cap | T | 50 mg |
| CAPTOPRIL 25 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=6 | High/Low Ratio=3.73 High/Low Ratio=20.45 | Median Price=0.0145/tab-cap Median Price=0.0167/tab-cap | T | 50 mg |
| CAPTOPRIL 50 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=3 | High/Low Ratio=1.09 High/Low Ratio=51.97 | Median Price=0.0209/tab-cap Median Price=0.0258/tab-cap | T | 50 mg |
| CARVEDILOL 12.5 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=3.97 | Median Price=0.1669/tab-cap | T | 37.5 mg |
| CARVEDILOL 25 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=4.28 | Median Price=0.2041/tab-cap | T | 37.5 mg |
| CARVEDILOL 6.25 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=2.99 | Price=0.0414/tab-cap Median Price=0.2127/tab-cap | N | 37.5 mg |
| DILTIAZEM HCL 60 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=6.68 | Price=0.0210/tab-cap Median Price=0.0817/tab-cap | N | 0.24 g |
| ENALAPRIL 10 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=3.41 | Price=0.0150/tab-cap Median Price=0.0059/tab-cap | P | 10 mg |
| ENALAPRIL 20 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=15.16 | Price=0.0300/tab-cap Median Price=0.0199/tab-cap | P | 10 mg |
| ENALAPRIL 5 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=4 | High/Low Ratio=1.45 High/Low Ratio=6.10 | Median Price=0.0107/tab-cap Median Price=0.0170/tab-cap | P | 10 mg |
| HYDRALAZINE 20 mg/ml ampoule (INJ) Supplier Number of Prices=4 Buyer Number of Prices=3 | High/Low Ratio=12.71 High/Low Ratio=17.73 | Median Price=1.9296/ml Median Price=1.5117/ml | N | 0.1 g |
| HYDRALAZINE 25 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=4 | High/Low Ratio=4.51 High/Low Ratio=1.65 | Median Price=0.0293/tab-cap Median Price=0.0262/tab-cap | N | 0.1 g |
| HYDRALAZINE 50 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=2 | High/Low Ratio=1.83 | Price=0.1400/tab-cap Median Price=0.0368/tab-cap | N | 0.1 g |
| HYDROCHLOROTHIAZIDE 25 mg tab-cap (PO) Supplier Number of Prices=4 | High/Low Ratio=1.86 | Median Price=0.0046/tab-cap | E | 25 mg |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | | | WHO EML | DEFINED DAILY DOSE* |
|--|--------------------|----------------------|-----------------------------|---------|---------------------|
| Buyer | Number of Prices=5 | High/Low Ratio=16.07 | Median Price=0.0132/tab-cap | | |
| HYDROCHLOROTHIAZIDE 50 mg tab-cap (PO) | | | | E | 25 mg |
| Supplier | Number of Prices=7 | High/Low Ratio=2.50 | Median Price=0.0053/tab-cap | | |
| Buyer | Number of Prices=2 | High/Low Ratio=1.08 | Median Price=0.0038/tab-cap | | |
| IRBESARTAN 150 mg tab-cap (PO) | | | | N | 0.15 g |
| Buyer | Number of Prices=2 | High/Low Ratio=15.02 | Median Price=0.2963/tab-cap | | |
| ISRADIPINE 2.5 mg tab-cap (PO) | | | | N | 5 mg |
| Buyer | Number of Prices=1 | | Price=0.3614/tab-cap | | |
| LABETALOL 5 mg/ml ampoule (INJ) | | | | N | 0.6 g |
| Buyer | Number of Prices=2 | High/Low Ratio=1.07 | Median Price=0.0959/ml | | |
| LISINOPRIL 10 mg tab-cap (PO) | | | | T | 10 mg |
| Supplier | Number of Prices=2 | High/Low Ratio=30.02 | Median Price=0.0621/tab-cap | | |
| Buyer | Number of Prices=4 | High/Low Ratio=13.91 | Median Price=0.0438/tab-cap | | |
| LISINOPRIL 20 mg tab-cap (PO) | | | | T | 10 mg |
| Buyer | Number of Prices=3 | High/Low Ratio=5.90 | Median Price=0.0732/tab-cap | | |
| LOSARTAN 50 mg tab-cap (PO) | | | | N | 50 mg |
| Supplier | Number of Prices=1 | | Price=0.0284/tab-cap | | |
| Buyer | Number of Prices=5 | High/Low Ratio=13.30 | Median Price=0.0172/tab-cap | | |
| METHYLDOPA 250 mg tab-cap (PO) | | | | E | 1 g |
| Supplier | Number of Prices=9 | High/Low Ratio=1.65 | Median Price=0.0250/tab-cap | | |
| Buyer | Number of Prices=7 | High/Low Ratio=4.60 | Median Price=0.0502/tab-cap | | |
| METHYLDOPA 500 mg tab-cap (PO) | | | | P | 1 g |
| Buyer | Number of Prices=2 | High/Low Ratio=1.39 | Median Price=0.0898/tab-cap | | |
| MINOXIDIL 10 mg tab-cap (PO) | | | | N | 20 mg |
| Buyer | Number of Prices=2 | High/Low Ratio=1.55 | Median Price=0.6841/tab-cap | | |
| NIFEDIPINE 10 mg tab-cap (PO) | | | | E | 30 mg |
| Supplier | Number of Prices=4 | High/Low Ratio=7.60 | Median Price=0.0154/tab-cap | | |
| Buyer | Number of Prices=5 | High/Low Ratio=19.62 | Median Price=0.0290/tab-cap | | |
| NIFEDIPINE (sustained-release) 20 mg tab-cap (PO) | | | | T | 30 mg |
| Supplier | Number of Prices=7 | High/Low Ratio=9.41 | Median Price=0.0250/tab-cap | | |
| Buyer | Number of Prices=5 | High/Low Ratio=8.85 | Median Price=0.0212/tab-cap | | |
| NIMODIPINE 30 mg tab-cap (PO) | | | | T | 0.3 g |
| Buyer | Number of Prices=1 | | Price=0.2867/tab-cap | | |
| PERINDOPRIL 4 mg tab-cap (PO) | | | | T | 4 mg |
| Buyer | Number of Prices=2 | High/Low Ratio=2.67 | Median Price=0.0855/tab-cap | | |
| PRAZOSIN 1 mg tab-cap (PO) | | | | N | 5 mg |
| Buyer | Number of Prices=1 | | Price=0.0595/tab-cap | | |
| PROPRANOLOL HCL 40 mg tab-cap (PO) | | | | E | 0.16 g |
| Supplier | Number of Prices=7 | High/Low Ratio=3.38 | Median Price=0.0058/tab-cap | | |
| Buyer | Number of Prices=7 | High/Low Ratio=7.59 | Median Price=0.0102/tab-cap | | |
| PROPRANOLOL HCL 80 mg tab-cap (PO) | | | | P | 0.16 g |
| Buyer | Number of Prices=2 | High/Low Ratio=1.79 | Median Price=0.0279/tab-cap | | |
| RESERPINE 0.25 mg tab-cap (PO) | | | | N | 0.5 mg |
| Buyer | Number of Prices=1 | | Price=0.0446/tab-cap | | |
| VERAPAMIL HCL 40 mg tab-cap (PO) | | | | E | 0.24 g |
| Supplier | Number of Prices=3 | High/Low Ratio=2.02 | Median Price=0.0427/tab-cap | | |
| Buyer | Number of Prices=4 | High/Low Ratio=1.59 | Median Price=0.0421/tab-cap | | |

12.4. MEDICINES USED IN HEART FAILURE

| | | | | | |
|---|--------------------|----------------------|-----------------------------|---|---------|
| CAPTOPRIL 12.5 mg tab-cap (PO) | | | | T | 50 mg |
| Buyer | Number of Prices=2 | High/Low Ratio=1.04 | Median Price=0.0173/tab-cap | | |
| CAPTOPRIL 25 mg tab-cap (PO) | | | | T | 50 mg |
| Supplier | Number of Prices=8 | High/Low Ratio=3.73 | Median Price=0.0145/tab-cap | | |
| Buyer | Number of Prices=6 | High/Low Ratio=20.45 | Median Price=0.0167/tab-cap | | |
| CARVEDILOL 12.5 mg tab-cap (PO) | | | | T | 37.5 mg |
| Buyer | Number of Prices=3 | High/Low Ratio=3.97 | Median Price=0.1669/tab-cap | | |
| CARVEDILOL 25 mg tab-cap (PO) | | | | T | 37.5 mg |
| Buyer | Number of Prices=2 | High/Low Ratio=4.28 | Median Price=0.2041/tab-cap | | |
| DIGOXIN 0.05 mg/ml solution (PO) | | | | E | 0.25 mg |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | | WHO EML | DEFINED DAILY DOSE* |
|---|--------------------|----------------------|-----------------------------|---------------------|
| Buyer | Number of Prices=5 | High/Low Ratio=8.13 | Median Price=0.2130/ml | |
| DIGOXIN 0.125 mg tab-cap (PO) | | | | |
| Buyer | Number of Prices=2 | High/Low Ratio=1.01 | Median Price=0.0405/tab-cap | P 0.25 mg |
| DIGOXIN 0.25 mg tab-cap (PO) | | | | |
| Supplier | Number of Prices=7 | High/Low Ratio=12.93 | Median Price=0.0085/tab-cap | E 0.25 mg |
| Buyer | Number of Prices=9 | High/Low Ratio=26.07 | Median Price=0.0172/tab-cap | |
| DIGOXIN 0.25 mg/ml ampoule (INJ) | | | | |
| Supplier | Number of Prices=8 | High/Low Ratio=2.82 | Median Price=0.0711/ml | E 0.25 mg |
| Buyer | Number of Prices=7 | High/Low Ratio=36.08 | Median Price=0.1495/ml | |
| DOBUTAMINE 12.5 mg/ml vial (INJ) | | | | |
| Supplier | Number of Prices=1 | | Price=0.2477/ml | N 0.5 g |
| Buyer | Number of Prices=3 | High/Low Ratio=2.61 | Median Price=0.1650/ml | |
| DOPAMINE HCL 40 mg/ml ampoule (INJ) | | | | |
| Supplier | Number of Prices=5 | High/Low Ratio=2.44 | Median Price=0.0940/ml | C 0.5 g |
| Buyer | Number of Prices=4 | High/Low Ratio=2.49 | Median Price=0.0959/ml | |
| ENALAPRIL 10 mg tab-cap (PO) | | | | |
| Supplier | Number of Prices=1 | | Price=0.0150/tab-cap | P 10 mg |
| Buyer | Number of Prices=3 | High/Low Ratio=3.41 | Median Price=0.0059/tab-cap | |
| ENALAPRIL 20 mg tab-cap (PO) | | | | |
| Supplier | Number of Prices=1 | | Price=0.0300/tab-cap | P 10 mg |
| Buyer | Number of Prices=3 | High/Low Ratio=15.16 | Median Price=0.0199/tab-cap | |
| ENALAPRIL 5 mg tab-cap (PO) | | | | |
| Supplier | Number of Prices=2 | High/Low Ratio=1.45 | Median Price=0.0107/tab-cap | P 10 mg |
| Buyer | Number of Prices=4 | High/Low Ratio=6.10 | Median Price=0.0170/tab-cap | |
| FUROSEMIDE 10 mg/ml ampoule (INJ) | | | | |
| Supplier | Number of Prices=8 | High/Low Ratio=2.65 | Median Price=0.0443/ml | E 40 mg |
| Buyer | Number of Prices=9 | High/Low Ratio=68.17 | Median Price=0.0911/ml | |
| FUROSEMIDE 40 mg tab-cap (PO) | | | | |
| Supplier | Number of Prices=9 | High/Low Ratio=2.75 | Median Price=0.0048/tab-cap | E 40 mg |
| Buyer | Number of Prices=9 | High/Low Ratio=13.22 | Median Price=0.0110/tab-cap | |
| HYDROCHLOROTHIAZIDE 50 mg tab-cap (PO) | | | | |
| Supplier | Number of Prices=7 | High/Low Ratio=2.50 | Median Price=0.0053/tab-cap | E 25 mg |
| Buyer | Number of Prices=2 | High/Low Ratio=1.08 | Median Price=0.0038/tab-cap | |
| NOREpinephrine 1 mg/ml vial (INJ) | | | | |
| Buyer | Number of Prices=1 | | Price=0.6948/ml | N 6 mg |

12.5. ANTITHROMBOTIC MEDICINES

| | | | | |
|---|--------------------|---------------------|-----------------------------|----------|
| ACETYLSALICYLIC ACID 100 mg tab-cap (PO) | | | | |
| Supplier | Number of Prices=5 | High/Low Ratio=3.00 | Median Price=0.0020/tab-cap | E 3 g |
| Buyer | Number of Prices=5 | High/Low Ratio=6.33 | Median Price=0.0043/tab-cap | |
| ACETYLSALICYLIC ACID 75 mg tab-cap (PO) | | | | |
| Supplier | Number of Prices=3 | High/Low Ratio=4.25 | Median Price=0.0143/tab-cap | P 3 g |
| Buyer | Number of Prices=1 | | Price=0.0123/tab-cap | |
| STREPTOKINASE (powder) 1,500,000 IU vial (INJ) | | | | |
| Buyer | Number of Prices=1 | | Price=60.0000/vial | C 1.5 mu |

12.6. LIPID-LOWERING AGENTS

| | | | | |
|--|--------------------|---------------------|-----------------------------|---------|
| ATORVASTATIN 10 mg tab-cap (PO) | | | | |
| Supplier | Number of Prices=1 | | Price=0.0357/tab-cap | N 20 mg |
| Buyer | Number of Prices=3 | High/Low Ratio=3.66 | Median Price=0.0517/tab-cap | |
| ATORVASTATIN 20 mg tab-cap (PO) | | | | |
| Supplier | Number of Prices=2 | High/Low Ratio=4.49 | Median Price=0.1610/tab-cap | T 20 mg |
| Buyer | Number of Prices=4 | High/Low Ratio=4.61 | Median Price=0.0511/tab-cap | |
| FLUVASTATIN 20 mg tab-cap (PO) | | | | |
| Buyer | Number of Prices=1 | | Price=0.6886/tab-cap | T 60 mg |
| SIMVASTATIN 20 mg tab-cap (PO) | | | | |
| Supplier | Number of Prices=1 | | Price=0.0595/tab-cap | T 30 mg |
| Buyer | Number of Prices=4 | High/Low Ratio=5.26 | Median Price=0.0306/tab-cap | |
| SIMVASTATIN 40 mg tab-cap (PO) | | | | |
| Buyer | Number of Prices=1 | | Price=0.0436/tab-cap | E 30 mg |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | WHO EML | DEFINED DAILY DOSE* |
|---|--|--|---------------------|
| 13. DERMATOLOGICAL MEDICINES (TOPICAL) | | | |
| CAMPHOR 10% ointment (TOP) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=1.70 | Median Price=0.0275/g Price=0.0090/g | N |
| CLOBETASOL PROPIONATE 0.05% cream (TOP) Buyer Number of Prices=3 | High/Low Ratio=8.99 | Median Price=0.0361/g | N |
| 13.1. ANTIFUNGAL MEDICINES (DERMATOLOGICAL) | | | |
| BENZOIC & SALICYLIC ACID (whitfield's) 6% + 3% ointment (TOP) Supplier Number of Prices=8 Buyer Number of Prices=1 | High/Low Ratio=4.64 | Median Price=0.0103/g Price=0.0066/g | N |
| CLOTRIMAZOLE 1% cream (TOP) Supplier Number of Prices=9 Buyer Number of Prices=7 | High/Low Ratio=6.23 High/Low Ratio=3.36 | Median Price=0.0145/g Median Price=0.0160/g | E |
| CLOTRIMAZOLE 100 mg pessary (VAG) Supplier Number of Prices=7 Buyer Number of Prices=5 | High/Low Ratio=37.15 High/Low Ratio=13.03 | Median Price=0.0720/pessary Median Price=0.1660/pessary | E 0.1 g |
| KETOCONAZOLE 2% cream (TOP) Supplier Number of Prices=3 Buyer Number of Prices=2 | High/Low Ratio=7.60 High/Low Ratio=5.90 | Median Price=0.0790/g Median Price=0.0345/g | N |
| MICONAZOLE 25 mg/ml oral gel (PO) Buyer Number of Prices=1 | | Price=0.2167/g | P 0.2 g |
| MICONAZOLE NITRATE 2% cream (TOP) Supplier Number of Prices=6 Buyer Number of Prices=2 | High/Low Ratio=3.17 High/Low Ratio=1.29 | Median Price=0.0198/g Median Price=0.0195/g | E |
| NYSTATIN 100,000 IU/g cream (TOP) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.0333/g Price=0.0799/g | P |
| NYSTATIN 100,000 IU/g ointment (TOP) Supplier Number of Prices=7 Buyer Number of Prices=2 | High/Low Ratio=1.77 High/Low Ratio=6.85 | Median Price=0.0333/g Median Price=0.0730/g | P |
| SELENIUM SULPHIDE shampoo (TOP) Buyer Number of Prices=1 | | Price=0.1198/ml | C |
| 13.2. ANTI-INFECTIVE MEDICINES (DERMATOLOGICAL) | | | |
| CHLORHEXIDINE 1% cream (TOP) Supplier Number of Prices=1 | | Price=0.0308/g | P |
| CHLORHEXIDINE 5% cream (TOP) Buyer Number of Prices=1 | | Price=0.0136/ml | P |
| FUSIDIC ACID 2% cream (TOP) Buyer Number of Prices=3 | High/Low Ratio=2.90 | Median Price=0.1253/g | N |
| GENTIAN VIOLET (methylrosanilinium chloride) powder (TOP) Supplier Number of Prices=8 Buyer Number of Prices=2 | High/Low Ratio=2.80 High/Low Ratio=3.39 | Median Price=0.0926/g Median Price=0.2445/g | N |
| MUPIROCIN 2% cream (TOP) Buyer Number of Prices=2 | High/Low Ratio=1.11 | Median Price=0.2715/g | E |
| NEOMYCIN+BACITRACIN 5mg+500IU/g ointment (TOP) Supplier Number of Prices=5 Buyer Number of Prices=1 | High/Low Ratio=1.41 | Median Price=0.0429/g Price=0.0240/g | N |
| NITROFURAZONE 0.2% ointment (TOP) Buyer Number of Prices=1 | | Price=0.0122/g | N |
| POTASSIUM PERMANGANATE powder (TOP) Supplier Number of Prices=1 | | Price=0.0212/g | E |
| SILVER SULFADIAZINE 1% cream (TOP) Supplier Number of Prices=10 Buyer Number of Prices=7 | High/Low Ratio=5.44 High/Low Ratio=3.86 | Median Price=0.0254/g Median Price=0.0180/g | E |
| TETRACYCLINE 3% ointment (TOP) | | | P |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|--|---------|---------------------|
| Supplier Number of Prices=5 High/Low Ratio=2.07 Median Price=0.0290/g | | |
| 13.3. ANTI-INFLAMMATORY AND ANTIPRURITIC MEDICINES | | |
| BETAMETHASONE VALERATE 0.1% cream (TOP) Supplier Number of Prices=10 Buyer Number of Prices=7 High/Low Ratio=5.03 High/Low Ratio=9.01 Median Price=0.0242/g Median Price=0.0366/g | E | |
| BETAMETHASONE VALERATE 0.1% ointment (TOP) Supplier Number of Prices=2 Buyer Number of Prices=3 High/Low Ratio=2.14 High/Low Ratio=1.44 Median Price=0.0192/g Median Price=0.0402/g | E | |
| CALAMINE lotion (TOP) Supplier Number of Prices=9 Buyer Number of Prices=3 High/Low Ratio=5.50 High/Low Ratio=2.05 Median Price=0.0062/ml Median Price=0.0056/ml | E | |
| HYDROCORTISONE 1% cream (TOP) Supplier Number of Prices=6 Buyer Number of Prices=6 High/Low Ratio=4.25 High/Low Ratio=3.10 Median Price=0.0322/g Median Price=0.0310/g | E | |
| HYDROCORTISONE 1% ointment (TOP) Supplier Number of Prices=8 Buyer Number of Prices=4 High/Low Ratio=5.62 High/Low Ratio=2.31 Median Price=0.0387/g Median Price=0.0766/g | E | |
| 13.5. MEDICINES AFFECTING SKIN DIFFERENTIATION AND PROLIFERATION | | |
| BENZOYL PEROXIDE 5% gel (TOP) Buyer Number of Prices=2 High/Low Ratio=5.33 Median Price=0.0544/g | P | |
| ICHTHAMMOL 10% ointment (TOP) Supplier Number of Prices=1 Buyer Number of Prices=1 Price=0.0143/g Price=0.0154/g | N | |
| ICHTHAMMOL 20% ointment (TOP) Supplier Number of Prices=2 High/Low Ratio=1.71 Median Price=0.0345/g | N | |
| PODOPHYLLIN EMODI RESIN solid (N/A) Supplier Number of Prices=1 Price=1250.0000/kg | P | |
| PODOPHYLLUM 25% solution (TOP) Buyer Number of Prices=2 High/Low Ratio=27.70 Median Price=5.1115/ml | E | |
| 13.6. SCABICIDES AND PEDICULICIDES | | |
| BENZYL BENZOATE 25% lotion (TOP) Supplier Number of Prices=9 Buyer Number of Prices=2 High/Low Ratio=4.27 High/Low Ratio=2.16 Median Price=0.0045/ml Median Price=0.0059/ml | E | |
| BENZYL BENZOATE (concentrated) 90% solution (TOP) Supplier Number of Prices=3 High/Low Ratio=1.83 Median Price=0.0138/ml | P | |
| LINDANE (gamma benzene hexachloride) 1% solution (TOP) Supplier Number of Prices=1 Price=0.0087/ml | N | |
| PERMETHRIN 1% lotion (TOP) Supplier Number of Prices=1 Buyer Number of Prices=1 Price=0.0331/ml Price=0.1083/ml | E | |
| PERMETHRIN 2.5% ointment (TOP) Supplier Number of Prices=2 High/Low Ratio=1.66 Median Price=0.0334/g | P | |
| PERMETHRIN (ANTI-SCABIES) 1% ointment (TOP) Buyer Number of Prices=1 Price=0.1250/g | P | |
| 14.1. OPHTHALMIC MEDICINES (DIAGNOSTIC) | | |
| FLUORESCEIN SODIUM opht strp (OPHT) Supplier Number of Prices=2 Buyer Number of Prices=2 High/Low Ratio=1.76 High/Low Ratio=1.25 Median Price=0.0932/each Median Price=0.1571/each | P | |
| TROPICAMIDE 0.5% opht drop (OPHT) Supplier Number of Prices=1 Price=0.7968/ml | E | |
| TROPICAMIDE 1% opht drop (OPHT) Supplier Number of Prices=1 Buyer Number of Prices=2 High/Low Ratio=1.75 Price=0.6423/ml Median Price=0.2672/ml | P | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|--|--|--|
| 14.2. RADIOCONTRAST MEDIA | | |
| AMIDOTRIZOATE 76% ampoule (INJ) Supplier Number of Prices=1 | Price=0.2904/ml | P |
| BARIUM SULFATE powder (PO) Supplier Number of Prices=3 Buyer Number of Prices=2 | High/Low Ratio=2.99 High/Low Ratio=6.07 | Median Price=3.7800/kg Median Price=12.2370/kg |
| 15.1. ANTISEPTICS | | |
| CETRIMIDE+CHLORHEXIDINE GLUCONATE 15%+1.5% solution (TOP) Supplier Number of Prices=10 Buyer Number of Prices=3 | High/Low Ratio=3.70 High/Low Ratio=1.61 | Median Price=0.0044/ml Median Price=0.0042/ml |
| CHLORHEXIDINE GLUCONATE 20% solution (TOP) Supplier Number of Prices=4 Buyer Number of Prices=1 | High/Low Ratio=3.09 | Median Price=0.0101/ml Price=0.0208/ml |
| CHLORHEXIDINE GLUCONATE 5% solution (TOP) Supplier Number of Prices=7 Buyer Number of Prices=3 | High/Low Ratio=2.55 High/Low Ratio=1.54 | Median Price=0.0039/ml Median Price=0.0073/ml |
| CHLORHEXIDINE SURGICAL SCRUB 4% liquid (TOP) Buyer Number of Prices=1 | | Price=0.0047/ml |
| HYDROGEN PEROXIDE 3% solution (TOP) Supplier Number of Prices=1 Buyer Number of Prices=2 | High/Low Ratio=2.54 | Price=0.0023/ml Median Price=0.0023/ml |
| HYDROGEN PEROXIDE 6% solution (TOP) Supplier Number of Prices=3 Buyer Number of Prices=1 | High/Low Ratio=3.83 | Median Price=0.0010/ml Price=0.0038/ml |
| IODINE TOPICAL 2.0-2.5% tincture (TOP) Supplier Number of Prices=1 | | Price=0.0143/ml |
| POVIDONE IODINE 10% ointment (TOP) Buyer Number of Prices=2 | High/Low Ratio=2.83 | Median Price=0.0297/g |
| POVIDONE IODINE 10% solution (TOP) Supplier Number of Prices=10 Buyer Number of Prices=5 | High/Low Ratio=5.52 High/Low Ratio=1.58 | Median Price=0.0065/ml Median Price=0.0061/ml |
| POVIDONE IODINE (Scrub) 7.5% liquid (TOP) Supplier Number of Prices=1 Buyer Number of Prices=2 | High/Low Ratio=1.11 | Price=0.0356/ml Median Price=0.0117/ml |
| 15.2. DISINFECTANTS | | |
| ALCOHOL (ethanol) 95-96% solution (TOP) Buyer Number of Prices=1 | | N |
| | Price=0.0086/ml | |
| ALCOHOL, DENATURED 70% bott (TOP) Supplier Number of Prices=3 Buyer Number of Prices=1 | High/Low Ratio=5.02 | Median Price=0.0074/ml Price=0.0023/ml |
| ALCOHOL, DENATURED 95-96% bott (TOP) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=2.58 | Median Price=0.0142/ml Price=0.0033/ml |
| ALCOHOL, ISOPROPYL 70% solution (TOP) Buyer Number of Prices=2 | High/Low Ratio=1.29 | Median Price=0.0028/ml |
| CHLORAMINE 500 mg tab-cap (TOP) Supplier Number of Prices=3 Buyer Number of Prices=2 | High/Low Ratio=1.50 High/Low Ratio=1.35 | Median Price=0.0167/tab-cap Median Price=0.0148/tab-cap |
| CHLOROXYLENOL 4.8% solution (N/A) Supplier Number of Prices=3 Buyer Number of Prices=1 | High/Low Ratio=8.83 | Median Price=0.0036/ml Price=0.0033/ml |
| GLUTARALDEHYDE 2% solution (TOP) Supplier Number of Prices=5 Buyer Number of Prices=2 | High/Low Ratio=2.14 High/Low Ratio=2.29 | Median Price=0.0020/ml Median Price=0.0046/ml |
| PHENOLIC DISINFECTANT (PRINSYLY) solution Supplier Number of Prices=1 | | N |
| | Price=0.0016/ml | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|--|---|--|
| 16. DIURETICS | | |
| BENDROFLUMETHIAZIDE 2.5 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.72 | Median Price=0.0087/tab-cap |
| BENDROFLUMETHIAZIDE 5 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=2 | High/Low Ratio=3.11 High/Low Ratio=15.82 | Median Price=0.0074/tab-cap Median Price=0.0093/tab-cap |
| CHLORTHALIDONE 50 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0397/tab-cap |
| FUROSEMIDE 10 mg/ml ampoule (INJ) Supplier Number of Prices=8 Buyer Number of Prices=9 | High/Low Ratio=2.65 High/Low Ratio=68.17 | Median Price=0.0443/ml Median Price=0.0911/ml |
| FUROSEMIDE 10 mg/ml solution (PO) Buyer Number of Prices=1 | | Price=0.0919/ml |
| FUROSEMIDE 40 mg tab-cap (PO) Supplier Number of Prices=9 Buyer Number of Prices=9 | High/Low Ratio=2.75 High/Low Ratio=13.22 | Median Price=0.0048/tab-cap Median Price=0.0110/tab-cap |
| HYDROCHLOROTHIAZIDE 25 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=5 | High/Low Ratio=1.86 High/Low Ratio=16.07 | Median Price=0.0046/tab-cap Median Price=0.0132/tab-cap |
| HYDROCHLOROTHIAZIDE 50 mg tab-cap (PO) Supplier Number of Prices=7 Buyer Number of Prices=2 | High/Low Ratio=2.50 High/Low Ratio=1.08 | Median Price=0.0053/tab-cap Median Price=0.0038/tab-cap |
| HYDROCHLOROTHIAZIDE+TRIAMTERENE 25 mg+50 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0163/tab-cap |
| MANNITOL 10% solution (IV) Buyer Number of Prices=2 | High/Low Ratio=1.94 | Median Price=0.0100/ml |
| MANNITOL 20% solution (IV) Supplier Number of Prices=5 Buyer Number of Prices=7 | High/Low Ratio=3.91 High/Low Ratio=7.46 | Median Price=0.0065/ml Median Price=0.0067/ml |
| SPIRONOLACTONE 100 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=1.75 | Median Price=0.1060/tab-cap |
| SPIRONOLACTONE 25 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=8 | High/Low Ratio=4.00 High/Low Ratio=5.27 | Median Price=0.0379/tab-cap Median Price=0.0384/tab-cap |
| SPIRONOLACTONE 50 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.3791/tab-cap |
| 17. GASTROINTESTINAL MEDICINES | | |
| GLYCERIN 1 g suppos (RECT) Supplier Number of Prices=1 | | Price=0.2000/supp |
| GLYCERIN 2 g suppos (RECT) Supplier Number of Prices=1 | | Price=0.2131/supp |
| OCTREOTIDE 0.1 mg/ml ampoule (INJ) Buyer Number of Prices=2 | High/Low Ratio=2.14 | Median Price=14.2268/ml |
| 17.1. ANTIULCER MEDICINES | | |
| ALUMINIUM HYDR.+ MAGNESIUM HYDR. 250+120 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0033/tab-cap |
| ALUMINIUM HYDROXIDE 500 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=1 | High/Low Ratio=1.55 | Median Price=0.0053/tab-cap Price=0.0033/tab-cap |
| ALUMINIUM HYDROXIDE (chewable) 500 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.0138/tab-cap Price=0.0084/tab-cap |
| CIMETIDINE 100 mg/ml vial (INJ) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=1.15 | Median Price=0.1985/ml Price=0.0137/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* | | |
|---|---|--|---|--------|
| CIMETIDINE 200 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=2 | High/Low Ratio=2.54 High/Low Ratio=2.34 | Median Price=0.0089/tab-cap Median Price=0.0084/tab-cap | T | 0.8 g |
| CIMETIDINE 400 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=4 | High/Low Ratio=2.58 High/Low Ratio=12.06 | Median Price=0.0163/tab-cap Median Price=0.0221/tab-cap | T | 0.8 g |
| FAMOTIDINE 20 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=8.88 | Median Price=0.0357/tab-cap | T | 40 mg |
| FAMOTIDINE 40 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=25.67 | Median Price=0.0311/tab-cap | T | 40 mg |
| MAGNESIUM TRISILICATE COMPOUND tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=2 | High/Low Ratio=8.21 High/Low Ratio=9.62 | Median Price=0.0041/tab-cap Median Price=0.0138/tab-cap | T | |
| OMEPRAZOLE 10 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0588/tab-cap | E | 20 mg |
| OMEPRAZOLE 20 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=8 | High/Low Ratio=12.54 High/Low Ratio=7.19 | Median Price=0.0255/tab-cap Median Price=0.0165/tab-cap | E | 20 mg |
| OMEPRAZOLE 40 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.0939/tab-cap Price=0.2336/tab-cap | E | 20 mg |
| RANITIDINE 150 mg tab-cap (PO) Supplier Number of Prices=7 Buyer Number of Prices=8 | High/Low Ratio=3.42 High/Low Ratio=5.64 | Median Price=0.0235/tab-cap Median Price=0.0180/tab-cap | E | 0.3 g |
| RANITIDINE 25 mg/ml ampoule (INJ) Supplier Number of Prices=3 Buyer Number of Prices=4 | High/Low Ratio=1.80 High/Low Ratio=14.62 | Median Price=0.0510/ml Median Price=0.0992/ml | E | 0.3 g |
| RANITIDINE 300 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=5 | High/Low Ratio=3.76 | Price=0.0210/tab-cap Median Price=0.0169/tab-cap | P | 0.3 mg |

17.2. ANTIEMETIC MEDICINES

| | | | | |
|--|--|--|---|--------|
| DEXAMETHASONE 0.5 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=4 | High/Low Ratio=9.63 High/Low Ratio=11.82 | Median Price=0.0049/tab-cap Median Price=0.0295/tab-cap | E | 1.5 mg |
| DEXAMETHASONE 4 mg/ml ampoule (INJ) Supplier Number of Prices=8 Buyer Number of Prices=6 | High/Low Ratio=3.08 High/Low Ratio=17.76 | Median Price=0.1111/ml Median Price=0.1480/ml | E | 1.5 mg |
| DEXAMETHASONE 5 mg/ml ampoule (INJ) Supplier Number of Prices=1 | | Price=0.1108/ml | P | 1.5 mg |
| DIMENHYDRINATE 100 mg suppos (RECT) Buyer Number of Prices=1 | | Price=0.2810/supp | N | |
| DIMENHYDRINATE 50 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=4 | High/Low Ratio=2.74 | Price=0.0200/tab-cap Median Price=0.0110/tab-cap | N | |
| DIMENHYDRINATE 50 mg/ml vial (INJ) Buyer Number of Prices=3 | High/Low Ratio=11.94 | Median Price=0.1969/ml | N | |
| GRANISETRON 1 mg/ml ampoule (INJ) Buyer Number of Prices=2 | High/Low Ratio=1.09 | Median Price=7.0787/ml | N | 3 mg |
| METOCLOPRAMIDE HCL 10 mg tab-cap (PO) Supplier Number of Prices=9 Buyer Number of Prices=8 | High/Low Ratio=13.92 High/Low Ratio=12.19 | Median Price=0.0058/tab-cap Median Price=0.0115/tab-cap | E | 30 mg |
| METOCLOPRAMIDE HCL 4 mg/ml drops (PO) Supplier Number of Prices=1 | | Price=0.0448/ml | P | 30 mg |
| METOCLOPRAMIDE HCL 5 mg/5 ml syrup (PO) Buyer Number of Prices=1 | | Price=0.0150/ml | P | 30 mg |
| METOCLOPRAMIDE HCL 5 mg/ml ampoule (INJ) Supplier Number of Prices=9 Buyer Number of Prices=5 | High/Low Ratio=2.86 High/Low Ratio=8.06 | Median Price=0.0522/ml Median Price=0.0955/ml | E | 30 mg |
| ONDANSETRON 2 mg/ml ampoule (INJ) | | | E | 16 mg |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|---|----------------------|---|
| Supplier Number of Prices=1 Buyer Number of Prices=4 | High/Low Ratio=3.15 | Price=0.7707/ml Median Price=0.0864/ml |
| ONDANSETRON 4 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=2 | High/Low Ratio=1.23 | Price=0.1753/tab-cap Median Price=0.0207/tab-cap |
| ONDANSETRON 8 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=43.70 | Median Price=3.5068/tab-cap |
| TROPISETRON 1 mg/ml ampoule (INJ) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=4.4007/ml |
| | | N 5 mg |

17.3. ANTI-INFLAMMATORY MEDICINES

| | | | |
|---|--|--|-------|
| ANTIHAEMORRHOIDAL ointment (RECT) Supplier Number of Prices=7 Buyer Number of Prices=4 | High/Low Ratio=3.39 High/Low Ratio=4.42 | Median Price=0.0462/g Median Price=0.1190/g | E |
| ANTIHAEMORRHOIDAL suppos (RECT) Supplier Number of Prices=7 Buyer Number of Prices=5 | High/Low Ratio=4.48 High/Low Ratio=2.84 | Median Price=0.1644/supp Median Price=0.4051/supp | E |
| BISMUTH SUBGALLATE suppos (RECT) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.4474/supp | N |
| SULFASALAZINE 500 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=3 | High/Low Ratio=4.22 | Median Price=0.4013/tab-cap | C 2 g |

17.4. LAXATIVES

| | | | |
|--|--|--|---------|
| BISACODYL 10 mg suppos (RECT) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=4.74 | Price=0.2292/supp Median Price=0.1190/supp | N 10 mg |
| BISACODYL 5 mg tab-cap (PO) Supplier Number of Prices=9 Buyer Number of Prices=4 | High/Low Ratio=5.97 High/Low Ratio=7.74 | Median Price=0.0079/tab-cap Median Price=0.0105/tab-cap | N 10 mg |
| LACTULOSE 3.35 g/5 ml solution (PO) Supplier Number of Prices=4 Buyer Number of Prices=4 | High/Low Ratio=1.88 | Median Price=0.0155/ml | N 6.7 g |
| SENNA (sennosides) 7.5 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=1.25 | Median Price=0.0090/tab-cap | E 15 mg |

17.5.1. ORAL REHYDRATION

| | | | |
|--|--|--|---|
| ORAL REHYDRATION SALTS 1 PKT/1 l powder (PO) Supplier Number of Prices=7 Buyer Number of Prices=6 | High/Low Ratio=1.75 High/Low Ratio=2.57 | Median Price=0.1044/packet Median Price=0.1206/packet | E |
| ORAL REHYDRATION SALTS 1 pkt/500 ml powder (PO) Supplier Number of Prices=1 | | Price=0.0394/packet | E |

17.5.2. MEDICINES FOR DIARRHOEA IN CHILDREN

| | | | |
|---|---------------------|-----------------------------|---------|
| ZINC SULFATE (dispersible) 20 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=6 | High/Low Ratio=1.95 | Median Price=0.0377/tab-cap | P 0.6 g |
|---|---------------------|-----------------------------|---------|

18. HORMONES, OTHER ENDOCRINE MEDICINES AND CONTRACEPTIVES

| | | | |
|--|----------------------|-----------------------------|---------|
| ALENDRONATE 10 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.2778/tab-cap | N |
| BICALUTAMIDE 50 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=33.98 | Median Price=3.7498/tab-cap | N 50 mg |
| CYCLEBEADS (TM) (32 beads w/ rubber marker) each (N/A) Supplier Number of Prices=1 | | Price=1.1600/each | N |
| DANAZOL 200 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.9342/tab-cap | N 0.6 g |
| HUMAN MENOPAUSAL GONADOTROPHIN 75 IU vial (INJ) | | | N 30 u |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | | WHO EML | DEFINED DAILY DOSE* |
|---|---|--|---------|---------------------|
| Supplier Number of Prices=1 | | Price=35.0000/vial | | |
| 18.1. ADRENAL HORMONES AND SYNTHETIC SUBSTITUTES | | | | |
| HYDROCORTISONE 10 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=6.82 | Median Price=0.3735/tab-cap | E | 30 mg |
| HYDROCORTISONE 20 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=8.48 | Median Price=0.3642/tab-cap | E | 30 mg |
| 18.3. CONTRACEPTIVES | | | | |
| NORETHISTERONE 0.35 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=4.1169/cycle | P | |
| 18.3.1. ORAL HORMONAL CONTRACEPTIVES | | | | |
| ETHINYLESTRADIOL+DESOGESTREL 0.03+0.15mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.6933/cycle | N | |
| ETHINYLESTRADIOL+LEVONORGESTREL 0.03+0.15 mg tab-cap (PO) Supplier Number of Prices=5 Buyer Number of Prices=1 | High/Low Ratio=3.15 | Median Price=0.4014/cycle Price=0.4006/cycle | E | |
| ETHINYLESTRADIOL+LEVONORGESTREL (30+50mcgx6;40+70x5;30+125x10) 3-phase tab-cap (PO) Buyer Number of Prices=1 | | Price=0.3891/cycle | P | |
| ETHINYLESTRADIOL+NORGESTREL 0.05+0.5 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.42 | Median Price=0.5808/cycle | N | |
| LEVONORGESTREL 0.03 mg tab-cap (PO) Supplier Number of Prices=2 | High/Low Ratio=2.00 | Median Price=0.4500/cycle | E | |
| LEVONORGESTREL 0.75 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=1 | High/Low Ratio=1.91 | Median Price=0.1942/tab-cap Price=2.3085/tab-cap | E | |
| LYNESTRENOL 0.5 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.4130/cycle | N | |
| 18.3.2. INJECTABLE HORMONAL CONTRACEPTIVES | | | | |
| MEDROXYPROGESTERONE ACETATE 150 mg/ml vial (INJ) Supplier Number of Prices=3 Buyer Number of Prices=2 | High/Low Ratio=1.77 High/Low Ratio=10.69 | Median Price=0.8229/ml Median Price=5.6942/ml | E | 1.67 mg |
| NORETHISTERONE 200 mg/ml ampoule (INJ) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=1.3600/ml Price=1.9846/ml | E | |
| NORETHISTERONE+ESTRADIOL CYPIONATE (in oil) 50mg+5mg/ml vial (INJ) Supplier Number of Prices=1 | | Price=0.8500/ml | N | |
| 18.3.3. INTRAUTERINE DEVICES | | | | |
| IUD (COPPER) iud (VAG) Supplier Number of Prices=6 Buyer Number of Prices=2 | High/Low Ratio=7.21 High/Low Ratio=1.01 | Median Price=0.6335/iud Median Price=11.4450/iud | E | |
| 18.3.4. BARRIER METHODS | | | | |
| CONDOM, FEMALE condom (N/A) Supplier Number of Prices=5 | High/Low Ratio=2.20 | Median Price=0.8641/each | P | |
| CONDOMS (LUBRICATED) condom (N/A) Supplier Number of Prices=7 Buyer Number of Prices=3 | High/Low Ratio=2.09 High/Low Ratio=7.12 | Median Price=0.0362/each Median Price=0.1313/each | E | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | WHO EML | DEFINED DAILY DOSE* |
|--|---|---------|---------------------|
| 18.3.5. IMPLANTABLE CONTRACEPTIVES | | | |
| ETONOGESTREL 68 mg/rod rod (SC) Supplier Number of Prices=1 | Price=18.0000/rod | N | 68 mcg |
| LEVONORGESTREL 75 mg/rod rod (SC) Supplier Number of Prices=2 | High/Low Ratio=1.06 Median Price=10.7888/set | E | |
| 18.4. ESTROGENS | | | |
| ESTROGENS, CONJUGATED 0.625 mg tab-cap (PO) Buyer Number of Prices=4 | High/Low Ratio=7.06 Median Price=0.3377/tab-cap | N | 0.625 mg |
| 18.5. INSULINS AND OTHER MEDICINES USED FOR DIABETES | | | |
| CHLORPROPAMIDE 250 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=2 | High/Low Ratio=1.01 Price=0.0196/tab-cap Median Price=0.0292/tab-cap | T | 0.375 g |
| GLIBENCLAMIDE 5 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=9 | High/Low Ratio=5.20 High/Low Ratio=15.18 Median Price=0.0042/tab-cap Median Price=0.0071/tab-cap | E | 10 mg |
| GLICLAZIDE 80 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=3 | High/Low Ratio=2.59 Price=0.0626/tab-cap Median Price=0.0236/tab-cap | N | 0.16 g |
| INSULIN, ISOPHANE (NPH) 100 IU/ml vial (SC) Supplier Number of Prices=3 Buyer Number of Prices=3 | High/Low Ratio=1.81 High/Low Ratio=2.59 Median Price=0.8982/ml Median Price=0.5480/ml | E | 40 iu |
| INSULIN, NEUT. SOL/ISOPHANE 30/70 (human, mixtard) 100 IU/ml vial (SC) Supplier Number of Prices=5 Buyer Number of Prices=1 | High/Low Ratio=3.15 Median Price=0.8982/ml Price=0.5480/ml | P | 40 u |
| INSULIN, NEUTRAL SOLUBLE (REGULAR) 100 IU/ml vial (SC) Supplier Number of Prices=5 Buyer Number of Prices=3 | High/Low Ratio=1.97 High/Low Ratio=2.52 Median Price=0.8982/ml Median Price=0.5480/ml | E | 40 iu |
| INSULIN, ZINC SUSP (LENTE) 100 IU/ml vial (SC) Buyer Number of Prices=1 | Price=0.6643/ml | E | 40 iu |
| METFORMIN HCL 500 mg tab-cap (PO) Supplier Number of Prices=9 Buyer Number of Prices=5 | High/Low Ratio=2.99 High/Low Ratio=1.67 Median Price=0.0179/tab-cap Median Price=0.0280/tab-cap | C | 2 g |
| METFORMIN HCL 850 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=5 | High/Low Ratio=3.75 High/Low Ratio=4.74 Median Price=0.0208/tab-cap Median Price=0.0196/tab-cap | CP | 2 g |
| TOLBUTAMIDE 500 mg tab-cap (PO) Buyer Number of Prices=1 | Price=0.0595/tab-cap | T | 1.5 g |
| 18.6. OVULATION INDUCERS | | | |
| CLOMIFENE 50 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=3 | High/Low Ratio=3.26 High/Low Ratio=4.08 Median Price=0.1869/tab-cap Median Price=0.2646/tab-cap | C | 9 mg |
| HUMAN CHORIONIC GONADOTROPHIN 5000 IU ampoule (INJ) Supplier Number of Prices=1 | Price=10.0000/ampoule | N | 250 u |
| 18.7. PROGESTOGENS | | | |
| DYDROGESTERONE 10 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.3333/tab-cap | N | 10 mg |
| MEDROXYPROGESTERONE 5 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=2 | Price=0.0640/tab-cap Median Price=0.3271/tab-cap | C | 5 mg |
| NORETHISTERONE 5 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=5 | High/Low Ratio=1.60 High/Low Ratio=12.72 Median Price=0.0906/tab-cap Median Price=0.1099/tab-cap | E | 5 mg |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | WHO EML | DEFINED DAILY DOSE* |
|---|---|--|--|
| 18.8. THYROID HORMONES AND ANTITHYROID MEDICINES | | | |
| CALCITONIN (semi-synthetic salmon) 100 IU/ml ampoule (INJ) | Supplier Number of Prices=1 Buyer Number of Prices=1 | Price=1.7000/ml Price=5.4190/ml | N 100 u |
| CARBIMAZOLE 5 mg tab-cap (PO) | Supplier Number of Prices=5 Buyer Number of Prices=6 | High/Low Ratio=5.92 High/Low Ratio=8.06 | N 15 mg |
| LEVOTHYROXINE 0.05 mg tab-cap (PO) | Supplier Number of Prices=3 Buyer Number of Prices=4 | High/Low Ratio=4.68 | E 0.15 mg |
| LEVOTHYROXINE 0.1 mg tab-cap (PO) | Supplier Number of Prices=3 Buyer Number of Prices=6 | High/Low Ratio=3.73 High/Low Ratio=5.04 | E 0.15 mg |
| LEVOTHYROXINE 0.2 mg tab-cap (PO) | Supplier Number of Prices=1 Buyer Number of Prices=1 | | P 0.15 mg |
| PROPYLTIOUROCIL 50 mg tab-cap (PO) | Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=1.34 | C 0.1 g |
| 19.1. DIAGNOSTIC AGENTS | | | |
| TUBERCULIN, MONTOUX (PPD) 20 IU vial (INJ) | Buyer Number of Prices=1 | Price=8.4030/dose | E |
| 19.2. SERA AND IMMUNOGLOBULINS | | | |
| ANTI-D IMMUNOGLOBULIN (Anti-RhO) 300 mcg vial (INJ) | Supplier Number of Prices=1 Buyer Number of Prices=1 | Price=44.0990/ml | P |
| ANTIVENOM SERUM vial (INJ) | Supplier Number of Prices=4 Buyer Number of Prices=4 | High/Low Ratio=4.76 High/Low Ratio=7.35 | E Median Price=152.5197/vial Median Price=182.1049/vial |
| IMMUNOGLOBULIN VARICELLA ZOSTER (human) 125 IU/ml vial (INJ) | Buyer Number of Prices=1 | | N Price=143.6000/vial |
| TETANUS ANTITOXIN 1500 IU ampoule (INJ) | Supplier Number of Prices=4 Buyer Number of Prices=2 | High/Low Ratio=1.39 High/Low Ratio=3.69 | N Median Price=1.1987/ampoule Median Price=4.7101/ampoule |
| 19.3. VACCINES | | | |
| VACCINE, BCG (dried) powder (INJ) | Supplier Number of Prices=1 Buyer Number of Prices=1 | Price=1.1126/dose Price=0.3692/dose | E |
| VACCINE, DIPHTHERIA-TETANUS vial (INJ) | Buyer Number of Prices=2 | High/Low Ratio=84.90 | E Median Price=0.5154/dose |
| VACCINE, DPT+HB+HIB (pentavalent) vial (INJ) | Buyer Number of Prices=1 | | P Price=5.1000/dose |
| VACCINE, HEPATITIS B vial (INJ) | Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=1.65 | E Median Price=4.2761/vial Price=0.5746/vial |
| VACCINE, INFLUENZA 0.25 ml vial (INJ) | Buyer Number of Prices=1 | | E Price=5.8000/vial |
| VACCINE, MEASLES vial (INJ) | Buyer Number of Prices=1 | | E Price=0.5115/dose |
| VACCINE, MEASLES-MUMPS-RUBELLA vial (INJ) | Buyer Number of Prices=1 | | E Price=0.1000/dose |
| VACCINE, PNEUMOCOCCAL vial (INJ) | Buyer Number of Prices=2 | High/Low Ratio=1.20 | E Median Price=22.0418/dose |
| VACCINE, POLIO (ORAL) vial (PO) | Buyer Number of Prices=1 | | E Price=0.4524/dose |
| VACCINE, RABIES vial (INJ) | | | E |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|--|---------------------|---|
| Supplier Number of Prices=3 Buyer Number of Prices=1 | High/Low Ratio=3.67 | Median Price=10.4756/vial Price=17.2200/vial |
| VACCINE, RABIES (DIPLOID CELLS) vial (INJ) Buyer Number of Prices=1 | | Price=14.4509/vial |
| VACCINE, ROTAVIRUS vial (PO) Supplier Number of Prices=1 | | Price=21.2232/dose |
| VACCINE, TETANUS TOXOID vial (INJ) Supplier Number of Prices=3 Buyer Number of Prices=1 | High/Low Ratio=1.93 | Median Price=0.1192/dose Price=0.9819/dose |
| VACCINE, TYPHOID vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=3.9816/dose Price=20.3760/dose |
| VACCINE, YELLOW FEVER vial (INJ) Buyer Number of Prices=2 | High/Low Ratio=1.30 | Median Price=31.9173/dose |
| VACCINE,DIPHTHERIA-PERTUSSIS-TETANUS vial (INJ) Buyer Number of Prices=1 | | Price=1.1299/dose |

20. MUSCLE RELAXANTS (PERIPHERALLY ACTING) AND CHOLINESTERASE INHIBITORS

| | | | |
|---|---|--|----------|
| ATRACURIUM 10 mg/ml ampoule (INJ) Supplier Number of Prices=1 Buyer Number of Prices=4 | High/Low Ratio=2.25 | Price=2.2202/ml Median Price=1.2326/ml | N |
| NEOSTIGMINE METHYLSULFATE 0.5 mg/ml ampoule (INJ) Supplier Number of Prices=5 | High/Low Ratio=20.92 | Median Price=0.2063/ml | E 60 mg |
| NEOSTIGMINE METHYLSULFATE 2.5 mg/ml ampoule (INJ) Supplier Number of Prices=2 Buyer Number of Prices=3 | High/Low Ratio=2.36 High/Low Ratio=19.20 | Median Price=0.3047/ml Median Price=2.2495/ml | E |
| PANCURONIUM BROMIDE 2 mg/ml ampoule (INJ) Supplier Number of Prices=6 Buyer Number of Prices=5 | High/Low Ratio=2.11 High/Low Ratio=16.44 | Median Price=0.5634/ml Median Price=0.4511/ml | N |
| PYRIDOSTIGMINE BROMIDE 60 mg tab-cap (PO) Buyer Number of Prices=6 | High/Low Ratio=73.42 | Median Price=0.4174/tab-cap | C 0.18 g |
| SUXAMETHONIUM CL 20 mg/ml vial (INJ) Buyer Number of Prices=1 | | Price=0.1750/ml | P |
| SUXAMETHONIUM CL (succinylcholine) 50 mg/ml ampoule (INJ) Supplier Number of Prices=6 Buyer Number of Prices=4 | High/Low Ratio=1.95 High/Low Ratio=1.52 | Median Price=0.2416/ml Median Price=0.3589/ml | E |
| VECURONIUM 10 mg vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=5.1429/vial Price=8.3579/vial | E |
| VECURONIUM 4 mg ampoule (INJ) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=1.06 High/Low Ratio=5.21 | Median Price=2.5874/ampoule Median Price=2.9349/ampoule | P |

21.1. OPHTHALMOLOGICAL ANTI-INFECTIVE AGENTS

| | | | |
|--|--|--|---|
| ACICLOVIR 3% opht oint (OPHT) Supplier Number of Prices=5 Buyer Number of Prices=4 | High/Low Ratio=28.83 High/Low Ratio=3.61 | Median Price=0.2109/g Median Price=1.0416/g | N |
| CHLORAMPHENICOL 0.5% opht drop (OPHT) Supplier Number of Prices=7 Buyer Number of Prices=7 | High/Low Ratio=35.68 High/Low Ratio=25.76 | Median Price=0.0600/ml Median Price=0.0782/ml | P |
| CHLORAMPHENICOL 1% opht oint (OPHT) Supplier Number of Prices=8 Buyer Number of Prices=5 | High/Low Ratio=5.64 High/Low Ratio=10.35 | Median Price=0.0537/g Median Price=0.0924/g | P |
| CHLORAMPHENICOL+DEXAMETHASONE 0.5%+0.1% opht drop (OPHT) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.1062/ml Price=0.2414/ml | N |
| CIPROFLOXACIN 3 mg/ml opht drop (OPHT) Supplier Number of Prices=3 Buyer Number of Prices=2 | High/Low Ratio=28.32 High/Low Ratio=2.88 | Median Price=0.1032/ml Median Price=0.1748/ml | P |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* | |
|--|---|--|---|
| GENTAMICIN 0.3% opht oint (OPHT) Supplier Number of Prices=1 Buyer Number of Prices=1 | Price=0.0869/g Price=5.0504/g | P | |
| GENTAMICIN (base) 0.3% opht drop (OPHT) Supplier Number of Prices=10 Buyer Number of Prices=4 | High/Low Ratio=9.33 High/Low Ratio=17.70 | Median Price=0.0439/ml Median Price=0.2480/ml | E |
| OFLOXACIN 0.3% opht drop (OPHT) Buyer Number of Prices=2 | High/Low Ratio=1.71 | Median Price=0.4587/ml | P |
| TETRACYCLINE HCL 1% opht oint (OPHT) Supplier Number of Prices=10 Buyer Number of Prices=4 | High/Low Ratio=3.58 High/Low Ratio=7.35 | Median Price=0.0509/g Median Price=0.0531/g | E |

21.2. OPHTHALMOLOGICAL ANTI-INFLAMMATORY AGENTS

| | | | |
|---|---|--|---|
| BETAMETHASONE (opht/otic) 0.1% opht drop (OPHT) Buyer Number of Prices=2 | High/Low Ratio=1.10 | Median Price=0.1789/ml | P |
| DEXAMETHASONE 0.1% opht drop (OPHT) Supplier Number of Prices=4 Buyer Number of Prices=3 | High/Low Ratio=1.55 High/Low Ratio=37.60 | Median Price=0.1043/ml Median Price=0.3066/ml | P |
| DICLOFENAC SODIUM 0.1% opht drop (OPHT) Buyer Number of Prices=1 | | Price=0.7248/ml | N |
| HYDROCORTISONE 1% opht drop (OPHT) Supplier Number of Prices=2 | High/Low Ratio=1.19 | Median Price=0.1014/ml | P |
| HYDROCORTISONE 1% opht oint (OPHT) Supplier Number of Prices=1 | | Price=0.0797/g | P |
| PREDNISOLONE 1% opht drop (OPHT) Supplier Number of Prices=2 Buyer Number of Prices=4 | High/Low Ratio=2.28 High/Low Ratio=16.44 | Median Price=0.0838/ml Median Price=0.9805/ml | P |

21.3. OPHTHALMOLOGICAL LOCAL ANAESTHETICS

| | | | |
|--|----------------------|------------------------|---|
| OXYBUPROCAINE 0.4% opht drop (OPHT) Buyer Number of Prices=1 | | Price=0.5750/ml | N |
| PROPARACAIN 0.5% opht drop (OPHT) Buyer Number of Prices=1 | | Price=0.3527/ml | T |
| TETRACAINE 0.5% opht drop (OPHT) Supplier Number of Prices=2 | High/Low Ratio=16.24 | Median Price=1.3149/ml | E |

21.4. MIOTICS AND ANTIGLAUCOMA MEDICINES

| | | | | |
|---|---|--|---|--------|
| ACETAZOLAMIDE 250 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=5 | High/Low Ratio=2.23 High/Low Ratio=3.03 | Median Price=0.0252/tab-cap Median Price=0.0360/tab-cap | E | 0.75 g |
| ACETAZOLAMIDE (powder) 500 mg vial (INJ) Buyer Number of Prices=1 | | Price=59.6383/vial | P | 0.75 g |
| DORZOLAMIDE CHLORHYDRATE 2% opht drop (OPHT) Buyer Number of Prices=1 | | Price=3.1754/ml | N | 0.3 ml |
| LATANOPROST 0.005% opht drop (OPHT) Buyer Number of Prices=2 | High/Low Ratio=25.58 | Median Price=3.3690/ml | N | 0.1 ml |
| PILOCARPINE 2% opht drop (OPHT) Supplier Number of Prices=5 Buyer Number of Prices=4 | High/Low Ratio=2.23 High/Low Ratio=3.59 | Median Price=0.4201/ml Median Price=0.2318/ml | E | 0.4 ml |
| PILOCARPINE 4% opht drop (OPHT) Supplier Number of Prices=2 Buyer Number of Prices=3 | High/Low Ratio=20.20 High/Low Ratio=1.86 | Median Price=0.4409/ml Median Price=0.2706/ml | E | 0.4 ml |
| TIMOLOL MALEATE 0.25% opht drop (OPHT) Supplier Number of Prices=4 | High/Low Ratio=2.50 | Median Price=0.3012/ml | E | 0.2 ml |
| TIMOLOL MALEATE 0.5% opht drop (OPHT) Supplier Number of Prices=2 Buyer Number of Prices=4 | High/Low Ratio=2.40 High/Low Ratio=4.58 | Median Price=0.3796/ml Median Price=0.1640/ml | E | 0.2 ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|---|---|--|
| 21.5. MYDRIATICS | | |
| ATROPINE SULFATE 1% ophth drop (OPHT) Supplier Number of Prices=5 Buyer Number of Prices=4 | High/Low Ratio=3.02 High/Low Ratio=2.49 | Median Price=0.2666/ml Median Price=0.2777/ml |
| CYCLOPENTOLATE 1% ophth drop (OPHT) Supplier Number of Prices=1 | | Price=2.6976/ml |
| HOMATROPINE 2% ophth drop (OPHT) Buyer Number of Prices=2 | High/Low Ratio=1.17 | Median Price=0.6026/ml |
| TROPICAMIDE 1% ophth drop (OPHT) Supplier Number of Prices=1 Buyer Number of Prices=2 | High/Low Ratio=1.75 | Price=0.6423/ml Median Price=0.2672/ml |
| 22.1. OXYTOCICS | | |
| ERGOMETRINE MALEATE 0.125 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0531/tab-cap |
| ERGOMETRINE MALEATE 0.2 mg/ml ampoule (INJ) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.1100/ml Price=0.1650/ml |
| ERGOMETRINE MALEATE 0.5 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=1 | High/Low Ratio=2.15 | Median Price=0.0185/tab-cap Price=0.0304/tab-cap |
| ERGOMETRINE MALEATE 0.5 mg/ml ampoule (INJ) Supplier Number of Prices=2 Buyer Number of Prices=3 | High/Low Ratio=1.71 High/Low Ratio=1.30 | Median Price=0.1876/ml Median Price=0.4631/ml |
| ERGOMETRINE+OXYTOCIN 0.5mg+5IU/ml ampoule (INJ) Supplier Number of Prices=1 Buyer Number of Prices=2 | High/Low Ratio=1.09 | Price=0.5000/ml Median Price=1.2479/ml |
| METHYLERGOMETRINE MALEATE 0.2 mg/ml ampoule (INJ) Supplier Number of Prices=7 | High/Low Ratio=3.21 | Median Price=0.1173/ml |
| MISOPROSTOL 100 mcg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.2046/tabcap |
| MISOPROSTOL 200 mcg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=3 | High/Low Ratio=2.88 High/Low Ratio=3.17 | Median Price=0.3939/tabcap Median Price=0.0900/tabcap |
| OXYTOCIN 10 IU ampoule (INJ) Supplier Number of Prices=9 Buyer Number of Prices=5 | High/Low Ratio=3.98 High/Low Ratio=19.81 | Median Price=0.1514/ml Median Price=0.2184/ml |
| OXYTOCIN 5 IU ampoule (INJ) Supplier Number of Prices=3 Buyer Number of Prices=2 | High/Low Ratio=11.16 High/Low Ratio=2.16 | Median Price=0.1050/ml Median Price=0.4082/ml |
| 22.2. ANTIOXYTOCICS (TOCOLYTICS) | | |
| NIFEDIPINE 10 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=5 | High/Low Ratio=7.60 High/Low Ratio=19.62 | Median Price=0.0154/tabcap Median Price=0.0290/tabcap |
| SALBUTAMOL 0.5 mg/ml ampoule (INJ) Supplier Number of Prices=5 | High/Low Ratio=4.72 | Median Price=0.2200/ml |
| SALBUTAMOL 4 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=7 | High/Low Ratio=3.69 High/Low Ratio=8.41 | Median Price=0.0031/tabcap Median Price=0.0037/tabcap |
| 23. PERITONEAL DIALYSIS SOLUTION | | |
| DIALYSIS SOL. PERITONEAL W/ DEXTROSE 1.5% solution (INJ) Buyer Number of Prices=2 | High/Low Ratio=3.13 | Median Price=0.0033/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|---|--|--|
| 24. MEDICINES FOR MENTAL AND BEHAVIORAL DISORDERS | | |
| AMITRIPTYLINE 10 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=2.71 | Median Price=0.0221/tab-cap |
| AMITRIPTYLINE 25 mg tab-cap (PO) Supplier Number of Prices=9 Buyer Number of Prices=10 | High/Low Ratio=8.56 High/Low Ratio=17.75 | Median Price=0.0060/tab-cap Median Price=0.0135/tab-cap |
| DIAZEPAM (IC) 10 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=7.52 | Median Price=0.0115/tab-cap |
| DIAZEPAM (IC) 2 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0178/tab-cap |
| DIAZEPAM (IC) 5 mg tab-cap (PO) Supplier Number of Prices=7 Buyer Number of Prices=7 | High/Low Ratio=7.69 High/Low Ratio=14.50 | Median Price=0.0059/tab-cap Median Price=0.0182/tab-cap |
| FLUPHENAZINE DECANOATE 25 mg/ml ampoule (INJ) Supplier Number of Prices=5 Buyer Number of Prices=4 | High/Low Ratio=4.28 High/Low Ratio=23.25 | Median Price=0.9324/ml Median Price=1.5808/ml |
| HALOPERIDOL 0.5 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0768/tab-cap |
| HALOPERIDOL 1.5-2 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=4 | High/Low Ratio=2.58 | Price=0.0372/tab-cap Median Price=0.0447/tab-cap |
| HALOPERIDOL 5 mg tab-cap (PO) Supplier Number of Prices=7 Buyer Number of Prices=8 | High/Low Ratio=12.00 High/Low Ratio=7.57 | Median Price=0.0059/tab-cap Median Price=0.0142/tab-cap |
| HALOPERIDOL 5 mg/ml ampoule (INJ) Supplier Number of Prices=6 Buyer Number of Prices=5 | High/Low Ratio=12.73 High/Low Ratio=11.75 | Median Price=0.3639/ml Median Price=0.3308/ml |
| IMIPRAMINE HCL 25 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=4 | High/Low Ratio=1.84 High/Low Ratio=16.00 | Median Price=0.0189/tab-cap Median Price=0.0149/tab-cap |
| LITHIUM CARBONATE 300 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=4 | High/Low Ratio=1.51 | Price=0.0697/tab-cap Median Price=0.0448/tab-cap |
| LORAZEPAM 1 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=3.95 | Median Price=0.0458/tab-cap |
| NITRAZEPAM 5 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0357/tab-cap |
| 24.1. MEDICINES USED IN PSYCHOTIC DISORDERS | | |
| CHLORPROMAZINE HCL 100 mg tab-cap (PO) Supplier Number of Prices=9 Buyer Number of Prices=8 | High/Low Ratio=1.96 High/Low Ratio=19.85 | Median Price=0.0148/tab-cap Median Price=0.0243/tab-cap |
| CHLORPROMAZINE HCL 25 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=7 | High/Low Ratio=5.76 High/Low Ratio=12.26 | Median Price=0.0065/tab-cap Median Price=0.0172/tab-cap |
| CHLORPROMAZINE HCL 25 mg/5 ml suspen (PO) Supplier Number of Prices=1 | | Price=0.0261/ml |
| CHLORPROMAZINE HCL 25 mg/ml ampoule (INJ) Supplier Number of Prices=8 Buyer Number of Prices=7 | High/Low Ratio=3.00 High/Low Ratio=3.75 | Median Price=0.0604/ml Median Price=0.0825/ml |
| CHLORPROMAZINE HCL 50 mg tab-cap (PO) Buyer Number of Prices=4 | High/Low Ratio=21.39 | Median Price=0.0373/tab-cap |
| CLOZAPINE 100 mg tab-cap (PO) Buyer Number of Prices=6 | High/Low Ratio=19.30 | Median Price=0.2026/tab-cap |
| CLOZAPINE 25 mg tab-cap (PO) Buyer Number of Prices=5 | High/Low Ratio=13.66 | Median Price=0.1800/tab-cap |
| HALOPERIDOL 10 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.0780/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | | WHO EML | DEFINED DAILY DOSE* |
|--|----------------------|---|---------|---------------------|
| Buyer Number of Prices=3 | High/Low Ratio=3.96 | Median Price=0.0256/tab-cap | | |
| HALOPERIDOL 2 mg/ml syrup (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.1528/ml Price=0.0383/ml | P | 8 mg |
| LEVOMEPROMAZINE 25 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.1041/tab-cap Price=0.0245/tab-cap | N | 0.3 g |
| PROCHLORPERAZINE 12.5 mg/ml ampoule (INJ) Buyer Number of Prices=3 | High/Low Ratio=7.49 | Median Price=1.3895/ml | N | 50 mg |
| PROCHLORPERAZINE 5 mg tab-cap (PO) Buyer Number of Prices=4 | High/Low Ratio=3.05 | Median Price=0.0179/tab-cap | T | 0.1 g |
| RISPERIDONE 1 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=1 | | Price=0.0335/tab-cap Price=0.0620/tab-cap | N | 5 mg |
| RISPERIDONE 2 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=6 | High/Low Ratio=8.33 | Price=0.0714/tab-cap Median Price=0.0339/tab-cap | N | 5 mg |
| THIORIDAZINE 100 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.75 | Median Price=0.1336/tab-cap | T | 0.3 g |
| THIORIDAZINE 25 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.04 | Median Price=0.0564/tab-cap | T | 0.3 g |
| THIORIDAZINE 50 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0875/tab-cap | T | 0.3 g |
| TRIFLUOPERAZINE 5 mg tab-cap (PO) Buyer Number of Prices=5 | High/Low Ratio=18.07 | Median Price=0.0208/tab-cap | T | 20 mg |
| ZUCLOPENTHIXOL 10 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.1347/tab-cap | T | 30 mg |

24.2. MEDICINES USED IN MOOD DISORDERS

| | | | | |
|---|---|--|---|-------|
| CARBAMAZEPINE 200 mg tab-cap (PO) Supplier Number of Prices=9 Buyer Number of Prices=9 | High/Low Ratio=3.08 High/Low Ratio=12.63 | Median Price=0.0192/tab-cap Median Price=0.0265/tab-cap | E | 1 g |
| CARBAMAZEPINE (sustained-release) 200 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.01 | Median Price=0.1653/tab-cap | E | 1 g |
| CARBAMAZEPINE (sustained-release) 400 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=2.79 | Median Price=0.2371/tab-cap | P | 1 g |
| IMIPRAMINE HCL 10 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.81 | Median Price=0.0235/tab-cap | T | 0.1 g |
| METHYLPHENIDATE HYDROCHLORIDE (IC) 10 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=2.33 | Median Price=0.3197/tab-cap | N | 30 mg |
| VALPROIC ACID (slow release) 200 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.1755/tab-cap | P | 1.5 g |

24.2.1. MEDICINES USED IN DEPRESSIVE DISORDERS

| | | | | |
|---|---|--|---|--------|
| AMITRIPTYLINE 50 mg tab-cap (PO) Buyer Number of Prices=3 | High/Low Ratio=9.14 | Median Price=0.0120/tab-cap | P | 75 mg |
| FLUOXETINE 20 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=7 | High/Low Ratio=1.96 High/Low Ratio=15.96 | Median Price=0.0159/tab-cap Median Price=0.0246/tab-cap | E | 20 mg |
| SERTRALINE 50 mg tab-cap (PO) Buyer Number of Prices=4 | High/Low Ratio=4.28 | Median Price=0.0531/tab-cap | N | 50 mg |
| TRIMIPRAMINE MALEATE 25 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=3.85 | Median Price=0.0636/tab-cap | N | 0.15 g |

24.2.2. MEDICINES USED IN BIPOLAR DISORDERS

| | | | |
|--|--|---|-----|
| CARBAMAZEPINE 100 mg tab-cap (PO) | | E | 1 g |
|--|--|---|-----|

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | | | | WHO EML | DEFINED DAILY DOSE* |
|---|--------------------|---------------------|-----------------------------|---------|---------------------|
| Buyer | Number of Prices=1 | | Price=0.0394/tab-cap | | |
| SODIUM VALPROATE 500 mg tab-cap (PO) | | | | E | 1.5 g |
| Supplier | Number of Prices=1 | | Price=0.1434/tab-cap | | |
| Buyer | Number of Prices=2 | High/Low Ratio=4.38 | Median Price=0.1440/tab-cap | | |
| VALPROIC ACID 500 mg tab-cap (PO) | | | | E | 1.5 g |
| Buyer | Number of Prices=1 | | Price=0.3176/tab-cap | | |

24.3. MEDICINES FOR ANXIETY DISORDERS

| | | | | | |
|--|--------------------|----------------------|-----------------------------|---|--------|
| ALPRAZOLAM 0.25 mg tab-cap (PO) | | | | N | 1 mg |
| Buyer | Number of Prices=2 | High/Low Ratio=1.55 | Median Price=0.0304/tab-cap | | |
| ALPRAZOLAM 0.5 mg tab-cap (PO) | | | | T | 1 mg |
| Supplier | Number of Prices=1 | | Price=0.0918/tab-cap | | |
| Buyer | Number of Prices=3 | High/Low Ratio=26.21 | Median Price=0.0131/tab-cap | | |
| CHLORDIAZEPOXIDE HYDROCHLORIDE 10 mg tab-cap (PO) | | | | N | 30 mg |
| Buyer | Number of Prices=1 | | Price=0.0441/tab-cap | | |
| DIAZEPAM (IC) 5 mg/ml ampoule (INJ) | | | | P | 10 mg |
| Supplier | Number of Prices=9 | High/Low Ratio=4.80 | Median Price=0.0776/ml | | |
| Buyer | Number of Prices=7 | High/Low Ratio=4.76 | Median Price=0.0875/ml | | |
| LORAZEPAM 2 mg tab-cap (PO) | | | | P | 2.5 mg |
| Buyer | Number of Prices=1 | | Price=0.0069/tab-cap | | |
| MIDAZOLAM (IC) 1 mg/ml ampoule (INJ) | | | | N | 15 mg |
| Buyer | Number of Prices=2 | High/Low Ratio=14.45 | Median Price=0.3568/ml | | |

24.4. MEDICINES USED FOR OBSESSIVE COMPULSIVE DISORDERS

| | | | | | |
|--|--------------------|---------------------|-----------------------------|---|-------|
| CLOMIPRAMINE 10 mg tab-cap (PO) | | | | E | 0.1 g |
| Buyer | Number of Prices=1 | | Price=0.0322/tab-cap | | |
| CLOMIPRAMINE 25 mg tab-cap (PO) | | | | E | 0.1 g |
| Supplier | Number of Prices=1 | | Price=0.0851/tab-cap | | |
| Buyer | Number of Prices=3 | High/Low Ratio=4.27 | Median Price=0.0636/tab-cap | | |

24.5. MEDICINES FOR DISORDERS DUE TO PSYCHOACTIVE SUBSTANCE USE

| | | | | | |
|---|--------------------|--|----------------------|----|-------|
| METHADONE (IC) 5 mg tab-cap (PO) | | | | CP | 25 mg |
| Buyer | Number of Prices=1 | | Price=0.5014/tab-cap | | |

25. MEDICINES ACTING ON THE RESPIRATORY TRACT

| | | | | | |
|---|--------------------|----------------------|-----------------------------|---|---------|
| AMINOPHYLLINE 100 mg tab-cap (PO) | | | | N | 0.6 g |
| Supplier | Number of Prices=9 | High/Low Ratio=3.54 | Median Price=0.0063/tab-cap | | |
| Buyer | Number of Prices=3 | High/Low Ratio=1.59 | Median Price=0.0048/tab-cap | | |
| AMINOPHYLLINE 25 mg/ml ampoule (INJ) | | | | N | 0.6 g |
| Supplier | Number of Prices=9 | High/Low Ratio=4.33 | Median Price=0.0260/ml | | |
| Buyer | Number of Prices=4 | High/Low Ratio=11.19 | Median Price=0.0344/ml | | |
| COUGH PREPARATION syrup (PO) | | | | N | |
| Supplier | Number of Prices=4 | High/Low Ratio=6.00 | Median Price=0.0031/ml | | |
| Buyer | Number of Prices=2 | High/Low Ratio=1.36 | Median Price=0.0046/ml | | |
| DIPHENHYDRAMINE 25 mg tab-cap (PO) | | | | T | 0.3 g |
| Buyer | Number of Prices=1 | | Price=0.0112/tab-cap | | |
| EPHEDRINE 0.5% nasal (NASA) | | | | P | |
| Buyer | Number of Prices=1 | | Price=0.0242/ml | | |
| EPHEDRINE HCL 30 mg tab-cap (PO) | | | | C | 50 mg |
| Supplier | Number of Prices=1 | | Price=0.0043/tab-cap | | |
| Buyer | Number of Prices=1 | | Price=0.0053/tab-cap | | |
| EPHEDRINE SULFATE 50 mg/ml ampoule (INJ) | | | | P | 50 mg |
| Buyer | Number of Prices=1 | | Price=3.6457/ml | | |
| NOSCAPINE 15 mg tab-cap (PO) | | | | N | 0.125 g |
| Supplier | Number of Prices=1 | | Price=0.0466/tab-cap | | |
| Buyer | Number of Prices=1 | | Price=0.0290/tab-cap | | |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* | |
|---|--|--|-----------|
| THEOPHYLLINE (sustained-release) 200 mg tab-cap (PO) Buyer Number of Prices=1 | Price=0.0200/tab-cap | N 0.4 g | |
| 25.1 ANTIASTHMATIC AND MEDICINES FOR CHRONIC OBSTRUCTIVE PULMONARY DISEASE | | | |
| BECLOMETASONE 100 mcg/dose inhaler (INH) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=6.50 High/Low Ratio=3.78 | Median Price=0.0424/dose Median Price=0.0452/dose | P 0.8 mg |
| BECLOMETASONE 250 mcg/dose inhaler (INH) Buyer Number of Prices=1 | | Price=0.0170/dose | E 0.8 mg |
| BECLOMETASONE 50 mcg nasal (N/T) Buyer Number of Prices=2 | High/Low Ratio=4.04 | Median Price=0.0303/dose | E 0.4 mg |
| BECLOMETASONE 50 mcg/dose inhaler (INH) Supplier Number of Prices=7 Buyer Number of Prices=2 | High/Low Ratio=1.63 High/Low Ratio=2.07 | Median Price=0.0145/dose Median Price=0.0166/dose | E 0.8 mg |
| EPINEPHRINE (adrenaline) 1 mg/ml ampoule (INJ) Supplier Number of Prices=10 Buyer Number of Prices=8 | High/Low Ratio=6.80 High/Low Ratio=8.38 | Median Price=0.1707/ml Median Price=0.1662/ml | E 0.5 mg |
| IPRATROPIUM BROMIDE 20 mcg/dose inhaler (INH) Buyer Number of Prices=2 | High/Low Ratio=3.02 | Median Price=0.0419/dose | E 0.12 mg |
| IPRATROPIUM BROMIDE 250 mcg/ml respisol (INH) Buyer Number of Prices=2 | High/Low Ratio=2.03 | Median Price=0.1493/ml | P 0.12 mg |
| SALBUTAMOL 0.5 mg/ml ampoule (INJ) Supplier Number of Prices=5 | High/Low Ratio=4.72 | Median Price=0.2200/ml | E 12 mg |
| SALBUTAMOL 100 mcg/dose inhaler (INH) Supplier Number of Prices=8 Buyer Number of Prices=5 | High/Low Ratio=1.75 High/Low Ratio=1.63 | Median Price=0.0109/dose Median Price=0.0093/dose | E 0.8 mg |
| SALBUTAMOL 2 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=1 | High/Low Ratio=4.76 | Median Price=0.0029/tab-cap Price=0.0130/tab-cap | E 12 mg |
| SALBUTAMOL 2 mg/5 ml syrup (PO) Supplier Number of Prices=5 Buyer Number of Prices=6 | High/Low Ratio=14.29 High/Low Ratio=15.26 | Median Price=0.0080/ml Median Price=0.0052/ml | E 12 mg |
| SALBUTAMOL 4 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=7 | High/Low Ratio=3.69 High/Low Ratio=8.41 | Median Price=0.0031/tab-cap Median Price=0.0037/tab-cap | E 12 mg |
| SALBUTAMOL 5 mg/ml respisol (INH) Supplier Number of Prices=3 Buyer Number of Prices=5 | High/Low Ratio=5.52 High/Low Ratio=5.05 | Median Price=0.8181/ml Median Price=0.0574/ml | E 10 mg |
| 26.1. ORAL SOLUTIONS CORRECTING WATER, ELECTROLYTE, & ACID-BASE DISTURBANCES | | | |
| ORAL REHYDRATION SALTS 1 PKT/1 l powder (PO) Supplier Number of Prices=7 Buyer Number of Prices=6 | High/Low Ratio=1.75 High/Low Ratio=2.57 | Median Price=0.1044/packet Median Price=0.1206/packet | E |
| POTASSIUM CHLORIDE (KCL, 20 mEq/15 ml) 10% vial (INJ) Supplier Number of Prices=3 | High/Low Ratio=3.22 | Median Price=0.0350/ml | P 3 g |
| 26.2. PARENTERAL SOLUTIONS CORRECTING WATER, ELECTROLYTE, & ACID-BASE DISTURBANCES | | | |
| DEXTROSE 10% IN WATER solution (IV) Supplier Number of Prices=5 Buyer Number of Prices=6 | High/Low Ratio=2.44 High/Low Ratio=2.50 | Median Price=0.0014/ml Median Price=0.0017/ml | E |
| DEXTROSE 2.5% IN SOD. CHLORIDE 0.45% solution (IV) Supplier Number of Prices=2 | High/Low Ratio=1.54 | Median Price=0.0017/ml | P |
| DEXTROSE 4% IN SODIUM CHLORIDE 0.18% solution (IV) Buyer Number of Prices=1 | | Price=0.0010/ml | E |
| DEXTROSE 4.3-5% IN WATER solution (IV) Supplier Number of Prices=2 | High/Low Ratio=1.22 | Median Price=0.0010/ml | E |
| DEXTROSE 5% IN SODIUM CHLORIDE 0.45% solution (INJ) Buyer Number of Prices=4 | High/Low Ratio=2.89 | Median Price=0.0016/ml | P |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* | | |
|---|---|--|---|-----|
| DEXTROSE 5% IN SODIUM CHLORIDE 0.9% solution (IV) Supplier Number of Prices=8 Buyer Number of Prices=4 | High/Low Ratio=3.71 High/Low Ratio=3.50 | Median Price=0.0014/ml Median Price=0.0010/ml | P | |
| DEXTROSE 5% IN WATER solution (INJ) Supplier Number of Prices=13 Buyer Number of Prices=8 | High/Low Ratio=2.33 High/Low Ratio=3.60 | Median Price=0.0009/ml Median Price=0.0010/ml | E | |
| DEXTROSE 50% IN WATER (hypertonic) solution (INJ) Supplier Number of Prices=9 Buyer Number of Prices=7 | High/Low Ratio=6.87 High/Low Ratio=15.00 | Median Price=0.0148/ml Median Price=0.0138/ml | E | |
| POTASSIUM CHLORIDE 15% vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=2 | High/Low Ratio=1.05 | Price=0.0311/ml Median Price=0.0323/ml | P | 3 g |
| SODIUM BICARBONATE 8.4% solution (INJ) Supplier Number of Prices=6 Buyer Number of Prices=6 | High/Low Ratio=2.96 High/Low Ratio=28.78 | Median Price=0.0627/ml Median Price=0.0152/ml | T | |
| SODIUM CHLORIDE IN WATER 0.45% solution (INJ) Buyer Number of Prices=4 | High/Low Ratio=2.40 | Median Price=0.0013/ml | P | |
| SODIUM CHLORIDE IN WATER (normal saline) 0.9% solution (IV) Supplier Number of Prices=15 Buyer Number of Prices=12 | High/Low Ratio=2.83 High/Low Ratio=3.17 | Median Price=0.0009/ml Median Price=0.0010/ml | E | |
| SODIUM LACTATE COMPOUND (Ringer's/Hartmann's sol.) solution (IV) Supplier Number of Prices=16 Buyer Number of Prices=8 | High/Low Ratio=4.17 High/Low Ratio=2.83 | Median Price=0.0010/ml Median Price=0.0010/ml | E | |

26.3. MISCELLANEOUS SOLUTIONS

| | | | |
|--|--|--|---|
| WATER FOR INJECTION 10 ml ampoule (INJ) Supplier Number of Prices=10 Buyer Number of Prices=7 | High/Low Ratio=5.19 High/Low Ratio=3.01 | Median Price=0.0509/ampoule Median Price=0.0470/ampoule | E |
| WATER FOR INJECTION 100 ml vial (INJ) Supplier Number of Prices=1 Buyer Number of Prices=2 | High/Low Ratio=1.06 | Price=0.3219/vial Median Price=0.7213/vial | P |
| WATER FOR INJECTION 1000 ml bott (INJ) Buyer Number of Prices=1 | | Price=0.8144/bott | P |
| WATER FOR INJECTION 5 ml ampoule (INJ) Supplier Number of Prices=7 Buyer Number of Prices=3 | High/Low Ratio=3.79 High/Low Ratio=3.08 | Median Price=0.0600/ampoule Median Price=0.0541/ampoule | E |

27. VITAMINS AND MINERALS

| | | | | |
|--|---|--|---|-------|
| CALCIUM 600 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0213/tab-cap | P | 2 g |
| CALCIUM CHLORIDE 10% vial (INJ) Buyer Number of Prices=1 | | Price=0.0331/ml | N | 0.2 g |
| CALCIUM GLUCONATE 100 mg/ml ampoule (INJ) Supplier Number of Prices=8 Buyer Number of Prices=5 | High/Low Ratio=8.99 High/Low Ratio=13.58 | Median Price=0.0222/ml Median Price=0.0193/ml | E | 3 g |
| CALCIUM LACTATE 250-300 mg tab-cap (PO) Supplier Number of Prices=9 Buyer Number of Prices=2 | High/Low Ratio=8.23 High/Low Ratio=2.13 | Median Price=0.0099/tab-cap Median Price=0.0088/tab-cap | P | 2 g |
| CALCIUM LACTATE 650 mg tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0199/tab-cap | P | 2 g |
| POTASSIUM CHLORIDE 600 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=1.16 | Median Price=0.0421/tab-cap | P | 3 g |
| POTASSIUM CHLORIDE (sustained-release) 600 mg tab-cap (PO) Supplier Number of Prices=5 Buyer Number of Prices=2 | High/Low Ratio=4.93 High/Low Ratio=1.66 | Median Price=0.0385/tab-cap Median Price=0.0400/tab-cap | P | 3 g |
| VITAMIN A (Retinol) 50,000 IU/ml drops (PO) Buyer Number of Prices=1 | | Price=0.0593/ml | P | 50 tu |
| VITAMIN A (Retinol (10,000 IU)) 3 mg tab-cap (PO) Supplier Number of Prices=1 | | Price=0.0114/tab-cap | E | 50 tu |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* | | |
|---|--|--|---|---------|
| VITAMIN A (Retinol (100,000 IU)) 30 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=2 | High/Low Ratio=1.52 High/Low Ratio=2.14 | Median Price=0.0233/tab-cap Median Price=0.0250/tab-cap | E | 50 tu |
| VITAMIN A (Retinol (200,000 IU)) 60 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=2 | High/Low Ratio=1.48 High/Low Ratio=2.65 | Median Price=0.0347/tab-cap Median Price=0.0391/tab-cap | E | 50 tu |
| VITAMIN A (Retinol (25,000 IU)) 7.5 mg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=3.20 | Median Price=0.0758/tab-cap | P | 50 tu |
| VITAMIN A (Retinol (50,000 IU)) 15 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=2 | High/Low Ratio=1.50 High/Low Ratio=4.95 | Median Price=0.0202/tab-cap Median Price=0.0333/tab-cap | E | 50 tu |
| VITAMIN B COMPLEX ampoule (INJ) Supplier Number of Prices=7 Buyer Number of Prices=4 | High/Low Ratio=18.86 High/Low Ratio=12.98 | Median Price=0.1000/ml Median Price=0.0242/ml | N | |
| VITAMIN B COMPLEX syrup (PO) Supplier Number of Prices=3 Buyer Number of Prices=4 | High/Low Ratio=1.30 High/Low Ratio=8.11 | Median Price=0.0052/ml Median Price=0.0067/ml | N | |
| VITAMIN B COMPLEX tab-cap (PO) Supplier Number of Prices=9 Buyer Number of Prices=5 | High/Low Ratio=6.40 High/Low Ratio=22.67 | Median Price=0.0037/tab-cap Median Price=0.0059/tab-cap | N | |
| VITAMIN B1 (thiamine HCl) 100 mg tab-cap (PO) Buyer Number of Prices=4 | High/Low Ratio=5.17 | Median Price=0.0250/tab-cap | P | 50 mg |
| VITAMIN B1 (thiamine HCl) 50 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=1 | High/Low Ratio=1.66 | Median Price=0.0077/tab-cap Price=0.0039/tab-cap | E | 50 mg |
| VITAMIN B12 (cyanocobalamin) 1 mg/ml ampoule (INJ) Supplier Number of Prices=4 Buyer Number of Prices=1 | High/Low Ratio=2.39 | Median Price=0.0994/ml Price=0.6000/ml | N | 0.02 mg |
| VITAMIN B6 (pyridoxine) 25 mg tab-cap (PO) Supplier Number of Prices=1 Buyer Number of Prices=2 | High/Low Ratio=2.09 | Price=0.0021/tab-cap Median Price=0.0034/tab-cap | E | 0.16 g |
| VITAMIN B6 (pyridoxine) 50 mg tab-cap (PO) Supplier Number of Prices=6 Buyer Number of Prices=2 | High/Low Ratio=3.05 High/Low Ratio=1.08 | Median Price=0.0067/tab-cap Median Price=0.0186/tab-cap | P | 0.16 g |
| VITAMIN B6 (pyridoxine) 50 mg/ml ampoule (INJ) Supplier Number of Prices=1 | | Price=0.1375/ml | P | 0.16 g |
| VITAMIN C (ascorbic acid) 100 mg tab-cap (PO) Supplier Number of Prices=2 Buyer Number of Prices=2 | High/Low Ratio=1.21 High/Low Ratio=1.14 | Median Price=0.0053/tab-cap Median Price=0.0062/tab-cap | P | 0.2 g |
| VITAMIN C (ascorbic acid) 250 mg tab-cap (PO) Supplier Number of Prices=7 Buyer Number of Prices=1 | High/Low Ratio=1.93 | Median Price=0.0115/tab-cap Price=0.0396/tab-cap | P | 0.2 g |
| VITAMIN C (ascorbic acid) 500 mg tab-cap (PO) Buyer Number of Prices=4 | High/Low Ratio=3.35 | Median Price=0.0194/tab-cap | P | 0.2 g |
| VITAMIN D (alfacalcidol) 0.25 mcg tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=2.96 | Median Price=0.1405/tab-cap | T | 1 mcg |
| VITAMIN, MULTI syrup (PO) Supplier Number of Prices=7 Buyer Number of Prices=5 | High/Low Ratio=17.00 High/Low Ratio=50.53 | Median Price=0.0047/ml Median Price=0.0043/ml | N | |
| VITAMIN, MULTI tab-cap (PO) Supplier Number of Prices=10 Buyer Number of Prices=4 | High/Low Ratio=3.27 High/Low Ratio=6.50 | Median Price=0.0048/tab-cap Median Price=0.0060/tab-cap | N | |
| VITAMIN, MULTI + IRON tab-cap (PO) Buyer Number of Prices=1 | | Price=0.0547/tab-cap | N | |
| VITAMIN, MULTI + MINERALS tab-cap (PO) Buyer Number of Prices=2 | High/Low Ratio=3.28 | Median Price=0.0514/tab-cap | N | |

UA ITEMS UNCLASSIFIED ON WHO ESSENTIAL MEDICINES LIST

| | | |
|--|-------------------|---|
| AMOXYCILLIN 10 mcg disc (DIAG) Supplier Number of Prices=1 | Price=0.0540/each | N |
|--|-------------------|---|

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|--|--|---------------------|
| AMPICILLIN 10 mcg disc (N/A) Supplier Number of Prices=2 Buyer Number of Prices=3 | High/Low Ratio=1.09 Median Price=0.0523/each | N |
| BACLOFEN 10 mg tab-cap (PO) Supplier Number of Prices=3 Buyer Number of Prices=2 | High/Low Ratio=3.70 Median Price=0.0904/tab-cap | N 50 mg |
| BALANCED SALT SOLUTION opht (OPHT) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=3.48 Median Price=0.5162/ml Price=0.0815/ml | N |
| BALANCED SALT SOLUTION solution (TOP) Supplier Number of Prices=1 | Median Price=0.0815/ml | N |
| CEFTAZIDIME 30 mcg disc (DIAG) Supplier Number of Prices=1 | Price=0.0500/each | N |
| CEFTRIAXONE 30 mcg disc (DIAG) Supplier Number of Prices=1 | Price=0.0500/each | N |
| CETIRIZINE 10 mg tab-cap (PO) Supplier Number of Prices=4 Buyer Number of Prices=3 | High/Low Ratio=2.82 Median Price=0.0152/tab-cap High/Low Ratio=1.73 Median Price=0.0218/tab-cap | N 10 mg |
| CETIRIZINE 5 mg/5 ml syrup (PO) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=1.21 Median Price=0.0058/ml Price=0.0099/ml | N 10 mg |
| CHLORAMPHENICOL 10 mcg disc (DIAG) Supplier Number of Prices=1 | Price=0.0421/each | N |
| CHLORAMPHENICOL 30 mcg disc (DIAG) Supplier Number of Prices=1 | Price=0.0500/each | N |
| CIPROFLOXACIN 1 mcg disc (DIAG) Supplier Number of Prices=1 | Price=0.0503/each | N |
| CIPROFLOXACIN 5 mcg disc (DIAG) Supplier Number of Prices=1 | Price=0.0484/each | N |
| CLOxacillin 5 mcg disc (DIAG) Supplier Number of Prices=1 | Price=0.0562/each | N |
| DETERMINE CHASE BUFFER vial (N/A) Supplier Number of Prices=2 | High/Low Ratio=1.08 Median Price=3.7413/ml | N |
| ERYTHROMYCIN 15 mcg disc (DIAG) Supplier Number of Prices=1 | Price=0.0500/each | N |
| ERYTHROMYCIN 5 mcg disc (DIAG) Supplier Number of Prices=1 | Price=0.0422/each | N |
| FILGRASTIM 300 mcg/ml ampoule (INJ) Buyer Number of Prices=1 | Price=33.6913/ml | N 0.35 mg |
| FORMALDEHYDE 40% liquid (N/A) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=4.63 Median Price=0.0045/ml Price=0.0119/ml | N |
| GENTAMICIN 100 mcg disc (DIAG) Supplier Number of Prices=1 | Price=0.0445/each | N |
| HYOSCINE BUTYLBROMIDE 10 mg tab-cap (PO) Supplier Number of Prices=8 Buyer Number of Prices=8 | High/Low Ratio=2.00 Median Price=0.0287/tab-cap High/Low Ratio=2.35 Median Price=0.0336/tab-cap | N 60 mg |
| HYOSCINE BUTYLBROMIDE 10 mg/ml ampoule (INJ) Supplier Number of Prices=2 Buyer Number of Prices=1 | High/Low Ratio=1.43 Median Price=0.1294/ml Price=0.0792/ml | N 60 mg |
| HYOSCINE BUTYLBROMIDE 20 mg tab-cap (PO) Supplier Number of Prices=1 | Price=0.0549/tab-cap | N 60 mg |
| HYOSCINE BUTYLBROMIDE 20 mg/ml ampoule (INJ) Supplier Number of Prices=7 Buyer Number of Prices=4 | High/Low Ratio=18.67 Median Price=0.1450/ml High/Low Ratio=2.37 Median Price=0.2679/ml | N 60 mg |
| HYPROMELLOSE 0.3% opht drop (OPHT) Buyer Number of Prices=1 | Price=0.1534/ml | N |
| LUBRICATING JELLY ointment (TOP) Supplier Number of Prices=7 Buyer Number of Prices=5 | High/Low Ratio=3.78 Median Price=0.0380/g High/Low Ratio=4.09 Median Price=0.0213/g | N |
| MOSQUITO NET, 2-PERSON, IMPREGNATED (130 x 180 x 150 cm) net (N/A) Supplier Number of Prices=1 | Price=4.8360/each | N |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|---|--|---------------------|
| MOSQUITO NET, 2-PERSON, LLIN (130 x 180 x 150 cm) net (N/A) Supplier Number of Prices=2 High/Low Ratio=1.05 | Median Price=5.8673/each | N |
| MOSQUITO NET, FAMILY, IMPREGNATED (190 x 180 x 150 cm) net (N/A) Supplier Number of Prices=2 High/Low Ratio=1.02 | Median Price=5.2965/each | N |
| MOSQUITO NET, FAMILY, LLIN (190 x 180 x 150 cm) net (N/A) Supplier Number of Prices=2 High/Low Ratio=1.10 Buyer Number of Prices=1 | Median Price=6.9176/each Price=3.8400/each | N |
| MOSQUITO NET, IMPREGNATED (100 x 180 x 150 cm) net (N/A) Supplier Number of Prices=1 | Price=4.4850/each | N |
| MOSQUITO NET, IMPREGNATED (160 x 180 x 150 cm) net (N/A) Supplier Number of Prices=1 | Price=5.0700/each | N |
| MOSQUITO NET, LLI (1250 x 250 x 65 cm) net (N/A) Buyer Number of Prices=1 | Price=5.4100/each | N |
| MOSQUITO NET, LLIN (160 x 180 x 150 cm) net (N/A) Supplier Number of Prices=2 High/Low Ratio=1.03 | Median Price=6.4830/each | N |
| NALIDIXIC ACID 30 mcg disc (PO) Supplier Number of Prices=1 | Price=0.0478/each | N |
| NITROFURANTOIN 300 mcg disc (DIAG) Supplier Number of Prices=1 | Price=0.0500/each | N |
| NITROFURANTOIN 50 mcg disc (DIAG) Supplier Number of Prices=1 | Price=0.0562/each | N |
| OXACILLIN 1 mcg disc (N/A) Supplier Number of Prices=2 High/Low Ratio=1.19 Buyer Number of Prices=1 | Median Price=0.0461/each Price=0.2128/each | N |
| PAPAVERINE 40 mg tab-cap (PO) Buyer Number of Prices=1 | Price=0.3310/tab-cap | N |
| PARAFFIN, LIQUID (mineral oil) liquid (TOP) Supplier Number of Prices=2 High/Low Ratio=3.59 Buyer Number of Prices=3 High/Low Ratio=3.88 | Median Price=0.0067/ml Median Price=0.0126/ml | N |
| PARAFFIN, WHITE SOFT ointment (TOP) Supplier Number of Prices=2 High/Low Ratio=1.11 Buyer Number of Prices=2 High/Low Ratio=1.05 | Median Price=0.0099/g Median Price=0.0086/g | N |
| PENICILLIN 2 IU disc (N/A) Supplier Number of Prices=1 | Price=0.0562/each | N |
| PENICILLIN G 10 units disc (N/A) Supplier Number of Prices=2 High/Low Ratio=1.13 | Median Price=0.0471/each | N |
| PROPANTHELINE BROMIDE 15 mg tab-cap (PO) Buyer Number of Prices=2 High/Low Ratio=3.35 | Median Price=0.5915/tab-cap | N 60 mg |
| SODIUM DICHLOROISOCYANURATE (NaDCC) 1.67 g tab-cap (N/A) Supplier Number of Prices=4 High/Low Ratio=1.97 | Median Price=0.0594/tab-cap | N |
| SODIUM DICHLOROISOCYANURATE (NaDCC) 8.5 mg tab-cap (N/A) Supplier Number of Prices=4 High/Low Ratio=4.55 | Median Price=0.0278/tab-cap | N |
| SULFAMETHOXAZOLE+TRIMETHOPRIM (co-trimoxazole) 25 mcg disc (DIAG) Supplier Number of Prices=1 | Price=0.0421/each | N |
| TEST, BLOODGROUP ANTI-A, MONOCLONAL test (DIAG) Supplier Number of Prices=1 | Price=0.3035/ml | N |
| TEST, BLOODGROUP ANTI-A/B, MONOCLONAL test (DIAG) Supplier Number of Prices=1 | Price=0.4139/ml | N |
| TEST, BLOODGROUP, ANTI-B, MONOCLONAL test (DIAG) Supplier Number of Prices=1 | Price=0.3081/ml | N |
| TEST, BLOODGROUP, ANTI-D, MONOCLONAL test (DIAG) Supplier Number of Prices=1 | Price=0.5323/ml | N |
| TEST, BRUCELLA MELITENSIS ANTIGEN (rapid) test (DIAG) Supplier Number of Prices=1 | Price=48.1895/test | N |
| TEST, CHLAMYDIA (rapid test) test (N/A) Supplier Number of Prices=2 High/Low Ratio=3.04 | Median Price=2.0210/each | N |
| TEST, HEPATITIS B HBSAG ELISA (version 3) test (DIAG) Supplier Number of Prices=1 | Price=2.2179/test | N |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* | |
|--|----------------------|---|---|
| TEST, HEPATITIS BSAG test (N/A) Supplier Number of Prices=7 Buyer Number of Prices=1 | High/Low Ratio=6.21 | Median Price=0.7102/test Price=0.2541/test | N |
| TEST, HEPATITIS C ELISA test (DIAG) Supplier Number of Prices=1 | | Price=3.6363/test | N |
| TEST, HEPATITIS C, HCVSCAN (TM) (Rapid test) test (N/A) Supplier Number of Prices=2 | High/Low Ratio=4.45 | Median Price=2.6743/test | N |
| TEST, HEPATITIS C, HEXAGON HCV (TM) (rapid test) test (N/A) Buyer Number of Prices=1 | | Price=2.0618/test | N |
| TEST, HIV 1 NEW LAV BLOT (TM) test (N/A) Supplier Number of Prices=1 | | Price=29.7667/test | N |
| TEST, HIV 1&2 BIONOR (TM) test (N/A) Supplier Number of Prices=1 | | Price=1.3786/test | N |
| TEST, HIV 1&2 FIRST RESPONSE (TM) test (N/A) Supplier Number of Prices=1 | | Price=0.7875/test | N |
| TEST, HIV 1&2 GENIE (TM) test (N/A) Supplier Number of Prices=1 | | Price=4.5000/test | N |
| TEST, HIV 1&2 ORAQUICK (TM) test (N/A) Supplier Number of Prices=3 | High/Low Ratio=26.87 | Median Price=3.2700/test | N |
| TEST, HIV 1+2 ANTIBODY DIAGNOS. KIT (colloidal gold) test (N/A) Supplier Number of Prices=1 | | Price=0.9503/test | N |
| TEST, HIV 1+2 COLLOIDAL GOLD test (DIAG) Supplier Number of Prices=1 | | Price=0.5040/test | N |
| TEST, HIV 1+2 IMMUNOCOMB II BI-SPOT ((TM)) test (N/A) Supplier Number of Prices=1 | | Price=2.9175/test | N |
| TEST, HIV 1+2 RETROCHECK (TM) test (N/A) Supplier Number of Prices=1 | | Price=0.9793/test | N |
| TEST, HIV 1+2 SD BIOLINE 3.0 (TM) test (N/A) Supplier Number of Prices=2 | High/Low Ratio=1.43 | Median Price=0.9982/test | N |
| TEST, HIV 1+2 STAT PAK (TM) test (N/A) Supplier Number of Prices=3 | High/Low Ratio=2.56 | Median Price=1.5800/test | N |
| TEST, HIV 1+2 WESTERN BLOT 2.2 MPD (confirmation) test (DIAG) Supplier Number of Prices=1 | | Price=28.3997/test | N |
| TEST, HIV 1+2+O AG/AB MUREX (TM) test (N/A) Supplier Number of Prices=1 | | Price=3.0960/test | N |
| TEST, HIV 1+2+O ANTIBODIES ELISA test (N/A) Supplier Number of Prices=1 | | Price=1.9656/test | N |
| TEST, HIV 1+2+O ENZYGNOST (TM) test (N/A) Supplier Number of Prices=1 | | Price=2.3892/test | N |
| TEST, HIV 1+2+O FIRST RESPONSE CARD ((TM)) test (N/A) Supplier Number of Prices=1 | | Price=0.8016/test | N |
| TEST, HIV 1+2+O GENSCREEN + AG/AB ((TM)) test (N/A) Supplier Number of Prices=2 | High/Low Ratio=2.99 | Median Price=2.1459/test | N |
| TEST, HIV 1+2, DOUBLECHECK GOLD (TM) test (N/A) Supplier Number of Prices=2 | High/Low Ratio=1.40 | Median Price=1.7478/test | N |
| TEST, HIV 1+2, DOUBLECHECK, RAPID ((TM)) test (N/A) Supplier Number of Prices=1 | | Price=1.9007/test | N |
| TEST, HIV 1+2, INTEC test (N/A) Supplier Number of Prices=1 | | Price=0.8460/test | N |
| TEST, HIV 2 NEW LAV BLOT (TM) test (N/A) Supplier Number of Prices=1 | | Price=29.7667/test | N |
| TEST, HIV, CAPILLUS HIV-1/2 (TM) test (N/A) Buyer Number of Prices=1 | | Price=0.9240/test | N |
| TEST, HIV, DETERMINE HIV-1/2 (TM) test (N/A) Supplier Number of Prices=9 Buyer Number of Prices=1 | High/Low Ratio=1.91 | Median Price=1.0749/test Price=0.8904/test | N |
| TEST, HIV, UNIGOLD I/II (TM) test (N/A) Supplier Number of Prices=6 | High/Low Ratio=2.04 | Median Price=2.4591/test | N |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List II: Products Sorted by Therapeutic Category

| ITEM DESCRIPTION | WHO EML | DEFINED DAILY DOSE* |
|--|--|---------------------|
| Buyer Number of Prices=1 | Price=4.0848/test | |
| TEST, HIV, VIRONOSTIKA UNI-FORM II (Ag/Ab (TM)) test (N/A) Supplier Number of Prices=1 | Price=3.1846/test | N |
| TEST, MALARIA P. FALCIPARUM+P. PAN (Parascreen, rapid) test (N/A) Supplier Number of Prices=2 High/Low Ratio=1.36 | Median Price=1.0547/test | N |
| TEST, MALARIA P.FALCIPARUM,PARACHECK test (N/A) Supplier Number of Prices=4 High/Low Ratio=1.57 | Median Price=0.6903/test | N |
| TEST, MALARIA SD-BIOLINE test (DIAG) Supplier Number of Prices=3 High/Low Ratio=1.51 | Median Price=0.8400/test | N |
| TEST, MALARIA, INTEC test (N/A) Supplier Number of Prices=1 | Price=0.8373/test | N |
| TEST, MALARIA, P.FALCIPARUM, P.VIVAX test (N/A) Supplier Number of Prices=1 | Price=0.8113/test | N |
| TEST, MALARIA, PARAMAX 3, RAPID (TM) (P.Falciparum+P.Vivax+P.Pan) test (N/A) Supplier Number of Prices=1 | Price=1.8254/test | N |
| TEST, PREGNANCY test (N/A) Supplier Number of Prices=7 High/Low Ratio=3.60 Buyer Number of Prices=3 High/Low Ratio=1.99 | Median Price=0.1200/test Median Price=0.1144/test | N |
| TEST, RUBELLA VIRUS IGG/IGM (rapid) test (DIAG) Supplier Number of Prices=1 | Price=3.2674/test | N |
| TEST, SALMONELLA TYPHI IGG/IGM (rapid) test (DIAG) Supplier Number of Prices=1 | Price=2.2210/test | N |
| TEST, SYPHILIS DETERMINE (TM) test (N/A) Supplier Number of Prices=3 High/Low Ratio=1.08 | Median Price=1.6675/test | N |
| TEST, SYPHILIS RPR (TM) test (N/A) Supplier Number of Prices=6 High/Low Ratio=3.90 | Median Price=0.1055/test | N |
| TEST, SYPHILIS SD BIOLINE 3.0 (TM) (rapid test) test (N/A) Supplier Number of Prices=1 | Price=0.8427/test | N |
| TEST, SYPHILIS TPHA, BSM test (DIAG) Supplier Number of Prices=1 | Price=0.7470/test | N |
| TEST, TOXOPLASMA GONDII IGG, ELISA test (DIAG) Buyer Number of Prices=1 | Price=1.0015/test | N |
| TETRACYCLINE 10 mcg disc (DIAG) Supplier Number of Prices=1 | Price=0.0562/each | N |
| UROGRAPHIN 76% solution (INJ) Buyer Number of Prices=2 High/Low Ratio=1.57 | Median Price=0.6609/ml | N |
| VANCOMYCIN 30 mcg disc (DIAG) Supplier Number of Prices=1 | Price=0.0500/each | N |
| VDRL CARBON ANTIGEN (vd24) solution (N/A) Supplier Number of Prices=2 High/Low Ratio=2.33 | Median Price=2.0000/ml | N |
| ZINC OXIDE 10% ointment (TOP) Supplier Number of Prices=5 High/Low Ratio=1.42 Buyer Number of Prices=1 | Median Price=0.0110/g Price=0.0048/g | N |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on List

*The DDD is the assumed average maintenance dose per day for a drug used for its main indication in adults. DDDs have not been established for pediatric use.

List III: Price Comparison Form



**Lista III: Formulario para la
Comparación de Precios**



**Liste III : Formulaire pour la
Comparaison des Prix**

List III: Price Comparison Form (Supplier Prices Only)

| COUNTRY: _____ PHARMACEUTICAL SUPPLY UNIT: _____ | PRICE PAID FOR PERIOD: _____ TO _____ | | | | |
|---|---------------------------------------|-----------|------------|----------------|--|
| CURRENCY USED: _____ EXCHANGE RATE WITH US\$: _____ | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
| ITEM DESCRIPTION | | | | | |
| Abacavir (Abc) 20 mg/ml Solution | E | _____ | _____ | _____ /ml | 0.0644/ml |
| Abacavir (Abc) 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.4750/tab-cap |
| Abacavir Sulfate 60 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.1273/tab-cap |
| Abacavir+lamivudine 60+30 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.1520/tab-cap |
| Abacavir+lamivudine (Abc/3tc) 600 mg+300mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 1.0046/tab-cap |
| Acetazolamide 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0252/tab-cap |
| Acetylsalicylic Acid 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0020/tab-cap |
| Acetylsalicylic Acid 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0026/tab-cap |
| Acetylsalicylic Acid 500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0041/tab-cap |
| Acetylsalicylic Acid 75 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0143/tab-cap |
| Aciclovir 5% Cream | N | _____ | _____ | _____ /g | 0.1758/g |
| Aciclovir 3% Opht Oint | N | _____ | _____ | _____ /g | 0.2109/g |
| Aciclovir 200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0350/tab-cap |
| Aciclovir 400 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0675/tab-cap |
| Aciclovir 800 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.2587/tab-cap |
| Albendazole 200 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0317/ml |
| Albendazole (Chewable) 200 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0167/tab-cap |
| Albendazole 200 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0265/tab-cap |
| Albendazole (Chewable) 400 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0203/tab-cap |
| Albendazole 400 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0336/tab-cap |
| Albumin, Human Normal 20-25% Vial | N | _____ | _____ | _____ /ml | 0.7500/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Alcohol, Denatured 70% Bott | N | _____ | _____ | _____ /ml | 0.0074/ml |
| Alcohol, Denatured 95-96% Bott | N | _____ | _____ | _____ /ml | 0.0142/ml |
| Allopurinol 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0417/tab-cap |
| Allopurinol 300 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.1436/tab-cap |
| Alprazolam 0.5 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0918/tab-cap |
| Aluminium Hydroxide (Chewable) 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0138/tab-cap |
| Aluminium Hydroxide 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0053/tab-cap |
| Amidotrizoate 76% Ampoule | P | _____ | _____ | _____ /ml | 0.2904/ml |
| Amikacin Sulfate 250 mg/ml Vial | P | _____ | _____ | _____ /ml | 0.5525/ml |
| Aminophylline 25 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.0260/ml |
| Aminophylline 100 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0063/tab-cap |
| Amiodarone 50 mg/ml Vial | C | _____ | _____ | _____ /ml | 1.0000/ml |
| Amitriptyline 25 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0060/tab-cap |
| Amlodipine 10 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0175/tab-cap |
| Amlodipine 5 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0360/tab-cap |
| Amodiaquine 150-200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0134/tab-cap |
| Amoxicillin 125 mg/5 ml Suspen | E | _____ | _____ | _____ /ml | 0.0045/ml |
| Amoxicillin 250 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0065/ml |
| Amoxicillin 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0161/tab-cap |
| Amoxicillin 500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0319/tab-cap |
| Amoxicillin+clavulanic Acid (250+62.5 Mg/5ml) Suspen | P | _____ | _____ | _____ /ml | 0.0397/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Amoxicillin+clavulanic Acid (125+31.25 Mg/5ml) 125+31mg/5ml Suspen | P | _____ | _____ | _____ /ml | 0.0215/ml |
| Amoxicillin+clavulanic Acid 250mg+125mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.1426/tab-cap |
| Amoxicillin+clavulanic Acid 500mg+125mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.2244/tab-cap |
| Amoxicillin+clavulanic Acid 875mg+125mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.3600/tab-cap |
| Amoxicillin+clavulanic Acid 1000+200 mg Vial | P | _____ | _____ | _____ /vial | 2.2536/vial |
| Amoxicillin+clavulanic Acid 500mg+100mg Vial | P | _____ | _____ | _____ /vial | 2.1513/vial |
| Amoxycillin 10 mcg Disc | N | _____ | _____ | _____ /each | 0.0540/each |
| Amphotericin B 50 mg Vial | E | _____ | _____ | _____ /vial | 6.6041/vial |
| Ampicillin 10 mcg Disc | N | _____ | _____ | _____ /each | 0.0523/each |
| Ampicillin 125 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0072/ml |
| Ampicillin 250 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0189/tab-cap |
| Ampicillin 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0430/tab-cap |
| Ampicillin 1 g Vial | E | _____ | _____ | _____ /vial | 0.1933/vial |
| Ampicillin 500 mg Vial | E | _____ | _____ | _____ /vial | 0.1470/vial |
| Antihaemorrhoidal Ointment | E | _____ | _____ | _____ /g | 0.0462/g |
| Antihaemorrhoidal Suppos | E | _____ | _____ | _____ /supp | 0.1644/supp |
| Antivenom Serum Vial | E | _____ | _____ | _____ /vial | 152.5197/vial |
| Artemether 20 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.5580/ml |
| Artemether 80 mg/ml Ampoule | C | _____ | _____ | _____ /ml | 1.1900/ml |
| Artemether 15 mg/5 ml Suspen | C | _____ | _____ | _____ /ml | 0.0400/ml |
| Artemether+lumefantrine 15+90mg/5ml Suspen | P | _____ | _____ | _____ /ml | 0.0750/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|-----------------|--|
| Artemether+lumefantrine 20 mg+120 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1292/tab-cap |
| Artemether+lumefantrine (6 X 1 Tablets Co-Pack) 20 mg+120 mg Tab-Cap | E | _____ | _____ | _____ /pack | 0.5621/pack |
| Artemether+lumefantrine (6 X 2 Tablets Co-Pack) 20 mg+120 mg Tab-Cap | E | _____ | _____ | _____ /pack | 1.1964/pack |
| Artemether+lumefantrine (6 X 3 Tablets Co-Pack) 20 mg+120 mg Tab-Cap | E | _____ | _____ | _____ /pack | 1.4534/pack |
| Artemether+lumefantrine (6 X 4 Tablets Co-Pack) 20 mg+120 mg Tab-Cap | E | _____ | _____ | _____ /pack | 1.6524/pack |
| Artemether+lumefantrine (Dispersible) 20 mg+120 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0719/tab-cap |
| Artemether+lumefantrine 40 mg+240 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.2963/tab-cap |
| Artemether+lumefantrine 80 mg+480 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.7110/tab-cap |
| Artesunate 200 mg Suppos | P | _____ | _____ | _____ /supp | 1.0068/supp |
| Artesunate 50 mg Suppos | P | _____ | _____ | _____ /supp | 0.5408/supp |
| Artesunate 100 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.2347/tab-cap |
| Artesunate 50 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.1667/tab-cap |
| Artesunate 60 mg Vial | E | _____ | _____ | _____ /vial | 1.9851/vial |
| Artesunate+amodiaquine (3 Fixed Dose Combo Tabs) 100mg+270mg Tab-Cap | P | _____ | _____ | _____ /treatmen | 0.7342/treatmen |
| Artesunate+amodiaquine (6 Fixed-Dose Combo Tabs) 100mg+270mg Tab-Cap | P | _____ | _____ | _____ /treatmen | 1.2103/treatmen |
| Artesunate+amodiaquine (3 Fixed Dose Combo Tabs) 25mg+67.5mg Tab-Cap | P | _____ | _____ | _____ /treatmen | 0.3758/treatmen |
| Artesunate+amodiaquine (3 Fixed Dose Combo Tabs) 50 mg+135 mg Tab-Cap | P | _____ | _____ | _____ /treatmen | 0.5123/treatmen |
| Artesunate+amodiaquine (12 X 12 Tablets Co-Pack) 50 mg+153 mg Tab-Cap | E | _____ | _____ | _____ /pack | 1.0747/pack |
| Artesunate+amodiaquine (Fdc) 50 mg+153 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0898/tab-cap |
| Artesunate+amodiaquine (3 X 3 Tablets Co-Pack) 50 mg+153 mg Tab-Cap | E | _____ | _____ | _____ /pack | 0.3760/pack |
| Artesunate+amodiaquine (6 X 6 Tablets Co-Pack) 50 mg+153 mg Tab-Cap | E | _____ | _____ | _____ /pack | 0.7200/pack |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Artesunate+sulfadoxine/pyrimethamine (6 Tab Artes.+3 Tab Sp Co-Pack) 100+500/25mg Tab-Cap | E | _____ | _____ | _____ /pack | 1.1763/pack |
| Artesunate+sulfadoxine/pyrimethamine (6 Tab Artes.+2 Tab Sp Co-Pack) 50+500/25mg Tab-Cap | E | _____ | _____ | _____ /pack | 0.5147/pack |
| Atazanavir 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.3106/tab-cap |
| Atazanavir 150 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.4566/tab-cap |
| Atazanavir 200 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.5899/tab-cap |
| Atazanavir 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.7333/tab-cap |
| Atenolol 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0169/tab-cap |
| Atenolol 50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0102/tab-cap |
| Atorvastatin 10 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0357/tab-cap |
| Atorvastatin 20 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.1610/tab-cap |
| Atovaquone+proguanil 250mg+100mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 2.9035/tab-cap |
| Atracurium 10 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 2.2202/ml |
| Atropine Sulfate 0.5 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.2637/ml |
| Atropine Sulfate 1 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.1000/ml |
| Atropine Sulfate 1% Oph Drop | E | _____ | _____ | _____ /ml | 0.2666/ml |
| Azathioprine 50 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.2168/tab-cap |
| Azithromycin 200 mg/5 ml Suspen | E | _____ | _____ | _____ /ml | 0.0567/ml |
| Azithromycin 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1767/tab-cap |
| Azithromycin 500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.3208/tab-cap |
| Barium Sulfate Powder | P | _____ | _____ | _____ /kg | 3.7800/kg |
| Beclometasone 100 mcg/dose Inhaler | P | _____ | _____ | _____ /dose | 0.0424/dose |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|------------|--|
| Beclometasone 50 mcg/dose Inhaler | E | _____ | _____ | /dose | 0.0145/dose |
| Bendroflumethiazide 5 mg Tab-Cap | T | _____ | _____ | /tab-cap | 0.0074/tab-cap |
| Benzoic & Salicylic Acid (Whitfield's) 6% + 3% Ointment | N | _____ | _____ | /g | 0.0103/g |
| Benzyl Benzoate 25% Lotion | E | _____ | _____ | /ml | 0.0045/ml |
| Benzyl Benzoate (Concentrated) 90% Solution | P | _____ | _____ | /ml | 0.0138/ml |
| Betamethasone Valerate 0.1% Cream | E | _____ | _____ | /g | 0.0242/g |
| Betamethasone Valerate 0.1% Ointment | E | _____ | _____ | /g | 0.0192/g |
| Biperiden 2 mg Tab-Cap | E | _____ | _____ | /tab-cap | 0.0834/tab-cap |
| Bisacodyl 10 mg Suppos | N | _____ | _____ | /supp | 0.2292/supp |
| Bisacodyl 5 mg Tab-Cap | N | _____ | _____ | /tab-cap | 0.0079/tab-cap |
| Bleomycin 15 mg Vial | C | _____ | _____ | /vial | 21.4782/vial |
| Bromocriptine Mesilate 2.5 mg Tab-Cap | N | _____ | _____ | /tab-cap | 0.4314/tab-cap |
| Bupivacaine Hcl 0.5% Ampoule | E | _____ | _____ | /ml | 0.1011/ml |
| Bupivacaine Hcl + Dextrose 0.5% + 8% Ampoule | E | _____ | _____ | /ml | 0.5603/ml |
| Bupivacaine Hcl + Epinephrine (0.5% + 1:200,000) Vial | N | _____ | _____ | /ml | 0.1050/ml |
| Calamine Lotion | E | _____ | _____ | /ml | 0.0062/ml |
| Calcitonin (Semi-Synthetic Salmon) 100 iu/ml Ampoule | N | _____ | _____ | /ml | 1.7000/ml |
| Calcium Gluconate 100 mg/ml Ampoule | E | _____ | _____ | /ml | 0.0222/ml |
| Calcium Lactate 250-300 mg Tab-Cap | P | _____ | _____ | /tab-cap | 0.0099/tab-cap |
| Camphor 10% Ointment | N | _____ | _____ | /g | 0.0275/g |
| Capreomycin 1 g Vial | C | _____ | _____ | /vial | 8.0000/vial |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|-------------------------------|---------|-----------|------------|----------------|--|
| Captopril 25 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0145/tab-cap |
| Captopril 50 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0209/tab-cap |
| Carbamazepine 200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0192/tab-cap |
| Carbimazole 5 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0242/tab-cap |
| Carvedilol 6.25 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0414/tab-cap |
| Cefalexin 125 mg/5 ml Suspen | E | _____ | _____ | _____ /ml | 0.0288/ml |
| Cefalexin 125 mg/ml Suspen | P | _____ | _____ | _____ /ml | 0.0050/ml |
| Cefalexin 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0398/tab-cap |
| Cefalexin 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0836/tab-cap |
| Cefazolin 1 g Vial | E | _____ | _____ | _____ /vial | 1.6000/vial |
| Cefixime 100 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0333/ml |
| Cefixime 200 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.1869/tab-cap |
| Cefixime 400 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.2950/tab-cap |
| Cefotaxime 1 g Vial | C | _____ | _____ | _____ /vial | 5.0705/vial |
| Ceftazidime 30 mcg Disc | N | _____ | _____ | _____ /each | 0.0500/each |
| Ceftazidime 1 g Vial | P | _____ | _____ | _____ /vial | 3.8196/vial |
| Ceftriaxone 30 mcg Disc | N | _____ | _____ | _____ /each | 0.0500/each |
| Ceftriaxone 1 g Vial | E | _____ | _____ | _____ /vial | 0.6586/vial |
| Ceftriaxone 250 mg Vial | E | _____ | _____ | _____ /vial | 0.4218/vial |
| Ceftriaxone 500 mg Vial | P | _____ | _____ | _____ /vial | 0.7678/vial |
| Cefuroxime 125 mg/5 ml Suspen | N | _____ | _____ | _____ /ml | 0.0291/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Cefuroxime 250 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.1598/tab-cap |
| Cefuroxime 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.3871/tab-cap |
| Cefuroxime 750 mg Vial | N | _____ | _____ | _____ /vial | 1.2891/vial |
| Cetirizine 5 mg/5 ml Syrup | N | _____ | _____ | _____ /ml | 0.0058/ml |
| Cetirizine 10 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0152/tab-cap |
| Cetrimide+chlorhexidine Gluconate 15%+1.5% Solution | P | _____ | _____ | _____ /ml | 0.0044/ml |
| Charcoal, Activated 125 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0134/tab-cap |
| Charcoal, Activated 250 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0224/tab-cap |
| Chloramine 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0167/tab-cap |
| Chloramphenicol 10 mcg Disc | N | _____ | _____ | _____ /each | 0.0421/each |
| Chloramphenicol 30 mcg Disc | N | _____ | _____ | _____ /each | 0.0500/each |
| Chloramphenicol 0.5% Ophth Drop | P | _____ | _____ | _____ /ml | 0.0600/ml |
| Chloramphenicol 1% Ophth Oint | P | _____ | _____ | _____ /g | 0.0537/g |
| Chloramphenicol 125 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0086/ml |
| Chloramphenicol 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0154/tab-cap |
| Chloramphenicol (Base) 1 g Vial | E | _____ | _____ | _____ /vial | 0.3770/vial |
| Chloramphenicol+dexamethasone 0.5%+0.1% Ophth Drop | N | _____ | _____ | _____ /ml | 0.1062/ml |
| Chlorhexidine 1% Cream | P | _____ | _____ | _____ /g | 0.0308/g |
| Chlorhexidine Gluconate 20% Solution | P | _____ | _____ | _____ /ml | 0.0101/ml |
| Chlorhexidine Gluconate 5% Solution | E | _____ | _____ | _____ /ml | 0.0039/ml |
| Chloroquine (base) 40 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.0329/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Chloroquine (base) 50 mg/5 ml Syrup | E | _____ | _____ | _____ /ml | 0.0115/ml |
| Chloroquine (base) 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0088/tab-cap |
| Chloroquine (base) 150 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0110/tab-cap |
| Chloroxylenol 4.8% Solution | E | _____ | _____ | _____ /ml | 0.0036/ml |
| Chlorphenamine Maleate 10 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.1230/ml |
| Chlorphenamine Maleate 2 mg/5 ml Elixir | P | _____ | _____ | _____ /ml | 0.0038/ml |
| Chlorphenamine Maleate 4 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0018/tab-cap |
| Chlorpromazine Hcl 25 mg/ml Ampoule | C | _____ | _____ | _____ /ml | 0.0604/ml |
| Chlorpromazine Hcl 25 mg/5 ml Suspen | C | _____ | _____ | _____ /ml | 0.0261/ml |
| Chlorpromazine Hcl 100 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0148/tab-cap |
| Chlorpromazine Hcl 25 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0065/tab-cap |
| Chlorpropamide 250 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0196/tab-cap |
| Cimetidine 200 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0089/tab-cap |
| Cimetidine 400 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0163/tab-cap |
| Cimetidine 100 mg/ml Vial | T | _____ | _____ | _____ /ml | 0.1985/ml |
| Ciprofloxacin 1 mcg Disc | N | _____ | _____ | _____ /each | 0.0503/each |
| Ciprofloxacin 5 mcg Disc | N | _____ | _____ | _____ /each | 0.0484/each |
| Ciprofloxacin 3 mg/ml Ophth Drop | P | _____ | _____ | _____ /ml | 0.1032/ml |
| Ciprofloxacin 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0153/tab-cap |
| Ciprofloxacin 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0328/tab-cap |
| Ciprofloxacin 2 mg/ml Vial | P | _____ | _____ | _____ /ml | 0.0054/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---------------------------------------|---------|-----------|------------|----------------|--|
| Cisplatin 1 mg/ml Vial | N | _____ | _____ | _____ /ml | 0.1594/ml |
| Clarithromycin 125 mg/5 ml Suspen | N | _____ | _____ | _____ /ml | 0.0532/ml |
| Clarithromycin 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.4286/tab-cap |
| Clindamycin 300 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.1792/tab-cap |
| Clindamycin (base) 150 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.1272/tab-cap |
| Clindamycin (base) 150 mg/ml Vial | C | _____ | _____ | _____ /ml | 4.4083/ml |
| Clomifene 50 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.1869/tab-cap |
| Clomipramine 25 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0851/tab-cap |
| Clotrimazole 1% Cream | E | _____ | _____ | _____ /g | 0.0145/g |
| Clotrimazole 100 mg Pessary | E | _____ | _____ | _____ /pessary | 0.0720/pessary |
| Clotrimazole 500 mg Pessary | E | _____ | _____ | _____ /pessary | 0.0700/pessary |
| Cloxacillin 5 mcg Disc | N | _____ | _____ | _____ /each | 0.0562/each |
| Cloxacillin Sodium 125 mg/5 ml Suspen | T | _____ | _____ | _____ /ml | 0.0076/ml |
| Cloxacillin Sodium 250 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0178/tab-cap |
| Cloxacillin Sodium 500 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0364/tab-cap |
| Cloxacillin Sodium 500 mg Vial | T | _____ | _____ | _____ /vial | 0.1707/vial |
| Codeine (Ic) 15 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0827/tab-cap |
| Codeine (Ic) 30 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0696/tab-cap |
| Condom, Female Condom | P | _____ | _____ | _____ /each | 0.8641/each |
| Condoms (lubricated) Condom | E | _____ | _____ | _____ /each | 0.0362/each |
| Cough Preparation Syrup | N | _____ | _____ | _____ /ml | 0.0031/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|---------------|--|
| Cyclebeads (tm) (32 Beads W/ Rubber Marker) Each | N | _____ | _____ | _____/each | 1.1600/each |
| Cyclopentolate 1% Opht Drop | N | _____ | _____ | _____/ml | 2.6976/ml |
| Cyclophosphamide 50 mg Tab-Cap | P | _____ | _____ | _____/tab-cap | 0.2011/tab-cap |
| Cyclophosphamide 1 g Vial | P | _____ | _____ | _____/vial | 2.3400/vial |
| Cyclophosphamide 500 mg Vial | C | _____ | _____ | _____/vial | 7.8254/vial |
| Cycloserine 250 mg Tab-Cap | C | _____ | _____ | _____/tab-cap | 0.5909/tab-cap |
| Cytarabine 100 mg Vial | C | _____ | _____ | _____/vial | 5.1680/vial |
| Dapsone 100 mg Tab-Cap | E | _____ | _____ | _____/tab-cap | 0.0148/tab-cap |
| Darunavir 300 mg Tab-Cap | N | _____ | _____ | _____/tab-cap | 0.7875/tab-cap |
| Determine Chase Buffer Vial | N | _____ | _____ | _____/ml | 3.7413/ml |
| Dexamethasone 4 mg/ml Ampoule | E | _____ | _____ | _____/ml | 0.1111/ml |
| Dexamethasone 5 mg/ml Ampoule | P | _____ | _____ | _____/ml | 0.1108/ml |
| Dexamethasone 0.1% Opht Drop | P | _____ | _____ | _____/ml | 0.1043/ml |
| Dexamethasone 0.5 mg Tab-Cap | E | _____ | _____ | _____/tab-cap | 0.0049/tab-cap |
| Dextran 70 6% In Sod. Chloride 0.9% Solution | E | _____ | _____ | _____/ml | 0.0106/ml |
| Dextrose 10% In Water Solution | E | _____ | _____ | _____/ml | 0.0014/ml |
| Dextrose 2.5% In Sod. Chloride 0.45% Solution | P | _____ | _____ | _____/ml | 0.0017/ml |
| Dextrose 4.3-5% In Water Solution | E | _____ | _____ | _____/ml | 0.0010/ml |
| Dextrose 5% In Sodium Chloride 0.9% Solution | P | _____ | _____ | _____/ml | 0.0014/ml |
| Dextrose 5% In Water Solution | E | _____ | _____ | _____/ml | 0.0009/ml |
| Dextrose 50% In Water (Hypertonic) Solution | E | _____ | _____ | _____/ml | 0.0148/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Diazepam (Ic) 5 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.0776/ml |
| Diazepam (Ic) 5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0059/tab-cap |
| Diclofenac 100 mg Suppos | N | _____ | _____ | _____ /supp | 0.1036/supp |
| Diclofenac Sodium 25 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.0397/ml |
| Diclofenac Sodium 25 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0046/tab-cap |
| Diclofenac Sodium 50 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0056/tab-cap |
| Dicloxacillin 125 mg/5 ml Suspen | N | _____ | _____ | _____ /ml | 0.0120/ml |
| Dicloxacillin 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.1200/tab-cap |
| Didanosine 10 mg/ml Powder | E | _____ | _____ | _____ /g | 2.1000/g |
| Didanosine (Ddi) 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1351/tab-cap |
| Didanosine (Ddi, Delayed-Release) 125 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.2975/tab-cap |
| Didanosine (Ddi) 150 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.2013/tab-cap |
| Didanosine (Ddi, Delayed-Release) 200 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.3850/tab-cap |
| Didanosine (Ddi) 200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.4367/tab-cap |
| Didanosine (Ddi, Chewable) 25 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1167/tab-cap |
| Didanosine (Ddi, Delayed-Release) 250 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.4550/tab-cap |
| Didanosine (Ddi, Delayed-Release) 400 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.7000/tab-cap |
| Didanosine (Ddi) 400 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 1.1430/tab-cap |
| Didanosine (Ddi, Chewable) 50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1583/tab-cap |
| Diethylcarbamazine Citrate 50 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0054/tab-cap |
| Digoxin 0.25 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.0711/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Digoxin 0.25 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0085/tab-cap |
| Dihydroartemisinin + Piperaquine 40 + 320 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.5940/tab-cap |
| Dihydrocodeine (Ic) 30 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0788/tab-cap |
| Diltiazem Hcl 60 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0210/tab-cap |
| Dimenhydrinate 50 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0200/tab-cap |
| Dobutamine 12.5 mg/ml Vial | N | _____ | _____ | _____ /ml | 0.2477/ml |
| Dopamine Hcl 40 mg/ml Ampoule | C | _____ | _____ | _____ /ml | 0.0940/ml |
| Doxorubicin Hcl 10 mg Vial | C | _____ | _____ | _____ /vial | 6.2421/vial |
| Doxorubicin Hcl 50 mg Vial | C | _____ | _____ | _____ /vial | 19.4040/vial |
| Doxycycline 100 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0123/tab-cap |
| Dydrogesterone 10 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.3333/tab-cap |
| Efavirenz (EfV) 30 mg/ml Syrup | P | _____ | _____ | _____ /ml | 0.0989/ml |
| Efavirenz (EfV) 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1540/tab-cap |
| Efavirenz (EfV) 200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1341/tab-cap |
| Efavirenz (EfV) 50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1056/tab-cap |
| Efavirenz (EfV) 600 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.2450/tab-cap |
| Efavirenz+emtricitabine+tenofovir Df (600+200+300 Mg) Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.7869/tab-cap |
| Efavirenz+lamivudine+tenofovir Disop. (600+300+300 Mg) Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.5978/tab-cap |
| Emtricitabine 200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1680/tab-cap |
| Enalapril 10 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0150/tab-cap |
| Enalapril 20 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0300/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Enalapril 5 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0107 /tab-cap |
| Ephedrine 30 mg/ml Vial | P | _____ | _____ | _____ /ml | 0.7026 /ml |
| Ephedrine Hcl 30 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0043 /tab-cap |
| Epinephrine (Adrenaline) 1 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.1707 /ml |
| Ergometrine Maleate 0.2 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.1100 /ml |
| Ergometrine Maleate 0.5 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.1876 /ml |
| Ergometrine Maleate 0.5 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0185 /tab-cap |
| Ergometrine+oxytocin 0.5mg+5iu/ml Ampoule | P | _____ | _____ | _____ /ml | 0.5000 /ml |
| Ergotamine+caffeine 1+100 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.4563 /tab-cap |
| Erythromycin 15 mcg Disc | N | _____ | _____ | _____ /each | 0.0500 /each |
| Erythromycin 5 mcg Disc | N | _____ | _____ | _____ /each | 0.0422 /each |
| Erythromycin (Base) 125 mg/5 ml Suspen | E | _____ | _____ | _____ /ml | 0.0111 /ml |
| Erythromycin (Base) 250 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0173 /ml |
| Erythromycin (Base) 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0358 /tab-cap |
| Erythromycin (Base) 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0710 /tab-cap |
| Ethambutol (Dispersible) 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0326 /tab-cap |
| Ethambutol 400 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0338 /tab-cap |
| Ethambutol+isoniazid 400mg+150 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0310 /tab-cap |
| Ether, Anaesthetic Solution | E | _____ | _____ | _____ /ml | 0.0168 /ml |
| Ethinylestradiol+desogestrel 0.03+0.15mg Tab-Cap | N | _____ | _____ | _____ /cycle | 0.6933 /cycle |
| Ethinylestradiol+levonorgestrel 0.03+0.15 mg Tab-Cap | E | _____ | _____ | _____ /cycle | 0.4014 /cycle |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Ethionamide 250 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0825/tab-cap |
| Etonogestrel 68 mg/rod Rod | N | _____ | _____ | _____ /rod | 18.0000/rod |
| Etravirine 100 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.6250/tab-cap |
| Fentanyl Citrate (Ic) 50 mcg/ml Vial | N | _____ | _____ | _____ /ml | 0.3854/ml |
| Ferrous Salt 20 mg/ml Suspen | P | _____ | _____ | _____ /ml | 0.0068/ml |
| Ferrous Salt (Iron=60-65 Mg) 200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0024/tab-cap |
| Ferrous Salt+folic Acid (Iron=60 Mg) 200 mg+0.4mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0029/tab-cap |
| Ferrous Salt+folic Acid (Iron=60 Mg) 200+0.25 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0028/tab-cap |
| Flucloxacillin 250 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0710/tab-cap |
| Fluconazole 50 mg/5 ml Suspen | E | _____ | _____ | _____ /ml | 0.0455/ml |
| Fluconazole 100 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0819/tab-cap |
| Fluconazole 150 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0613/tab-cap |
| Fluconazole 200 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0913/tab-cap |
| Fluconazole 50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0529/tab-cap |
| Fluconazole 2 mg/ml Vial | E | _____ | _____ | _____ /ml | 0.0207/ml |
| Fluorescein Sodium Opt Strp | P | _____ | _____ | _____ /each | 0.0932/each |
| Fluorouracil 50 mg/ml Ampoule | C | _____ | _____ | _____ /ml | 0.4998/ml |
| Fluoxetine 20 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0159/tab-cap |
| Fluphenazine Decanoate 25 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.9324/ml |
| Folic Acid 1 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0021/tab-cap |
| Folic Acid 5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0023/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Formaldehyde 40% Liquid | N | _____ | _____ | _____ /ml | 0.0045/ml |
| Furosemide 10 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.0443/ml |
| Furosemide 40 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0048/tab-cap |
| Ganciclovir 500 mg Vial | N | _____ | _____ | _____ /vial | 49.5455/vial |
| Gentamicin 100 mcg Disc | N | _____ | _____ | _____ /each | 0.0445/each |
| Gentamicin (Base) 0.3% Opht Drop | E | _____ | _____ | _____ /ml | 0.0439/ml |
| Gentamicin 0.3% Opht Oint | P | _____ | _____ | _____ /g | 0.0869/g |
| Gentamicin Sulfate 10 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.0444/ml |
| Gentamicin Sulfate 40 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.0535/ml |
| Gentian Violet (Methylrosanilinium Chloride) Powder | N | _____ | _____ | _____ /g | 0.0926/g |
| Glibenclamide 5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0042/tab-cap |
| Gliclazide 80 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0626/tab-cap |
| Glutaraldehyde 2% Solution | E | _____ | _____ | _____ /ml | 0.0020/ml |
| Glycerin 1 g Suppos | N | _____ | _____ | _____ /supp | 0.2000/supp |
| Glycerin 2 g Suppos | N | _____ | _____ | _____ /supp | 0.2131/supp |
| Glyceryl Trinitrate (Nitroglycerin) 0.5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0675/tab-cap |
| Griseofulvin 125 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0179/tab-cap |
| Griseofulvin 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0344/tab-cap |
| Griseofulvin 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0610/tab-cap |
| Haloperidol 5 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.3639/ml |
| Haloperidol 2 mg/ml Syrup | P | _____ | _____ | _____ /ml | 0.1528/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Haloperidol 1.5-2 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0372/tab-cap |
| Haloperidol 10 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0780/tab-cap |
| Haloperidol 5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0059/tab-cap |
| Halothane Liquid | E | _____ | _____ | _____ /ml | 0.1208/ml |
| Heparin 5000 iu/ml Ampoule | C | _____ | _____ | _____ /ml | 0.7623/ml |
| Human Chorionic Gonadotrophin 5000 iu Ampoule | N | _____ | _____ | _____ /ampoule | 10.0000/ampoule |
| Human Menopausal Gonadotrophin 75 iu Vial | N | _____ | _____ | _____ /vial | 35.0000/vial |
| Hydralazine 20 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 1.9296/ml |
| Hydralazine 25 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0293/tab-cap |
| Hydralazine 50 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.1400/tab-cap |
| Hydrochlorothiazide 25 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0046/tab-cap |
| Hydrochlorothiazide 50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0053/tab-cap |
| Hydrocortisone 1% Cream | E | _____ | _____ | _____ /g | 0.0322/g |
| Hydrocortisone 1% Ointment | E | _____ | _____ | _____ /g | 0.0387/g |
| Hydrocortisone 1% Opht Drop | P | _____ | _____ | _____ /ml | 0.1014/ml |
| Hydrocortisone 1% Opht Oint | P | _____ | _____ | _____ /g | 0.0797/g |
| Hydrocortisone (Sodium Succinate) 100 mg Vial | E | _____ | _____ | _____ /vial | 0.4015/vial |
| Hydrogen Peroxide 3% Solution | N | _____ | _____ | _____ /ml | 0.0023/ml |
| Hydrogen Peroxide 6% Solution | N | _____ | _____ | _____ /ml | 0.0010/ml |
| Hyoscine Butylbromide 10 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.1294/ml |
| Hyoscine Butylbromide 20 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.1450/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Hyoscine Butylbromide 10 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0287 /tab-cap |
| Hyoscine Butylbromide 20 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0549 /tab-cap |
| Ibuprofen 100 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0075 /ml |
| Ibuprofen 200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0056 /tab-cap |
| Ibuprofen 400 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0103 /tab-cap |
| Ichthammol 10% Ointment | N | _____ | _____ | _____ /g | 0.0143 /g |
| Ichthammol 20% Ointment | N | _____ | _____ | _____ /g | 0.0345 /g |
| Imipramine Hcl 25 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0189 /tab-cap |
| Indinavir (Idv) 400 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.4067 /tab-cap |
| Indometacin 25 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0043 /tab-cap |
| Insulin, Isophane (Nph) 100 iu/ml Vial | E | _____ | _____ | _____ /ml | 0.8982 /ml |
| Insulin, Neut. Sol/isophane 30/70 (Human, Mixtard) 100 iu/ml Vial | P | _____ | _____ | _____ /ml | 0.8982 /ml |
| Insulin, Neutral Soluble (Regular) 100 iu/ml Vial | E | _____ | _____ | _____ /ml | 0.8982 /ml |
| Iodine Topical 2.0-2.5% Tincture | N | _____ | _____ | _____ /ml | 0.0143 /ml |
| Iron Dextran 50 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.1710 /ml |
| Isoflurane Liquid | E | _____ | _____ | _____ /ml | 0.3000 /ml |
| Isoniazid (Inh) 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0087 /tab-cap |
| Isoniazid (Inh) 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0198 /tab-cap |
| Isosorbide Dinitrate 10 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0463 /tab-cap |
| Isosorbide Dinitrate 5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0700 /tab-cap |
| Itraconazole 100 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.6384 /tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Iud (copper) Iud | E | _____ | _____ | _____ /iud | 0.6335/iud |
| Kanamycin Sulfate 1 g Vial | C | _____ | _____ | _____ /vial | 1.6425/vial |
| Ketamine 50 mg/ml Vial | E | _____ | _____ | _____ /ml | 0.1032/ml |
| Ketoconazole 2% Cream | N | _____ | _____ | _____ /g | 0.0790/g |
| Ketoconazole 200 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0630/tab-cap |
| Lamivudine (3tc) 10 mg/ml Solution | E | _____ | _____ | _____ /ml | 0.0125/ml |
| Lamivudine (3tc) 150 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0727/tab-cap |
| Lamivudine (3tc) 300 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.1005/tab-cap |
| Lamivudine+stavudine (3tc+d4t) 150 mg+30 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0820/tab-cap |
| Lamivudine+stavudine (3tc+d4t) 150 mg+40 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.2288/tab-cap |
| Lamivudine+stavudine (3tc+d4t) 30 mg + 6 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0273/tab-cap |
| Lamivudine+stavudine (Tablet For Oral Suspension) 60+12 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0436/tab-cap |
| Lamivudine+stavudine+nevirapine (3tc+d4t+nvp) 150+30+200mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1543/tab-cap |
| Lamivudine+stavudine+nevirapine (3tc+d4t+nvp) 150+40+200mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.4282/tab-cap |
| Lamivudine+stavudine+nevirapine (3tc+d4t+nvp) 30+6+50 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0564/tab-cap |
| Lamivudine+stavudine+nevirapine (3tc+d4t+nvp) 60+12+100 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.1008/tab-cap |
| Lamivudine+tenofovir Df (3tc+tdf) 300+300 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.3926/tab-cap |
| Lamivudine+zidovudine (3tc+azt) 150mg+300mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.2132/tab-cap |
| Lamivudine+zidovudine (3tc+azt) 30+60 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0677/tab-cap |
| Lamivudine+zidovudine+abacavir (150+300+300 Mg) Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.5250/tab-cap |
| Lamivudine+zidovudine+abacavir (3tc/azt/abc) 30+60+60 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.2789/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Lamivudine+zidovudine+nevirapine (3tc/azt/nvp) 30+60+50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1130/tab-cap |
| Lamivudine+zidovudine+nevirapine (3tc/azt/nvp, Dispersible) 30+60+50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0744/tab-cap |
| Lamivudine+zidovudine+nevirapine (150+300+200 Mg) 3tc+azt+nvp Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.2500/tab-cap |
| Lamivudine/zidovudine + Efavirenz (2 Tab L/z.+ 1 Tab Ef. Co-Pack) 150/300+600m Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.2378/tab-cap |
| Lamivudine/zidovudine + Nevirapine (1 Tab L/z. + 1 Tab N. Co-Pack) 150/300+200m Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.2247/tab-cap |
| Lamivudine/zidovudine+abacavir (150/300+300 Mg Co-Pack) Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.3894/tab-cap |
| Levamisole 40 mg/5 ml Syrup | P | _____ | _____ | _____ /ml | 0.0013/ml |
| Levamisole 40 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0034/tab-cap |
| Levamisole 50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0091/tab-cap |
| Levodopa+carbidopa 250+25 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1420/tab-cap |
| Levofloxacin 250 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0677/tab-cap |
| Levofloxacin 500 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.1524/tab-cap |
| Levofloxacin 5 mg/ml Vial | T | _____ | _____ | _____ /ml | 0.0187/ml |
| Levomepromazine 25 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.1041/tab-cap |
| Levonorgestrel 75 mg/rod Rod | E | _____ | _____ | _____ /set | 10.7888/set |
| Levonorgestrel 0.03 mg Tab-Cap | E | _____ | _____ | _____ /cycle | 0.4500/cycle |
| Levonorgestrel 0.75 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1942/tab-cap |
| Levothyroxine 0.1 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0729/tab-cap |
| Lidocaine Hcl 2% Ointment | E | _____ | _____ | _____ /g | 0.1290/g |
| Lidocaine Hcl 1% Vial | E | _____ | _____ | _____ /ml | 0.0254/ml |
| Lidocaine Hcl 2% Vial | E | _____ | _____ | _____ /ml | 0.0238/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Lidocaine Hcl 5% Vial | P | _____ | _____ | _____ /ml | 0.0328/ml |
| Lidocaine Hcl + Epinephrine Dental 2%+1:80000 Crtdgs | E | _____ | _____ | _____ /ml | 0.2287/ml |
| Lidocaine Hcl 5% (in Dextrose 7.5%) Vial | E | _____ | _____ | _____ /ml | 0.0750/ml |
| Lindane (Gamma Benzene Hexachloride) 1% Solution | N | _____ | _____ | _____ /ml | 0.0087/ml |
| Lisinopril 10 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0621/tab-cap |
| Lithium Carbonate 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0697/tab-cap |
| Loperamide Hcl 2 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0095/tab-cap |
| Lopinavir+ritonavir (Lpv/r) 80+20 mg/ml Solution | E | _____ | _____ | _____ /ml | 0.1370/ml |
| Lopinavir+ritonavir (Lpv/r) 100 mg+25 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.2149/tab-cap |
| Lopinavir+ritonavir (Lpv/r) 133.3+33.3mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.2283/tab-cap |
| Lopinavir+ritonavir (Lpv/r) 200 mg+50 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.3949/tab-cap |
| Loratadine 10 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0616/tab-cap |
| Losartan 50 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0284/tab-cap |
| Lubricating Jelly Ointment | N | _____ | _____ | _____ /g | 0.0380/g |
| Lynestrenol 0.5 mg Tab-Cap | N | _____ | _____ | _____ /cycle | 0.4130/cycle |
| Magnesium Sulfate 500 mg/ml Vial | E | _____ | _____ | _____ /ml | 0.0891/ml |
| Magnesium Trisilicate Compound Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0041/tab-cap |
| Mannitol 20% Solution | C | _____ | _____ | _____ /ml | 0.0065/ml |
| Mebendazole 100 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0102/ml |
| Mebendazole (Chewable) 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0078/tab-cap |
| Mebendazole 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0063/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Mebendazole (Chewable) 500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0265/tab-cap |
| Mebendazole 500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0200/tab-cap |
| Medroxyprogesterone 5 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0640/tab-cap |
| Medroxyprogesterone Acetate 150 mg/ml Vial | E | _____ | _____ | _____ /ml | 0.8229/ml |
| Mefenamic Acid 250 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0335/tab-cap |
| Mefloquine 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.6824/tab-cap |
| Meloxicam 7.5 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0675/tab-cap |
| Metformin Hcl 500 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0179/tab-cap |
| Metformin Hcl 850 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0208/tab-cap |
| Methotrexate Sodium 2.5 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 1.6643/ml |
| Methotrexate Sodium 2.5 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0739/tab-cap |
| Methotrexate Sodium 25 mg/ml Vial | P | _____ | _____ | _____ /ml | 2.2662/ml |
| Methyldopa 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0250/tab-cap |
| Methylergometrine Maleate 0.2 mg/ml Ampoule | T | _____ | _____ | _____ /ml | 0.1173/ml |
| Metoclopramide Hcl 5 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.0522/ml |
| Metoclopramide Hcl 4 mg/ml Drops | P | _____ | _____ | _____ /ml | 0.0448/ml |
| Metoclopramide Hcl 10 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0058/tab-cap |
| Metronidazole 100 mg Pessary | P | _____ | _____ | _____ /pessary | 0.0214/pessary |
| Metronidazole 500 mg Pessary | P | _____ | _____ | _____ /pessary | 0.0351/pessary |
| Metronidazole 125 mg/5 ml Syrup | P | _____ | _____ | _____ /ml | 0.0063/ml |
| Metronidazole 200 mg/5 ml Syrup | E | _____ | _____ | _____ /ml | 0.0031/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Metronidazole 200-250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0059/tab-cap |
| Metronidazole 400-500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0091/tab-cap |
| Metronidazole 5 mg/ml Vial | E | _____ | _____ | _____ /ml | 0.0047/ml |
| Miconazole Nitrate 2% Cream | E | _____ | _____ | _____ /g | 0.0198/g |
| Miconazole Nitrate (Buccal Muco-Adhesive) 10 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.2651/tab-cap |
| Midazolam (Ic) 5 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 1.5000/ml |
| Misoprostol 100 mcg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.2046/tab-cap |
| Misoprostol 200 mcg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.3939/tab-cap |
| Morphine (Ic, Sustained-Release) 10 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1851/tab-cap |
| Morphine Sulfate (Ic) 10 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.5795/ml |
| Morphine Sulfate (Ic) 15 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.5436/ml |
| Morphine Sulfate (Ic, Sustained-Release) 30 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.4516/tab-cap |
| Mosquito Net, 2-Person, Impregnated (130 X 180 X 150 Cm) Net | N | _____ | _____ | _____ /each | 4.8360/each |
| Mosquito Net, 2-Person, Llin (130 X 180 X 150 Cm) Net | N | _____ | _____ | _____ /each | 5.8673/each |
| Mosquito Net, Family, Impregnated (190 X 180 X 150 Cm) Net | N | _____ | _____ | _____ /each | 5.2965/each |
| Mosquito Net, Family, Llin (190 X 180 X 150 Cm) Net | N | _____ | _____ | _____ /each | 6.9176/each |
| Mosquito Net, Impregnated (100 X 180 X 150 Cm) Net | N | _____ | _____ | _____ /each | 4.4850/each |
| Mosquito Net, Impregnated (160 X 180 X 150 Cm) Net | N | _____ | _____ | _____ /each | 5.0700/each |
| Mosquito Net, Llin (160 X 180 X 150 Cm) Net | N | _____ | _____ | _____ /each | 6.4830/each |
| Moxifloxacin 400 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 1.6800/tab-cap |
| Nalidixic Acid 30 mcg Disc | N | _____ | _____ | _____ /each | 0.0478/each |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Nalidixic Acid 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0450/tab-cap |
| Naloxone Hcl 0.4 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 1.1209/ml |
| Naproxen 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0245/tab-cap |
| Nelfinavir (Nfv) 50 mg/g Powder | E | _____ | _____ | _____ /g | 0.2956/g |
| Nelfinavir (Nfv) 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.5196/tab-cap |
| Neomycin+bacitracin 5mg+500iu/g Ointment | N | _____ | _____ | _____ /g | 0.0429/g |
| Neostigmine Methylsulfate 0.5 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.2063/ml |
| Neostigmine Methylsulfate 2.5 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.3047/ml |
| Nevirapine (Nvp) 50 mg/5 ml Suspen | E | _____ | _____ | _____ /ml | 0.0130/ml |
| Nevirapine (Nvp) 200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0825/tab-cap |
| Nevirapine (For Oral Suspension) 50 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0438/tab-cap |
| Niclosamide (Chewable) 500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0173/tab-cap |
| Nifedipine 10 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0154/tab-cap |
| Nifedipine (Sustained-Release) 20 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0250/tab-cap |
| Nitrofurantoin 300 mcg Disc | N | _____ | _____ | _____ /each | 0.0500/each |
| Nitrofurantoin 50 mcg Disc | N | _____ | _____ | _____ /each | 0.0562/each |
| Nitrofurantoin 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0095/tab-cap |
| Norethisterone 200 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 1.3600/ml |
| Norethisterone 5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0906/tab-cap |
| Norethisterone+estradiol Cypionate (In Oil) 50mg+5mg/ml Vial | N | _____ | _____ | _____ /ml | 0.8500/ml |
| Norfloxacin 400 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0230/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|-----------------|--|
| Noscapine 15 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0466/tab-cap |
| Nystatin 100,000 iu/g Cream | P | _____ | _____ | _____ /g | 0.0333/g |
| Nystatin 100,000 iu/g Ointment | P | _____ | _____ | _____ /g | 0.0333/g |
| Nystatin 100,000 iu Pessary | E | _____ | _____ | _____ /pessary | 0.0349/pessary |
| Nystatin 100000 iu/ml Suspen | P | _____ | _____ | _____ /ml | 0.0288/ml |
| Nystatin 100,000 iu Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0250/tab-cap |
| Nystatin 500,000 iu Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0649/tab-cap |
| Ofloxacin 200 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0475/tab-cap |
| Ofloxacin 400 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0852/tab-cap |
| Omeprazole 20 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0255/tab-cap |
| Omeprazole 40 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0939/tab-cap |
| Ondansetron 2 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.7707/ml |
| Ondansetron 4 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1753/tab-cap |
| Oral Rehydration Salts 1 pkt/1 l Powder | E | _____ | _____ | _____ /packet | 0.1044/packet |
| Oral Rehydration Salts 1 pkt/500 ml Powder | E | _____ | _____ | _____ /packet | 0.0394/packet |
| Oxacillin 1 mcg Disc | N | _____ | _____ | _____ /each | 0.0461/each |
| Oxygen Gas | E | _____ | _____ | _____ /cubmeter | 2.1560/cubmeter |
| Oxytocin 10 iu Ampoule | E | _____ | _____ | _____ /ml | 0.1514/ml |
| Oxytocin 5 iu Ampoule | P | _____ | _____ | _____ /ml | 0.1050/ml |
| P-Aminosalicylic Acid (pas) 60% w/w Granules | P | _____ | _____ | _____ /g | 0.1600/g |
| P-Aminosalicylic Acid (pas) (60% W/w) 9.2 g Granules | P | _____ | _____ | _____ /packet | 1.4500/packet |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| P-Aminosalicylic Acid (pas) 4 g Powder | C | _____ | _____ | _____ /packet | 1.5333/packet |
| P-Aminosalicylic Acid (pas) (For Oral Solution) 5.52 g Powder | P | _____ | _____ | _____ /packet | 1.5000/packet |
| Pancuronium Bromide 2 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.5634/ml |
| Paracetamol 100 mg Suppos | E | _____ | _____ | _____ /supp | 0.0675/supp |
| Paracetamol 125 mg Suppos | P | _____ | _____ | _____ /supp | 0.0866/supp |
| Paracetamol 250 mg Suppos | P | _____ | _____ | _____ /supp | 0.1865/supp |
| Paracetamol 100 mg/ml Suspen | P | _____ | _____ | _____ /ml | 0.0167/ml |
| Paracetamol 120 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0041/ml |
| Paracetamol 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0023/tab-cap |
| Paracetamol 500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0049/tab-cap |
| Paraffin, Liquid (Mineral Oil) Liquid | N | _____ | _____ | _____ /ml | 0.0067/ml |
| Paraffin, White Soft Ointment | N | _____ | _____ | _____ /g | 0.0099/g |
| Penicillin 2 iu Disc | N | _____ | _____ | _____ /each | 0.0562/each |
| Penicillin G 10 units Disc | N | _____ | _____ | _____ /each | 0.0471/each |
| Penicillin, Benzathine Benzyl (720 Mg Of Pen. G) 1.2 mu Powder | P | _____ | _____ | _____ /vial | 0.1890/vial |
| Penicillin, Benzathine Benzyl (1.44 G Of Pen. G) 2.4 mu Powder | E | _____ | _____ | _____ /vial | 0.2890/vial |
| Penicillin, Benzyl (600 Mg, Pen. G) 1 mu Powder | E | _____ | _____ | _____ /vial | 0.0863/vial |
| Penicillin, Benzyl (3 G, Pen. G) 5 mu Powder | E | _____ | _____ | _____ /vial | 0.2470/vial |
| Penicillin, Phenoxymethyl (Pen. V) 125 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0094/ml |
| Penicillin, Phenoxymethyl (Pen. V) 250 mg/5 ml Syrup | E | _____ | _____ | _____ /ml | 0.0156/ml |
| Penicillin, Phenoxymethyl (Pen. V) 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0167/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Penicillin, Phenoxymethyl (Pen. V) 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0365/tab-cap |
| Penicillin, Procaine Benzyl (600 Mg Of Pen. G) 1 mu Powder | E | _____ | _____ | _____ /vial | 0.0898/vial |
| Penicillin, Procaine Benzyl (1.8 G Of Pen. G) 3 mu Powder | E | _____ | _____ | _____ /vial | 0.2320/vial |
| Penicillin, Procaine Benzyl (2.4 G Of Pen. G) 4 mu Powder | P | _____ | _____ | _____ /vial | 0.2624/vial |
| Penicillin, Procaine+benzyl 3 mu+1 mu Vial | P | _____ | _____ | _____ /vial | 0.3131/vial |
| Pentazocine (Ic) 30 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.2067/ml |
| Permethrin 1% Lotion | E | _____ | _____ | _____ /ml | 0.0331/ml |
| Permethrin 2.5% Ointment | P | _____ | _____ | _____ /g | 0.0334/g |
| Pethidine Hcl (Ic) 50 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.2986/ml |
| Phenobarbital (Ic) 100 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.2771/ml |
| Phenobarbital (Ic) 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0113/tab-cap |
| Phenobarbital (Ic) 30 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0040/tab-cap |
| Phenobarbital (Ic) 50-60 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0076/tab-cap |
| Phenobarbital (Ic) 200 mg/ml Vial | E | _____ | _____ | _____ /ml | 2.2140/ml |
| Phenolic Disinfectant (Prinsyl) Solution | N | _____ | _____ | _____ /ml | 0.0016/ml |
| Phenytoin 50 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.7470/ml |
| Phenytoin 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0071/tab-cap |
| Pilocarpine 2% Opht Drop | E | _____ | _____ | _____ /ml | 0.4201/ml |
| Pilocarpine 4% Opht Drop | E | _____ | _____ | _____ /ml | 0.4409/ml |
| Piroxicam 20 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0198/tab-cap |
| Podophyllin Emodi Resin Solid | P | _____ | _____ | _____ /kg | *** ****/kg |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Polygeline 3.5% Solution | N | _____ | _____ | _____ /ml | 0.0105/ml |
| Potassium Chloride (Sustained-Release) 600 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0385/tab-cap |
| Potassium Chloride (Kcl, 20 Meq/15 Ml) 10% Vial | P | _____ | _____ | _____ /ml | 0.0350/ml |
| Potassium Chloride 15% Vial | P | _____ | _____ | _____ /ml | 0.0311/ml |
| Potassium Permanganate Powder | E | _____ | _____ | _____ /g | 0.0212/g |
| Povidone Iodine (Scrub) 7.5% Liquid | P | _____ | _____ | _____ /ml | 0.0356/ml |
| Povidone Iodine 10% Solution | E | _____ | _____ | _____ /ml | 0.0065/ml |
| Praziquantel 600 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1096/tab-cap |
| Prednisolone 1% Opht Drop | P | _____ | _____ | _____ /ml | 0.0838/ml |
| Prednisolone 5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0083/tab-cap |
| Prednisolone Acetate 25 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.6027/ml |
| Primaquine (Base) 15 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0142/tab-cap |
| Probenecid 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.1600/tab-cap |
| Proguanil 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0475/tab-cap |
| Promethazine Hcl 25 mg/ml Ampoule | T | _____ | _____ | _____ /ml | 0.0947/ml |
| Promethazine Hcl 5 mg/5 ml Suspen | T | _____ | _____ | _____ /ml | 0.0050/ml |
| Promethazine Hcl 25 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0045/tab-cap |
| Propofol 10 mg/ml Vial | E | _____ | _____ | _____ /ml | 0.2290/ml |
| Propranolol Hcl 40 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0058/tab-cap |
| Protamine Sulfate 10 mg/ml Ampoule | C | _____ | _____ | _____ /ml | 1.0547/ml |
| Protonamide 250 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0814/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Pyrazinamide 400 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0192/tab-cap |
| Pyrazinamide 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0283/tab-cap |
| Pyrimethamine 25 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0053/tab-cap |
| Quinine Dihydrochloride 250-300mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.1324/ml |
| Quinine Dihydrochloride 100 mg/5 ml Syrup | P | _____ | _____ | _____ /ml | 0.0460/ml |
| Quinine Sulfate 100 mg/5 ml Syrup | P | _____ | _____ | _____ /ml | 0.0101/ml |
| Quinine Sulfate 200-250 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0319/tab-cap |
| Quinine Sulfate 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0524/tab-cap |
| Raltegravir 400 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 1.6013/tab-cap |
| Ranitidine 25 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.0510/ml |
| Ranitidine 150 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0235/tab-cap |
| Ranitidine 300 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0210/tab-cap |
| Rifamp.+isoniazid+pyrazin.+ethambut. (150+75+400+275 Mg) Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0726/tab-cap |
| Rifampicin 100 mg/5 ml Syrup | P | _____ | _____ | _____ /ml | 1.2977/ml |
| Rifampicin 150 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1091/tab-cap |
| Rifampicin 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0739/tab-cap |
| Rifampicin+isoniazid 150+100 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0478/tab-cap |
| Rifampicin+isoniazid 150+75 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0256/tab-cap |
| Rifampicin+isoniazid 300+150 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0610/tab-cap |
| Rifampicin+isoniazid (Dispersible) 60 mg+30 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0476/tab-cap |
| Rifampicin+isoniazid (Dispersible) 60 mg+60 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0357/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Rifampicin+isoniazid+ethambutol 150+75+275mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0680 /tab-cap |
| Rifampicin+isoniazid+pyrazinamide (Dispersible) 60+30+150 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0714 /tab-cap |
| Risperidone 1 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0335 /tab-cap |
| Risperidone 2 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0714 /tab-cap |
| Ritonavir (Rtv) 80 mg/ml Solution | E | _____ | _____ | _____ /ml | 0.0913 /ml |
| Ritonavir (Rtv) 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1199 /tab-cap |
| Salbutamol 0.5 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.2200 /ml |
| Salbutamol 100 mcg/dose Inhaler | E | _____ | _____ | _____ /dose | 0.0109 /dose |
| Salbutamol 5 mg/ml Respsol | E | _____ | _____ | _____ /ml | 0.8181 /ml |
| Salbutamol 2 mg/5 ml Syrup | E | _____ | _____ | _____ /ml | 0.0080 /ml |
| Salbutamol 2 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0029 /tab-cap |
| Salbutamol 4 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0031 /tab-cap |
| Saquinavir (Sqv) 200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.4042 /tab-cap |
| Saquinavir (Sqv) 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.9277 /tab-cap |
| Senna (Sennosides) 7.5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0090 /tab-cap |
| Silver Sulfadiazine 1% Cream | E | _____ | _____ | _____ /g | 0.0254 /g |
| Simvastatin 20 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0595 /tab-cap |
| Sodium Bicarbonate 8.4% Solution | T | _____ | _____ | _____ /ml | 0.0627 /ml |
| Sodium Chloride In Water (Normal Saline) 0.9% Solution | E | _____ | _____ | _____ /ml | 0.0009 /ml |
| Sodium Dichloroisocyanurate (Nadcc) 1.67 g Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0594 /tab-cap |
| Sodium Dichloroisocyanurate (Nadcc) 8.5 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0278 /tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Sodium Lactate Compound (Ringer's/hartmann's Sol.) Solution | E | _____ | _____ | _____ /ml | 0.0010/ml |
| Sodium Stibogluconate (10% Sb) 33% Vial | E | _____ | _____ | _____ /ml | 0.3738/ml |
| Sodium Valproate 200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0845/tab-cap |
| Sodium Valproate 500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1434/tab-cap |
| Spectinomycin 2 g Vial | E | _____ | _____ | _____ /vial | 4.6317/vial |
| Spironolactone 25 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0379/tab-cap |
| Stavudine (D4t) 1 mg/ml Solution | E | _____ | _____ | _____ /ml | 0.0109/ml |
| Stavudine (D4t) 15 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0315/tab-cap |
| Stavudine (D4t) 20 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0328/tab-cap |
| Stavudine (D4t) 30 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0511/tab-cap |
| Stavudine (D4t) 40 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0843/tab-cap |
| Streptomycin Sulfate 1 g Vial | E | _____ | _____ | _____ /vial | 0.3642/vial |
| Sulfadiazine 500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0465/tab-cap |
| Sulfadoxine+pyrimethamine 500 mg+25 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0299/tab-cap |
| Sulfamethoxazole+trimethoprim (Co-Trimoxazole) 80+16 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.5559/ml |
| Sulfamethoxazole+trimethoprim (Co-Trimoxazole) 25 mcg Disc | N | _____ | _____ | _____ /each | 0.0421/each |
| Sulfamethoxazole+trimethoprim (Co-Trimoxazole) 200+40mg/5ml Suspen | E | _____ | _____ | _____ /ml | 0.0051/ml |
| Sulfamethoxazole+trimethoprim (Co-Trimoxazole) 100 mg+20 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0043/tab-cap |
| Sulfamethoxazole+trimethoprim (Co-Trimoxazole) 200 mg+40 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0119/tab-cap |
| Sulfamethoxazole+trimethoprim (Co-Trimoxazole) 400 mg+80 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0111/tab-cap |
| Sulfamethoxazole+trimethoprim (Co-Trimoxazole) 800 mg+160mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0215/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Suxamethonium Cl (Succinylcholine) 50 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.2416/ml |
| Tamoxifen Citrate 10 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0856/tab-cap |
| Tamoxifen Citrate 20 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.1285/tab-cap |
| Tenofovir Df+emtricitabine (Tdf+ftc) 300 mg+200mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.4028/tab-cap |
| Tenofovir Df+lamivudine 300mg+300mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.2607/tab-cap |
| Tenofovir Disoproxil Fumerate (tdf) (Equiv.245mg Tenofovir Disopro) 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.2867/tab-cap |
| Terizidone 250 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 1.7094/tab-cap |
| Test, Bloodgroup Anti-A, Monoclonal Test | N | _____ | _____ | _____ /ml | 0.3035/ml |
| Test, Bloodgroup Anti-A/b, Monoclonal Test | N | _____ | _____ | _____ /ml | 0.4139/ml |
| Test, Bloodgroup, Anti-B, Monoclonal Test | N | _____ | _____ | _____ /ml | 0.3081/ml |
| Test, Bloodgroup, Anti-D, Monoclonal Test | N | _____ | _____ | _____ /ml | 0.5323/ml |
| Test, Brucella Melitensis Antigen (Rapid) Test | N | _____ | _____ | _____ /test | 48.1895/test |
| Test, Chlamydia (Rapid Test) Test | N | _____ | _____ | _____ /each | 2.0210/each |
| Test, Hepatitis B Hbsag Elisa (Version 3) Test | N | _____ | _____ | _____ /test | 2.2179/test |
| Test, Hepatitis Bsag Test | N | _____ | _____ | _____ /test | 0.7102/test |
| Test, Hepatitis C Elisa Test | N | _____ | _____ | _____ /test | 3.6363/test |
| Test, Hepatitis C, Hcvscan (tm) (Rapid Test) Test | N | _____ | _____ | _____ /test | 2.6743/test |
| Test, Hiv 1 New Lav Blot (tm) Test | N | _____ | _____ | _____ /test | 29.7667/test |
| Test, Hiv 1&2 Bionor (tm) Test | N | _____ | _____ | _____ /test | 1.3786/test |
| Test, Hiv 1&2 First Response (tm) Test | N | _____ | _____ | _____ /test | 0.7875/test |
| Test, Hiv 1&2 Genie (tm) Test | N | _____ | _____ | _____ /test | 4.5000/test |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|-------------|--|
| Test, Hiv 1&2 Oraquick (tm) Test | N | _____ | _____ | _____ /test | 3.2700/test |
| Test, Hiv 1+2 Antibody Diagnos. Kit (Colloidal Gold) Test | N | _____ | _____ | _____ /test | 0.9503/test |
| Test, Hiv 1+2 Colloidal Gold Test | N | _____ | _____ | _____ /test | 0.5040/test |
| Test, Hiv 1+2 Immunocomb li Bi-Spot ((tm)) Test | N | _____ | _____ | _____ /test | 2.9175/test |
| Test, Hiv 1+2 Retrocheck (tm) Test | N | _____ | _____ | _____ /test | 0.9793/test |
| Test, Hiv 1+2 Sd Bioline 3.0 (tm) Test | N | _____ | _____ | _____ /test | 0.9982/test |
| Test, Hiv 1+2 Stat Pak (tm) Test | N | _____ | _____ | _____ /test | 1.5800/test |
| Test, Hiv 1+2 Western Blot 2.2 Mpd (Confirmation) Test | N | _____ | _____ | _____ /test | 28.3997/test |
| Test, Hiv 1+2+o Ag/ab Murex (tm) Test | N | _____ | _____ | _____ /test | 3.0960/test |
| Test, Hiv 1+2+o Antibodies Elisa Test | N | _____ | _____ | _____ /test | 1.9656/test |
| Test, Hiv 1+2+o Enzygnost (tm) Test | N | _____ | _____ | _____ /test | 2.3892/test |
| Test, Hiv 1+2+o First Response Card ((tm)) Test | N | _____ | _____ | _____ /test | 0.8016/test |
| Test, Hiv 1+2+o Genscreen + Ag/ab ((tm)) Test | N | _____ | _____ | _____ /test | 2.1459/test |
| Test, Hiv 1+2, Doublecheck Gold (tm) Test | N | _____ | _____ | _____ /test | 1.7478/test |
| Test, Hiv 1+2, Doublecheck, Rapid ((tm)) Test | N | _____ | _____ | _____ /test | 1.9007/test |
| Test, Hiv 1+2, Intec Test | N | _____ | _____ | _____ /test | 0.8460/test |
| Test, Hiv 2 New Lav Blot (tm) Test | N | _____ | _____ | _____ /test | 29.7667/test |
| Test, Hiv, Determine Hiv-1/2 (tm) Test | N | _____ | _____ | _____ /test | 1.0749/test |
| Test, Hiv, Unigold I/ii (tm) Test | N | _____ | _____ | _____ /test | 2.4591/test |
| Test, Hiv, Vironostika Uni-Form li (Ag/ab (tm)) Test | N | _____ | _____ | _____ /test | 3.1846/test |
| Test, Malaria P. Falciparum+p. Pan (Parascreen, Rapid) Test | N | _____ | _____ | _____ /test | 1.0547/test |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Test, Malaria P.falciparum,paracheck Test | N | _____ | _____ | _____ /test | 0.6903/test |
| Test, Malaria Sd-Bioline Test | N | _____ | _____ | _____ /test | 0.8400/test |
| Test, Malaria, Intec Test | N | _____ | _____ | _____ /test | 0.8373/test |
| Test, Malaria, P.falciparum, P.vivax Test | N | _____ | _____ | _____ /test | 0.8113/test |
| Test, Malaria, Paramax 3, Rapid (tm) (P.falciparum+p.vivax+p.pan) Test | N | _____ | _____ | _____ /test | 1.8254/test |
| Test, Pregnancy Test | N | _____ | _____ | _____ /test | 0.1200/test |
| Test, Rubella Virus IgG/igm (Rapid) Test | N | _____ | _____ | _____ /test | 3.2674/test |
| Test, Salmonella Typhi IgG/igm (Rapid) Test | N | _____ | _____ | _____ /test | 2.2210/test |
| Test, Syphilis Determine (tm) Test | N | _____ | _____ | _____ /test | 1.6675/test |
| Test, Syphilis Rpr (tm) Test | N | _____ | _____ | _____ /test | 0.1055/test |
| Test, Syphilis Sd Bioline 3.0 (tm) (Rapid Test) Test | N | _____ | _____ | _____ /test | 0.8427/test |
| Test, Syphilis Tpha, Bsm Test | N | _____ | _____ | _____ /test | 0.7470/test |
| Tetanus Antitoxin 1500 iu Ampoule | N | _____ | _____ | _____ /ampoule | 1.1987/ampoule |
| Tetracaine 0.5% Opht Drop | E | _____ | _____ | _____ /ml | 1.3149/ml |
| Tetracycline 10 mcg Disc | N | _____ | _____ | _____ /each | 0.0562/each |
| Tetracycline 3% Ointment | P | _____ | _____ | _____ /g | 0.0290/g |
| Tetracycline Hcl 1% Opht Oint | E | _____ | _____ | _____ /g | 0.0509/g |
| Tetracycline Hcl 250 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0135/tab-cap |
| Thiopental Sodium 1 g Vial | E | _____ | _____ | _____ /vial | 1.3113/vial |
| Thiopental Sodium 500 mg Vial | E | _____ | _____ | _____ /vial | 1.0396/vial |
| Tiabendazole (Chewable) 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0996/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Tiabendazole 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.1066/tab-cap |
| Timolol Maleate 0.25% Opht Drop | E | _____ | _____ | _____ /ml | 0.3012/ml |
| Timolol Maleate 0.5% Opht Drop | E | _____ | _____ | _____ /ml | 0.3796/ml |
| Tinidazole 500 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0392/tab-cap |
| Tramadol 100 mg/ml Solution | N | _____ | _____ | _____ /ml | 0.2159/ml |
| Tramadol Hydrochloride 50 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.1394/ml |
| Tramadol Hydrochloride 50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0707/tab-cap |
| Trihexyphenidyl (Benzhexol) 2 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0143/tab-cap |
| Trihexyphenidyl (Benzhexol) 5 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0104/tab-cap |
| Tropicamide 0.5% Opht Drop | E | _____ | _____ | _____ /ml | 0.7968/ml |
| Tropicamide 1% Opht Drop | P | _____ | _____ | _____ /ml | 0.6423/ml |
| Vaccine, Bcg (Dried) Powder | E | _____ | _____ | _____ /dose | 1.1126/dose |
| Vaccine, Hepatitis B Vial | E | _____ | _____ | _____ /vial | 4.2761/vial |
| Vaccine, Rabies Vial | E | _____ | _____ | _____ /vial | 10.4756/vial |
| Vaccine, Rotavirus Vial | E | _____ | _____ | _____ /dose | 21.2232/dose |
| Vaccine, Tetanus Toxoid Vial | E | _____ | _____ | _____ /dose | 0.1192/dose |
| Vaccine, Typhoid Vial | E | _____ | _____ | _____ /dose | 3.9816/dose |
| Valganciclovir 450 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 12.0640/tab-cap |
| Vancomycin 30 mcg Disc | N | _____ | _____ | _____ /each | 0.0500/each |
| Vdrl Carbon Antigen (Vd24) Solution | N | _____ | _____ | _____ /ml | 2.0000/ml |
| Vecuronium 4 mg Ampoule | P | _____ | _____ | _____ /ampoule | 2.5874/ampoule |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Vecuronium 10 mg Vial | E | _____ | _____ | _____ /vial | 5.1429/vial |
| Verapamil Hcl 40 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0427/tab-cap |
| Vincristine 2 mg Ampoule | C | _____ | _____ | _____ /ampoule | 2.4984/ampoule |
| Vincristine 1 mg Vial | C | _____ | _____ | _____ /vial | 2.1512/vial |
| Vitamin A (Retinol (50,000 Iu)) 15 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0202/tab-cap |
| Vitamin A (Retinol (10,000 Iu)) 3 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0114/tab-cap |
| Vitamin A (Retinol (100,000 Iu)) 30 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0233/tab-cap |
| Vitamin A (Retinol (200,000 Iu)) 60 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0347/tab-cap |
| Vitamin B Complex Ampoule | N | _____ | _____ | _____ /ml | 0.1000/ml |
| Vitamin B Complex Syrup | N | _____ | _____ | _____ /ml | 0.0052/ml |
| Vitamin B Complex Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0037/tab-cap |
| Vitamin B1 (Thiamine Hcl) 50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0077/tab-cap |
| Vitamin B12 (Cyanocobalamin) 1 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.0994/ml |
| Vitamin B6 (Pyridoxine) 50 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.1375/ml |
| Vitamin B6 (Pyridoxine) 25 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0021/tab-cap |
| Vitamin B6 (Pyridoxine) 50 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0067/tab-cap |
| Vitamin C (Ascorbic Acid) 100 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0053/tab-cap |
| Vitamin C (Ascorbic Acid) 250 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0115/tab-cap |
| Vitamin K1 (Phytomenadione) 1 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.2911/ml |
| Vitamin K1 (Phytomenadione) 10 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.2993/ml |
| Vitamin, Multi Syrup | N | _____ | _____ | _____ /ml | 0.0047/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Supplier Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Vitamin, Multi Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0048/tab-cap |
| Warfarin Sodium 5 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0319/tab-cap |
| Water For Injection 10 ml Ampoule | E | _____ | _____ | _____ /ampoule | 0.0509/ampoule |
| Water For Injection 5 ml Ampoule | E | _____ | _____ | _____ /ampoule | 0.0600/ampoule |
| Water For Injection 100 ml Vial | P | _____ | _____ | _____ /vial | 0.3219/vial |
| Zidovudine (Azt) 50 mg/5 ml Solution | E | _____ | _____ | _____ /ml | 0.0155/ml |
| Zidovudine (Azt) 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0837/tab-cap |
| Zidovudine (Azt) 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.3483/tab-cap |
| Zidovudine (Azt) 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1849/tab-cap |
| Zidovudine (Azt) 10 mg/ml Vial | E | _____ | _____ | _____ /ml | 0.1412/ml |
| Zinc Oxide 10% Ointment | N | _____ | _____ | _____ /g | 0.0110/g |
| Zinc Sulfate (Dispersible) 20 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0377/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| COUNTRY: _____ PHARMACEUTICAL SUPPLY UNIT: _____ | PRICE PAID FOR PERIOD: _____ TO _____ | | | | |
|---|---------------------------------------|-----------|------------|----------------|--|
| CURRENCY USED: _____ EXCHANGE RATE WITH US\$: _____ | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
| ITEM DESCRIPTION | | | | | |
| Abacavir (Abc) 20 mg/ml Solution | E | _____ | _____ | _____ /ml | 0.1116 /ml |
| Abacavir (Abc) 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.3392 /tab-cap |
| Acetazolamide 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0360 /tab-cap |
| Acetazolamide (Powder) 500 mg Vial | P | _____ | _____ | _____ /vial | 59.6383 /vial |
| Acetylsalicylic Acid 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0043 /tab-cap |
| Acetylsalicylic Acid 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0045 /tab-cap |
| Acetylsalicylic Acid 500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0042 /tab-cap |
| Acetylsalicylic Acid 75 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0123 /tab-cap |
| Aciclovir 500 mg Ampoule | P | _____ | _____ | _____ /ml | 2.5696 /ml |
| Aciclovir 5% Cream | N | _____ | _____ | _____ /g | 0.1534 /g |
| Aciclovir 3% Opht Oint | N | _____ | _____ | _____ /g | 1.0416 /g |
| Aciclovir 200 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.1973 /ml |
| Aciclovir 200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0563 /tab-cap |
| Aciclovir 400 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.1043 /tab-cap |
| Aciclovir 800 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.1125 /tab-cap |
| Aciclovir (Powder) 250 mg Vial | E | _____ | _____ | _____ /vial | 4.6500 /vial |
| Adenosine 3 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 1.6078 /ml |
| Albendazole 100 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0182 /ml |
| Albendazole 200 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0210 /ml |
| Albendazole 200 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0646 /tab-cap |
| Albendazole (Chewable) 400 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0165 /tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Albendazole 400 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0188/tab-cap |
| Albumin, Human Normal 20-25% Vial | N | _____ | _____ | _____ /ml | 0.7131/ml |
| Alcohol (Ethanol) 95-96% Solution | N | _____ | _____ | _____ /ml | 0.0086/ml |
| Alcohol, Denatured 70% Bott | N | _____ | _____ | _____ /ml | 0.0023/ml |
| Alcohol, Denatured 95-96% Bott | N | _____ | _____ | _____ /ml | 0.0033/ml |
| Alcohol, Isopropyl 70% Solution | N | _____ | _____ | _____ /ml | 0.0028/ml |
| Alendronate 10 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.2778/tab-cap |
| Allopurinol 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0211/tab-cap |
| Allopurinol 300 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0321/tab-cap |
| Alprazolam 0.25 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0304/tab-cap |
| Alprazolam 0.5 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0131/tab-cap |
| Aluminium Hydr.+ Magnesium Hydr. 250+120 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0033/tab-cap |
| Aluminium Hydroxide (Chewable) 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0084/tab-cap |
| Aluminium Hydroxide 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0033/tab-cap |
| Amikacin Sulfate 50 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.2464/ml |
| Amikacin Sulfate 250 mg/ml Vial | P | _____ | _____ | _____ /ml | 0.2261/ml |
| Aminophylline 25 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.0344/ml |
| Aminophylline 100 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0048/tab-cap |
| Amiodarone 200 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.1043/tab-cap |
| Amiodarone 50 mg/ml Vial | C | _____ | _____ | _____ /ml | 0.3529/ml |
| Amitriptyline 10 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0221/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Amitriptyline 25 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0135/tab-cap |
| Amitriptyline 50 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0120/tab-cap |
| Amlodipine 10 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0102/tab-cap |
| Amlodipine 5 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0091/tab-cap |
| Amodiaquine 50 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0065/ml |
| Amodiaquine 150-200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0183/tab-cap |
| Amoxicillin 125 mg/5 ml Suspen | E | _____ | _____ | _____ /ml | 0.0056/ml |
| Amoxicillin 250 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0068/ml |
| Amoxicillin 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0218/tab-cap |
| Amoxicillin 500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0374/tab-cap |
| Amoxicillin+clavulanic Acid (250+62.5 Mg/5ml) Suspen | P | _____ | _____ | _____ /ml | 0.0271/ml |
| Amoxicillin+clavulanic Acid (125+31.25 Mg/5ml) 125+31mg/5ml Suspen | P | _____ | _____ | _____ /ml | 0.0285/ml |
| Amoxicillin+clavulanic Acid 250mg+125mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.1749/tab-cap |
| Amoxicillin+clavulanic Acid 500mg+125mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1656/tab-cap |
| Amoxicillin+clavulanic Acid 875mg+125mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.4219/tab-cap |
| Amoxicillin+clavulanic Acid 1000+200 mg Vial | P | _____ | _____ | _____ /vial | 1.8712/vial |
| Amoxicillin+clavulanic Acid 500mg+100mg Vial | P | _____ | _____ | _____ /vial | 0.8570/vial |
| Amphotericin B 50 mg Vial | E | _____ | _____ | _____ /vial | 7.6560/vial |
| Ampicillin 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0279/tab-cap |
| Ampicillin 1 g Vial | E | _____ | _____ | _____ /vial | 0.2076/vial |
| Ampicillin 250 mg Vial | P | _____ | _____ | _____ /vial | 0.4997/vial |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Ampicillin 500 mg Vial | E | _____ | _____ | _____ /vial | 0.1830/vial |
| Anastrozole 1 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.1545/tab-cap |
| Anti-D Immunoglobulin (Anti-Rho) 300 mcg Vial | P | _____ | _____ | _____ /ml | 44.0990/ml |
| Antihemorrhoidal Ointment | E | _____ | _____ | _____ /g | 0.1190/g |
| Antihemorrhoidal Suppos | E | _____ | _____ | _____ /supp | 0.4051/supp |
| Antihemophilic Factor (Factor VIII, Human) 250 iu Vial | C | _____ | _____ | _____ /vial | 79.9012/vial |
| Antihemophilic Factor (Factor VIII, Human) 500 iu Vial | C | _____ | _____ | _____ /vial | 172.1048/vial |
| Antivenom Serum Vial | E | _____ | _____ | _____ /vial | 182.1049/vial |
| Artemether+lumefantrine 20 mg+120 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0968/tab-cap |
| Artemether+lumefantrine (6 X 1 Tablets Co-Pack) 20 mg+120 mg Tab-Cap | E | _____ | _____ | _____ /pack | 0.1136/pack |
| Artemether+lumefantrine (6 X 4 Tablets Co-Pack) 20 mg+120 mg Tab-Cap | E | _____ | _____ | _____ /pack | 0.0887/pack |
| Asparaginase 10,000 iu/ml Vial | C | _____ | _____ | _____ /ml | 47.4291/ml |
| Atazanavir 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.9462/tab-cap |
| Atenolol 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0144/tab-cap |
| Atenolol 50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0139/tab-cap |
| Atorvastatin 10 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0517/tab-cap |
| Atorvastatin 20 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0511/tab-cap |
| Atracurium 10 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 1.2326/ml |
| Atropine Sulfate 0.5 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.3297/ml |
| Atropine Sulfate 0.6 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.3680/ml |
| Atropine Sulfate 1 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.0714/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Atropine Sulfate 1% Oph Drop | E | _____ | _____ | _____ /ml | 0.2777/ml |
| Azathioprine 50 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.2774/tab-cap |
| Azithromycin 200 mg/5 ml Suspen | E | _____ | _____ | _____ /ml | 0.0616/ml |
| Azithromycin 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.2101/tab-cap |
| Azithromycin 500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.4090/tab-cap |
| Baclofen 10 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0904/tab-cap |
| Balanced Salt Solution Ophth | N | _____ | _____ | _____ /ml | 0.5162/ml |
| Balanced Salt Solution Solution | N | _____ | _____ | _____ /ml | 0.0815/ml |
| Barium Sulfate Powder | P | _____ | _____ | _____ /kg | 12.2370/kg |
| Beclometasone 100 mcg/dose Inhaler | P | _____ | _____ | _____ /dose | 0.0452/dose |
| Beclometasone 250 mcg/dose Inhaler | E | _____ | _____ | _____ /dose | 0.0170/dose |
| Beclometasone 50 mcg/dose Inhaler | E | _____ | _____ | _____ /dose | 0.0166/dose |
| Beclometasone 50 mcg Nasal | E | _____ | _____ | _____ /dose | 0.0303/dose |
| Bendroflumethiazide 2.5 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0087/tab-cap |
| Bendroflumethiazide 5 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0093/tab-cap |
| Benzatropine Mesilate 1 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 2.5505/ml |
| Benzatropine Mesilate 2 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0155/tab-cap |
| Benzoic & Salicylic Acid (Whitfield's) 6% + 3% Ointment | N | _____ | _____ | _____ /g | 0.0066/g |
| Benzoyl Peroxide 5% Gel | P | _____ | _____ | _____ /g | 0.0544/g |
| Benzyl Benzoate 25% Lotion | E | _____ | _____ | _____ /ml | 0.0059/ml |
| Betamethasone (Oph/otic) 0.1% Oph Drop | P | _____ | _____ | _____ /ml | 0.1789/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|------------|--|
| Betamethasone Valerate 0.1% Cream | E | _____ | _____ | /g | 0.0366/g |
| Betamethasone Valerate 0.1% Ointment | E | _____ | _____ | /g | 0.0402/g |
| Bicalutamide 50 mg Tab-Cap | N | _____ | _____ | /tab-cap | 3.7498/tab-cap |
| Biperiden 2 mg Tab-Cap | E | _____ | _____ | /tab-cap | 0.0790/tab-cap |
| Bisacodyl 10 mg Suppos | N | _____ | _____ | /supp | 0.1190/supp |
| Bisacodyl 5 mg Tab-Cap | N | _____ | _____ | /tab-cap | 0.0105/tab-cap |
| Bismuth Subgallate Suppos | N | _____ | _____ | /supp | 0.4474/supp |
| Bleomycin 15 mg Vial | C | _____ | _____ | /vial | 20.9515/vial |
| Bromocriptine Mesilate 2.5 mg Tab-Cap | N | _____ | _____ | /tab-cap | 0.2047/tab-cap |
| Bupivacaine Hcl 0.25% Ampoule | E | _____ | _____ | /ml | 0.1010/ml |
| Bupivacaine Hcl 0.5% Ampoule | E | _____ | _____ | /ml | 0.0556/ml |
| Bupivacaine Hcl + Dextrose 0.5% + 8% Ampoule | E | _____ | _____ | /ml | 0.1339/ml |
| Busulfan 2 mg Tab-Cap | N | _____ | _____ | /tab-cap | 0.8172/tab-cap |
| Calamine Lotion | E | _____ | _____ | /ml | 0.0056/ml |
| Calcitonin (Semi-Synthetic Salmon) 100 iu/ml Ampoule | N | _____ | _____ | /ml | 5.4190/ml |
| Calcium 600 mg Tab-Cap | P | _____ | _____ | /tab-cap | 0.0213/tab-cap |
| Calcium Chloride 10% Vial | N | _____ | _____ | /ml | 0.0331/ml |
| Calcium Folinate 15 mg Tab-Cap | C | _____ | _____ | /tab-cap | 0.9000/tab-cap |
| Calcium Folinate 50 mg Vial | P | _____ | _____ | /vial | 2.0356/vial |
| Calcium Gluconate 100 mg/ml Ampoule | E | _____ | _____ | /ml | 0.0193/ml |
| Calcium Lactate 250-300 mg Tab-Cap | P | _____ | _____ | /tab-cap | 0.0088/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Calcium Lactate 650 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0199/tab-cap |
| Camphor 10% Ointment | N | _____ | _____ | _____ /g | 0.0090/g |
| Capecitabine 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 3.5607/tab-cap |
| Capreomycin 1 g Vial | C | _____ | _____ | _____ /vial | 14.8626/vial |
| Captopril 12.5 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0173/tab-cap |
| Captopril 25 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0167/tab-cap |
| Captopril 50 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0258/tab-cap |
| Carbamazepine 100 mg/5 ml Suspen | E | _____ | _____ | _____ /ml | 0.0356/ml |
| Carbamazepine 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0394/tab-cap |
| Carbamazepine (Sustained-Release) 200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1653/tab-cap |
| Carbamazepine 200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0265/tab-cap |
| Carbamazepine (Sustained-Release) 400 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.2371/tab-cap |
| Carbimazole 5 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0749/tab-cap |
| Carboplatin 150 mg Vial | C | _____ | _____ | _____ /vial | 18.2428/vial |
| Carboplatin 450 mg Vial | C | _____ | _____ | _____ /vial | 37.6785/vial |
| Carvedilol 12.5 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.1669/tab-cap |
| Carvedilol 25 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.2041/tab-cap |
| Carvedilol 6.25 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.2127/tab-cap |
| Cefadroxil 250 mg/5 ml Suspen | N | _____ | _____ | _____ /ml | 0.0218/ml |
| Cefadroxil Monohydrate 125 mg/5 ml Suspen | N | _____ | _____ | _____ /ml | 0.0130/ml |
| Cefadroxil Monohydrate 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.1030/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|-------------------------------|---------|-----------|------------|----------------|--|
| Cefalexin 125 mg/5 ml Suspen | E | _____ | _____ | _____ /ml | 0.0095/ml |
| Cefalexin 250 mg/5 ml Suspen | E | _____ | _____ | _____ /ml | 0.0094/ml |
| Cefalexin 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0481/tab-cap |
| Cefalexin 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0659/tab-cap |
| Cefazolin 500 mg Ampoule | P | _____ | _____ | _____ /vial | 0.4901/vial |
| Cefazolin 1 g Vial | E | _____ | _____ | _____ /vial | 0.6381/vial |
| Cefepime 1 g Vial | T | _____ | _____ | _____ /vial | 2.9258/vial |
| Cefixime 200 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.3139/tab-cap |
| Cefixime 400 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 1.8393/tab-cap |
| Cefotaxime 1 g Vial | C | _____ | _____ | _____ /vial | 0.7800/vial |
| Cefotaxime 500 mg Vial | C | _____ | _____ | _____ /vial | 0.7573/vial |
| Cefoxitin 1 g Vial | N | _____ | _____ | _____ /vial | 3.0498/vial |
| Ceftazidime 1 g Vial | P | _____ | _____ | _____ /vial | 1.6800/vial |
| Ceftriaxone 1 g Vial | E | _____ | _____ | _____ /vial | 0.6316/vial |
| Ceftriaxone 250 mg Vial | E | _____ | _____ | _____ /vial | 0.3900/vial |
| Ceftriaxone 500 mg Vial | P | _____ | _____ | _____ /vial | 1.5341/vial |
| Cefuroxime 125 mg/5 ml Suspen | N | _____ | _____ | _____ /ml | 0.0868/ml |
| Cefuroxime 250 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.2187/tab-cap |
| Cefuroxime 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.4689/tab-cap |
| Cefuroxime 1.5 g Vial | N | _____ | _____ | _____ /vial | 2.3976/vial |
| Cefuroxime 250 mg Vial | N | _____ | _____ | _____ /vial | 0.7164/vial |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Cefuroxime 750 mg Vial | N | _____ | _____ | _____ /vial | 1.2789/vial |
| Cetirizine 5 mg/5 ml Syrup | N | _____ | _____ | _____ /ml | 0.0099/ml |
| Cetirizine 10 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0218/tab-cap |
| Cetrimide+chlorhexidine Gluconate 15%+1.5% Solution | P | _____ | _____ | _____ /ml | 0.0042/ml |
| Charcoal, Activated 125 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0067/tab-cap |
| Chlorambucil 2 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 1.0039/tab-cap |
| Chloramine 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0148/tab-cap |
| Chloramphenicol 0.5% Oph Drop | P | _____ | _____ | _____ /ml | 0.0782/ml |
| Chloramphenicol 1% Oph Oint | P | _____ | _____ | _____ /g | 0.0924/g |
| Chloramphenicol 5% Otic Drop | P | _____ | _____ | _____ /ml | 0.1054/ml |
| Chloramphenicol 125 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0076/ml |
| Chloramphenicol 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0212/tab-cap |
| Chloramphenicol 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0341/tab-cap |
| Chloramphenicol (Base) 1 g Vial | E | _____ | _____ | _____ /vial | 0.3841/vial |
| Chloramphenicol+dexamethasone 0.5%+0.1% Oph Drop | N | _____ | _____ | _____ /ml | 0.2414/ml |
| Chlordiazepoxide Hydrochloride 10 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0441/tab-cap |
| Chlorhexidine 5% Cream | P | _____ | _____ | _____ /ml | 0.0136/ml |
| Chlorhexidine Gluconate 20% Solution | P | _____ | _____ | _____ /ml | 0.0208/ml |
| Chlorhexidine Gluconate 5% Solution | E | _____ | _____ | _____ /ml | 0.0073/ml |
| Chlorhexidine Surgical Scrub 4% Liquid | P | _____ | _____ | _____ /ml | 0.0047/ml |
| Chloroquine (base) 150 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0196/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Chloroquine (base) 250 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0265/tab-cap |
| Chloroxylenol 4.8% Solution | E | _____ | _____ | _____ /ml | 0.0033/ml |
| Chlorphenamine Maleate 10 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.0479/ml |
| Chlorphenamine Maleate 2 mg/5 ml Elixir | P | _____ | _____ | _____ /ml | 0.0047/ml |
| Chlorphenamine Maleate 4 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0066/tab-cap |
| Chlorpromazine Hcl 25 mg/ml Ampoule | C | _____ | _____ | _____ /ml | 0.0825/ml |
| Chlorpromazine Hcl 100 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0243/tab-cap |
| Chlorpromazine Hcl 25 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0172/tab-cap |
| Chlorpromazine Hcl 50 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0373/tab-cap |
| Chlorpropamide 250 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0292/tab-cap |
| Chlorthalidone 50 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0397/tab-cap |
| Ciclosporin 100 mg/ml Solution | C | _____ | _____ | _____ /ml | 2.8357/ml |
| Ciclosporin 100 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 2.3579/tab-cap |
| Ciclosporin 25 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.9194/tab-cap |
| Cimetidine 200 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0084/tab-cap |
| Cimetidine 400 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0221/tab-cap |
| Cimetidine 100 mg/ml Vial | T | _____ | _____ | _____ /ml | 0.0137/ml |
| Ciprofloxacin 3 mg/ml Opht Drop | P | _____ | _____ | _____ /ml | 0.1748/ml |
| Ciprofloxacin 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0288/tab-cap |
| Ciprofloxacin 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0364/tab-cap |
| Ciprofloxacin 2 mg/ml Vial | P | _____ | _____ | _____ /ml | 0.0043/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---------------------------------------|---------|-----------|------------|----------------|--|
| Cisatracurium 2 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 3.2638/ml |
| Cisplatin 1 mg/ml Vial | N | _____ | _____ | _____ /ml | 0.2281/ml |
| Clarithromycin 125 mg/5 ml Suspen | N | _____ | _____ | _____ /ml | 0.0426/ml |
| Clarithromycin 250 mg/5 ml Suspen | N | _____ | _____ | _____ /ml | 0.0777/ml |
| Clarithromycin 250 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.1811/tab-cap |
| Clarithromycin 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.2797/tab-cap |
| Clindamycin 75 mg/5 ml Solution | P | _____ | _____ | _____ /ml | 0.1916/ml |
| Clindamycin 300 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.1130/tab-cap |
| Clindamycin (base) 150 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.1434/tab-cap |
| Clindamycin (base) 150 mg/ml Vial | C | _____ | _____ | _____ /ml | 0.3827/ml |
| Clobetasol Propionate 0.05% Cream | N | _____ | _____ | _____ /g | 0.0361/g |
| Clofazimine (Lamprene) 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 3.9772/tab-cap |
| Clomifene 50 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.2646/tab-cap |
| Clomipramine 10 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0322/tab-cap |
| Clomipramine 25 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0636/tab-cap |
| Clonazepam 2.5 mg/ml Drops | N | _____ | _____ | _____ /ml | 1.6782/ml |
| Clonazepam 0.5 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0285/tab-cap |
| Clonazepam 2 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.1657/tab-cap |
| Clopidogrel Bisulfate 75 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.2177/tab-cap |
| Clotrimazole 1% Cream | E | _____ | _____ | _____ /g | 0.0160/g |
| Clotrimazole 1% Cream | E | _____ | _____ | _____ /g | 0.0782/g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---------------------------------------|---------|-----------|------------|----------------|--|
| Clotrimazole 100 mg Pessary | E | _____ | _____ | _____ /pessary | 0.1660/pessary |
| Clotrimazole 500 mg Pessary | E | _____ | _____ | _____ /pessary | 1.5598/pessary |
| Cloxacillin Sodium 125 mg/5 ml Suspen | T | _____ | _____ | _____ /ml | 0.0105/ml |
| Cloxacillin Sodium 250 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0263/tab-cap |
| Cloxacillin Sodium 500 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0489/tab-cap |
| Cloxacillin Sodium 250 mg Vial | T | _____ | _____ | _____ /vial | 0.6512/vial |
| Cloxacillin Sodium 500 mg Vial | T | _____ | _____ | _____ /vial | 0.3300/vial |
| Clozapine 100 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.2026/tab-cap |
| Clozapine 25 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.1800/tab-cap |
| Codeine (Ic) 15 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0743/tab-cap |
| Codeine (Ic) 30 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1822/tab-cap |
| Colchicine 0.5-0.6 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0588/tab-cap |
| Condoms (lubricated) Condom | E | _____ | _____ | _____ /each | 0.1313/each |
| Cough Preparation Syrup | N | _____ | _____ | _____ /ml | 0.0046/ml |
| Cyclophosphamide 50 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.3054/tab-cap |
| Cyclophosphamide 1 g Vial | P | _____ | _____ | _____ /vial | 6.3921/vial |
| Cyclophosphamide 200 mg Vial | P | _____ | _____ | _____ /vial | 5.2907/vial |
| Cyclophosphamide 500 mg Vial | C | _____ | _____ | _____ /vial | 9.4894/vial |
| Cycloserine 250 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.9339/tab-cap |
| Cyproterone Acetate 50 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.2177/tab-cap |
| Cytarabine 100 mg Vial | C | _____ | _____ | _____ /vial | 3.4304/vial |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Cytarabine 500 mg Vial | C | _____ | _____ | _____ /vial | 3.7520/vial |
| Dacarbazine 10 mg/ml Vial | P | _____ | _____ | _____ /ml | 0.9450/ml |
| Dacarbazine 200 mg Vial | P | _____ | _____ | _____ /vial | 13.6388/vial |
| Dactinomycin 500 mcg Vial | C | _____ | _____ | _____ /vial | 115.2127/vial |
| Danazol 200 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.9342/tab-cap |
| Dapsone 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1969/tab-cap |
| Darunavir 300 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 4.7177/tab-cap |
| Daunorubicin 20 mg Vial | C | _____ | _____ | _____ /vial | 79.7144/vial |
| Deferoxamine Mesilate 500 mg Ampoule | E | _____ | _____ | _____ /ampoule | 25.3945/ampoule |
| Desmopressin Acetate 4 mcg/ml Vial | N | _____ | _____ | _____ /ml | 6.0872/ml |
| Dexamethasone 4 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.1480/ml |
| Dexamethasone 0.1% Opht Drop | P | _____ | _____ | _____ /ml | 0.3066/ml |
| Dexamethasone 0.5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0295/tab-cap |
| Dextrose 10% In Water Solution | E | _____ | _____ | _____ /ml | 0.0017/ml |
| Dextrose 4% In Sodium Chloride 0.18% Solution | E | _____ | _____ | _____ /ml | 0.0010/ml |
| Dextrose 5% In Sodium Chloride 0.45% Solution | P | _____ | _____ | _____ /ml | 0.0016/ml |
| Dextrose 5% In Sodium Chloride 0.9% Solution | P | _____ | _____ | _____ /ml | 0.0010/ml |
| Dextrose 5% In Water Solution | E | _____ | _____ | _____ /ml | 0.0010/ml |
| Dextrose 50% In Water (Hypertonic) Solution | E | _____ | _____ | _____ /ml | 0.0138/ml |
| Dialysis Sol. Peritoneal W/ Dextrose 1.5% Solution | C | _____ | _____ | _____ /ml | 0.0033/ml |
| Diazepam (Ic) 5 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.0875/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Diazepam (Ic) 10 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0115/tab-cap |
| Diazepam (Ic) 2 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0178/tab-cap |
| Diazepam (Ic) 5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0182/tab-cap |
| Diclofenac 100 mg Suppos | N | _____ | _____ | _____ /supp | 0.1745/supp |
| Diclofenac Sodium 25 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.0255/ml |
| Diclofenac Sodium 0.1% Opht Drop | N | _____ | _____ | _____ /ml | 0.7248/ml |
| Diclofenac Sodium 25 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0185/tab-cap |
| Diclofenac Sodium 50 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0040/tab-cap |
| Diclofenac Sodium (Sustained-Release) 75 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0275/tab-cap |
| Dicloxacillin 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0769/tab-cap |
| Dicloxacillin 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0731/tab-cap |
| Didanosine (Ddi, Delayed-Release) 250 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.6179/tab-cap |
| Didanosine (Ddi) 250 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.5649/tab-cap |
| Didanosine (Ddi, Delayed-Release) 400 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.9267/tab-cap |
| Didanosine (Ddi) 400 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.9579/tab-cap |
| Diethylcarbamazine Citrate 50 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0056/tab-cap |
| Digoxin 0.25 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.1495/ml |
| Digoxin 0.05 mg/ml Solution | E | _____ | _____ | _____ /ml | 0.2130/ml |
| Digoxin 0.125 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0405/tab-cap |
| Digoxin 0.25 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0172/tab-cap |
| Dihydrocodeine (Ic) 30 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.3116/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Diltiazem Hcl 60 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0817/tab-cap |
| Dimenhydrinate 100 mg Suppos | N | _____ | _____ | _____ /supp | 0.2810/supp |
| Dimenhydrinate 50 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0110/tab-cap |
| Dimenhydrinate 50 mg/ml Vial | N | _____ | _____ | _____ /ml | 0.1969/ml |
| Dimercaprol 50 mg/ml Vial | E | _____ | _____ | _____ /ml | 48.7029/ml |
| Diphenhydramine 25 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0112/tab-cap |
| Dobutamine 12.5 mg/ml Vial | N | _____ | _____ | _____ /ml | 0.1650/ml |
| Docetaxel 20 mg Vial | E | _____ | _____ | _____ /vial | 44.4022/vial |
| Docetaxel 80 mg Vial | E | _____ | _____ | _____ /vial | 102.3277/vial |
| Dopamine Hcl 40 mg/ml Ampoule | C | _____ | _____ | _____ /ml | 0.0959/ml |
| Dorzolamide Chlorhydrate 2% Opht Drop | N | _____ | _____ | _____ /ml | 3.1754/ml |
| Doxorubicin Hcl 50 mg Vial | C | _____ | _____ | _____ /vial | 16.8000/vial |
| Doxycycline 100 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0201/tab-cap |
| Droperidol 2.5 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.5000/ml |
| Edrophonium Chloride 10 mg/ml Vial | N | _____ | _____ | _____ /ml | 3.1600/ml |
| Efavirenz (EfV) 200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.2872/tab-cap |
| Efavirenz (EfV) 50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0767/tab-cap |
| Efavirenz (EfV) 600 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.2330/tab-cap |
| Efavirenz+emtricitabine+tenofovir Df (600+200+300 Mg) Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.7675/tab-cap |
| Enalapril 10 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0059/tab-cap |
| Enalapril 20 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0199/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Enalapril 5 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0170 /tab-cap |
| Enflurane Liquid | N | _____ | _____ | _____ /ml | 0.3240 /ml |
| Exoxaparin 20 mg Syringe | N | _____ | _____ | _____ /syringe | 4.3450 /syringe |
| Exoxaparin 40 mg Syringe | N | _____ | _____ | _____ /syringe | 4.6517 /syringe |
| Exoxaparin 60 mg Syringe | N | _____ | _____ | _____ /syringe | 7.8866 /syringe |
| Ephedrine 0.5% Nasal | P | _____ | _____ | _____ /ml | 0.0242 /ml |
| Ephedrine Hcl 30 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0053 /tab-cap |
| Ephedrine Sulfate 50 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 3.6457 /ml |
| Epinephrine (Adrenaline) 1 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.1662 /ml |
| Epirubicin 10 mg Vial | N | _____ | _____ | _____ /vial | 10.5245 /vial |
| Epirubicin 50 mg Vial | N | _____ | _____ | _____ /vial | 41.0248 /vial |
| Epoetin Alpha 2000 iu Vial | N | _____ | _____ | _____ /vial | 10.6852 /vial |
| Epoetin Alpha 4000 iu Vial | N | _____ | _____ | _____ /vial | 19.6421 /vial |
| Ergometrine Maleate 0.2 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.1650 /ml |
| Ergometrine Maleate 0.5 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.4631 /ml |
| Ergometrine Maleate 0.125 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0531 /tab-cap |
| Ergometrine Maleate 0.5 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0304 /tab-cap |
| Ergometrine+oxytocin 0.5mg+5iu/ml Ampoule | P | _____ | _____ | _____ /ml | 1.2479 /ml |
| Ergotamine+caffeine 1+100 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0686 /tab-cap |
| Erythromycin (Base) 125 mg/5 ml Suspen | E | _____ | _____ | _____ /ml | 0.0109 /ml |
| Erythromycin (Base) 200 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0200 /ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Erythromycin (Base) 250 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0153/ml |
| Erythromycin (Base) 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0514/tab-cap |
| Erythromycin (Base) 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.1644/tab-cap |
| Erythromycin Lactobionate 500 mg Vial | E | _____ | _____ | _____ /vial | 4.4251/vial |
| Estrogens, Conjugated 0.625 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.3377/tab-cap |
| Ethambutol (Dispersible) 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0166/tab-cap |
| Ethambutol 400 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0491/tab-cap |
| Ethinylestradiol+levonorgestrel 0.03+0.15 mg Tab-Cap | E | _____ | _____ | _____ /cycle | 0.4006/cycle |
| Ethinylestradiol+levonorgestrel (30+50mcgx6 40+70x5 | P | _____ | _____ | _____ /cycle | 0.3891/cycle |
| Ethinylestradiol+norgestrel 0.05+0.5 mg Tab-Cap | N | _____ | _____ | _____ /cycle | 0.5808/cycle |
| Ethionamide 250 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.2237/tab-cap |
| Ethyl Chloride Spray | N | _____ | _____ | _____ /ml | 0.1474/ml |
| Etomidate 2 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.5532/ml |
| Etoposide 20 mg/ml Vial | C | _____ | _____ | _____ /ml | 0.9916/ml |
| Factor IX 500 iu Vial | N | _____ | _____ | _____ /vial | 100.5700/vial |
| Famotidine 20 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0357/tab-cap |
| Famotidine 40 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0311/tab-cap |
| Fentanyl Citrate (Ic) 50 mcg/ml Vial | N | _____ | _____ | _____ /ml | 0.2641/ml |
| Ferrous Salt (Iron=60-65 Mg) 200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0090/tab-cap |
| Ferrous Salt+folic Acid (Iron=60 Mg) 200 mg+0.4mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0164/tab-cap |
| Ferrous Salt+folic Acid (Iron=60 Mg) 200+0.25 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0071/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Filgrastim 300 mcg/ml Ampoule | N | _____ | _____ | _____ /ml | 33.6913/ml |
| Flucloxacillin 250 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0424/tab-cap |
| Fluconazole 50 mg/5 ml Suspen | E | _____ | _____ | _____ /ml | 0.5600/ml |
| Fluconazole 100 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.6907/tab-cap |
| Fluconazole 150 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0747/tab-cap |
| Fluconazole 200 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.2363/tab-cap |
| Fluconazole 50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0730/tab-cap |
| Fluconazole 2 mg/ml Vial | E | _____ | _____ | _____ /ml | 0.0165/ml |
| Fludarabine Phosphate 50 mg Vial | N | _____ | _____ | _____ /vial | 105.7843/vial |
| Flumazenil 0.1 mg/ml Vial | N | _____ | _____ | _____ /ml | 2.9282/ml |
| Fluorescein Sodium Opht Strp | P | _____ | _____ | _____ /each | 0.1571/each |
| Fluorouracil 50 mg/ml Ampoule | C | _____ | _____ | _____ /ml | 0.1441/ml |
| Fluorouracil 25 mg/ml Vial | P | _____ | _____ | _____ /ml | 0.0877/ml |
| Fluoxetine 20 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0246/tab-cap |
| Fluphenazine Decanoate 25 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 1.5808/ml |
| Flutamide 250 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.1009/tab-cap |
| Fluvastatin 20 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.6886/tab-cap |
| Folic Acid 1 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0278/tab-cap |
| Folic Acid 5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0034/tab-cap |
| Formaldehyde 40% Liquid | N | _____ | _____ | _____ /ml | 0.0119/ml |
| Furosemide 10 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.0911/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Furosemide 10 mg/ml Solution | P | _____ | _____ | _____ /ml | 0.0919/ml |
| Furosemide 40 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0110/tab-cap |
| Fusidic Acid 2% Cream | N | _____ | _____ | _____ /g | 0.1253/g |
| Gabapentin 300 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0872/tab-cap |
| Gabapentin 400 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.1146/tab-cap |
| Gentamicin (Base) 0.3% Opht Drop | E | _____ | _____ | _____ /ml | 0.2480/ml |
| Gentamicin 0.3% Opht Oint | P | _____ | _____ | _____ /g | 5.0504/g |
| Gentamicin Sulfate 10 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.1321/ml |
| Gentamicin Sulfate 40 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.0457/ml |
| Gentian Violet (Methylrosanilinium Chloride) Powder | N | _____ | _____ | _____ /g | 0.2445/g |
| Glibenclamide 5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0071/tab-cap |
| Gliclazide 80 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0236/tab-cap |
| Glutaraldehyde 2% Solution | E | _____ | _____ | _____ /ml | 0.0046/ml |
| Glyceryl Trinitrate (Nitroglycerin) 1 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.6000/ml |
| Glyceryl Trinitrate (Nitroglycerin) 5 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.7649/ml |
| Glyceryl Trinitrate (Nitroglycerin) 5 mg Patch | P | _____ | _____ | _____ /patch | 0.9436/patch |
| Glyceryl Trinitrate (Nitroglycerin) 0.5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0519/tab-cap |
| Granisetron 1 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 7.0787/ml |
| Griseofulvin 125 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0854/ml |
| Griseofulvin 125 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0482/tab-cap |
| Griseofulvin 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0777/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Haloperidol 5 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.3308/ml |
| Haloperidol 2 mg/ml Syrup | P | _____ | _____ | _____ /ml | 0.0383/ml |
| Haloperidol 0.5 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0768/tab-cap |
| Haloperidol 1.5-2 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0447/tab-cap |
| Haloperidol 10 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0256/tab-cap |
| Haloperidol 5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0142/tab-cap |
| Halothane Liquid | E | _____ | _____ | _____ /ml | 0.2029/ml |
| Heparin 1000 iu/ml Ampoule | C | _____ | _____ | _____ /ml | 0.5822/ml |
| Heparin 5000 iu/ml Ampoule | C | _____ | _____ | _____ /ml | 0.7840/ml |
| Homatropine 2% Ophth Drop | N | _____ | _____ | _____ /ml | 0.6026/ml |
| Hydralazine 20 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 1.5117/ml |
| Hydralazine 25 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0262/tab-cap |
| Hydralazine 50 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0368/tab-cap |
| Hydrochlorothiazide 25 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0132/tab-cap |
| Hydrochlorothiazide 50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0038/tab-cap |
| Hydrochlorothiazide+triamterene 25 mg+50 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0163/tab-cap |
| Hydrocortisone 1% Cream | E | _____ | _____ | _____ /g | 0.0310/g |
| Hydrocortisone 1% Ointment | E | _____ | _____ | _____ /g | 0.0766/g |
| Hydrocortisone 10 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.3735/tab-cap |
| Hydrocortisone 20 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.3642/tab-cap |
| Hydrocortisone (Sodium Succinate) 100 mg Vial | E | _____ | _____ | _____ /vial | 0.3023/vial |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Hydrocortisone (Sodium Succinate) 500 mg Vial | P | _____ | _____ | _____ /vial | 3.5452/vial |
| Hydrogen Peroxide 3% Solution | N | _____ | _____ | _____ /ml | 0.0023/ml |
| Hydrogen Peroxide 6% Solution | N | _____ | _____ | _____ /ml | 0.0038/ml |
| Hydroxycarbamide (Hydroxyurea) 500 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.1780/tab-cap |
| Hydroxychloroquine 300 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0980/tab-cap |
| Hydroxychloroquine Sulfate 200 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0897/tab-cap |
| Hydroxyzine 10 mg/5 ml Syrup | N | _____ | _____ | _____ /ml | 0.0232/ml |
| Hydroxyzine 25 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0682/tab-cap |
| Hyoscine Butylbromide 10 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.0792/ml |
| Hyoscine Butylbromide 20 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.2679/ml |
| Hyoscine Butylbromide 10 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0336/tab-cap |
| Hypromellose 0.3% Oph Drop | N | _____ | _____ | _____ /ml | 0.1534/ml |
| Ibuprofen 100 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0062/ml |
| Ibuprofen 200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0073/tab-cap |
| Ibuprofen 400 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0141/tab-cap |
| Ibuprofen 600 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0575/tab-cap |
| Ichthammol 10% Ointment | N | _____ | _____ | _____ /g | 0.0154/g |
| Idarubicin 5 mg Vial | N | _____ | _____ | _____ /vial | 180.7500/vial |
| Imatinib 100 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 5.6947/tab-cap |
| Imatinib 400 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 62.5000/tab-cap |
| Imipenem+cilastatin 500mg+500mg Vial | C | _____ | _____ | _____ /vial | 11.0246/vial |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Imipramine Hcl 10 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0235/tab-cap |
| Imipramine Hcl 25 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0149/tab-cap |
| Immunoglobulin Varicella Zoster (Human) 125 iu/ml Vial | N | _____ | _____ | _____ /vial | 143.6000/vial |
| Indinavir (Idv) 400 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.3950/tab-cap |
| Indometacin 100 mg Suppos | N | _____ | _____ | _____ /supp | 0.1891/supp |
| Indometacin 25 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0110/tab-cap |
| Insulin, Isophane (Nph) 100 iu/ml Vial | E | _____ | _____ | _____ /ml | 0.5480/ml |
| Insulin, Neut. Sol/isophane 30/70 (Human, Mixtard) 100 iu/ml Vial | P | _____ | _____ | _____ /ml | 0.5480/ml |
| Insulin, Neutral Soluble (Regular) 100 iu/ml Vial | E | _____ | _____ | _____ /ml | 0.5480/ml |
| Insulin, Zinc Susp (Lente) 100 iu/ml Vial | E | _____ | _____ | _____ /ml | 0.6643/ml |
| Ipratropium Bromide 20 mcg/dose Inhaler | E | _____ | _____ | _____ /dose | 0.0419/dose |
| Ipratropium Bromide 250 mcg/ml Respsol | P | _____ | _____ | _____ /ml | 0.1493/ml |
| Irbesartan 150 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.2963/tab-cap |
| Iron Dextran 50 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.4750/ml |
| Isoflurane Liquid | E | _____ | _____ | _____ /ml | 0.2253/ml |
| Isoniazid (Inh) 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0250/tab-cap |
| Isoniazid (Inh) 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0480/tab-cap |
| Isosorbide Dinitrate 10 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0220/tab-cap |
| Isosorbide Dinitrate 20 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0614/tab-cap |
| Isosorbide Dinitrate 5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0394/tab-cap |
| Isosorbide Mononitrate 20 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0943/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Isradipine 2.5 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.3614/tab-cap |
| Itraconazole 100 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.9060/tab-cap |
| Iud (copper) Iud | E | _____ | _____ | _____ /iud | 11.4450/iud |
| Ivermectin 6 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0510/tab-cap |
| Ketamine 10 mg/ml Vial | P | _____ | _____ | _____ /ml | 0.2603/ml |
| Ketamine 50 mg/ml Vial | E | _____ | _____ | _____ /ml | 0.1920/ml |
| Ketoconazole 2% Cream | N | _____ | _____ | _____ /g | 0.0345/g |
| Ketoconazole 100 mg/5 ml Suspen | N | _____ | _____ | _____ /ml | 0.1368/ml |
| Ketoconazole 200 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0500/tab-cap |
| Labetalol 5 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.0959/ml |
| Lactulose 3.35 g/5 ml Solution | N | _____ | _____ | _____ /ml | 0.0155/ml |
| Lamivudine (3tc) 10 mg/ml Solution | E | _____ | _____ | _____ /ml | 0.0152/ml |
| Lamivudine (3tc) 150 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0693/tab-cap |
| Lamivudine+stavudine (3tc+d4t) 150 mg+30 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0568/tab-cap |
| Lamivudine+stavudine+nevirapine (3tc+d4t+nvp) 150+30+200mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0996/tab-cap |
| Lamivudine+tenofovir Df (3tc+tdf) 300+300 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.3483/tab-cap |
| Lamivudine+zidovudine (3tc+azt) 150mg+300mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.2051/tab-cap |
| Lamivudine+zidovudine+nevirapine (150+300+200 Mg) 3tc+azt+nvp Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1823/tab-cap |
| Lamotrigine 25 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.1463/tab-cap |
| Latanoprost 0.005% Opht Drop | N | _____ | _____ | _____ /ml | 3.3690/ml |
| Levamisole 40 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0070/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Levodopa+carbidopa 100+10 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0714/tab-cap |
| Levodopa+carbidopa 100+25 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.1389/tab-cap |
| Levodopa+carbidopa 250+25 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1183/tab-cap |
| Levofloxacin 500 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.1986/tab-cap |
| Levofloxacin 5 mg/ml Vial | T | _____ | _____ | _____ /ml | 0.0436/ml |
| Levomepromazine 25 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0245/tab-cap |
| Levonorgestrel 0.75 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 2.3085/tab-cap |
| Levothyroxine 0.05 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0437/tab-cap |
| Levothyroxine 0.1 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0257/tab-cap |
| Levothyroxine 0.2 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0238/tab-cap |
| Lidocaine 10% Spray | P | _____ | _____ | _____ /ml | 0.1494/ml |
| Lidocaine Hcl 2% Ointment | E | _____ | _____ | _____ /g | 0.1352/g |
| Lidocaine Hcl 1% Vial | E | _____ | _____ | _____ /ml | 0.0181/ml |
| Lidocaine Hcl 2% Vial | E | _____ | _____ | _____ /ml | 0.0193/ml |
| Lidocaine Hcl 5% Vial | P | _____ | _____ | _____ /ml | 2.1000/ml |
| Lidocaine Hcl + Epinephrine Dental 2%+1:80000 Crtdgs | E | _____ | _____ | _____ /ml | 0.1662/ml |
| Lidocaine+epinephrine 1%+1:100000 Vial | P | _____ | _____ | _____ /ml | 0.0297/ml |
| Lidocaine+epinephrine 2%+1:100000 Vial | P | _____ | _____ | _____ /ml | 0.0297/ml |
| Lisinopril 10 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0438/tab-cap |
| Lisinopril 20 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0732/tab-cap |
| Lithium Carbonate 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0448/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Loperamide Hcl 2 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0263/tab-cap |
| Lopinavir+ritonavir (Lpv/r) 100 mg+25 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 1.9500/tab-cap |
| Lopinavir+ritonavir (Lpv/r) 200 mg+50 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.3274/tab-cap |
| Loratadine 5 mg/5 ml Syrup | N | _____ | _____ | _____ /ml | 0.0094/ml |
| Loratadine 10 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0225/tab-cap |
| Lorazepam 1 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0458/tab-cap |
| Lorazepam 2 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0069/tab-cap |
| Losartan 50 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0172/tab-cap |
| Lubricating Jelly Ointment | N | _____ | _____ | _____ /g | 0.0213/g |
| Magnesium Sulfate 500 mg/ml Vial | E | _____ | _____ | _____ /ml | 0.1962/ml |
| Magnesium Trisilicate Compound Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0138/tab-cap |
| Mannitol 10% Solution | C | _____ | _____ | _____ /ml | 0.0100/ml |
| Mannitol 20% Solution | C | _____ | _____ | _____ /ml | 0.0067/ml |
| Mebendazole 100 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0086/ml |
| Mebendazole (Chewable) 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0845/tab-cap |
| Mebendazole 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0065/tab-cap |
| Mebendazole 500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0190/tab-cap |
| Medroxyprogesterone 5 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.3271/tab-cap |
| Medroxyprogesterone Acetate 150 mg/ml Vial | E | _____ | _____ | _____ /ml | 5.6942/ml |
| Mefenamic Acid 250 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0194/tab-cap |
| Mefenamic Acid 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0280/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Mefloquine 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 1.1911/tab-cap |
| Megestrol Acetate 40 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.1191/tab-cap |
| Meloxicam 7.5 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0357/tab-cap |
| Melphalan 2 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 1.4996/tab-cap |
| Mepivacaine 3% Vial | N | _____ | _____ | _____ /ml | 0.0944/ml |
| Mercaptopurine 50 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 2.2760/tab-cap |
| Meropenem 1 g Vial | N | _____ | _____ | _____ /vial | 23.8179/vial |
| Meropenem 500 mg Vial | N | _____ | _____ | _____ /vial | 13.2316/vial |
| Metamizol 500 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.1280/ml |
| Metformin Hcl 500 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0280/tab-cap |
| Metformin Hcl 850 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0196/tab-cap |
| Methadone (Ic) 5 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.5014/tab-cap |
| Methotrexate Sodium 2.5 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.1304/tab-cap |
| Methotrexate Sodium 25 mg/ml Vial | P | _____ | _____ | _____ /ml | 1.3250/ml |
| Methyldopa 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0502/tab-cap |
| Methyldopa 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0898/tab-cap |
| Methylphenidate Hydrochloride (Ic) 10 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.3197/tab-cap |
| Methylprednisolone (Sodium Succinate) 1 g Vial | N | _____ | _____ | _____ /vial | 17.4918/vial |
| Methylprednisolone (Sodium Succinate) 500 mg Vial | N | _____ | _____ | _____ /vial | 9.0363/vial |
| Metoclopramide Hcl 5 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.0955/ml |
| Metoclopramide Hcl 5 mg/5 ml Syrup | P | _____ | _____ | _____ /ml | 0.0150/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Metoclopramide Hcl 10 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0115/tab-cap |
| Metronidazole 500 mg Pessary | P | _____ | _____ | _____ /pessary | 0.0521/pessary |
| Metronidazole 1 g Suppos | E | _____ | _____ | _____ /supp | 0.3944/supp |
| Metronidazole 125 mg/5 ml Syrup | P | _____ | _____ | _____ /ml | 0.0173/ml |
| Metronidazole 200 mg/5 ml Syrup | E | _____ | _____ | _____ /ml | 0.0118/ml |
| Metronidazole 200-250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0099/tab-cap |
| Metronidazole 400-500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0265/tab-cap |
| Metronidazole 5 mg/ml Vial | E | _____ | _____ | _____ /ml | 0.0041/ml |
| Miconazole 25 mg/ml Oral Gel | P | _____ | _____ | _____ /g | 0.2167/g |
| Miconazole Nitrate 2% Cream | E | _____ | _____ | _____ /g | 0.0195/g |
| Midazolam (Ic) 1 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.3568/ml |
| Midazolam (Ic) 5 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.7560/ml |
| Midazolam 7.5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1875/tab-cap |
| Minoxidil 10 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.6841/tab-cap |
| Misoprostol 200 mcg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0900/tab-cap |
| Mitomycin 5 mg Vial | N | _____ | _____ | _____ /vial | 83.8939/vial |
| Morphine Sulfate (Ic) 10 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.3564/ml |
| Morphine Sulfate (Ic) 15 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.3691/ml |
| Morphine Sulfate (Ic) 10 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.4764/tab-cap |
| Morphine Sulfate (Ic, Sustained-Release) 30 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.8336/tab-cap |
| Mosquito Net, Family, Llin (190 X 180 X 150 Cm) Net | N | _____ | _____ | _____ /each | 3.8400/each |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|---------------|--|
| Mosquito Net, Lli (1250 X 250 X 65 Cm) Net | N | _____ | _____ | _____/each | 5.4100/each |
| Mupirocin 2% Cream | E | _____ | _____ | _____/g | 0.2715/g |
| Mycophenolate Mofetil 250 mg Tab-Cap | N | _____ | _____ | _____/tab-cap | 1.0335/tab-cap |
| Nalbufine Chlorhydrate 10 mg/ml Vial | N | _____ | _____ | _____/ml | 1.6078/ml |
| Nalidixic Acid 250 mg/5 ml Suspen | N | _____ | _____ | _____/ml | 0.0368/ml |
| Nalidixic Acid 500 mg Tab-Cap | N | _____ | _____ | _____/tab-cap | 0.1137/tab-cap |
| Naloxone Hcl 0.4 mg/ml Ampoule | E | _____ | _____ | _____/ml | 0.7327/ml |
| Naloxone Hcl 0.02 mg/ml Vial | P | _____ | _____ | _____/ml | 0.5655/ml |
| Naproxen 250 mg Tab-Cap | E | _____ | _____ | _____/tab-cap | 0.0335/tab-cap |
| Naproxen 500 mg Tab-Cap | N | _____ | _____ | _____/tab-cap | 0.0517/tab-cap |
| Neomycin+bacitracin 5mg+500iu/g Ointment | N | _____ | _____ | _____/g | 0.0240/g |
| Neostigmine Methylsulfate 2.5 mg/ml Ampoule | E | _____ | _____ | _____/ml | 2.2495/ml |
| Nevirapine (Nvp) 50 mg/5 ml Suspen | E | _____ | _____ | _____/ml | 0.1310/ml |
| Nevirapine (Nvp) 200 mg Tab-Cap | E | _____ | _____ | _____/tab-cap | 0.0465/tab-cap |
| Niclosamide (Chewable) 500 mg Tab-Cap | E | _____ | _____ | _____/tab-cap | 0.0344/tab-cap |
| Niclosamide 500 mg Tab-Cap | E | _____ | _____ | _____/tab-cap | 0.0927/tab-cap |
| Nifedipine 10 mg Tab-Cap | E | _____ | _____ | _____/tab-cap | 0.0290/tab-cap |
| Nifedipine (Sustained-Release) 20 mg Tab-Cap | T | _____ | _____ | _____/tab-cap | 0.0212/tab-cap |
| Nimodipine 30 mg Tab-Cap | T | _____ | _____ | _____/tab-cap | 0.2867/tab-cap |
| Nitrazepam 5 mg Tab-Cap | N | _____ | _____ | _____/tab-cap | 0.0357/tab-cap |
| Nitrofurantoin 100 mg Tab-Cap | E | _____ | _____ | _____/tab-cap | 0.0233/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|----------------------------------|---------|-----------|------------|----------------|--|
| Nitrofurazone 0.2% Ointment | N | _____ | _____ | _____ /g | 0.0122/g |
| Nitrous Oxide Gas | E | _____ | _____ | _____ /kg | 5.2710/kg |
| Norepinephrine 1 mg/ml Vial | N | _____ | _____ | _____ /ml | 0.6948/ml |
| Norethisterone 200 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 1.9846/ml |
| Norethisterone 0.35 mg Tab-Cap | P | _____ | _____ | _____ /cycle | 4.1169/cycle |
| Norethisterone 5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1099/tab-cap |
| Norfloxacin 400 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0442/tab-cap |
| Noscapine 15 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0290/tab-cap |
| Nystatin 100,000 iu/g Cream | P | _____ | _____ | _____ /g | 0.0799/g |
| Nystatin 100,000 iu/g Ointment | P | _____ | _____ | _____ /g | 0.0730/g |
| Nystatin 100,000 iu Pessary | E | _____ | _____ | _____ /pessary | 0.0284/pessary |
| Nystatin 100000 iu/ml Suspen | P | _____ | _____ | _____ /ml | 0.0202/ml |
| Nystatin 500,000 iu Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0491/tab-cap |
| Octreotide 0.1 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 14.2268/ml |
| Ofloxacin 0.3% Ophth Drop | P | _____ | _____ | _____ /ml | 0.4587/ml |
| Ofloxacin 200 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.3223/tab-cap |
| Ofloxacin 400 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.4780/tab-cap |
| Omeprazole 10 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0588/tab-cap |
| Omeprazole 20 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0165/tab-cap |
| Omeprazole 40 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.2336/tab-cap |
| Ondansetron 2 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.0864/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Ondansetron 4 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0207 /tab-cap |
| Ondansetron 8 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 3.5068 /tab-cap |
| Oral Rehydration Salts 1 pkt/1 l Powder | E | _____ | _____ | _____ /packet | 0.1206 /packet |
| Oxacillin 1 mcg Disc | N | _____ | _____ | _____ /each | 0.2128 /each |
| Oxacillin 1 g Vial | T | _____ | _____ | _____ /vial | 0.2984 /vial |
| Oxaliplatin 50 mg Vial | T | _____ | _____ | _____ /vial | 158.9800 /vial |
| Oxybuprocaine 0.4% Opht Drop | N | _____ | _____ | _____ /ml | 0.5750 /ml |
| Oxytocin 10 iu Ampoule | E | _____ | _____ | _____ /ml | 0.2184 /ml |
| Oxytocin 5 iu Ampoule | P | _____ | _____ | _____ /ml | 0.4082 /ml |
| Paclitaxel 6 mg/ml Vial | N | _____ | _____ | _____ /ml | 1.6496 /ml |
| Pancuronium Bromide 2 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.4511 /ml |
| Papaverine 40 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.3310 /tab-cap |
| Paracetamol 125 mg Suppos | P | _____ | _____ | _____ /supp | 0.1482 /supp |
| Paracetamol 250 mg Suppos | P | _____ | _____ | _____ /supp | 0.3639 /supp |
| Paracetamol 500 mg Suppos | P | _____ | _____ | _____ /supp | 0.0120 /supp |
| Paracetamol 100 mg/ml Suspen | P | _____ | _____ | _____ /ml | 0.0231 /ml |
| Paracetamol 120 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0038 /ml |
| Paracetamol 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0017 /tab-cap |
| Paracetamol 500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0068 /tab-cap |
| Paraffin, Liquid (Mineral Oil) Liquid | N | _____ | _____ | _____ /ml | 0.0126 /ml |
| Paraffin, White Soft Ointment | N | _____ | _____ | _____ /g | 0.0086 /g |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Penicillamine 250 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.1950/tab-cap |
| Penicillin, Benzathine Benzyl (720 Mg Of Pen. G) 1.2 mu Powder | P | _____ | _____ | _____ /vial | 0.1508/vial |
| Penicillin, Benzathine Benzyl (1.44 G Of Pen. G) 2.4 mu Powder | E | _____ | _____ | _____ /vial | 0.3553/vial |
| Penicillin, Benzyl (600 Mg, Pen. G) 1 mu Powder | E | _____ | _____ | _____ /vial | 0.3486/vial |
| Penicillin, Benzyl (3 G, Pen. G) 5 mu Powder | E | _____ | _____ | _____ /vial | 0.5180/vial |
| Penicillin, Phenoxymethyl (Pen. V) 125 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0091/ml |
| Penicillin, Phenoxymethyl (Pen. V) 250 mg/5 ml Syrup | E | _____ | _____ | _____ /ml | 0.0081/ml |
| Penicillin, Phenoxymethyl (Pen. V) 250 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0230/tab-cap |
| Penicillin, Procaine Benzyl (600 Mg Of Pen. G) 1 mu Powder | E | _____ | _____ | _____ /vial | 0.1652/vial |
| Penicillin, Procaine Benzyl (2.4 G Of Pen. G) 4 mu Powder | P | _____ | _____ | _____ /vial | 0.2508/vial |
| Penicillin, Procaine+benzyl 3 mu+1 mu Vial | P | _____ | _____ | _____ /vial | 0.2650/vial |
| Perindopril 4 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0855/tab-cap |
| Permethrin 1% Lotion | E | _____ | _____ | _____ /ml | 0.1083/ml |
| Permethrin (Anti-Scabies) 1% Ointment | P | _____ | _____ | _____ /g | 0.1250/g |
| Pethidine (Ic) 50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.2255/tab-cap |
| Pethidine Hcl (Ic) 50 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.3291/ml |
| Phenobarbital (Ic) 100 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.3775/ml |
| Phenobarbital (Ic) 15 mg/5 ml Elixir | E | _____ | _____ | _____ /ml | 0.0334/ml |
| Phenobarbital (Ic) 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0088/tab-cap |
| Phenobarbital (Ic) 15 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0925/tab-cap |
| Phenobarbital (Ic) 30 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0062/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Phenobarbital (Ic) 50-60 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0420/tab-cap |
| Phenobarbital (Ic) 200 mg/ml Vial | E | _____ | _____ | _____ /ml | 1.0506/ml |
| Phenytoin 50 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.3866/ml |
| Phenytoin 125 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.1258/ml |
| Phenytoin 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0341/tab-cap |
| Phenytoin 50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.2018/tab-cap |
| Pilocarpine 2% Ophth Drop | E | _____ | _____ | _____ /ml | 0.2318/ml |
| Pilocarpine 4% Ophth Drop | E | _____ | _____ | _____ /ml | 0.2706/ml |
| Piperacillin+tazobactam 4 mg+0.5 mg Vial | N | _____ | _____ | _____ /vial | 25.9343/vial |
| Piroxicam 20 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0152/tab-cap |
| Podophyllum 25% Solution | E | _____ | _____ | _____ /ml | 5.1115/ml |
| Polygeline 3.5% Solution | N | _____ | _____ | _____ /ml | 0.0191/ml |
| Potassium Chloride (Sustained-Release) 600 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0400/tab-cap |
| Potassium Chloride 600 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0421/tab-cap |
| Potassium Chloride 15% Vial | P | _____ | _____ | _____ /ml | 0.0323/ml |
| Povidone Iodine (Scrub) 7.5% Liquid | P | _____ | _____ | _____ /ml | 0.0117/ml |
| Povidone Iodine 10% Ointment | T | _____ | _____ | _____ /g | 0.0297/g |
| Povidone Iodine 10% Solution | E | _____ | _____ | _____ /ml | 0.0061/ml |
| Praziquantel 600 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1198/tab-cap |
| Prazosin 1 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0595/tab-cap |
| Prednisolone 1% Ophth Drop | P | _____ | _____ | _____ /ml | 0.9805/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|-------------------------------------|---------|-----------|------------|----------------|--|
| Prednisolone 5 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0398/ml |
| Prednisolone 1 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0960/tab-cap |
| Prednisolone 5 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0099/tab-cap |
| Prednisone 5 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0104/tab-cap |
| Prednisone 50 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0502/tab-cap |
| Primidone 250 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.1570/tab-cap |
| Procainamide Hcl 100 mg/ml Vial | N | _____ | _____ | _____ /ml | 0.5954/ml |
| Prochlorperazine 12.5 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 1.3895/ml |
| Prochlorperazine 5 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0179/tab-cap |
| Proguanil 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.3064/tab-cap |
| Promethazine Hcl 25 mg/ml Ampoule | T | _____ | _____ | _____ /ml | 0.0643/ml |
| Promethazine Hcl 5 mg/5 ml Suspen | T | _____ | _____ | _____ /ml | 0.0048/ml |
| Promethazine Hcl 25 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0042/tab-cap |
| Propantheline Bromide 15 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.5915/tab-cap |
| Proparacaine 0.5% Opht Drop | T | _____ | _____ | _____ /ml | 0.3527/ml |
| Propofol 10 mg/ml Vial | E | _____ | _____ | _____ /ml | 0.0928/ml |
| Propranolol 1 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 3.5297/ml |
| Propranolol Hcl 10 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0149/tab-cap |
| Propranolol Hcl 40 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0102/tab-cap |
| Propranolol Hcl 80 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0279/tab-cap |
| Propylthiouracil 50 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0746/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Protamine Sulfate 10 mg/ml Ampoule | C | _____ | _____ | _____ /ml | 0.9538/ml |
| Pyrazinamide 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0379/tab-cap |
| Pyridostigmine Bromide 60 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.4174/tab-cap |
| Pyrimethamine 25 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.4123/tab-cap |
| Quinidine Sulfate 200 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.2661/tab-cap |
| Quinine Bisulfate 100 mg/5 ml Suspen | P | _____ | _____ | _____ /ml | 0.0089/ml |
| Quinine Dihydrochloride 250-300mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.0990/ml |
| Quinine Hydrochloride 300 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 0.5134/ml |
| Quinine Sulfate 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1429/tab-cap |
| Raltegravir 400 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 9.9381/tab-cap |
| Ranitidine 25 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.0992/ml |
| Ranitidine 150 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0180/tab-cap |
| Ranitidine 300 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0169/tab-cap |
| Reserpine 0.25 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0446/tab-cap |
| Rifamp.+isoniazid+pyrazin.+ethambut. (150+75+400+275 Mg) Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0765/tab-cap |
| Rifampicin 100 mg/5 ml Syrup | P | _____ | _____ | _____ /ml | 0.3325/ml |
| Rifampicin 150 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0653/tab-cap |
| Rifampicin 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1360/tab-cap |
| Rifampicin 450 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0705/tab-cap |
| Rifampicin+isoniazid 150+75 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0382/tab-cap |
| Rifampicin+isoniazid 300+150 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0930/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Rifampicin+isoniazid (Dispersible) 60 mg+30 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0185/tab-cap |
| Rifampicin+isoniazid+ethambutol 150+75+275mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0612/tab-cap |
| Rifampicin+isoniazid+pyrazinamide (Dispersible) 60+30+150 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0235/tab-cap |
| Risperidone 1 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0620/tab-cap |
| Risperidone 2 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0339/tab-cap |
| Ritonavir (Rtv) 80 mg/ml Solution | E | _____ | _____ | _____ /ml | 0.9373/ml |
| Ritonavir (Rtv) 100 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.8680/tab-cap |
| Salbutamol 100 mcg/dose Inhaler | E | _____ | _____ | _____ /dose | 0.0093/dose |
| Salbutamol 5 mg/ml Respsol | E | _____ | _____ | _____ /ml | 0.0574/ml |
| Salbutamol 2 mg/5 ml Syrup | E | _____ | _____ | _____ /ml | 0.0052/ml |
| Salbutamol 2 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0130/tab-cap |
| Salbutamol 4 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0037/tab-cap |
| Saquinavir (Sqv) 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 2.7017/tab-cap |
| Selenium Sulphide Shampoo | C | _____ | _____ | _____ /ml | 0.1198/ml |
| Sertraline 50 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0531/tab-cap |
| Sevoflurane Solution | N | _____ | _____ | _____ /ml | 0.7048/ml |
| Silver Sulfadiazine 1% Cream | E | _____ | _____ | _____ /g | 0.0180/g |
| Simvastatin 20 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0306/tab-cap |
| Simvastatin 40 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0436/tab-cap |
| Sodium Bicarbonate 8.4% Solution | T | _____ | _____ | _____ /ml | 0.0152/ml |
| Sodium Chloride In Water 0.45% Solution | P | _____ | _____ | _____ /ml | 0.0013/ml |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Sodium Chloride In Water (Normal Saline) 0.9% Solution | E | _____ | _____ | _____ /ml | 0.0010/ml |
| Sodium Lactate Compound (Ringer's/hartmann's Sol.) Solution | E | _____ | _____ | _____ /ml | 0.0010/ml |
| Sodium Valproate 200 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0915/tab-cap |
| Sodium Valproate 500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1440/tab-cap |
| Spectinomycin 2 g Vial | E | _____ | _____ | _____ /vial | 1.2982/vial |
| Spironolactone 100 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.1060/tab-cap |
| Spironolactone 25 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0384/tab-cap |
| Spironolactone 50 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.3791/tab-cap |
| Stavudine (D4t) 30 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0403/tab-cap |
| Streptokinase (Powder) 1,500,000 iu Vial | C | _____ | _____ | _____ /vial | 60.0000/vial |
| Streptomycin Sulfate 1 g Vial | E | _____ | _____ | _____ /vial | 2.2207/vial |
| Sulfadiazine 500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.1089/tab-cap |
| Sulfadoxine+pyrimethamine (250 Mg+12.5 Mg/5 ml) 250+12mg/5ml Suspen | C | _____ | _____ | _____ /ml | 0.0418/ml |
| Sulfadoxine+pyrimethamine 500 mg+25 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.1167/tab-cap |
| Sulfamethoxazole+trimethoprim (Co-Trimoxazole) 80+16 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.4170/ml |
| Sulfamethoxazole+trimethoprim (Co-Trimoxazole) 200+40mg/5ml Suspen | E | _____ | _____ | _____ /ml | 0.0046/ml |
| Sulfamethoxazole+trimethoprim (Co-Trimoxazole) 100 mg+20 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0049/tab-cap |
| Sulfamethoxazole+trimethoprim (Co-Trimoxazole) 400 mg+80 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0129/tab-cap |
| Sulfamethoxazole+trimethoprim (Co-Trimoxazole) 800 mg+160mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0261/tab-cap |
| Sulfasalazine 500 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.4013/tab-cap |
| Sulphameropyrazine-Pyrimethamine 500+25 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.2365/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Suxamethonium Cl (Succinylcholine) 50 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.3589/ml |
| Suxamethonium Cl 20 mg/ml Vial | P | _____ | _____ | _____ /ml | 0.1750/ml |
| Tamoxifen Citrate 10 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.1449/tab-cap |
| Tamoxifen Citrate 20 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.1890/tab-cap |
| Tenofovir Df+emtricitabine (Tdf+ftc) 300 mg+200mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.5175/tab-cap |
| Tenofovir Disoproxil Fumerate (tdf) (Equiv.245mg Tenofovir Disopro) 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.2630/tab-cap |
| Test, Hepatitis Bsag Test | N | _____ | _____ | _____ /test | 0.2541/test |
| Test, Hepatitis C, Hexagon Hcv (tm) (Rapid Test) Test | N | _____ | _____ | _____ /test | 2.0618/test |
| Test, Hiv, Capillus Hiv-1/2 (tm) Test | N | _____ | _____ | _____ /test | 0.9240/test |
| Test, Hiv, Determine Hiv-1/2 (tm) Test | N | _____ | _____ | _____ /test | 0.8904/test |
| Test, Hiv, Unigold I/ii (tm) Test | N | _____ | _____ | _____ /test | 4.0848/test |
| Test, Pregnancy Test | N | _____ | _____ | _____ /test | 0.1144/test |
| Test, Toxoplasma Gondii IgG, Elisa Test | N | _____ | _____ | _____ /test | 1.0015/test |
| Tetanus Antitoxin 1500 iu Ampoule | N | _____ | _____ | _____ /ampoule | 4.7101/ampoule |
| Tetracycline Hcl 1% Oph Oint | E | _____ | _____ | _____ /g | 0.0531/g |
| Tetracycline Hcl 250 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0207/tab-cap |
| Thalidomide 100 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 1.6082/tab-cap |
| Theophylline (Sustained-Release) 200 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0200/tab-cap |
| Thiopental Sodium 1 g Vial | E | _____ | _____ | _____ /vial | 1.6000/vial |
| Thiopental Sodium 500 mg Vial | E | _____ | _____ | _____ /vial | 1.5500/vial |
| Thioridazine 100 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.1336/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Thioridazine 25 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0564/tab-cap |
| Thioridazine 50 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0875/tab-cap |
| Tiabendazole 500 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0647/tab-cap |
| Timolol Maleate 0.5% Opht Drop | E | _____ | _____ | _____ /ml | 0.1640/ml |
| Tinidazole 500 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0312/tab-cap |
| Tioguanine 40 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 4.3076/tab-cap |
| Tolbutamide 500 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0595/tab-cap |
| Tramadol Hydrochloride 50 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.1577/ml |
| Tramadol Hydrochloride 50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0528/tab-cap |
| Tranexamic Acid 100 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 1.3775/ml |
| Triamcinolone Acetonide 10 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 1.0005/ml |
| Triamcinolone Acetonide 40 mg/ml Vial | N | _____ | _____ | _____ /ml | 2.2500/ml |
| Trifluoperazine 5 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0208/tab-cap |
| Trihexyphenidyl (Benzhexol) 2 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0301/tab-cap |
| Trihexyphenidyl (Benzhexol) 5 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.0241/tab-cap |
| Trimipramine Maleate 25 mg Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0636/tab-cap |
| Tropicamide 1% Opht Drop | P | _____ | _____ | _____ /ml | 0.2672/ml |
| Tropisetron 1 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 4.4007/ml |
| Tuberculin, Montoux (Ppd) 20 iu Vial | E | _____ | _____ | _____ /dose | 8.4030/dose |
| Urographin 76% Solution | N | _____ | _____ | _____ /ml | 0.6609/ml |
| Vaccine, Bcg (Dried) Powder | E | _____ | _____ | _____ /dose | 0.3692/dose |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Vaccine, Diphtheria-Tetanus Vial | E | _____ | _____ | _____ /dose | 0.5154/dose |
| Vaccine, Dpt+hb+hib (Pentavalent) Vial | P | _____ | _____ | _____ /dose | 5.1000/dose |
| Vaccine, Hepatitis B Vial | E | _____ | _____ | _____ /vial | 0.5746/vial |
| Vaccine, Influenza 0.25 ml Vial | E | _____ | _____ | _____ /vial | 5.8000/vial |
| Vaccine, Measles Vial | E | _____ | _____ | _____ /dose | 0.5115/dose |
| Vaccine, Measles-Mumps-Rubella Vial | E | _____ | _____ | _____ /dose | 0.1000/dose |
| Vaccine, Pneumococcal Vial | E | _____ | _____ | _____ /dose | 22.0418/dose |
| Vaccine, Polio (Oral) Vial | E | _____ | _____ | _____ /dose | 0.4524/dose |
| Vaccine, Rabies Vial | E | _____ | _____ | _____ /vial | 17.2200/vial |
| Vaccine, Rabies (Diploid Cells) Vial | E | _____ | _____ | _____ /vial | 14.4509/vial |
| Vaccine, Tetanus Toxoid Vial | E | _____ | _____ | _____ /dose | 0.9819/dose |
| Vaccine, Typhoid Vial | E | _____ | _____ | _____ /dose | 20.3760/dose |
| Vaccine, Yellow Fever Vial | E | _____ | _____ | _____ /dose | 31.9173/dose |
| Vaccine,diphtheria-Pertussis-Tetanus Vial | E | _____ | _____ | _____ /dose | 1.1299/dose |
| Valaciclovir 500 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 1.1250/tab-cap |
| Valproic Acid (Sodium Valproate) 200 mg/5 ml Syrup | E | _____ | _____ | _____ /ml | 0.0144/ml |
| Valproic Acid 150 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0260/tab-cap |
| Valproic Acid (Slow Release) 200 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.1755/tab-cap |
| Valproic Acid 500 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.3176/tab-cap |
| Vancomycin 500 mg Vial | N | _____ | _____ | _____ /vial | 3.9582/vial |
| Vecuronium 4 mg Ampoule | P | _____ | _____ | _____ /ampoule | 2.9349/ampoule |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--|---------|-----------|------------|----------------|--|
| Vecuronium 10 mg Vial | E | _____ | _____ | _____ /vial | 8.3579/vial |
| Verapamil Hcl (Slow-Release) 240 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0984/tab-cap |
| Verapamil Hcl 40 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0421/tab-cap |
| Verapamil Hcl 80 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0495/tab-cap |
| Verapamil Hcl 2.5 mg/ml Vial | E | _____ | _____ | _____ /ml | 0.4251/ml |
| Vinblastine 10 mg Vial | C | _____ | _____ | _____ /vial | 13.5863/vial |
| Vincristine 1 mg Vial | C | _____ | _____ | _____ /vial | 3.5085/vial |
| Vitamin A (Retinol) 50,000 iu/ml Drops | P | _____ | _____ | _____ /ml | 0.0593/ml |
| Vitamin A (Retinol (50,000 iu)) 15 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0333/tab-cap |
| Vitamin A (Retinol (100,000 iu)) 30 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0250/tab-cap |
| Vitamin A (Retinol (200,000 iu)) 60 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0391/tab-cap |
| Vitamin A (Retinol (25,000 iu)) 7.5 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0758/tab-cap |
| Vitamin B Complex Ampoule | N | _____ | _____ | _____ /ml | 0.0242/ml |
| Vitamin B Complex Syrup | N | _____ | _____ | _____ /ml | 0.0067/ml |
| Vitamin B Complex Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0059/tab-cap |
| Vitamin B1 (Thiamine Hcl) 100 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0250/tab-cap |
| Vitamin B1 (Thiamine Hcl) 50 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0039/tab-cap |
| Vitamin B12 (Cyanocobalamin) 1 mg/ml Ampoule | N | _____ | _____ | _____ /ml | 0.6000/ml |
| Vitamin B6 (Pyridoxine) 25 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.0034/tab-cap |
| Vitamin B6 (Pyridoxine) 50 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0186/tab-cap |
| Vitamin C (Ascorbic Acid) 100 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0062/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|---|---------|-----------|------------|----------------|--|
| Vitamin C (Ascorbic Acid) 250 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0396/tab-cap |
| Vitamin C (Ascorbic Acid) 500 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0194/tab-cap |
| Vitamin D (Alfacalcidol) 0.25 mcg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.1405/tab-cap |
| Vitamin K1 (Phytomenadione) 1 mg/0.5 ml Ampoule | P | _____ | _____ | _____ /ml | 6.4800/ml |
| Vitamin K1 (Phytomenadione) 1 mg/ml Ampoule | P | _____ | _____ | _____ /ml | 2.0614/ml |
| Vitamin K1 (Phytomenadione) 10 mg/ml Ampoule | E | _____ | _____ | _____ /ml | 0.4800/ml |
| Vitamin K1 (Phytomenadione) 10 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.6147/tab-cap |
| Vitamin, Multi Syrup | N | _____ | _____ | _____ /ml | 0.0043/ml |
| Vitamin, Multi Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0060/tab-cap |
| Vitamin, Multi + Iron Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0547/tab-cap |
| Vitamin, Multi + Minerals Tab-Cap | N | _____ | _____ | _____ /tab-cap | 0.0514/tab-cap |
| Warfarin Sodium 1 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0462/tab-cap |
| Warfarin Sodium 2 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0446/tab-cap |
| Warfarin Sodium 3 mg Tab-Cap | P | _____ | _____ | _____ /tab-cap | 0.0549/tab-cap |
| Warfarin Sodium 5 mg Tab-Cap | C | _____ | _____ | _____ /tab-cap | 0.0514/tab-cap |
| Water For Injection 10 ml Ampoule | E | _____ | _____ | _____ /ampoule | 0.0470/ampoule |
| Water For Injection 5 ml Ampoule | E | _____ | _____ | _____ /ampoule | 0.0541/ampoule |
| Water For Injection 1000 ml Bott | P | _____ | _____ | _____ /bott | 0.8144/bott |
| Water For Injection 100 ml Vial | P | _____ | _____ | _____ /vial | 0.7213/vial |
| Zidovudine (Azt) 50 mg/5 ml Solution | E | _____ | _____ | _____ /ml | 0.0167/ml |
| Zidovudine (Azt) 300 mg Tab-Cap | E | _____ | _____ | _____ /tab-cap | 0.2617/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list

List III: Price Comparison Form (Buyer Prices Only)

| ITEM DESCRIPTION | WHO EML | PACK SIZE | PACK PRICE | UNIT PRICE | MEDIAN INT. SUPPLIER UNIT PRICE (US\$) |
|--------------------------------|---------|-----------|------------|----------------|--|
| Zidovudine (Azt) 10 mg/ml Vial | E | _____ | _____ | _____ /ml | 2.2898/ml |
| Zinc Oxide 10% Ointment | N | _____ | _____ | _____ /g | 0.0048/g |
| Zuclopenthixol 10 mg Tab-Cap | T | _____ | _____ | _____ /tab-cap | 0.1347/tab-cap |

WHO EML = <E>ssential, <C>omplementary, <P>resentation, <T>herapeutic group alternative, <N>ot on the list



ANNEXES



List of Synonyms

| Synonym | Name as Listed in the Guide |
|---|------------------------------------|
| acetaminophen | paracetamol |
| adrenaline | epinephrine |
| ascorbic acid | vitamin C |
| aspirin | acetylsalicylic acid |
| AZT | zidovudine |
| bendrofluazide | bendroflumethiazide |
| benzathine penicillin | penicillin, benzathine benzyl |
| benzhexol | trihexyphenidyl |
| benztropine | benztropine |
| benzyl penicillin | penicillin, benzyl |
| butylscopolamine bromide | hyoscine butylbromide |
| carbon absorbent | charcoal, activated |
| chlorpheniramine | chlorphenamine |
| cholecalciferol | vitamin D-3 |
| cyanocobalamin | vitamin B-12 |
| doxorubicin4.Epi | epirubicin |
| ergocalciferol | vitamin D |
| ethanol | alcohol |
| Factor VIII | antihemophilic factor |
| frusemide | furosemide |
| gammabenzene hexachloride | lindane |
| glucose | dextrose |
| haemaccel | polygeline |
| Hartmann's Solution | sodium lactate compound |
| hydroxycobalamin | vitamin B-12 |
| hydroxyurea | hydroxycarbamide |
| INH | isoniazid |
| insulin, short-acting (Actrapid) | insulin, neutral soluble (regular) |
| insulin, intermediate-acting (Insulatard) | insulin, isophane (NPH) |
| ippecac syrup | ippecacuanha syrup |
| IZS | insulin, zinc suspension (lente) |
| NPH insulin | insulin, isophane (NPH) |
| lignocaine | lidocaine |
| nitroglycerin | glyceryl trinitrate |
| normal saline | sodium chloride 0.9% |
| penicillin G benzathine | penicillin, benzathine benzyl |
| penicillin G sodium | penicillin, benzyl |
| penicillin VK | penicillin, phenoxyethyl |
| penicillin V potassium | penicillin, phenoxyethyl |
| phenobarbitone | phenobarbital |
| phenoxyethyl penicillin | penicillin, phenoxyethyl |
| phytomenadione | vitamin K-1 |
| povidone | PVP iodine |
| procaine penicillin | penicillin, procaine benzyl |
| pyridoxine | vitamin B-6 |
| retinol | vitamin A |

| Synonym | Name as Listed in the <i>Guide</i> |
|---------------------------------|------------------------------------|
| Ringer's lactate | sodium lactate compound |
| stilboestrol | diethylstilbestrol |
| succinylcholine | suxamethonium |
| sulfamethoxazole & trimethoprim | co-trimoxazole (smz/tmp) |
| thiamine | vitamin B-1 |
| thiopentone | thiopental sodium |
| thyroxine sodium | levothyroxine sodium |

WHO EML Therapeutic Categories, March 2011

| | | | |
|----------|---|----------|---|
| 1. | Anaesthetics | 6.5.3. | Antimalarial medicines |
| 1.1. | General anaesthetics and oxygen | 6.5.3.1. | For curative treatment |
| 1.1.1. | Inhalational medicines | 6.5.3.2. | For prophylaxis |
| 1.1.2. | Injectable medicines | 6.5.4. | Anti-pneumocystosis and antitoxoplasmosis medicines |
| 1.2. | Local anaesthetics | 6.5.5. | Antitypanosomal medicines |
| 1.3. | Preoperative medication and sedation for short-term procedures | 6.5.5.1. | African trypanosomiasis |
| 2. | Analgesics, antipyretics, nonsteroidal anti-inflammatory medicines (NSAIDs), medicines used to treat gout and disease-modifying agents used in rheumatic disorders (DMARDs) | 6.5.5.2. | American trypanosomiasis |
| 2.1. | Non-opioids & nonsteroidal anti-inflammatory medicines (NSAIDs) | 7. | Antimigraine medicines |
| 2.2. | Opioid analgesics | 7.1. | For treatment of acute attack |
| 2.3. | Medicines used to treat gout | 7.2. | For prophylaxis |
| 2.4. | Disease modifying agents used in rheumatic disorders (DMARDs) | 8. | Antineoplastic, immunosuppressives, and medicines used in palliative care |
| 3. | Antiallergics and medicines used in anaphylaxis | 8.1. | Immunosuppressive medicines |
| 4. | Antidotes and other substances used in poisonings | 8.2. | Cytotoxic and adjuvant medicines |
| 4.1. | Non-specific | 8.3. | Hormones and antihormones |
| 4.2. | Specific | 8.4. | Medicines used in palliative care |
| 5. | Anticonvulsants/Antiepileptics | 9. | Antiparkinsonism medicines |
| 6. | Anti-infective medicines | 10. | Medicines affecting the blood |
| 6.1. | Anthelmintics | 10.1. | Antianaemia medicines |
| 6.1.1. | Intestinal anthelmintics | 10.2. | Medicines affecting coagulation |
| 6.1.2. | Antifilarials | 10.3. | Other medicines for haemoglobinopathies |
| 6.1.3. | Antischistosomals and antitrematode medicines | 11. | Blood products and plasma substitutes |
| 6.2. | Antibacterials | 11.1. | Plasma substitutes |
| 6.2.1. | Beta lactam medicines | 11.2. | Plasma fractions for specific use |
| 6.2.2. | Other antibacterials | 12. | Cardiovascular medicines |
| 6.2.3. | Antileprosy medicines | 12.1. | Antianginal medicines |
| 6.2.4. | Antituberculosis medicines | 12.2. | Antiarrhythmic medicines |
| 6.3. | Antifungal medicines | 12.3. | Antihypertensive medicines |
| 6.4. | Antiviral medicines | 12.4. | Medicines used in heart failure |
| 6.4.1. | Antiherpes medicines | 12.5. | Antithrombotic medicines |
| 6.4.2. | Antiretrovirals | 12.6. | Lipid-lowering agents |
| 6.4.2.1. | Nucleoside/nucleotide reverse transcriptase inhibitors | 13. | Dermatological medicines (topical) |
| 6.4.2.2. | Non-nucleoside reverse transcriptase inhibitors | 13.1. | Antifungal medicines |
| 6.4.2.3. | Protease inhibitors | 13.2. | Anti-infective medicines |
| 6.4.3. | Other antivirals | 13.3. | Anti-inflammatory and antipruritic medicines |
| 6.5. | Antiprotozoal medicines | 13.4. | Astringent medicines |
| 6.5.1. | Antiamoebic and antigiardiasis medicines | 13.5. | Medicines affecting skin differentiation and proliferation |
| 6.5.2. | Antileishmaniasis medicines | 13.6. | Scabicides and pediculicides |
| | | 14. | Diagnostic agents |
| | | 14.1. | Ophthalmic medicines |
| | | 14.2. | Radiocontrast media |
| | | 15. | Disinfectants and antiseptics |
| | | 15.1. | Antiseptics |
| | | 15.2. | Disinfectants |
| | | 16. | Diuretics |
| | | 17. | Gastrointestinal medicines |
| | | 17.1. | Antiulcer medicines |

| | | | |
|---------|--|---------|---|
| 17.2. | Antiemetic medicines | 21.4. | Miotics and antiglaucoma medicines |
| 17.3. | Anti-inflammatory medicines | 21.5. | Mydriatics |
| 17.4. | Laxatives | 22. | Oxytocics and antioxotocics |
| 17.5. | Medicines used in diarrhoea | 22.1. | Oxytocics |
| 17.5.1. | Oral rehydration | 22.2. | Antioxotocics (tocolytics) |
| 17.5.2. | Medicines for diarrhoea in children | 23. | Peritoneal dialysis solution |
| 18. | Hormones, other endocrine medicines and contraceptives | 24. | Medicines for mental and behavioral disorders |
| 18.1. | Adrenal hormones and synthetic substitutes | 24.1. | Medicines used in psychotic disorders |
| 18.2. | Androgens | 24.2. | Medicines used in mood disorders |
| 18.3. | Contraceptives | 24.2.1. | Medicines used in depressive disorders |
| 18.3.1. | Oral hormonal contraceptives | 24.2.2. | Medicines used in bipolar disorders |
| 18.3.2. | Injectable hormonal contraceptives | 24.3. | Medicines for anxiety disorders |
| 18.3.3. | Intrauterine devices | 24.4. | Medicines used for obsessive compulsive disorders |
| 18.3.4. | Barrier methods | 24.5. | Medicines for disorders due to psychoactive substance use |
| 18.3.5. | Implantable contraceptives | 25. | Medicines acting on the respiratory tract |
| 18.4. | Estrogens | 25.1. | Antiasthmatic and medicines for chronic obstructive pulmonary disease |
| 18.5. | Insulins and other medicines used for diabetes | 26. | Solutions correcting water, electrolyte, and acid-base disturbances |
| 18.6. | Ovulation inducers | 26.1. | Oral |
| 18.7. | Progestogens | 26.2. | Parenteral |
| 18.8. | Thyroid hormones and antithyroid medicines | 26.3. | Miscellaneous |
| 19. | Immunologicals | 27. | Vitamins and minerals |
| 19.1. | Diagnostic agents | 28. | Ear, nose and throat conditions in children |
| 19.2. | Sera and immunoglobulins | 29. | Specific medicines for neonatal care |
| 19.3. | Vaccines | | |
| 20. | Muscle relaxants (peripherally acting) and cholinesterase inhibitors | | |
| 21. | Ophthalmological preparations | | |
| 21.1. | Anti-infective agents | | |
| 21.2. | Anti-inflammatory agents | | |
| 21.3. | Local anaesthetics | | |

Source: WHO Model List of Essential Medicines 17th edition (revised March 2011), from <http://www.who.int/medicines/publications/essentialmedicines/en/index.html>

OMS LME Categorías Terapéuticas, Marzo 2011

| | | | |
|----------|--|----------|---|
| 1. | Anestésicos | 6.5.3.1. | Para tratamiento curativo |
| 1.1. | Anestésicos generales y oxígeno | 6.5.3.2. | Para profilaxis |
| 1.1.1. | Medicamentos inhalados | 6.5.4. | Antipneumocistósicos y antitoxoplasmósicos |
| 1.1.2. | Medicamentos inyectables | 6.5.5. | Antitripanosomiásicos |
| 1.2. | Anestésicos locales | 6.5.5.1. | Tripanosomiasis africana |
| 1.3. | Medicación preoperatoria y sedación para procedimientos breves | 6.5.5.2. | Tripanosomiasis americana |
| 2. | Analgésicos, antipiréticos, antiinflamatorios no esteroideos (AINE), antigotosos y antirreumáticos modificadores de la enfermedad (ARME) | 7. | Antimigrañosos (antijaquecosos) |
| 2.1. | Analgésicos no opiáceos y antiinflamatorios no esteoideos (AINE) | 7.1. | Para el tratamiento de la crisis aguda |
| 2.2. | Analgésicos opiáceos | 7.2. | Para profilaxis |
| 2.3. | Antigotosos | 8. | Antineoplásicos, inmunodepresores y medicamentos en los cuidados paliativos |
| 2.4. | Antirreumáticos modificadores de la enfermedad (ARME) | 8.1. | Inmunodepresores |
| 3. | Antialérgicos y medicamentos utilizados en la anafilaxia | 8.2. | Citotóxicos y medicamentos adyuvantes |
| 4. | Antídotos y otras sustancias usadas en intoxicaciones | 8.3. | Hormonas y antihormonas |
| 4.1. | Inespecíficos | 8.4. | Medicamentos usados en los cuidados paliativos |
| 4.2. | Específicos | 9. | Antiparkinsonianos |
| 5. | Anticonvulsivantes/antiepilepticos | 10. | Medicamentos con efectos en la sangre |
| 6. | Antiinfecciosos | 10.1. | Antianémicos |
| 6.1. | Antihelmínticos | 10.2. | Medicamentos con efectos en la coagulación |
| 6.1.1. | Antihelmínticos intestinales | 10.3. | Otros medicamentos para hemoglobinopatías |
| 6.1.2. | Antifilaríásicos | 11. | Productos sanguíneos y sucedáneos del plasma |
| 6.1.3. | Antiesquistosomiásicos y antitrematódicos | 11.1. | Sucedáneos del plasma |
| 6.2. | Antibacterianos | 11.2. | Fracciones plasmáticas para usos específicos |
| 6.2.1. | Betalactámicos | 12. | Medicamentos cardiovasculares |
| 6.2.2. | Otros antibacterianos | 12.1. | Antianginosos |
| 6.2.3. | Antileprosos | 12.2. | Antiarrítmicos |
| 6.2.4. | Antituberculosos | 12.3. | Antihipertensivos |
| 6.3. | Antifúngicos | 12.4. | Medicamentos utilizados en la insuficiencia cardiaca |
| 6.4. | Antivíricos | 12.5. | Antitrombóticos |
| 6.4.1. | Antiherpélicos | 12.6. | Agentes hipolipemiantes |
| 6.4.2. | Antirretrovíricos | 13. | Medicamentos dermatológicos (tópicos) |
| 6.4.2.1. | Inhibidores nucleosídicos de la transcriptasa inversa | 13.1. | Antifúngicos |
| 6.4.2.2. | Inhibidores no nucleosídicos de la transcriptasa inversa | 13.2. | Antiinfecciosos |
| 6.4.2.3. | Inhibidores de la proteasa | 13.3. | Antiinflamatorios y antipruriginosos |
| 6.4.3. | Otros antivíricos | 13.4. | Astringentes |
| 6.5. | Antiprotozoarios | 13.5. | Medicamentos que afectan a la diferenciación cutánea y la proliferación |
| 6.5.1. | Antamebianos y antigiardiásicos | 13.6. | Escabicidas y pediculicida |
| 6.5.2. | Antileishmaniásicos | 14. | Agentes de diagnóstico |
| 6.5.3. | Antipalúdicos | 14.1. | Medicamentos oftálmicos |
| | | 14.2. | Medios de contraste radiológico |
| | | 15. | Desinfectantes y antisépticos |
| | | 15.1. | Antisépticos |

| | | | |
|---------|---|---------|---|
| 15.2. | Desinfectantes | 22.2. | Antioxíticos |
| 16. | Diuréticos | 23. | Solución de diálisis peritoneal |
| 17. | Medicamentos gastrointestinales | 24. | Medicamentos para trastornos mentales y del comportamiento |
| 17.1. | Antiulcerosos | 24.1. | Medicamentos usados en los trastornos psicóticos |
| 17.2. | Antieméticos | 24.2. | Medicamentos usados en los trastornos del humor |
| 17.3. | Antiinflamatorios | 24.2.1. | Medicamentos usados en los trastornos depresivos |
| 17.4. | Laxantes | 24.2.2. | Medicamentos usados en los trastornos bipolares |
| 17.5. | Medicamentos usados en la diarrea | 24.3. | Medicamentos usados en los trastornos de la ansiedad |
| 17.5.1. | Rehidratación oral | 24.4. | Medicamentos usados en los trastornos obsesivo-compulsivos |
| 17.5.2. | Antidiarreicos para uso pediátrico | 24.5 | Medicamentos para desórdenes debidos al uso de substancias psicoactivas |
| 18. | Hormonas, otros medicamentos endocrinos y anticonceptivos | 25. | Medicamentos que actúan en las vías respiratorias |
| 18.1. | Hormonas suprarrenales y sucedáneos sintéticos | 25.1. | Antiasmáticos y medicamentos utilizados en la neumopatía obstructiva crónica |
| 18.2. | Andrógenos | 26. | Soluciones correctoras de los trastornos hidroelectrolíticos y del equilibrio ácidobásico |
| 18.3. | Anticonceptivos | 26.1. | Orales |
| 18.3.1. | Anticonceptivos hormonales orales | 26.2. | Parenterales |
| 18.3.2. | Anticonceptivos hormonales inyectables | 26.3. | Diversas |
| 18.3.3. | Dispositivos intrauterinos | 27. | Vitaminas y sustancias minerales |
| 18.3.4. | Métodos de barrera | 28. | Trastornos de oido, nariz, y garganta en niños |
| 18.3.5. | Anticonceptivos implantables | 29. | Medicamentos específicos para cuidado neonatal |
| 18.4. | Estrógenos | | |
| 18.5. | Insulinas y antidiabéticos | | |
| 18.6. | Inductores de la ovulación | | |
| 18.7. | Progestágenos | | |
| 18.8. | Hormonas tiroideas y antitiroideos | | |
| 19. | Productos inmunológicos | | |
| 19.1. | Agentes de diagnóstico | | |
| 19.2. | Sueros e inmunoglobulinas | | |
| 19.3. | Vacunas | | |
| 20. | Miorrelajantes (de acción periférica) e inhibidores de la colinesterasa | | |
| 21. | Preparaciones oftalmológicas | | |
| 21.1. | Antiinfecciosos | | |
| 21.2. | Antiinflamatorios | | |
| 21.3. | Anestésicos locales | | |
| 21.4. | Mióticos y antiglaucomatosos | | |
| 21.5. | Midriáticos | | |
| 22. | Oxitóxicos y antioxíticos | | |
| 22.1. | Oxitóxicos | | |

Fuente: La 17º Lista Modelo de Medicamentos Esenciales de la OMS (revisada marzo 2011), de <http://www.who.int/medicines/publications/essentialmedicines/en/index.html>

OMS LME Catégories Thérapeutiques, Mars 2011

| | | | |
|----------|--|----------|--|
| 1. | Anesthésiques | 6.5.2. | Antileishmaniens |
| 1.1. | Anesthésiques généraux et oxygène | 6.5.3. | Antipaludiques |
| 1.1.1. | Médicaments inhalables | 6.5.3.1. | Traitement curatif |
| 1.1.2. | Médicaments injectables | 6.5.3.2. | Prophylaxie |
| 1.2. | Anesthésiques locaux | 6.5.4. | Médicaments contre la pneumocytose et la toxoplasmose |
| 1.3. | Premédication anesthésique et sédation pour interventions de courte durée | 6.5.5. | Trypanocides |
| 2. | Analgésiques, antipyrrétiques, anti-inflammatoires non stéroïdiens (AINS), antigoutteux, et médicaments utilisés pour le traitement de fond des affections rhumatismales | 6.5.5.1. | Trypanosomiase africaine |
| 2.1 | Analgésiques non opioïdes et anti-inflammatoires non stéroïdiens | 6.5.5.2. | Trypanosomiase américaine |
| 2.2. | Analgésiques opioïdes | 7. | Antimigraineux |
| 2.3. | Antigoutteux | 7.1. | Traitemennt de la crise |
| 2.4. | Médicaments utilisés pour le traitement de fond des affections rhumatismales | 7.2. | Prophylaxie |
| 3. | Antiallergiques et anti-anaphylactiques | 8. | Antinéoplasiques, immuno-supresseurs et médicaments des soins palliatifs |
| 4. | Antidotes et autres substances utilisées pour le traitement des intoxications | 8.1. | Immunosupresseurs |
| 4.1. | Non spécifiques | 8.2. | Cytotoxiques et médicaments adjuvants |
| 4.2. | Spécifiques | 8.3. | Hormones and anti-hormones |
| 5. | Anticonvulsivants / anti-épileptiques | 8.4. | Médicaments des soins palliatifs |
| 6. | Anti-infectieux | 9. | Antiparkinsoniens |
| 6.1. | Antihelminthiques | 10. | Médicaments utilisés en hématologie |
| 6.1.1. | Médicaments contre les helminthes intestinaux | 10.1. | Antianémiques |
| 6.1.2. | Antifilariens | 10.2. | Médicaments de l'hémostase |
| 6.1.3. | Schistosomicides (antibilharziens) et antitrématodes | 10.3. | Autres médicaments pour le traitement des hémoglobinopathies |
| 6.2. | Antibactériens | 11. | Produits sanguins et substituts du plasma |
| 6.2.1. | Béta-lactamines | 11.1. | Substituts du plasma |
| 6.2.2. | Autres antibactériens | 11.2. | Fractions plasmatiques pour indications particulières |
| 6.2.3. | Antilépreux | 12. | Médicaments utilisés en cardio-angiologie |
| 6.2.4. | Antituberculeux | 12.1. | Anti-angioreux |
| 6.3. | Antifongiques | 12.2. | Antiarythmiques |
| 6.4. | Antiviraux | 12.3. | Antihypertenseurs |
| 6.4.1. | Antiherpétiques | 12.4. | Médicaments de l'insuffisance cardiaque |
| 6.4.2. | Antirétroviraux | 12.5. | Antithrombotiques |
| 6.4.2.1. | Inhibiteurs nucléosidiques / nucléotidiques de la transcriptase inverse | 12.6. | Hypolipémiants |
| 6.4.2.2. | Inhibiteurs non-nucléosidiques de la transcriptase inverse | 13. | Médicaments utilisés en dermatologie (topiques) |
| 6.4.2.3. | Inhibiteurs des protéases | 13.1. | Antifongiques |
| 6.4.3. | Autres antiviraux | 13.2. | Anti-infectieux |
| 6.5. | Antiprotozoaires | 13.3. | Anti-inflammatoires et antiprurigineux |
| 6.5.1. | Antiamibiens et antigardiens | 13.4. | Astringents |
| | | 13.5. | Médicaments de la différenciation et de la prolifération cutanées |
| | | 13.6. | Scabicides et pédiculocides |
| | | 14. | Produits de diagnostic |
| | | 14.1. | En ophthalmologie |
| | | 14.2. | Produits de contraste |
| | | 15. | Désinfectants et antiseptiques |
| | | 15.1. | Antiseptiques |

| | | | |
|---------|--|---------|---|
| 15.2. | Désinfectants | 21.3. | Anesthésiques locaux |
| 16. | Diurétiques | 21.4. | Myotiques et antiglaucomateux |
| 17. | Médicaments indiqués en gastroenterologie | 21.5. | Mydriatiques |
| 17.1. | Antiulcèreux | 22. | Ocytociques et anti-oxytociques |
| 17.2. | Antémétiques | 22.1. | Ocytociques |
| 17.3. | Anti-inflammatoires | 22.2. | Anti-oxytociques (tocolytiques) |
| 17.4. | Laxatifs | 23. | Solutions pour dialyse péritonéale |
| 17.5. | Antidiarrhéiques | 24. | Medicaments des desordres mentaux et comportementaux |
| 17.5.1. | Réhydratation orale | 24.1. | Antipsychotiques |
| 17.5.2. | Antidiarrhéiques à usage pédiatrique | 24.2. | Médicaments des troubles de l'humeur |
| 18. | Hormones, autres médicaments indiqués en endocrinologie et contraceptifs | 24.2.1. | Antidépresseurs |
| 18.1. | Hormones surrénauliennes et corticoïdes de synthèse | 24.2.2. | Normothymiques |
| 18.2. | Androgènes | 24.3. | Anxiolytiques |
| 18.3. | Contraceptifs | 24.4. | Médicaments des troubles obsessionnels compulsifs |
| 18.3.1. | Contraceptifs hormonaux oraux | 24.5. | Médicaments des troubles liés à l'usage de substances psychoactives |
| 18.3.2. | Contraceptifs hormonaux injectables | 25. | Médicaments indiqués en pneumologie |
| 18.3.3. | Dispositifs intra-utérins | 25.1. | Antiasthmatiques et traitement des bronchopneumopathies chroniques obstructives |
| 18.3.4. | Contraception locale | 26. | Correction des troubles hydro-électrolytiques et acido-basiques |
| 18.3.5. | Contraceptifs implantables | 26.1. | Voie orale |
| 18.4. | Estrogènes | 26.2. | Voie parentérale |
| 18.5. | Insulines et autres antidiabétiques | 26.3. | Divers |
| 18.6. | Inducteurs de l'ovulation | 27. | Vitamines et éléments minéraux |
| 18.7. | Progestatifs | 28. | Affections de l'oreille, du nez et de la gorge chez l'enfant |
| 18.8. | Hormones thyroïdiennes et antithyroïdiens | 29. | Medicaments propres aux soins neonataux |
| 19. | Préparations pour l'immunologie | | |
| 19.1. | Produits de diagnostic | | |
| 19.2. | Sérum et immunoglobulines | | |
| 19.3. | Vaccins | | |
| 20. | Myorelaxants (périphériques) et inhibiteurs de la cholinesterase | | |
| 21. | Préparations pour l'ophtalmologie | | |
| 21.1. | Anti-infectieux | | |
| 21.2. | Anti-inflammatoires | | |

Source: La 17e liste modèle OMS des médicaments essentiels (revue en mars 2011) de <http://www.who.int/medicines/publications/essentialmedicines/en/index.html>.

About Management Sciences for Health

Management Sciences for Health (MSH) is an international nonprofit organization, dedicated to closing the gap between what is known about the overwhelming public health challenges facing many nations and what is done to address those challenges.

Since 1971, MSH has worked in more than 140 countries with policymakers, health professionals, and health care consumers to improve the quality, availability, and affordability of health services. We work with governments, donors, nongovernmental organizations, and health agencies to respond to priority health problems such as HIV & AIDS, tuberculosis, malaria, maternal-child health, and reproductive health. Our publications and electronic products augment our assistance in these technical areas.

MSH's staff of more than 2,200 from over 70 nations work in its Cambridge, Massachusetts, headquarters; offices in the Washington, DC, area; and more than 30 country offices. Through technical assistance, research, training, and systems development, MSH is committed to making a lasting difference in global health.

For more information about Management Sciences for Health, please visit our website at www.msh.org. For a catalog of MSH's publications, please contact:

MSH Bookstore
784 Memorial Drive
Cambridge, MA 02139-4613 USA

Telephone: 617.250.9500
Fax: 617.250.9090
E-mail: bookstore@msh.org

About the MSH Center for Pharmaceutical Management

MSH has more than 30 years of experience in establishing, managing, and evaluating pharmaceutical sector activities in developing countries. In 1983, the MSH Drug Management Program (DMP) was established in recognition of the key role that pharmaceuticals play in delivering high-quality health care in developing countries.

In 2001, the DMP was restructured as the Center for Pharmaceutical Management (CPM). The center, building on the work of the DMP, remains committed to providing high-quality technical assistance and training in pharmaceutical management worldwide.

The key to MSH's success in providing technical assistance in pharmaceutical management is our proven ability to work closely with both senior- and operations-level personnel in developing countries, while maintaining strong working relationships with the many international agencies and donors sponsoring our work. These donors include USAID, WHO, PAHO, UNICEF, Danida, the World Bank, and foundations such as the Bill & Melinda Gates Foundation and the Rockefeller Foundation.

CPM has nearly 700 staff members working out of its primary office in the Washington, D.C., area and other locations worldwide, together with a roster of more than 50 expert consultants, who are available as required. For more information on CPM, please contact:

Management Sciences for Health
Center for Pharmaceutical Management
4301 N. Fairfax Drive, Suite 400
Arlington, VA 22203 USA

Telephone: 703.524.6575
Fax: 703.524.7898
E-mail: cpm@msh.org

Acerca de Management Sciences for Health

Management Sciences for Health (MSH) es una organización privada sin fines de lucro dedicada a cerrar la brecha entre lo que se sabe acerca de los retos de salud pública de muchas naciones y lo que se hace por resolverlos.

Desde 1971, MSH ha trabajado en más de 140 países, con personal de políticas, profesionales de salud y consumidores de servicios de atención de salud para mejorar la calidad, la disponibilidad y la accesibilidad financiera de los servicios de salud. Trabajamos con los gobiernos, los donantes, las organizaciones no gubernamentales, y las agencias de salud para responder a los problemas prioritarios de salud como el VIH & SIDA, la tuberculosis, el paludismo, la supervivencia maternal-infantil y la salud reproductiva. Nuestros productos electrónicos y publicaciones complementan nuestra asistencia en estas áreas técnicas.

El cuadro de MSH que suma más de 2200 personas de más de 70 naciones trabaja en su sede en Cambridge, Massachusetts, oficinas en los alrededores de Washington, DC y más de 30 oficinas en el terreno. A través de sus investigaciones, asistencia técnica, capacitación y desarrollo de sistemas, MSH se compromete a hacer una diferencia duradera en la salud global.

Para más información sobre Management Sciences for Health, por favor visite nuestro sitio web, www.msh.org. Para recibir un catálogo de publicaciones de MSH, por favor comuníquese con:

MSH Bookstore
784 Memorial Drive
Cambridge, MA 02139-4613 EE.UU.

Teléfono: 617.250.9500
Fax: 617.250.9090
Correo electrónico: bookstore@msh.org

Acerca del Centro de Gestión Farmacéutica de MSH

MSH tiene más de 30 años de experiencia en el desarrollo, gerencia y evaluación de las actividades del sector farmacéutico en los países en desarrollo. En 1983 creó su programa de gestión farmacéutica (*Drug Management Program*, o DMP), por reconocer el papel esencial de los medicamentos en proporcionar atención médica de calidad en los países en desarrollo.

En 2001 DMP se transformó en el actual Centro de Gestión Farmacéutica (*Center for Pharmaceutical Management*, o CPM), que continúa la labor iniciada por DMP a nivel mundial y su dedicación a proporcionar asistencia técnica y capacitación de alta calidad sobre este tema.

El éxito de MSH en su asistencia técnica sobre la gestión farmacéutica, se debe a su demostrada capacidad para colaborar estrechamente—tanto con el personal de alto nivel, como con el personal operativo en los países en desarrollo—y mantener una sólida relación de trabajo con las diversas organizaciones internacionales y donantes que patrocinan sus actividades. Estos donantes incluyen USAID, OMS, OPS, UNICEF, Danida, el Banco Mundial y fundaciones como la Bill & Melinda Gates y la Rockefeller.

CPM tiene cerca de 700 personas asignadas en su oficina principal en el área metropolitana de Washington, D.C., y en otros lugares por todo el mundo, y cuenta con una lista de más de 50 consultores especializados, que prestan sus servicios cuando estos son necesarios. Para más información sobre CPM, por favor comuníquese con:

Management Sciences for Health
Center for Pharmaceutical Management
4301 N. Fairfax Drive, Suite 400
Arlington, VA 22203 EE.UU.

Teléfono: 703.524.6575
Fax: 703.524.7898
Correo electrónico: cpm@msh.org

A propos de Management Sciences for Health

Management Sciences for Health (MSH) est une organisation internationale à but non lucratif, qui cherche à combler l'écart entre ce que l'on connaît des énormes défis de santé publique qui confrontent de nombreuses nations et ce que l'on fait pour les adresser.

Depuis 1971, MSH a travaillé dans plus de 140 pays avec des décideurs, des professionnels de la santé et des clients des services de santé pour améliorer la qualité et la disponibilité des services de santé, et pour en réduire le coût. Nous collaborons avec les gouvernements, les bailleurs au fonds, les organisations non gouvernementales, et les agences de santé pour répondre aux problèmes prioritaires de santé, tels que le VIH & SIDA, la tuberculose, le paludisme, la santé maternel-enfantine, et la santé de la reproduction. Nos publications et nos produits électroniques sont une forme supplémentaire d'assistance dans ces domaines techniques.

MSH emploie plus de 2200 personnes provenant de plus de 70 nations ; MSH a son siège à Cambridge, dans le Massachusetts, et des bureaux dans les environs de Washington DC ainsi que dans plus de 30 pays. En fournissant assistance technique, recherche, formation, et en développant des systèmes, MSH s'engage à faire une différence durable dans la santé mondiale.

Pour plus d'information sur Management Sciences for Health, veuillez consulter notre site Web à www.msh.org. Si vous souhaitez recevoir un catalogue des publications de MSH, veuillez contacter :

MSH Bookstore
784 Memorial Drive
Cambridge, MA 02139-4613
États-Unis

Téléphone : 617.250.9500
Fax : 617.250.9090
Courrier électronique: bookstore@msh.org

A propos du Centre MSH pour la Gestion des Médicaments

MSH a plus de 30 années d'expérience en ce qui concerne la mise sur pied, la gestion et l'évaluation d'activités du secteur pharmaceutique dans des pays en développement. En 1983, le Programme de Gestion des Médicaments (DMP) de MSH était créé au regard de l'importance cruciale que détiennent les produits pharmaceutiques dans la prestation de soins de santé de qualité dans des pays en développement.

En 2001, le DMP était restructuré donnant naissance au Centre pour la Gestion des Médicaments (CPM). Le Centre, fidèle aux travaux du DMP, reste engagé à fournir une assistance technique et formation de qualité en matière de gestion pharmaceutique dans le monde entier.

MSH sait apporter une assistance technique efficace en matière de gestion pharmaceutique car nous sommes capables de travailler en étroite collaboration avec les cadres supérieurs et opérationnels dans des pays en développement tout en maintenant de relations fortes de travail avec les nombreuses organisations internationales et bailleurs de fonds parrainant nos activités. Ces bailleurs comprennent l'USAID, l'OMS, l'OPS, l'UNICEF, Danida, la Banque mondiale et des fondations telles que la Fondation Bill & Melinda Gates et la Fondation Rockefeller.

CPM compte-t-il près de 700 membres de personnel travaillant à partir de ses bureaux principaux dans la région de Washington, DC, et d'autres endroits mondiaux de pair avec un groupe de plus de 50 consultants hautement spécialisés intervenant de manière ponctuelle.

Pour plus d'information sur CPM, veuillez contacter :

Management Sciences for Health
Center for Pharmaceutical Management
4301 N. Fairfax Drive, Suite 400
Arlington, VA 22203 États-Unis

Téléphone : 703.524.6575
Fax : 703.524.7898
Courrier électronique : cpm@msh.org

International Drug Price Indicator Guide

MSH's *International Drug Price Indicator Guide* provides an indication of drug prices on the international market. Updated annually, this *Guide* contains a spectrum of prices from drug suppliers and procurement agencies based on their current price lists. It also contains prices obtained from international development organizations and government agencies. Comparative price information is important for getting the best price, and this is an essential reference for anyone involved in the procurement of pharmaceuticals.

The 2011 edition of the *International Drug Price Indicator Guide* was produced in collaboration with the World Health Organization.

The *Guide* is also available on MSH's Electronic Resource Center at <http://erc.msh.org>.

*"As a health economist working on drug policy issues, I find the
MSH International Drug Price Indicator Guide invaluable..."*

— Research Fellow, London School of Hygiene & Tropical Medicine

*"This Guide has become an indispensable tool in our efforts here
to promote rational drug use."*

— Physician, National Drug Information Center, College of Medicine, the Philippines

Managing Drug Supply:

Managing Access to Medicines and other Health Technologies

Third Edition

Working with authors from around the world, MSH has revised its seminal publication on global pharmaceutical management. Its 52 updated chapters provide an overview and specific suggestions for effectively managing pharmaceutical systems. The publication includes six new chapters on pharmacovigilance, traditional medicines, intellectual property, and other cutting-edge topics. *MDS-3* is available on CD-ROM and online at www.msh.org.

